





Test Mode	UNII-8_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
199	6945	-10.63	0.00	-1.63	5.00	Complies
215	7025	-10.49	0.00	-1.49	5.00	Complies

**CH199**

**CH215**


Test Mode	UNII-8_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
199	6945	-10.53	0.00	-1.53	5.00	Complies
215	7025	-10.81	0.00	-1.81	5.00	Complies

**CH199**

**CH215**



Test Mode	UNII-8_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
199	6945	4.52	5.00	Complies
215	7025	4.30	5.00	Complies

Test Mode UNII-8\_TX AX(HE160) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
207	6985	-10.71	0.00	-1.71	5.00	Complies


### CH207



Test Mode UNII-8\_TX AX(HE160) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
207	6985	-10.97	0.00	-1.97	5.00	Complies


### CH207



Test Mode UNII-8\_TX AX(HE160) Mode\_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
207	6985	-10.89	0.00	-1.89	5.00	Complies


**CH207**



Test Mode UNII-8\_TX AX(HE160) Mode\_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
207	6985	-10.74	0.00	-1.74	5.00	Complies

**CH207**




Test Mode	UNII-8_TX AX(HE160) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
207	6985	4.19	5.00	Complies


Test Mode UNII-8\_TX BE(EHT20) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
189	6895	-10.55	0.00	-1.55	5.00	Complies
213	7015	-10.28	0.00	-1.28	5.00	Complies
229	7095	-10.05	0.00	-1.05	5.00	Complies


CH189



CH213




CH229




Test Mode UNII-8\_TX BE(EHT20) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
189	6895	-10.47	0.00	-1.47	5.00	Complies
213	7015	-10.41	0.00	-1.41	5.00	Complies
229	7095	-10.35	0.00	-1.35	5.00	Complies


CH189



CH213




CH229




Test Mode UNII-8\_TX BE(EHT20) Mode\_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
189	6895	-10.32	0.00	-1.32	5.00	Complies
213	7015	-10.29	0.00	-1.29	5.00	Complies
229	7095	-10.42	0.00	-1.42	5.00	Complies


CH189



CH213




CH229




Test Mode UNII-8\_TX BE(EHT20) Mode\_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
189	6895	-10.54	0.00	-1.54	5.00	Complies
213	7015	-10.21	0.00	-1.21	5.00	Complies
229	7095	-10.23	0.00	-1.23	5.00	Complies


CH189



CH213



CH229



Test Mode	UNII-8_TX BE(EHT20) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
189	6895	4.55	5.00	Complies
213	7015	4.72	5.00	Complies
229	7095	4.76	5.00	Complies




Test Mode UNII-8\_TX BE(EHT40) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
195	6925	-10.55	0.00	-1.55	5.00	Complies
211	7005	-11.02	0.00	-2.02	5.00	Complies
227	7085	-10.19	0.00	-1.19	5.00	Complies


CH195



CH211




CH227




Test Mode UNII-8\_TX BE(EHT40) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
195	6925	-10.69	0.00	-1.69	5.00	Complies
211	7005	-10.88	0.00	-1.88	5.00	Complies
227	7085	-10.46	0.00	-1.46	5.00	Complies


CH195



CH211




CH227




Test Mode UNII-8\_TX BE(EHT40) Mode\_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
195	6925	-10.71	0.00	-1.71	5.00	Complies
211	7005	-11.09	0.00	-2.09	5.00	Complies
227	7085	-10.13	0.00	-1.13	5.00	Complies


CH195



CH211




CH227




Test Mode UNII-8\_TX BE(EHT40) Mode\_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
195	6925	-10.63	0.00	-1.63	5.00	Complies
211	7005	-10.86	0.00	-1.86	5.00	Complies
227	7085	-10.41	0.00	-1.41	5.00	Complies


CH195



CH211



CH227




Test Mode	UNII-8_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
195	6925	4.38	5.00	Complies
211	7005	4.06	5.00	Complies
227	7085	4.73	5.00	Complies


Test Mode UNII-8\_TX BE(EHT80) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
199	6945	-10.88	0.00	-1.88	5.00	Complies
215	7025	-10.48	0.00	-1.48	5.00	Complies

CH199




CH215




Test Mode UNII-8\_TX BE(EHT80) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
199	6945	-10.92	0.00	-1.92	5.00	Complies
215	7025	-10.40	0.00	-1.40	5.00	Complies

CH199




CH215




Test Mode UNII-8\_TX BE(EHT80) Mode\_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
199	6945	-10.79	0.00	-1.79	5.00	Complies
215	7025	-10.56	0.00	-1.56	5.00	Complies

CH199




CH215




Test Mode UNII-8\_TX BE(EHT80) Mode\_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
199	6945	-11.04	0.00	-2.04	5.00	Complies
215	7025	-9.98	0.00	-0.98	5.00	Complies

CH199



CH215




Test Mode	UNII-8_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
199	6945	4.11	5.00	Complies
215	7025	4.67	5.00	Complies

Test Mode UNII-8\_TX BE(EHT160) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
207	6985	-9.87	0.00	-0.87	5.00	Complies


### CH207



Test Mode UNII-8\_TX BE(EHT160) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
207	6985	-10.58	0.00	-1.58	5.00	Complies


### CH207



Test Mode UNII-8\_TX BE(EHT160) Mode\_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
207	6985	-10.71	0.00	-1.71	5.00	Complies


### CH207



Test Mode UNII-8\_TX BE(EHT160) Mode\_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
207	6985	-10.79	0.00	-1.79	5.00	Complies

### CH207






Test Mode	UNII-8_TX BE(EHT160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
207	6985	4.55	5.00	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
185	6875	-10.51	0.00	-1.51	5.00	Complies


### CH185



Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
185	6875	-10.50	0.00	-1.50	5.00	Complies


### CH185



Test Mode UNII-7+UNII-8\_TX AX(HE20) Mode\_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
185	6875	-10.28	0.00	-1.28	5.00	Complies


### CH185



Test Mode UNII-7+UNII-8\_TX AX(HE20) Mode\_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
185	6875	-10.37	0.00	-1.37	5.00	Complies

### CH185




Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
185	6875	4.61	5.00	Complies

Test Mode UNII-7+UNII-8\_TX AX(HE40) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
187	6885	-10.08	0.00	-1.08	5.00	Complies


### CH187



Test Mode UNII-7+UNII-8\_TX AX(HE40) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
187	6885	-10.81	0.00	-1.81	5.00	Complies


### CH187



Test Mode UNII-7+UNII-8\_TX AX(HE40) Mode\_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
187	6885	-10.45	0.00	-1.45	5.00	Complies


**CH187**



Test Mode UNII-7+UNII-8\_TX AX(HE40) Mode\_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
187	6885	-10.23	0.00	-1.23	5.00	Complies

**CH187**




Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
187	6885	4.64	5.00	Complies

Test Mode UNII-7+UNII-8\_TX AX(HE80) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
183	6865	-10.36	0.00	-1.36	5.00	Complies


### CH183



Test Mode UNII-7+UNII-8\_TX AX(HE80) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
183	6865	-10.70	0.00	-1.70	5.00	Complies

### CH183






Test Mode UNII-7+UNII-8\_TX AX(HE80) Mode\_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
183	6865	-10.53	0.00	-1.53	5.00	Complies


### CH183



Test Mode UNII-7+UNII-8\_TX AX(HE80) Mode\_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
183	6865	-10.50	0.00	-1.50	5.00	Complies

### CH183



Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
183	6865	4.50	5.00	Complies