


Test Mode UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
175	6825	-10.71	0.00	-1.71	5.00	Complies


CH175



Test Mode UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
175	6825	-10.97	0.00	-1.97	5.00	Complies


CH175



Test Mode UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
175	6825	-10.89	0.00	-1.89	5.00	Complies


CH175



Test Mode UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
175	6825	-10.74	0.00	-1.74	5.00	Complies

CH175




Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
175	6825	4.19	5.00	Complies

Test Mode UNII-7+UNII-8_TX BE(EHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
185	6875	-10.60	0.00	-1.60	5.00	Complies


CH185



Test Mode UNII-7+UNII-8_TX BE(EHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
185	6875	-10.65	0.00	-1.65	5.00	Complies


CH185



Test Mode UNII-7+UNII-8_TX BE(EHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
185	6875	-10.45	0.00	-1.45	5.00	Complies


CH185



Test Mode UNII-7+UNII-8_TX BE(EHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
185	6875	-10.62	0.00	-1.62	5.00	Complies

CH185




Test Mode	UNII-7+UNII-8_TX BE(EHT20) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
185	6875	4.44	5.00	Complies

Test Mode UNII-7+UNII-8_TX BE(EHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
187	6885	-10.26	0.00	-1.26	5.00	Complies


CH187



Test Mode UNII-7+UNII-8_TX BE(EHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
187	6885	-10.34	0.00	-1.34	5.00	Complies


CH187



Test Mode UNII-7+UNII-8_TX BE(EHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
187	6885	-10.59	0.00	-1.59	5.00	Complies


CH187



Test Mode UNII-7+UNII-8_TX BE(EHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
187	6885	-10.62	0.00	-1.62	5.00	Complies

CH187




Test Mode	UNII-7+UNII-8_TX BE(EHT40) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
187	6885	4.57	5.00	Complies

Test Mode UNII-7+UNII-8_TX BE(EHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
183	6865	-10.99	0.00	-1.99	5.00	Complies


CH183



Test Mode UNII-7+UNII-8_TX BE(EHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
183	6865	-10.97	0.00	-1.97	5.00	Complies


CH183



Test Mode UNII-7+UNII-8_TX BE(EHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
183	6865	-11.13	0.00	-2.13	5.00	Complies


CH183



Test Mode UNII-7+UNII-8_TX BE(EHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
183	6865	-10.87	0.00	-1.87	5.00	Complies

CH183




Test Mode	UNII-7+UNII-8_TX BE(EHT80) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
183	6865	4.03	5.00	Complies

Test Mode UNII-7+UNII-8_TX BE(EHT160) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
175	6825	-10.16	0.00	-1.16	5.00	Complies


CH175



Test Mode UNII-7+UNII-8_TX BE(EHT160) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
175	6825	-10.44	0.00	-1.44	5.00	Complies


CH175



Test Mode UNII-7+UNII-8_TX BE(EHT160) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
175	6825	-10.35	0.00	-1.35	5.00	Complies


CH175



Test Mode UNII-7+UNII-8_TX BE(EHT160) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
175	6825	-10.13	0.00	-1.13	5.00	Complies

CH175




Test Mode	UNII-7+UNII-8_TX BE(EHT160) Mode_Total
-----------	--

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
175	6825	4.75	5.00	Complies


Test Mode UNII-7+UNII-8_TX BE(EHT320) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
159	6745	-11.96	0.00	-2.96	5.00	Complies
191	6905	-11.12	0.00	-2.12	5.00	Complies

CH159




CH191




Test Mode UNII-7+UNII-8_TX BE(EHT320) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
159	6745	-12.17	0.00	-3.17	5.00	Complies
191	6905	-11.29	0.00	-2.29	5.00	Complies

CH159




CH191




Test Mode UNII-7+UNII-8_TX BE(EHT320) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
159	6745	-12.44	0.00	-3.44	5.00	Complies
191	6905	-11.33	0.00	-2.33	5.00	Complies

CH159




CH191



Test Mode UNII-7+UNII-8_TX BE(EHT320) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
159	6745	-12.23	0.00	-3.23	5.00	Complies
191	6905	-11.34	0.00	-2.34	5.00	Complies

CH159



CH191



Test Mode	UNII-7+UNII-8_TX BE(EHT320) Mode_Total
-----------	--


Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
159	6745	2.82	5.00	Complies
191	6905	3.75	5.00	Complies

NSS4


Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
33	6115	-4.66	0.00	-1.66	5.00	Complies
61	6255	-4.77	0.00	-1.77	5.00	Complies
93	6415	-4.12	0.00	-1.12	5.00	Complies


CH33



CH61




CH93




Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
33	6115	-4.34	0.00	-1.34	5.00	Complies
61	6255	-4.78	0.00	-1.78	5.00	Complies
93	6415	-4.21	0.00	-1.21	5.00	Complies


CH33



CH61




CH93




Test Mode UNII-5_TX AX(HE20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
33	6115	-4.53	0.00	-1.53	5.00	Complies
61	6255	-4.72	0.00	-1.72	5.00	Complies
93	6415	-4.23	0.00	-1.23	5.00	Complies


CH33



CH61




CH93




Test Mode UNII-5_TX AX(HE20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
33	6115	-4.55	0.00	-1.55	5.00	Complies
61	6255	-4.77	0.00	-1.77	5.00	Complies
93	6415	-4.22	0.00	-1.22	5.00	Complies


CH33



CH61



CH93




Test Mode	UNII-5_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
33	6115	4.50	5.00	Complies
61	6255	4.26	5.00	Complies
93	6415	4.83	5.00	Complies


Test Mode UNII-5_TX AX(HE40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
35	6125	-4.54	0.00	-1.54	5.00	Complies
59	6245	-4.44	0.00	-1.44	5.00	Complies
91	6405	-4.22	0.00	-1.22	5.00	Complies


CH35



CH59




CH91




Test Mode UNII-5_TX AX(HE40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
35	6125	-4.51	0.00	-1.51	5.00	Complies
59	6245	-4.28	0.00	-1.28	5.00	Complies
91	6405	-4.22	0.00	-1.22	5.00	Complies


CH35



CH59




CH91




Test Mode UNII-5_TX AX(HE40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
35	6125	-4.49	0.00	-1.49	5.00	Complies
59	6245	-4.47	0.00	-1.47	5.00	Complies
91	6405	-4.20	0.00	-1.20	5.00	Complies


CH35



CH59




CH91




Test Mode UNII-5_TX AX(HE40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
35	6125	-4.53	0.00	-1.53	5.00	Complies
59	6245	-4.52	0.00	-1.52	5.00	Complies
91	6405	-4.20	0.00	-1.20	5.00	Complies


CH35



CH59



CH91



Test Mode	UNII-5_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
35	6125	4.50	5.00	Complies
59	6245	4.59	5.00	Complies
91	6405	4.81	5.00	Complies