


Test Mode	UNII-6+UNII-7_TX BE(EHT160) Mode_Ant. 3
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
111	6505	-5.01	0.00	-2.01	5.00	Complies


CH111



Test Mode	UNII-6+UNII-7_TX BE(EHT160) Mode_Ant. 4
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
111	6505	-4.86	0.00	-1.86	5.00	Complies

CH111




Test Mode	UNII-6+UNII-7_TX BE(EHT160) Mode_Total
-----------	--

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
111	6505	4.11	5.00	Complies

Test Mode UNII-6+UNII-7\_TX BE(EHT320) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
127	6585	-6.03	0.00	-3.03	5.00	Complies


CH127



Test Mode UNII-6+UNII-7\_TX BE(EHT320) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
127	6585	-5.60	0.00	-2.60	5.00	Complies


CH127



Test Mode UNII-6+UNII-7\_TX BE(EHT320) Mode\_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
127	6585	-5.23	0.00	-2.23	5.00	Complies


CH127



Test Mode UNII-6+UNII-7\_TX BE(EHT320) Mode\_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
127	6585	-5.72	0.00	-2.72	5.00	Complies

CH127




Test Mode	UNII-6+UNII-7_TX BE(EHT320) Mode_Total
-----------	--

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
127	6585	3.39	5.00	Complies


Test Mode UNII-8\_TX AX(HE20) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
189	6895	-4.44	0.00	-1.44	5.00	Complies
213	7015	-4.89	0.00	-1.89	5.00	Complies
229	7095	-4.81	0.00	-1.81	5.00	Complies


CH189



CH213




CH229




Test Mode UNII-8\_TX AX(HE20) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
189	6895	-4.31	0.00	-1.31	5.00	Complies
213	7015	-4.94	0.00	-1.94	5.00	Complies
229	7095	-4.62	0.00	-1.62	5.00	Complies


CH189



CH213




CH229




Test Mode UNII-8\_TX AX(HE20) Mode\_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
189	6895	-4.49	0.00	-1.49	5.00	Complies
213	7015	-4.86	0.00	-1.86	5.00	Complies
229	7095	-4.97	0.00	-1.97	5.00	Complies


CH189



CH213




CH229




Test Mode UNII-8\_TX AX(HE20) Mode\_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
189	6895	-4.70	0.00	-1.70	5.00	Complies
213	7015	-4.55	0.00	-1.55	5.00	Complies
229	7095	-4.92	0.00	-1.92	5.00	Complies


CH189



CH213



CH229



Test Mode	UNII-8_TX AX(HE20) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
189	6895	4.54	5.00	Complies
213	7015	4.21	5.00	Complies
229	7095	4.19	5.00	Complies




Test Mode UNII-8\_TX AX(HE40) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
195	6925	-4.76	0.00	-1.76	5.00	Complies
211	7005	-4.58	0.00	-1.58	5.00	Complies
227	7085	-4.03	0.00	-1.03	5.00	Complies


CH195



CH211




CH227




Test Mode UNII-8\_TX AX(HE40) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
195	6925	-4.97	0.00	-1.97	5.00	Complies
211	7005	-4.61	0.00	-1.61	5.00	Complies
227	7085	-4.14	0.00	-1.14	5.00	Complies


CH195



CH211




CH227




Test Mode UNII-8\_TX AX(HE40) Mode\_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
195	6925	-4.78	0.00	-1.78	5.00	Complies
211	7005	-4.58	0.00	-1.58	5.00	Complies
227	7085	-4.11	0.00	-1.11	5.00	Complies


CH195



CH211




CH227




Test Mode UNII-8\_TX AX(HE40) Mode\_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
195	6925	-4.92	0.00	-1.92	5.00	Complies
211	7005	-4.39	0.00	-1.39	5.00	Complies
227	7085	-4.18	0.00	-1.18	5.00	Complies


CH195



CH211



CH227




Test Mode	UNII-8_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
195	6925	4.16	5.00	Complies
211	7005	4.48	5.00	Complies
227	7085	4.91	5.00	Complies


Test Mode UNII-8\_TX AX(HE80) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
199	6945	-4.21	0.00	-1.21	5.00	Complies
215	7025	-4.33	0.00	-1.33	5.00	Complies

CH199




CH215




Test Mode UNII-8\_TX AX(HE80) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
199	6945	-4.25	0.00	-1.25	5.00	Complies
215	7025	-4.23	0.00	-1.23	5.00	Complies

CH199




CH215




Test Mode UNII-8\_TX AX(HE80) Mode\_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
199	6945	-4.18	0.00	-1.18	5.00	Complies
215	7025	-4.36	0.00	-1.36	5.00	Complies

CH199




CH215




Test Mode UNII-8\_TX AX(HE80) Mode\_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
199	6945	-4.33	0.00	-1.33	5.00	Complies
215	7025	-4.54	0.00	-1.54	5.00	Complies

CH199



CH215




Test Mode	UNII-8_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
199	6945	4.78	5.00	Complies
215	7025	4.66	5.00	Complies

Test Mode UNII-8\_TX AX(HE160) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
207	6985	-4.78	0.00	-1.78	5.00	Complies


### CH207



Test Mode UNII-8\_TX AX(HE160) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
207	6985	-4.68	0.00	-1.68	5.00	Complies


### CH207



Test Mode UNII-8\_TX AX(HE160) Mode\_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
207	6985	-4.49	0.00	-1.49	5.00	Complies


### CH207



Test Mode UNII-8\_TX AX(HE160) Mode\_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
207	6985	-4.61	0.00	-1.61	5.00	Complies

### CH207






Test Mode	UNII-8_TX AX(HE160) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
207	6985	4.38	5.00	Complies


Test Mode UNII-8\_TX BE(EHT20) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
189	6895	-4.44	0.00	-1.44	5.00	Complies
213	7015	-4.75	0.00	-1.75	5.00	Complies
229	7095	-4.93	0.00	-1.93	5.00	Complies


CH189



CH213




CH229




Test Mode UNII-8\_TX BE(EHT20) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
189	6895	-4.75	0.00	-1.75	5.00	Complies
213	7015	-4.71	0.00	-1.71	5.00	Complies
229	7095	-4.74	0.00	-1.74	5.00	Complies


CH189



CH213




CH229




Test Mode UNII-8\_TX BE(EHT20) Mode\_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
189	6895	-4.76	0.00	-1.76	5.00	Complies
213	7015	-4.87	0.00	-1.87	5.00	Complies
229	7095	-4.84	0.00	-1.84	5.00	Complies


CH189



CH213




CH229




Test Mode UNII-8\_TX BE(EHT20) Mode\_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
189	6895	-4.93	0.00	-1.93	5.00	Complies
213	7015	-4.73	0.00	-1.73	5.00	Complies
229	7095	-4.83	0.00	-1.83	5.00	Complies


CH189



CH213



CH229



Test Mode	UNII-8_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
189	6895	4.30	5.00	Complies
213	7015	4.26	5.00	Complies
229	7095	4.19	5.00	Complies