



Test Mode UNII-8_TX BE(EHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
195	6925	-4.92	0.00	-1.92	5.00	Complies
211	7005	-4.60	0.00	-1.60	5.00	Complies
227	7085	-4.02	0.00	-1.02	5.00	Complies




Test Mode UNII-8_TX BE(EHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
195	6925	-4.72	0.00	-1.72	5.00	Complies
211	7005	-4.53	0.00	-1.53	5.00	Complies
227	7085	-4.53	0.00	-1.53	5.00	Complies




Test Mode UNII-8_TX BE(EHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
195	6925	-4.87	0.00	-1.87	5.00	Complies
211	7005	-4.77	0.00	-1.77	5.00	Complies
227	7085	-4.41	0.00	-1.41	5.00	Complies



Test Mode UNII-8_TX BE(EHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
195	6925	-4.94	0.00	-1.94	5.00	Complies
211	7005	-4.41	0.00	-1.41	5.00	Complies
227	7085	-4.08	0.00	-1.08	5.00	Complies




Test Mode	UNII-8_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
195	6925	4.16	5.00	Complies
211	7005	4.45	5.00	Complies
227	7085	4.77	5.00	Complies


Test Mode UNII-8_TX BE(EHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
199	6945	-4.73	0.00	-1.73	5.00	Complies
215	7025	-4.91	0.00	-1.91	5.00	Complies

CH199




CH215




Test Mode UNII-8_TX BE(EHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
199	6945	-4.95	0.00	-1.95	5.00	Complies
215	7025	-5.04	0.00	-2.04	5.00	Complies

CH199




CH215




Test Mode UNII-8_TX BE(EHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
199	6945	-4.89	0.00	-1.89	5.00	Complies
215	7025	-4.94	0.00	-1.94	5.00	Complies

CH199




CH215




Test Mode UNII-8_TX BE(EHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
199	6945	-4.99	0.00	-1.99	5.00	Complies
215	7025	-4.87	0.00	-1.87	5.00	Complies

CH199



CH215




Test Mode	UNII-8_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
199	6945	4.13	5.00	Complies
215	7025	4.08	5.00	Complies

Test Mode UNII-8_TX BE(EHT160) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
207	6985	-4.65	0.00	-1.65	5.00	Complies


CH207



Test Mode UNII-8_TX BE(EHT160) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
207	6985	-5.04	0.00	-2.04	5.00	Complies


CH207



Test Mode UNII-8_TX BE(EHT160) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
207	6985	-4.91	0.00	-1.91	5.00	Complies


CH207



Test Mode UNII-8_TX BE(EHT160) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
207	6985	-4.80	0.00	-1.80	5.00	Complies

CH207




Test Mode	UNII-8_TX BE(EHT160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
207	6985	4.17	5.00	Complies

Test Mode UNII-7+UNII-8_TX AX(HE20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
185	6875	-4.55	0.00	-1.55	5.00	Complies


CH185



Test Mode UNII-7+UNII-8_TX AX(HE20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
185	6875	-4.40	0.00	-1.40	5.00	Complies


CH185



Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
185	6875	-4.48	0.00	-1.48	5.00	Complies


CH185



Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Ant. 4
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
185	6875	-4.46	0.00	-1.46	5.00	Complies

CH185




Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
185	6875	4.55	5.00	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
187	6885	-4.44	0.00	-1.44	5.00	Complies


CH187



Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
187	6885	-4.31	0.00	-1.31	5.00	Complies


CH187



Test Mode UNII-7+UNII-8_TX AX(HE40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
187	6885	-4.49	0.00	-1.49	5.00	Complies


CH187



Test Mode UNII-7+UNII-8_TX AX(HE40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
187	6885	-4.70	0.00	-1.70	5.00	Complies

CH187




Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
187	6885	4.54	5.00	Complies

Test Mode UNII-7+UNII-8_TX AX(HE80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
183	6865	-5.00	0.00	-2.00	5.00	Complies


CH183



Test Mode UNII-7+UNII-8_TX AX(HE80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
183	6865	-4.95	0.00	-1.95	5.00	Complies


CH183



Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
183	6865	-5.03	0.00	-2.03	5.00	Complies


CH183



Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
183	6865	-5.01	0.00	-2.01	5.00	Complies

CH183




Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
183	6865	4.02	5.00	Complies

Test Mode UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
175	6825	-4.78	0.00	-1.78	5.00	Complies


CH175



Test Mode UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
175	6825	-4.38	0.00	-1.38	5.00	Complies


CH175



Test Mode UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
175	6825	-4.74	0.00	-1.74	5.00	Complies


CH175



Test Mode UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
175	6825	-4.80	0.00	-1.80	5.00	Complies

CH175




Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
175	6825	4.35	5.00	Complies

Test Mode UNII-7+UNII-8_TX BE(EHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
185	6875	-4.26	0.00	-1.26	5.00	Complies


CH185



Test Mode UNII-7+UNII-8_TX BE(EHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
185	6875	-4.63	0.00	-1.63	5.00	Complies


CH185



Test Mode UNII-7+UNII-8_TX BE(EHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
185	6875	-4.64	0.00	-1.64	5.00	Complies


CH185



Test Mode UNII-7+UNII-8_TX BE(EHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
185	6875	-4.50	0.00	-1.50	5.00	Complies

CH185




Test Mode	UNII-7+UNII-8_TX BE(EHT20) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
185	6875	4.52	5.00	Complies

Test Mode UNII-7+UNII-8_TX BE(EHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
187	6885	-4.50	0.00	-1.50	5.00	Complies


CH187



Test Mode UNII-7+UNII-8_TX BE(EHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
187	6885	-4.44	0.00	-1.44	5.00	Complies


CH187



Test Mode UNII-7+UNII-8_TX BE(EHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
187	6885	-4.41	0.00	-1.41	5.00	Complies


CH187



Test Mode UNII-7+UNII-8_TX BE(EHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
187	6885	-4.64	0.00	-1.64	5.00	Complies

CH187




Test Mode	UNII-7+UNII-8_TX BE(EHT40) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
187	6885	4.52	5.00	Complies

Test Mode UNII-7+UNII-8_TX BE(EHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
183	6865	-4.60	0.00	-1.60	5.00	Complies


CH183



Test Mode UNII-7+UNII-8_TX BE(EHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
183	6865	-4.75	0.00	-1.75	5.00	Complies


CH183



Test Mode UNII-7+UNII-8_TX BE(EHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
183	6865	-4.62	0.00	-1.62	5.00	Complies


CH183



Test Mode UNII-7+UNII-8_TX BE(EHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
183	6865	-4.37	0.00	-1.37	5.00	Complies

CH183




Test Mode	UNII-7+UNII-8_TX BE(EHT80) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
183	6865	4.44	5.00	Complies

Test Mode UNII-7+UNII-8_TX BE(EHT160) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
175	6825	-4.75	0.00	-1.75	5.00	Complies

CH175



Test Mode UNII-7+UNII-8_TX BE(EHT160) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
175	6825	-4.88	0.00	-1.88	5.00	Complies

CH175

