



Test Mode	UNII-7+UNII-8_TX BE(EHT40) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
187	6885	43.35	38.31	320	Complies

CH187 26 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-7+UNII-8_TX BE(EHT40) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
187	6885	43.63	38.28	320	Complies

CH187 26 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-7+UNII-8_TX BE(EHT80) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
183	6865	86.49	78.27	320	Complies

CH183 26 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-7+UNII-8_TX BE(EHT80) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
183	6865	86.62	78.14	320	Complies

CH183 26 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-7+UNII-8_TX BE(EHT80) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
183	6865	85.89	78.16	320	Complies

CH183 26 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-7+UNII-8_TX BE(EHT80) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
183	6865	87.51	78.25	320	Complies

CH183 26 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-7+UNII-8_TX BE(EHT160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
175	6825	172.10	157.93	320	Complies

CH175 26 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-7+UNII-8_TX BE(EHT160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
175	6825	173.40	157.66	320	Complies

CH175 26 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-7+UNII-8_TX BE(EHT160) Mode_Ant. 3
-----------	---

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
175	6825	171.00	157.59	320	Complies

CH175 26 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-7+UNII-8_TX BE(EHT160) Mode_Ant. 4
-----------	---

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
175	6825	170.10	158.11	320	Complies

CH175 26 dB Bandwidth




99 % Occupied Bandwidth



Test Mode UNII-7+UNII-8_TX BE(EHT320) Mode_Ant. 1


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
159	6745	335.90	316.05	320	Complies
191	6905	468.20	317.16	320	Complies

CH159





CH191

26 dB Bandwidth




99 % Occupied Bandwidth



Test Mode UNII-7+UNII-8_TX BE(EHT320) Mode_Ant. 2


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
159	6745	422.30	315.84	320	Complies
191	6905	468.20	317.40	320	Complies

CH159





CH191

26 dB Bandwidth




99 % Occupied Bandwidth



Test Mode UNII-7+UNII-8_TX BE(EHT320) Mode_Ant. 3


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
159	6745	441.50	315.68	320	Complies
191	6905	467.30	317.29	320	Complies

CH159





CH191

26 dB Bandwidth



99 % Occupied Bandwidth





Test Mode UNII-7+UNII-8_TX BE(EHT320) Mode_Ant. 4

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
159	6745	455.80	315.54	320	Complies
191	6905	429.80	317.66	320	Complies



CH159

CH191

26 dB Bandwidth



99 % Occupied Bandwidth



APPENDIX F - MAXIMUM E.I.R.P.

Non Beamforming

NSS1

Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 1
------------------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
33	6115	1.23	0.00	4.23	30.00	1.0000	Complies
61	6255	0.71	0.00	3.71	30.00	1.0000	Complies
93	6415	1.27	0.00	4.27	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 2
------------------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
33	6115	1.35	0.00	4.35	30.00	1.0000	Complies
61	6255	0.42	0.00	3.42	30.00	1.0000	Complies
93	6415	1.22	0.00	4.22	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 3
------------------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
33	6115	1.02	0.00	4.02	30.00	1.0000	Complies
61	6255	0.53	0.00	3.53	30.00	1.0000	Complies
93	6415	1.12	0.00	4.12	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 4
------------------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
33	6115	0.94	0.00	3.94	30.00	1.0000	Complies
61	6255	0.68	0.00	3.68	30.00	1.0000	Complies
93	6415	1.03	0.00	4.03	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE20) Mode_Total
------------------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
33	6115	10.16	30.00	1.0000	Complies
61	6255	9.61	30.00	1.0000	Complies
93	6415	10.18	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
35	6125	4.29	0.00	7.29	30.00	1.0000	Complies
59	6245	3.28	0.00	6.28	30.00	1.0000	Complies
91	6405	4.42	0.00	7.42	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
35	6125	4.41	0.00	7.41	30.00	1.0000	Complies
59	6245	2.96	0.00	5.96	30.00	1.0000	Complies
91	6405	4.24	0.00	7.24	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
35	6125	4.14	0.00	7.14	30.00	1.0000	Complies
59	6245	3.02	0.00	6.02	30.00	1.0000	Complies
91	6405	4.28	0.00	7.28	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
35	6125	4.16	0.00	7.16	30.00	1.0000	Complies
59	6245	3.24	0.00	6.24	30.00	1.0000	Complies
91	6405	4.26	0.00	7.26	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
35	6125	13.27	30.00	1.0000	Complies
59	6245	12.15	30.00	1.0000	Complies
91	6405	13.32	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
39	6145	6.71	0.00	9.71	30.00	1.0000	Complies
55	6225	6.62	0.00	9.62	30.00	1.0000	Complies
87	6385	6.82	0.00	9.82	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
39	6145	6.35	0.00	9.35	30.00	1.0000	Complies
55	6225	7.11	0.00	10.11	30.00	1.0000	Complies
87	6385	6.58	0.00	9.58	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
39	6145	6.14	0.00	9.14	30.00	1.0000	Complies
55	6225	6.31	0.00	9.31	30.00	1.0000	Complies
87	6385	6.38	0.00	9.38	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
39	6145	6.73	0.00	9.73	30.00	1.0000	Complies
55	6225	6.52	0.00	9.52	30.00	1.0000	Complies
87	6385	6.73	0.00	9.73	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
39	6145	15.51	30.00	1.0000	Complies
55	6225	15.67	30.00	1.0000	Complies
87	6385	15.65	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE160) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
47	6185	9.28	0.00	12.28	30.00	1.0000	Complies
79	6345	9.26	0.00	12.26	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE160) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
47	6185	9.67	0.00	12.67	30.00	1.0000	Complies
79	6345	9.10	0.00	12.10	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE160) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
47	6185	9.05	0.00	12.05	30.00	1.0000	Complies
79	6345	8.91	0.00	11.91	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE160) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
47	6185	8.95	0.00	11.95	30.00	1.0000	Complies
79	6345	9.48	0.00	12.48	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE160) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
47	6185	18.27	30.00	1.0000	Complies
79	6345	18.21	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
33	6115	1.25	0.00	4.25	30.00	1.0000	Complies
61	6255	1.45	0.00	4.45	30.00	1.0000	Complies
93	6415	1.18	0.00	4.18	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
33	6115	1.24	0.00	4.24	30.00	1.0000	Complies
61	6255	1.67	0.00	4.67	30.00	1.0000	Complies
93	6415	1.13	0.00	4.13	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
33	6115	0.92	0.00	3.92	30.00	1.0000	Complies
61	6255	1.26	0.00	4.26	30.00	1.0000	Complies
93	6415	1.01	0.00	4.01	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
33	6115	0.83	0.00	3.83	30.00	1.0000	Complies
61	6255	1.33	0.00	4.33	30.00	1.0000	Complies
93	6415	0.99	0.00	3.99	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
33	6115	10.08	30.00	1.0000	Complies
61	6255	10.45	30.00	1.0000	Complies
93	6415	10.10	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
35	6125	4.31	0.00	7.31	30.00	1.0000	Complies
59	6245	3.75	0.00	6.75	30.00	1.0000	Complies
91	6405	3.88	0.00	6.88	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
35	6125	4.36	0.00	7.36	30.00	1.0000	Complies
59	6245	3.45	0.00	6.45	30.00	1.0000	Complies
91	6405	3.70	0.00	6.70	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
35	6125	4.14	0.00	7.14	30.00	1.0000	Complies
59	6245	3.51	0.00	6.51	30.00	1.0000	Complies
91	6405	3.78	0.00	6.78	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
35	6125	4.11	0.00	7.11	30.00	1.0000	Complies
59	6245	3.72	0.00	6.72	30.00	1.0000	Complies
91	6405	3.71	0.00	6.71	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
35	6125	13.25	30.00	1.0000	Complies
59	6245	12.63	30.00	1.0000	Complies
91	6405	12.79	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
39	6145	7.06	0.00	10.06	30.00	1.0000	Complies
55	6225	7.18	0.00	10.18	30.00	1.0000	Complies
87	6385	6.84	0.00	9.84	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
39	6145	7.38	0.00	10.38	30.00	1.0000	Complies
55	6225	7.50	0.00	10.5	30.00	1.0000	Complies
87	6385	6.71	0.00	9.71	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
39	6145	6.77	0.00	9.77	30.00	1.0000	Complies
55	6225	7.03	0.00	10.03	30.00	1.0000	Complies
87	6385	6.51	0.00	9.51	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
39	6145	6.99	0.00	9.99	30.00	1.0000	Complies
55	6225	6.99	0.00	9.99	30.00	1.0000	Complies
87	6385	6.88	0.00	9.88	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
39	6145	16.08	30.00	1.0000	Complies
55	6225	16.20	30.00	1.0000	Complies
87	6385	15.76	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT160) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
47	6185	9.25	0.00	12.25	30.00	1.0000	Complies
79	6345	9.27	0.00	12.27	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT160) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
47	6185	9.69	0.00	12.69	30.00	1.0000	Complies
79	6345	9.14	0.00	12.14	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT160) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
47	6185	9.04	0.00	12.04	30.00	1.0000	Complies
79	6345	9.02	0.00	12.02	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT160) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
47	6185	8.98	0.00	11.98	30.00	1.0000	Complies
79	6345	9.54	0.00	12.54	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
47	6185	18.27	30.00	1.0000	Complies
79	6345	18.27	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT320) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
63	6265	12.58	0.00	15.58	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT320) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
63	6265	12.56	0.00	15.56	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT320) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
63	6265	12.46	0.00	15.46	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT320) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
63	6265	12.20	0.00	15.20	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT320) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
63	6265	21.47	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	1.18	0.00	4.18	30.00	1.0000	Complies
105	6475	1.34	0.00	4.34	30.00	1.0000	Complies
113	6515	1.10	0.00	4.1	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	1.23	0.00	4.23	30.00	1.0000	Complies
105	6475	1.03	0.00	4.03	30.00	1.0000	Complies
113	6515	0.97	0.00	3.97	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	1.17	0.00	4.17	30.00	1.0000	Complies
105	6475	0.84	0.00	3.84	30.00	1.0000	Complies
113	6515	1.09	0.00	4.09	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	1.08	0.00	4.08	30.00	1.0000	Complies
105	6475	0.96	0.00	3.96	30.00	1.0000	Complies
113	6515	0.95	0.00	3.95	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	10.19	30.00	1.0000	Complies
105	6475	10.07	30.00	1.0000	Complies
113	6515	10.05	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	4.02	0.00	7.02	30.00	1.0000	Complies
107	6485	4.33	0.00	7.33	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	3.70	0.00	6.70	30.00	1.0000	Complies
107	6485	4.21	0.00	7.21	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	3.71	0.00	6.71	30.00	1.0000	Complies
107	6485	4.33	0.00	7.33	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	3.72	0.00	6.72	30.00	1.0000	Complies
107	6485	4.14	0.00	7.14	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	12.81	30.00	1.0000	Complies
107	6485	13.27	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	6.86	0.00	9.86	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	6.88	0.00	9.88	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	6.79	0.00	9.79	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	6.63	0.00	9.63	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	15.81	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	1.17	0.00	4.17	30.00	1.0000	Complies
105	6475	1.22	0.00	4.22	30.00	1.0000	Complies
113	6515	1.12	0.00	4.12	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	0.11	0.00	3.11	30.00	1.0000	Complies
105	6475	0.93	0.00	3.93	30.00	1.0000	Complies
113	6515	0.97	0.00	3.97	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	0.98	0.00	3.98	30.00	1.0000	Complies
105	6475	0.75	0.00	3.75	30.00	1.0000	Complies
113	6515	1.10	0.00	4.10	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	0.97	0.00	3.97	30.00	1.0000	Complies
105	6475	0.93	0.00	3.93	30.00	1.0000	Complies
113	6515	0.94	0.00	3.94	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	9.85	30.00	1.0000	Complies
105	6475	9.98	30.00	1.0000	Complies
113	6515	10.05	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	4.01	0.00	7.01	30.00	1.0000	Complies
107	6485	4.31	0.00	7.31	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	3.73	0.00	6.73	30.00	1.0000	Complies
107	6485	4.23	0.00	7.23	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	3.67	0.00	6.67	30.00	1.0000	Complies
107	6485	4.37	0.00	7.37	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	3.63	0.00	6.63	30.00	1.0000	Complies
107	6485	4.18	0.00	7.18	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	12.78	30.00	1.0000	Complies
107	6485	13.29	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	6.02	0.00	9.02	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	6.96	0.00	9.96	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	6.73	0.00	9.73	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	6.72	0.00	9.72	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	15.64	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	1.01	0.00	4.01	30.00	1.0000	Complies
149	6695	0.87	0.00	3.87	30.00	1.0000	Complies
181	6855	1.25	0.00	4.25	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	0.88	0.00	3.88	30.00	1.0000	Complies
149	6695	0.81	0.00	3.81	30.00	1.0000	Complies
181	6855	1.31	0.00	4.31	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	0.86	0.00	3.86	30.00	1.0000	Complies
149	6695	0.75	0.00	3.75	30.00	1.0000	Complies
181	6855	1.11	0.00	4.11	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	0.91	0.00	3.91	30.00	1.0000	Complies
149	6695	0.63	0.00	3.63	30.00	1.0000	Complies
181	6855	1.41	0.00	4.41	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	9.94	30.00	1.0000	Complies
149	6695	9.79	30.00	1.0000	Complies
181	6855	10.29	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	3.85	0.00	6.85	30.00	1.0000	Complies
147	6685	3.50	0.00	6.50	30.00	1.0000	Complies
179	6845	4.41	0.00	7.41	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	3.96	0.00	6.96	30.00	1.0000	Complies
147	6685	3.49	0.00	6.49	30.00	1.0000	Complies
179	6845	4.36	0.00	7.36	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	3.86	0.00	6.86	30.00	1.0000	Complies
147	6685	3.30	0.00	6.30	30.00	1.0000	Complies
179	6845	4.09	0.00	7.09	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	3.76	0.00	6.76	30.00	1.0000	Complies
147	6685	3.28	0.00	6.28	30.00	1.0000	Complies
179	6845	4.69	0.00	7.69	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	12.88	30.00	1.0000	Complies
147	6685	12.41	30.00	1.0000	Complies
179	6845	13.41	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	7.03	0.00	10.03	30.00	1.0000	Complies
151	6705	6.27	0.00	9.27	30.00	1.0000	Complies
167	6785	6.45	0.00	9.45	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	7.20	0.00	10.2	30.00	1.0000	Complies
151	6705	6.40	0.00	9.40	30.00	1.0000	Complies
167	6785	6.54	0.00	9.54	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	6.78	0.00	9.78	30.00	1.0000	Complies
151	6705	6.22	0.00	9.22	30.00	1.0000	Complies
167	6785	6.02	0.00	9.02	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	7.30	0.00	10.3	30.00	1.0000	Complies
151	6705	6.44	0.00	9.44	30.00	1.0000	Complies
167	6785	6.29	0.00	9.29	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	16.10	30.00	1.0000	Complies
151	6705	15.35	30.00	1.0000	Complies
167	6785	15.35	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	9.21	0.00	12.21	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	9.30	0.00	12.30	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	8.98	0.00	11.98	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	9.47	0.00	12.47	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	18.26	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	1.11	0.00	4.11	30.00	1.0000	Complies
149	6695	0.27	0.00	3.27	30.00	1.0000	Complies
181	6855	1.71	0.00	4.71	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	0.78	0.00	3.78	30.00	1.0000	Complies
149	6695	0.21	0.00	3.21	30.00	1.0000	Complies
181	6855	1.73	0.00	4.73	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	0.92	0.00	3.92	30.00	1.0000	Complies
149	6695	0.17	0.00	3.17	30.00	1.0000	Complies
181	6855	1.55	0.00	4.55	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	0.85	0.00	3.85	30.00	1.0000	Complies
149	6695	0.05	0.00	3.05	30.00	1.0000	Complies
181	6855	1.89	0.00	4.89	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	9.94	30.00	1.0000	Complies
149	6695	9.20	30.00	1.0000	Complies
181	6855	10.74	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	3.83	0.00	6.83	30.00	1.0000	Complies
147	6685	3.49	0.00	6.49	30.00	1.0000	Complies
179	6845	4.34	0.00	7.34	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	3.99	0.00	6.99	30.00	1.0000	Complies
147	6685	3.52	0.00	6.52	30.00	1.0000	Complies
179	6845	4.39	0.00	7.39	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	3.88	0.00	6.88	30.00	1.0000	Complies
147	6685	3.36	0.00	6.36	30.00	1.0000	Complies
179	6845	4.24	0.00	7.24	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	3.78	0.00	6.78	30.00	1.0000	Complies
147	6685	3.24	0.00	6.24	30.00	1.0000	Complies
179	6845	4.68	0.00	7.68	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	12.89	30.00	1.0000	Complies
147	6685	12.42	30.00	1.0000	Complies
179	6845	13.44	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	7.10	0.00	10.10	30.00	1.0000	Complies
151	6705	6.25	0.00	9.25	30.00	1.0000	Complies
167	6785	7.14	0.00	10.14	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	7.24	0.00	10.24	30.00	1.0000	Complies
151	6705	6.42	0.00	9.42	30.00	1.0000	Complies
167	6785	7.04	0.00	10.04	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	6.76	0.00	9.76	30.00	1.0000	Complies
151	6705	6.28	0.00	9.28	30.00	1.0000	Complies
167	6785	6.60	0.00	9.60	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	7.24	0.00	10.24	30.00	1.0000	Complies
151	6705	6.54	0.00	9.54	30.00	1.0000	Complies
167	6785	6.77	0.00	9.77	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	16.11	30.00	1.0000	Complies
151	6705	15.39	30.00	1.0000	Complies
167	6785	15.91	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT160) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	9.27	0.00	12.27	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT160) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	9.34	0.00	12.34	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT160) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	9.10	0.00	12.10	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT160) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	9.43	0.00	12.43	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	19.31	30.00	1.0000	Complies

Test Mode	UNII-5+UNII-6+UNII-7_TX BE(EHT320) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
95	6425	11.32	0.00	14.32	30.00	1.0000	Complies

Test Mode	UNII-5+UNII-6+UNII-7_TX BE(EHT320) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
95	6425	11.09	0.00	14.09	30.00	1.0000	Complies

Test Mode	UNII-5+UNII-6+UNII-7_TX BE(EHT320) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
95	6425	10.96	0.00	13.96	30.00	1.0000	Complies

Test Mode	UNII-5+UNII-6+UNII-7_TX BE(EHT320) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
95	6425	11.51	0.00	14.51	30.00	1.0000	Complies

Test Mode	UNII-5+UNII-6+UNII-7_TX BE(EHT320) Mode_Total
-----------	---

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
95	6425	20.25	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	4.26	0.00	7.26	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	3.93	0.00	6.93	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	4.05	0.00	7.05	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Ant. 4
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	3.99	0.00	6.99	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	13.08	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	6.75	0.00	9.75	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	6.81	0.00	9.81	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	6.53	0.00	9.53	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	6.70	0.00	9.70	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	15.72	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	9.24	0.00	12.24	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	9.30	0.00	12.30	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	9.19	0.00	12.19	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	9.25	0.00	12.25	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	18.27	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT40) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	4.28	0.00	7.28	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT40) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	3.89	0.00	6.89	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT40) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	4.03	0.00	7.03	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT40) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	4.01	0.00	7.01	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT40) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	13.08	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT80) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	6.79	0.00	9.79	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT80) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	6.91	0.00	9.91	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT80) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	6.63	0.00	9.63	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT80) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	6.86	0.00	9.86	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT80) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	15.82	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	9.38	0.00	12.38	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	9.25	0.00	12.25	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT160) Mode_Ant. 3
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	9.23	0.00	12.23	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT160) Mode_Ant. 4
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	9.29	0.00	12.29	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT160) Mode_Total
-----------	--

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	18.31	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT320) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
127	6585	11.70	0.00	14.70	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT320) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
127	6585	11.91	0.00	14.91	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT320) Mode_Ant. 3
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
127	6585	11.66	0.00	14.66	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT320) Mode_Ant. 4
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
127	6585	11.52	0.00	14.52	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT320) Mode_Total
-----------	--

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
127	6585	20.72	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	2.25	0.00	5.25	30.00	1.0000	Complies
213	7015	2.26	0.00	5.26	30.00	1.0000	Complies
229	7095	2.53	0.00	5.53	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	1.97	0.00	4.97	30.00	1.0000	Complies
213	7015	2.36	0.00	5.36	30.00	1.0000	Complies
229	7095	2.61	0.00	5.61	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	1.91	0.00	4.91	30.00	1.0000	Complies
213	7015	2.11	0.00	5.11	30.00	1.0000	Complies
229	7095	2.28	0.00	5.28	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	2.14	0.00	5.14	30.00	1.0000	Complies
213	7015	1.95	0.00	4.95	30.00	1.0000	Complies
229	7095	2.04	0.00	5.04	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	11.09	30.00	1.0000	Complies
213	7015	11.19	30.00	1.0000	Complies
229	7095	11.39	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	4.65	0.00	7.65	30.00	1.0000	Complies
211	7005	4.89	0.00	7.89	30.00	1.0000	Complies
227	7085	6.13	0.00	9.13	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	4.58	0.00	7.58	30.00	1.0000	Complies
211	7005	4.94	0.00	7.94	30.00	1.0000	Complies
227	7085	6.02	0.00	9.02	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	4.51	0.00	7.51	30.00	1.0000	Complies
211	7005	4.88	0.00	7.88	30.00	1.0000	Complies
227	7085	5.88	0.00	8.88	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	4.64	0.00	7.64	30.00	1.0000	Complies
211	7005	4.55	0.00	7.55	30.00	1.0000	Complies
227	7085	4.67	0.00	7.67	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	13.62	30.00	1.0000	Complies
211	7005	13.84	30.00	1.0000	Complies
227	7085	14.73	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	7.63	0.00	10.63	30.00	1.0000	Complies
215	7025	7.68	0.00	10.68	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	7.80	0.00	10.80	30.00	1.0000	Complies
215	7025	7.66	0.00	10.66	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	7.48	0.00	10.48	30.00	1.0000	Complies
215	7025	7.65	0.00	10.65	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	7.65	0.00	10.65	30.00	1.0000	Complies
215	7025	7.49	0.00	10.49	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	16.66	30.00	1.0000	Complies
215	7025	16.64	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	10.49	0.00	13.49	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	10.78	0.00	13.78	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	10.41	0.00	13.41	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	10.42	0.00	13.42	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	19.55	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	2.16	0.00	5.16	30.00	1.0000	Complies
213	7015	2.72	0.00	5.72	30.00	1.0000	Complies
229	7095	2.64	0.00	5.64	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	1.94	0.00	4.94	30.00	1.0000	Complies
213	7015	2.82	0.00	5.82	30.00	1.0000	Complies
229	7095	2.52	0.00	5.52	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	1.83	0.00	4.83	30.00	1.0000	Complies
213	7015	2.85	0.00	5.85	30.00	1.0000	Complies
229	7095	2.19	0.00	5.19	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	2.12	0.00	5.12	30.00	1.0000	Complies
213	7015	2.63	0.00	5.63	30.00	1.0000	Complies
229	7095	2.02	0.00	5.02	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	11.04	30.00	1.0000	Complies
213	7015	11.78	30.00	1.0000	Complies
229	7095	11.37	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	4.76	0.00	7.76	30.00	1.0000	Complies
211	7005	4.90	0.00	7.90	30.00	1.0000	Complies
227	7085	5.14	0.00	8.14	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	4.59	0.00	7.59	30.00	1.0000	Complies
211	7005	4.98	0.00	7.98	30.00	1.0000	Complies
227	7085	5.21	0.00	8.21	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	4.55	0.00	7.55	30.00	1.0000	Complies
211	7005	4.96	0.00	7.55	30.00	1.0000	Complies
227	7085	4.01	0.00	7.96	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	4.73	0.00	7.73	30.00	1.0000	Complies
211	7005	4.63	0.00	7.63	30.00	1.0000	Complies
227	7085	4.77	0.00	7.77	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	13.68	30.00	1.0000	Complies
211	7005	13.89	30.00	1.0000	Complies
227	7085	13.83	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	7.70	0.00	10.70	30.00	1.0000	Complies
215	7025	8.24	0.00	11.24	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	7.68	0.00	10.68	30.00	1.0000	Complies
215	7025	8.42	0.00	11.42	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	7.53	0.00	10.53	30.00	1.0000	Complies
215	7025	8.25	0.00	11.25	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	7.74	0.00	10.74	30.00	1.0000	Complies
215	7025	8.20	0.00	11.20	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	16.68	30.00	1.0000	Complies
215	7025	17.30	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT160) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	10.58	0.00	13.58	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT160) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	10.46	0.00	13.46	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT160) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	10.53	0.00	13.53	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT160) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	10.41	0.00	13.41	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	19.52	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	1.74	0.00	4.74	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	1.82	0.00	4.82	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	1.61	0.00	4.61	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Ant. 4
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	1.86	0.00	4.86	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	10.78	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	4.74	0.00	7.74	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	4.56	0.00	7.56	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	4.52	0.00	7.52	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Ant. 4
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	4.75	0.00	7.75	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	13.66	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	7.12	0.00	10.12	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	7.17	0.00	10.17	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	6.75	0.00	9.75	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	7.48	0.00	10.48	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	16.16	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	9.61	0.00	12.61	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	9.54	0.00	12.54	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	9.14	0.00	12.54	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	9.77	0.00	12.77	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	18.54	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT20) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	1.72	0.00	4.72	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT20) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	1.73	0.00	4.73	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT20) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	1.58	0.00	4.58	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT20) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	1.77	0.00	4.77	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT20) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	10.72	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT40) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	4.79	0.00	7.79	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT40) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	4.59	0.00	7.59	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT40) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	4.51	0.00	7.51	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT40) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	4.82	0.00	7.82	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT40) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	13.70	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT80) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	7.21	0.00	10.21	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT80) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	7.11	0.00	10.11	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT80) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	6.83	0.00	9.83	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT80) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	7.48	0.00	10.48	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT80) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	16.18	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	9.61	0.00	12.61	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	9.59	0.00	12.59	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT160) Mode_Ant. 3
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	9.27	0.00	12.27	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT160) Mode_Ant. 4
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	9.83	0.00	12.83	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT160) Mode_Total
-----------	--

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	18.60	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT320) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
159	6745	11.78	0.00	14.78	30.00	1.0000	Complies
191	6905	11.86	0.00	14.86	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT320) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
159	6745	11.99	0.00	14.99	30.00	1.0000	Complies
191	6905	11.84	0.00	14.84	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT320) Mode_Ant. 3
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
159	6745	11.76	0.00	14.76	30.00	1.0000	Complies
191	6905	11.78	0.00	14.78	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT320) Mode_Ant. 4
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
159	6745	11.35	0.00	14.35	30.00	1.0000	Complies
191	6905	12.38	0.00	15.38	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT320) Mode_Total
-----------	--

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
159	6745	20.75	30.00	1.0000	Complies
191	6905	20.99	30.00	1.0000	Complies

Note: Output power = Measure result + Cable loss

NSS4

Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
33	6115	7.56	0.00	10.56	30.00	1.0000	Complies
61	6255	6.57	0.00	9.57	30.00	1.0000	Complies
93	6415	7.21	0.00	10.21	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
33	6115	7.84	0.00	10.84	30.00	1.0000	Complies
61	6255	6.83	0.00	9.83	30.00	1.0000	Complies
93	6415	7.32	0.00	10.32	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
33	6115	7.75	0.00	10.75	30.00	1.0000	Complies
61	6255	6.82	0.00	9.82	30.00	1.0000	Complies
93	6415	7.12	0.00	10.12	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
33	6115	7.48	0.00	10.48	30.00	1.0000	Complies
61	6255	6.89	0.00	9.89	30.00	1.0000	Complies
93	6415	7.54	0.00	10.54	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
33	6115	16.68	30.00	1.0000	Complies
61	6255	15.80	30.00	1.0000	Complies
93	6415	16.32	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
35	6125	10.37	0.00	13.37	30.00	1.0000	Complies
59	6245	9.88	0.00	12.88	30.00	1.0000	Complies
91	6405	10.27	0.00	13.27	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
35	6125	10.78	0.00	13.78	30.00	1.0000	Complies
59	6245	9.96	0.00	12.96	30.00	1.0000	Complies
91	6405	10.14	0.00	13.14	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
35	6125	10.07	0.00	13.07	30.00	1.0000	Complies
59	6245	9.55	0.00	12.55	30.00	1.0000	Complies
91	6405	9.80	0.00	12.80	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
35	6125	10.16	0.00	13.16	30.00	1.0000	Complies
59	6245	9.89	0.00	12.89	30.00	1.0000	Complies
91	6405	10.15	0.00	13.15	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
35	6125	19.37	30.00	1.0000	Complies
59	6245	18.84	30.00	1.0000	Complies
91	6405	19.11	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
39	6145	12.35	0.00	15.35	30.00	1.0000	Complies
55	6225	12.18	0.00	15.18	30.00	1.0000	Complies
87	6385	12.48	0.00	15.48	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
39	6145	12.15	0.00	15.15	30.00	1.0000	Complies
55	6225	12.85	0.00	15.85	30.00	1.0000	Complies
87	6385	12.31	0.00	15.31	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
39	6145	12.18	0.00	15.18	30.00	1.0000	Complies
55	6225	12.21	0.00	15.21	30.00	1.0000	Complies
87	6385	12.28	0.00	15.28	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
39	6145	12.59	0.00	15.59	30.00	1.0000	Complies
55	6225	12.12	0.00	15.12	30.00	1.0000	Complies
87	6385	12.59	0.00	15.59	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
39	6145	21.34	30.00	1.0000	Complies
55	6225	21.37	30.00	1.0000	Complies
87	6385	21.44	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE160) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
47	6185	15.90	0.00	18.90	30.00	1.0000	Complies
79	6345	14.83	0.00	17.83	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE160) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
47	6185	16.38	0.00	19.38	30.00	1.0000	Complies
79	6345	14.61	0.00	17.61	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE160) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
47	6185	15.80	0.00	18.80	30.00	1.0000	Complies
79	6345	14.54	0.00	17.54	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE160) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
47	6185	15.72	0.00	18.72	30.00	1.0000	Complies
79	6345	15.16	0.00	18.16	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE160) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
47	6185	24.98	30.00	1.0000	Complies
79	6345	23.81	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
33	6115	7.25	0.00	10.25	30.00	1.0000	Complies
61	6255	6.57	0.00	9.57	30.00	1.0000	Complies
93	6415	7.06	0.00	10.06	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
33	6115	7.46	0.00	10.46	30.00	1.0000	Complies
61	6255	6.32	0.00	9.32	30.00	1.0000	Complies
93	6415	6.69	0.00	9.69	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
33	6115	7.12	0.00	10.12	30.00	1.0000	Complies
61	6255	6.31	0.00	9.31	30.00	1.0000	Complies
93	6415	6.94	0.00	9.94	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
33	6115	6.92	0.00	9.92	30.00	1.0000	Complies
61	6255	6.11	0.00	9.11	30.00	1.0000	Complies
93	6415	6.83	0.00	9.83	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
33	6115	16.21	30.00	1.0000	Complies
61	6255	15.35	30.00	1.0000	Complies
93	6415	15.90	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
35	6125	9.79	0.00	12.79	30.00	1.0000	Complies
59	6245	9.82	0.00	12.82	30.00	1.0000	Complies
91	6405	9.79	0.00	12.79	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
35	6125	10.21	0.00	13.21	30.00	1.0000	Complies
59	6245	9.98	0.00	12.98	30.00	1.0000	Complies
91	6405	9.60	0.00	12.60	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
35	6125	9.81	0.00	12.81	30.00	1.0000	Complies
59	6245	9.76	0.00	12.76	30.00	1.0000	Complies
91	6405	9.42	0.00	12.42	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
35	6125	9.76	0.00	12.76	30.00	1.0000	Complies
59	6245	10.05	0.00	13.05	30.00	1.0000	Complies
91	6405	9.94	0.00	12.94	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
35	6125	18.92	30.00	1.0000	Complies
59	6245	18.92	30.00	1.0000	Complies
91	6405	18.71	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
39	6145	12.71	0.00	15.71	30.00	1.0000	Complies
55	6225	12.82	0.00	15.82	30.00	1.0000	Complies
87	6385	12.65	0.00	15.65	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
39	6145	13.03	0.00	16.03	30.00	1.0000	Complies
55	6225	13.31	0.00	16.31	30.00	1.0000	Complies
87	6385	12.35	0.00	15.35	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
39	6145	12.50	0.00	15.5	30.00	1.0000	Complies
55	6225	12.74	0.00	15.74	30.00	1.0000	Complies
87	6385	12.32	0.00	15.32	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
39	6145	12.60	0.00	15.60	30.00	1.0000	Complies
55	6225	12.60	0.00	15.60	30.00	1.0000	Complies
87	6385	12.46	0.00	15.46	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
39	6145	21.74	30.00	1.0000	Complies
55	6225	21.90	30.00	1.0000	Complies
87	6385	21.47	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT160) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
47	6185	15.42	0.00	18.42	30.00	1.0000	Complies
79	6345	14.76	0.00	17.76	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT160) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
47	6185	15.83	0.00	18.83	30.00	1.0000	Complies
79	6345	14.77	0.00	17.77	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT160) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
47	6185	15.24	0.00	18.24	30.00	1.0000	Complies
79	6345	14.57	0.00	17.57	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT160) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
47	6185	15.12	0.00	18.12	30.00	1.0000	Complies
79	6345	15.21	0.00	18.21	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
47	6185	24.43	30.00	1.0000	Complies
79	6345	23.85	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT320) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
63	6265	17.37	0.00	20.27	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT320) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
63	6265	16.74	0.00	19.74	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT320) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
63	6265	16.82	0.00	19.82	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT320) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
63	6265	17.07	0.00	20.07	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT320) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
63	6265	26.03	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	6.68	0.00	9.68	30.00	1.0000	Complies
105	6475	6.83	0.00	9.83	30.00	1.0000	Complies
113	6515	6.96	0.00	9.96	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	6.84	0.00	9.84	30.00	1.0000	Complies
105	6475	7.31	0.00	10.31	30.00	1.0000	Complies
113	6515	7.24	0.00	10.24	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	6.96	0.00	9.96	30.00	1.0000	Complies
105	6475	7.21	0.00	10.21	30.00	1.0000	Complies
113	6515	7.18	0.00	10.18	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	6.85	0.00	9.85	30.00	1.0000	Complies
105	6475	7.47	0.00	10.47	30.00	1.0000	Complies
113	6515	7.09	0.00	10.09	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	15.85	30.00	1.0000	Complies
105	6475	16.23	30.00	1.0000	Complies
113	6515	16.14	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	10.43	0.00	13.43	30.00	1.0000	Complies
107	6485	10.30	0.00	13.30	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	10.46	0.00	13.46	30.00	1.0000	Complies
107	6485	10.24	0.00	13.24	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	9.91	0.00	12.91	30.00	1.0000	Complies
107	6485	9.78	0.00	12.78	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	9.93	0.00	12.93	30.00	1.0000	Complies
107	6485	9.76	0.00	12.76	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	19.21	30.00	1.0000	Complies
107	6485	19.05	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	12.41	0.00	15.41	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	12.58	0.00	15.58	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	12.68	0.00	15.68	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	12.43	0.00	15.43	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	21.55	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	6.95	0.00	9.95	30.00	1.0000	Complies
105	6475	6.90	0.00	9.90	30.00	1.0000	Complies
113	6515	6.75	0.00	9.75	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	7.10	0.00	10.10	30.00	1.0000	Complies
105	6475	6.87	0.00	9.87	30.00	1.0000	Complies
113	6515	6.79	0.00	9.79	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	6.81	0.00	9.81	30.00	1.0000	Complies
105	6475	6.88	0.00	9.88	30.00	1.0000	Complies
113	6515	6.70	0.00	9.70	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	6.74	0.00	9.74	30.00	1.0000	Complies
105	6475	6.73	0.00	9.73	30.00	1.0000	Complies
113	6515	6.57	0.00	9.57	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	15.92	30.00	1.0000	Complies
105	6475	15.87	30.00	1.0000	Complies
113	6515	15.72	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	9.86	0.00	12.86	30.00	1.0000	Complies
107	6485	9.73	0.00	12.73	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	9.89	0.00	12.89	30.00	1.0000	Complies
107	6485	9.68	0.00	12.68	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	9.64	0.00	12.64	30.00	1.0000	Complies
107	6485	9.52	0.00	12.52	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	9.67	0.00	12.67	30.00	1.0000	Complies
107	6485	9.58	0.00	12.58	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	18.79	30.00	1.0000	Complies
107	6485	18.65	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	12.52	0.00	15.52	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	12.66	0.00	15.66	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	12.58	0.00	15.58	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	12.46	0.00	15.46	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	21.58	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	7.21	0.00	10.21	30.00	1.0000	Complies
149	6695	6.50	0.00	9.50	30.00	1.0000	Complies
181	6855	7.54	0.00	10.54	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	7.34	0.00	10.34	30.00	1.0000	Complies
149	6695	6.32	0.00	9.32	30.00	1.0000	Complies
181	6855	7.48	0.00	10.48	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	6.99	0.00	9.99	30.00	1.0000	Complies
149	6695	6.12	0.00	9.12	30.00	1.0000	Complies
181	6855	7.13	0.00	10.13	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	6.79	0.00	9.79	30.00	1.0000	Complies
149	6695	6.15	0.00	9.15	30.00	1.0000	Complies
181	6855	7.59	0.00	10.59	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	16.11	30.00	1.0000	Complies
149	6695	15.30	30.00	1.0000	Complies
181	6855	16.46	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	10.22	0.00	13.22	30.00	1.0000	Complies
147	6685	9.37	0.00	12.37	30.00	1.0000	Complies
179	6845	9.80	0.00	12.80	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	10.17	0.00	13.17	30.00	1.0000	Complies
147	6685	9.47	0.00	12.47	30.00	1.0000	Complies
179	6845	9.94	0.00	12.94	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	9.86	0.00	12.86	30.00	1.0000	Complies
147	6685	9.13	0.00	12.13	30.00	1.0000	Complies
179	6845	9.38	0.00	12.38	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	9.59	0.00	12.59	30.00	1.0000	Complies
147	6685	9.19	0.00	12.19	30.00	1.0000	Complies
179	6845	10.04	0.00	13.04	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	18.99	30.00	1.0000	Complies
147	6685	18.31	30.00	1.0000	Complies
179	6845	18.82	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	12.66	0.00	15.66	30.00	1.0000	Complies
151	6705	12.04	0.00	15.04	30.00	1.0000	Complies
167	6785	12.23	0.00	15.23	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	12.97	0.00	15.97	30.00	1.0000	Complies
151	6705	12.16	0.00	15.16	30.00	1.0000	Complies
167	6785	12.17	0.00	15.17	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	12.54	0.00	15.54	30.00	1.0000	Complies
151	6705	12.05	0.00	15.05	30.00	1.0000	Complies
167	6785	11.77	0.00	14.77	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	12.91	0.00	15.91	30.00	1.0000	Complies
151	6705	12.01	0.00	15.01	30.00	1.0000	Complies
167	6785	12.15	0.00	15.15	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	21.79	30.00	1.0000	Complies
151	6705	21.09	30.00	1.0000	Complies
167	6785	21.10	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	15.25	0.00	18.25	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	15.38	0.00	18.38	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	15.32	0.00	18.32	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	15.48	0.00	18.48	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	24.38	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	6.75	0.00	9.75	30.00	1.0000	Complies
149	6695	6.57	0.00	9.57	30.00	1.0000	Complies
181	6855	7.12	0.00	10.12	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	6.85	0.00	9.85	30.00	1.0000	Complies
149	6695	6.41	0.00	9.41	30.00	1.0000	Complies
181	6855	7.04	0.00	10.04	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	6.72	0.00	9.72	30.00	1.0000	Complies
149	6695	6.53	0.00	9.53	30.00	1.0000	Complies
181	6855	7.03	0.00	10.03	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	6.69	0.00	9.69	30.00	1.0000	Complies
149	6695	6.46	0.00	9.46	30.00	1.0000	Complies
181	6855	7.32	0.00	10.32	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	15.77	30.00	1.0000	Complies
149	6695	15.51	30.00	1.0000	Complies
181	6855	16.15	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	9.59	0.00	12.59	30.00	1.0000	Complies
147	6685	9.79	0.00	12.79	30.00	1.0000	Complies
179	6845	9.45	0.00	12.45	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	9.69	0.00	12.69	30.00	1.0000	Complies
147	6685	9.81	0.00	12.81	30.00	1.0000	Complies
179	6845	9.67	0.00	12.67	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	9.45	0.00	12.45	30.00	1.0000	Complies
147	6685	9.45	0.00	12.45	30.00	1.0000	Complies
179	6845	9.81	0.00	12.81	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	9.33	0.00	12.33	30.00	1.0000	Complies
147	6685	9.84	0.00	12.84	30.00	1.0000	Complies
179	6845	9.64	0.00	12.64	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	18.54	30.00	1.0000	Complies
147	6685	18.75	30.00	1.0000	Complies
179	6845	18.66	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	12.82	0.00	15.82	30.00	1.0000	Complies
151	6705	12.11	0.00	15.11	30.00	1.0000	Complies
167	6785	12.30	0.00	15.30	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	12.92	0.00	15.92	30.00	1.0000	Complies
151	6705	12.19	0.00	15.19	30.00	1.0000	Complies
167	6785	12.21	0.00	15.21	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	12.61	0.00	15.61	30.00	1.0000	Complies
151	6705	12.04	0.00	15.04	30.00	1.0000	Complies
167	6785	11.86	0.00	14.86	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	13.01	0.00	16.01	30.00	1.0000	Complies
151	6705	12.12	0.00	15.12	30.00	1.0000	Complies
167	6785	12.23	0.00	15.23	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	21.86	30.00	1.0000	Complies
151	6705	21.14	30.00	1.0000	Complies
167	6785	21.17	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT160) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	15.29	0.00	18.29	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT160) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	15.39	0.00	18.39	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT160) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	15.13	0.00	18.13	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT160) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	15.63	0.00	18.63	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	24.38	30.00	1.0000	Complies

Test Mode	UNII-5+UNII-6+UNII-7_TX BE(EHT320) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
95	6425	17.48	0.00	20.48	30.00	1.0000	Complies

Test Mode	UNII-5+UNII-6+UNII-7_TX BE(EHT320) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
95	6425	16.99	0.00	19.99	30.00	1.0000	Complies

Test Mode	UNII-5+UNII-6+UNII-7_TX BE(EHT320) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
95	6425	17.09	0.00	20.09	30.00	1.0000	Complies

Test Mode	UNII-5+UNII-6+UNII-7_TX BE(EHT320) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
95	6425	17.07	0.00	20.07	30.00	1.0000	Complies

Test Mode	UNII-5+UNII-6+UNII-7_TX BE(EHT320) Mode_Total
-----------	---

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
95	6425	26.18	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	10.07	0.00	13.07	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	10.10	0.00	13.10	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	9.81	0.00	12.81	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Ant. 4
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	9.53	0.00	12.53	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	18.90	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	12.46	0.00	15.46	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	12.64	0.00	15.64	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	12.61	0.00	15.61	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	12.51	0.00	15.51	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	21.58	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	14.94	0.00	17.94	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	14.75	0.00	17.75	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	14.82	0.00	17.82	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	14.87	0.00	17.87	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	23.87	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT40) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	9.43	0.00	12.43	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT40) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	9.60	0.00	12.60	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT40) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	9.47	0.00	12.47	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT40) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	9.30	0.00	12.30	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT40) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	18.47	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT80) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	12.52	0.00	15.52	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT80) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	12.60	0.00	15.60	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT80) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	12.63	0.00	15.63	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT80) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	12.65	0.00	15.65	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT80) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	21.62	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	14.97	0.00	17.97	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	14.92	0.00	17.92	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT160) Mode_Ant. 3
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	14.88	0.00	17.88	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT160) Mode_Ant. 4
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	14.90	0.00	17.90	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT160) Mode_Total
-----------	--

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	23.94	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT320) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
127	6585	17.44	0.00	20.44	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT320) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
127	6585	17.43	0.00	20.43	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT320) Mode_Ant. 3
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
127	6585	17.60	0.00	20.60	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT320) Mode_Ant. 4
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
127	6585	17.53	0.00	20.53	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT320) Mode_Total
-----------	--

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
127	6585	26.52	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	7.91	0.00	10.91	30.00	1.0000	Complies
213	7015	7.79	0.00	10.79	30.00	1.0000	Complies
229	7095	7.49	0.00	10.49	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	7.65	0.00	10.65	30.00	1.0000	Complies
213	7015	7.63	0.00	10.63	30.00	1.0000	Complies
229	7095	7.28	0.00	10.28	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	7.32	0.00	10.32	30.00	1.0000	Complies
213	7015	7.51	0.00	10.51	30.00	1.0000	Complies
229	7095	6.94	0.00	9.94	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	7.72	0.00	10.72	30.00	1.0000	Complies
213	7015	7.12	0.00	10.12	30.00	1.0000	Complies
229	7095	6.62	0.00	9.62	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	16.68	30.00	1.0000	Complies
213	7015	16.54	30.00	1.0000	Complies
229	7095	16.12	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	10.57	0.00	13.57	30.00	1.0000	Complies
211	7005	11.30	0.00	14.30	30.00	1.0000	Complies
227	7085	11.17	0.00	14.17	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	10.38	0.00	13.38	30.00	1.0000	Complies
211	7005	11.28	0.00	14.28	30.00	1.0000	Complies
227	7085	11.14	0.00	14.14	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	9.97	0.00	12.97	30.00	1.0000	Complies
211	7005	11.38	0.00	14.38	30.00	1.0000	Complies
227	7085	10.66	0.00	13.66	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	10.40	0.00	13.40	30.00	1.0000	Complies
211	7005	10.93	0.00	13.93	30.00	1.0000	Complies
227	7085	10.83	0.00	13.83	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	19.36	30.00	1.0000	Complies
211	7005	20.25	30.00	1.0000	Complies
227	7085	19.98	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	13.80	0.00	16.80	30.00	1.0000	Complies
215	7025	13.92	0.00	16.92	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	13.95	0.00	16.95	30.00	1.0000	Complies
215	7025	14.11	0.00	17.11	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	13.84	0.00	16.84	30.00	1.0000	Complies
215	7025	14.05	0.00	17.05	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	14.00	0.00	17.00	30.00	1.0000	Complies
215	7025	13.73	0.00	16.73	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	22.92	30.00	1.0000	Complies
215	7025	22.98	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	16.60	0.00	19.60	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	16.91	0.00	19.91	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	16.64	0.00	19.64	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	16.55	0.00	19.55	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	25.70	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	7.48	0.00	10.48	30.00	1.0000	Complies
213	7015	8.35	0.00	11.35	30.00	1.0000	Complies
229	7095	8.07	0.00	11.07	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	7.15	0.00	10.15	30.00	1.0000	Complies
213	7015	8.28	0.00	11.28	30.00	1.0000	Complies
229	7095	7.73	0.00	10.73	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	7.23	0.00	10.23	30.00	1.0000	Complies
213	7015	8.41	0.00	11.41	30.00	1.0000	Complies
229	7095	7.67	0.00	10.67	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	7.45	0.00	10.45	30.00	1.0000	Complies
213	7015	7.04	0.00	10.04	30.00	1.0000	Complies
229	7095	7.27	0.00	10.27	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	16.35	30.00	1.0000	Complies
213	7015	17.08	30.00	1.0000	Complies
229	7095	16.71	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	10.42	0.00	13.42	30.00	1.0000	Complies
211	7005	11.28	0.00	14.28	30.00	1.0000	Complies
227	7085	10.54	0.00	13.54	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	10.41	0.00	13.41	30.00	1.0000	Complies
211	7005	11.74	0.00	14.74	30.00	1.0000	Complies
227	7085	10.53	0.00	13.53	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	10.09	0.00	13.09	30.00	1.0000	Complies
211	7005	11.51	0.00	14.51	30.00	1.0000	Complies
227	7085	10.17	0.00	13.17	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	10.68	0.00	13.68	30.00	1.0000	Complies
211	7005	11.14	0.00	14.14	30.00	1.0000	Complies
227	7085	10.56	0.00	13.56	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	19.43	30.00	1.0000	Complies
211	7005	20.44	30.00	1.0000	Complies
227	7085	19.47	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	13.94	0.00	16.94	30.00	1.0000	Complies
215	7025	14.02	0.00	17.02	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	13.91	0.00	16.91	30.00	1.0000	Complies
215	7025	14.15	0.00	17.15	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	13.88	0.00	16.88	30.00	1.0000	Complies
215	7025	14.05	0.00	17.05	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	14.07	0.00	17.07	30.00	1.0000	Complies
215	7025	13.87	0.00	16.87	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	22.97	30.00	1.0000	Complies
215	7025	23.04	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT160) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	15.82	0.00	18.82	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT160) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	15.95	0.00	18.95	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT160) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	15.68	0.00	18.68	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT160) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	15.77	0.00	18.77	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	24.83	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	7.78	0.00	10.78	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	7.48	0.00	10.48	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	7.34	0.00	10.34	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Ant. 4
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	7.47	0.00	10.47	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	16.54	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	9.97	0.00	12.97	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	10.10	0.00	13.10	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	9.69	0.00	12.69	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Ant. 4
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	10.24	0.00	13.24	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	19.03	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	12.81	0.00	15.81	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	12.70	0.00	15.70	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	12.69	0.00	15.69	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	13.07	0.00	16.07	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	21.84	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	15.27	0.00	18.27	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	15.17	0.00	18.17	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	14.95	0.00	17.95	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	15.49	0.00	18.49	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	24.24	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT20) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	7.39	0.00	10.39	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT20) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	7.16	0.00	10.16	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT20) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	7.19	0.00	10.19	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT20) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	7.44	0.00	10.44	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT20) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	16.32	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT40) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	9.86	0.00	12.86	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT40) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	10.03	0.00	13.03	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT40) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	9.83	0.00	12.83	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT40) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	10.53	0.00	13.53	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT40) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	19.09	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT80) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	12.44	0.00	15.44	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT80) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	12.34	0.00	15.34	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT80) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	12.15	0.00	15.15	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT80) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	12.64	0.00	15.64	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT80) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	21.42	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	15.23	0.00	18.23	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	15.22	0.00	18.22	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT160) Mode_Ant. 3
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	14.87	0.00	17.87	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT160) Mode_Ant. 4
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	15.55	0.00	18.55	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT160) Mode_Total
-----------	--

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	24.24	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT320) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
159	6745	17.26	0.00	20.26	30.00	1.0000	Complies
191	6905	18.17	0.00	21.17	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT320) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
159	6745	17.47	0.00	20.47	30.00	1.0000	Complies
191	6905	17.57	0.00	20.57	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT320) Mode_Ant. 3
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
159	6745	17.62	0.00	20.62	30.00	1.0000	Complies
191	6905	17.41	0.00	20.41	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT320) Mode_Ant. 4
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
159	6745	17.42	0.00	20.42	30.00	1.0000	Complies
191	6905	17.33	0.00	20.33	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT320) Mode_Total
-----------	--

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
159	6745	26.47	30.00	1.0000	Complies
191	6905	26.65	30.00	1.0000	Complies

Note: Output power = Measure result + Cable loss

Beamforming

Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 1
------------------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
33	6115	-5.18	0.00	3.82	30.00	1.0000	Complies
61	6255	-5.91	0.00	3.09	30.00	1.0000	Complies
93	6415	-5.30	0.00	3.70	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 2
------------------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
33	6115	-5.00	0.00	4.00	30.00	1.0000	Complies
61	6255	-5.92	0.00	3.08	30.00	1.0000	Complies
93	6415	-5.27	0.00	3.73	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 3
------------------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
33	6115	-5.50	0.00	3.50	30.00	1.0000	Complies
61	6255	-5.98	0.00	3.02	30.00	1.0000	Complies
93	6415	-5.36	0.00	3.64	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 4
------------------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
33	6115	-5.48	0.00	3.52	30.00	1.0000	Complies
61	6255	-5.96	0.00	3.04	30.00	1.0000	Complies
93	6415	-5.43	0.00	3.57	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE20) Mode_Total
------------------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
33	6115	9.74	30.00	1.0000	Complies
61	6255	9.08	30.00	1.0000	Complies
93	6415	9.68	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
35	6125	-2.28	0.00	6.72	30.00	1.0000	Complies
59	6245	-3.39	0.00	5.61	30.00	1.0000	Complies
91	6405	-2.06	0.00	6.94	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
35	6125	-2.00	0.00	7.00	30.00	1.0000	Complies
59	6245	-3.62	0.00	5.38	30.00	1.0000	Complies
91	6405	-2.28	0.00	6.72	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
35	6125	-2.33	0.00	6.67	30.00	1.0000	Complies
59	6245	-3.39	0.00	5.61	30.00	1.0000	Complies
91	6405	-2.27	0.00	6.73	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
35	6125	-2.41	0.00	6.59	30.00	1.0000	Complies
59	6245	-3.24	0.00	5.76	30.00	1.0000	Complies
91	6405	-2.07	0.00	6.93	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
35	6125	12.77	30.00	1.0000	Complies
59	6245	11.61	30.00	1.0000	Complies
91	6405	12.85	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
39	6145	0.12	0.00	9.12	30.00	1.0000	Complies
55	6225	0.07	0.00	9.07	30.00	1.0000	Complies
87	6385	-0.10	0.00	8.90	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
39	6145	-0.46	0.00	8.54	30.00	1.0000	Complies
55	6225	0.23	0.00	9.23	30.00	1.0000	Complies
87	6385	0.06	0.00	9.06	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
39	6145	-0.78	0.00	8.22	30.00	1.0000	Complies
55	6225	-0.31	0.00	8.69	30.00	1.0000	Complies
87	6385	-0.59	0.00	8.41	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
39	6145	-0.22	0.00	8.78	30.00	1.0000	Complies
55	6225	-0.36	0.00	8.64	30.00	1.0000	Complies
87	6385	0.07	0.00	9.07	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
39	6145	14.70	30.00	1.0000	Complies
55	6225	14.94	30.00	1.0000	Complies
87	6385	14.89	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE160) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
47	6185	2.70	0.00	11.70	30.00	1.0000	Complies
79	6345	2.34	0.00	11.34	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE160) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
47	6185	2.11	0.00	11.11	30.00	1.0000	Complies
79	6345	2.48	0.00	11.48	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE160) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
47	6185	2.47	0.00	11.47	30.00	1.0000	Complies
79	6345	2.35	0.00	11.35	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE160) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
47	6185	2.01	0.00	11.01	30.00	1.0000	Complies
79	6345	2.80	0.00	11.80	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE160) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
47	6185	17.35	30.00	1.0000	Complies
79	6345	17.52	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
33	6115	-5.31	0.00	3.69	30.00	1.0000	Complies
61	6255	-4.98	0.00	4.02	30.00	1.0000	Complies
93	6415	-5.24	0.00	3.76	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
33	6115	-5.38	0.00	3.62	30.00	1.0000	Complies
61	6255	-4.83	0.00	4.17	30.00	1.0000	Complies
93	6415	-5.28	0.00	3.72	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
33	6115	-5.71	0.00	3.29	30.00	1.0000	Complies
61	6255	-5.41	0.00	3.59	30.00	1.0000	Complies
93	6415	-5.53	0.00	3.47	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
33	6115	-5.60	0.00	3.40	30.00	1.0000	Complies
61	6255	-5.33	0.00	3.67	30.00	1.0000	Complies
93	6415	-5.55	0.00	3.45	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
33	6115	9.52	30.00	1.0000	Complies
61	6255	9.89	30.00	1.0000	Complies
93	6415	9.62	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
35	6125	-2.25	0.00	6.75	30.00	1.0000	Complies
59	6245	-2.57	0.00	6.43	30.00	1.0000	Complies
91	6405	-2.71	0.00	6.29	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
35	6125	-2.30	0.00	6.70	30.00	1.0000	Complies
59	6245	-3.03	0.00	5.97	30.00	1.0000	Complies
91	6405	-2.64	0.00	6.36	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
35	6125	-2.43	0.00	6.57	30.00	1.0000	Complies
59	6245	-3.11	0.00	5.89	30.00	1.0000	Complies
91	6405	-2.87	0.00	6.13	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
35	6125	-2.27	0.00	6.73	30.00	1.0000	Complies
59	6245	-2.88	0.00	6.12	30.00	1.0000	Complies
91	6405	-2.88	0.00	6.12	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
35	6125	12.71	30.00	1.0000	Complies
59	6245	12.13	30.00	1.0000	Complies
91	6405	12.25	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
39	6145	0.57	0.00	9.57	30.00	1.0000	Complies
55	6225	0.75	0.00	9.75	30.00	1.0000	Complies
87	6385	0.41	0.00	9.41	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
39	6145	0.92	0.00	9.92	30.00	1.0000	Complies
55	6225	0.14	0.00	9.14	30.00	1.0000	Complies
87	6385	0.08	0.00	9.08	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
39	6145	0.18	0.00	9.18	30.00	1.0000	Complies
55	6225	0.55	0.00	9.55	30.00	1.0000	Complies
87	6385	0.07	0.00	9.07	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
39	6145	0.67	0.00	9.67	30.00	1.0000	Complies
55	6225	0.57	0.00	9.57	30.00	1.0000	Complies
87	6385	0.19	0.00	9.19	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
39	6145	15.61	30.00	1.0000	Complies
55	6225	15.53	30.00	1.0000	Complies
87	6385	15.21	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT160) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
47	6185	2.72	0.00	11.72	30.00	1.0000	Complies
79	6345	2.74	0.00	11.74	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT160) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
47	6185	2.23	0.00	11.23	30.00	1.0000	Complies
79	6345	2.49	0.00	11.49	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT160) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
47	6185	2.64	0.00	11.64	30.00	1.0000	Complies
79	6345	2.39	0.00	11.39	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT160) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
47	6185	2.41	0.00	11.41	30.00	1.0000	Complies
79	6345	3.01	0.00	12.01	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
47	6185	17.52	30.00	1.0000	Complies
79	6345	17.68	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT320) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
63	6265	6.27	0.00	15.27	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT320) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
63	6265	6.06	0.00	15.06	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT320) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
63	6265	6.11	0.00	15.11	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT320) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
63	6265	5.80	0.00	14.80	30.00	1.0000	Complies

Test Mode	UNII-5_TX BE(EHT320) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
63	6265	21.08	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	-5.24	0.00	3.76	30.00	1.0000	Complies
105	6475	-5.32	0.00	3.68	30.00	1.0000	Complies
113	6515	-5.36	0.00	3.64	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	-5.35	0.00	3.65	30.00	1.0000	Complies
105	6475	-5.63	0.00	3.37	30.00	1.0000	Complies
113	6515	-5.66	0.00	3.34	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	-5.46	0.00	3.54	30.00	1.0000	Complies
105	6475	-5.50	0.00	3.50	30.00	1.0000	Complies
113	6515	-5.48	0.00	3.52	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	-5.23	0.00	3.77	30.00	1.0000	Complies
105	6475	-5.46	0.00	3.54	30.00	1.0000	Complies
113	6515	-5.68	0.00	3.32	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	9.70	30.00	1.0000	Complies
105	6475	9.54	30.00	1.0000	Complies
113	6515	9.48	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	-2.57	0.00	6.43	30.00	1.0000	Complies
107	6485	-2.00	0.00	7.00	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	-2.71	0.00	6.29	30.00	1.0000	Complies
107	6485	-2.24	0.00	6.76	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	-2.80	0.00	6.20	30.00	1.0000	Complies
107	6485	-1.98	0.00	7.02	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	-2.73	0.00	6.27	30.00	1.0000	Complies
107	6485	-2.17	0.00	6.83	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	12.32	30.00	1.0000	Complies
107	6485	12.92	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	-0.02	0.00	8.98	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	0.12	0.00	9.12	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	-0.02	0.00	8.98	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	-0.05	0.00	8.95	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	15.03	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	-5.30	0.00	3.70	30.00	1.0000	Complies
105	6475	-5.17	0.00	3.83	30.00	1.0000	Complies
113	6515	-5.32	0.00	3.68	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	-5.43	0.00	3.57	30.00	1.0000	Complies
105	6475	-5.60	0.00	3.40	30.00	1.0000	Complies
113	6515	-5.34	0.00	3.66	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	-5.56	0.00	3.44	30.00	1.0000	Complies
105	6475	-5.92	0.00	3.08	30.00	1.0000	Complies
113	6515	-5.43	0.00	3.57	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	-5.43	0.00	3.57	30.00	1.0000	Complies
105	6475	-5.63	0.00	3.37	30.00	1.0000	Complies
113	6515	-5.67	0.00	3.33	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	9.59	30.00	1.0000	Complies
105	6475	9.45	30.00	1.0000	Complies
113	6515	9.58	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	-2.51	0.00	6.49	30.00	1.0000	Complies
107	6485	-2.09	0.00	6.91	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	-2.91	0.00	6.09	30.00	1.0000	Complies
107	6485	-2.26	0.00	6.74	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	-2.89	0.00	6.11	30.00	1.0000	Complies
107	6485	-2.09	0.00	6.91	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	-3.02	0.00	5.98	30.00	1.0000	Complies
107	6485	-2.47	0.00	6.53	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	12.19	30.00	1.0000	Complies
107	6485	12.80	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	-0.91	0.00	8.09	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	0.06	0.00	9.06	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	-0.08	0.00	8.92	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	0.13	0.00	9.13	30.00	1.0000	Complies

Test Mode	UNII-6_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	14.84	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	-5.54	0.00	3.46	30.00	1.0000	Complies
149	6695	-5.55	0.00	3.45	30.00	1.0000	Complies
181	6855	-5.09	0.00	3.91	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	-5.65	0.00	3.35	30.00	1.0000	Complies
149	6695	-5.62	0.00	3.38	30.00	1.0000	Complies
181	6855	-5.14	0.00	3.86	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	-5.81	0.00	3.19	30.00	1.0000	Complies
149	6695	-5.89	0.00	3.11	30.00	1.0000	Complies
181	6855	-5.20	0.00	3.80	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	-5.77	0.00	3.23	30.00	1.0000	Complies
149	6695	-6.05	0.00	2.95	30.00	1.0000	Complies
181	6855	-5.04	0.00	3.96	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	9.33	30.00	1.0000	Complies
149	6695	9.25	30.00	1.0000	Complies
181	6855	9.90	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	-2.54	0.00	6.46	30.00	1.0000	Complies
147	6685	-2.98	0.00	6.02	30.00	1.0000	Complies
179	6845	-2.18	0.00	6.82	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	-2.71	0.00	6.29	30.00	1.0000	Complies
147	6685	-3.02	0.00	5.98	30.00	1.0000	Complies
179	6845	-2.11	0.00	6.89	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	-2.58	0.00	6.42	30.00	1.0000	Complies
147	6685	-3.24	0.00	5.76	30.00	1.0000	Complies
179	6845	-2.34	0.00	6.66	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	-2.79	0.00	6.21	30.00	1.0000	Complies
147	6685	-3.13	0.00	5.87	30.00	1.0000	Complies
179	6845	-1.99	0.00	7.01	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	12.37	30.00	1.0000	Complies
147	6685	11.93	30.00	1.0000	Complies
179	6845	12.87	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	0.06	0.00	9.06	30.00	1.0000	Complies
151	6705	-0.29	0.00	8.71	30.00	1.0000	Complies
167	6785	-0.10	0.00	8.9	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	0.39	0.00	9.39	30.00	1.0000	Complies
151	6705	-0.58	0.00	8.42	30.00	1.0000	Complies
167	6785	0.00	0.00	9.00	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	-0.03	0.00	8.97	30.00	1.0000	Complies
151	6705	-0.43	0.00	8.57	30.00	1.0000	Complies
167	6785	-0.53	0.00	8.47	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	0.35	0.00	9.35	30.00	1.0000	Complies
151	6705	-0.30	0.00	8.70	30.00	1.0000	Complies
167	6785	-0.45	0.00	8.55	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	15.22	30.00	1.0000	Complies
151	6705	14.62	30.00	1.0000	Complies
167	6785	14.76	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	2.61	0.00	11.61	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	2.68	0.00	11.68	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	1.99	0.00	10.99	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	2.96	0.00	11.96	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	17.59	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	-5.56	0.00	3.44	30.00	1.0000	Complies
149	6695	-6.41	0.00	2.59	30.00	1.0000	Complies
181	6855	-4.77	0.00	4.23	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	-5.82	0.00	3.18	30.00	1.0000	Complies
149	6695	-6.12	0.00	2.88	30.00	1.0000	Complies
181	6855	-4.97	0.00	4.03	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	-5.55	0.00	3.45	30.00	1.0000	Complies
149	6695	-6.27	0.00	2.73	30.00	1.0000	Complies
181	6855	-4.94	0.00	4.06	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	-5.54	0.00	3.46	30.00	1.0000	Complies
149	6695	-6.48	0.00	2.52	30.00	1.0000	Complies
181	6855	-4.56	0.00	4.44	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	9.40	30.00	1.0000	Complies
149	6695	8.70	30.00	1.0000	Complies
181	6855	10.21	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	-2.78	0.00	6.22	30.00	1.0000	Complies
147	6685	-3.13	0.00	5.87	30.00	1.0000	Complies
179	6845	-2.31	0.00	6.69	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	-2.37	0.00	6.63	30.00	1.0000	Complies
147	6685	-3.16	0.00	5.84	30.00	1.0000	Complies
179	6845	-2.20	0.00	6.80	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	-2.77	0.00	6.23	30.00	1.0000	Complies
147	6685	-3.20	0.00	5.80	30.00	1.0000	Complies
179	6845	-2.18	0.00	6.82	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	-2.57	0.00	6.43	30.00	1.0000	Complies
147	6685	-3.37	0.00	5.63	30.00	1.0000	Complies
179	6845	-1.79	0.00	7.21	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	12.40	30.00	1.0000	Complies
147	6685	11.81	30.00	1.0000	Complies
179	6845	12.91	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	0.50	0.00	9.50	30.00	1.0000	Complies
151	6705	-0.39	0.00	8.61	30.00	1.0000	Complies
167	6785	0.52	0.00	9.52	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	0.55	0.00	9.55	30.00	1.0000	Complies
151	6705	-0.09	0.00	8.91	30.00	1.0000	Complies
167	6785	0.48	0.00	9.48	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	-0.11	0.00	8.89	30.00	1.0000	Complies
151	6705	-0.25	0.00	8.75	30.00	1.0000	Complies
167	6785	-0.26	0.00	8.74	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	0.71	0.00	9.71	30.00	1.0000	Complies
151	6705	-0.29	0.00	8.71	30.00	1.0000	Complies
167	6785	0.05	0.00	9.05	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	15.44	30.00	1.0000	Complies
151	6705	14.77	30.00	1.0000	Complies
167	6785	15.23	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT160) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	2.35	0.00	11.35	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT160) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	2.62	0.00	11.62	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT160) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	2.21	0.00	11.21	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT160) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	2.54	0.00	11.54	30.00	1.0000	Complies

Test Mode	UNII-7_TX BE(EHT160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	17.45	30.00	1.0000	Complies

Test Mode	UNII-5+UNII-6+UNII-7_TX BE(EHT320) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
95	6425	4.71	0.00	13.71	30.00	1.0000	Complies

Test Mode	UNII-5+UNII-6+UNII-7_TX BE(EHT320) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
95	6425	4.28	0.00	13.28	30.00	1.0000	Complies

Test Mode	UNII-5+UNII-6+UNII-7_TX BE(EHT320) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
95	6425	4.14	0.00	13.14	30.00	1.0000	Complies

Test Mode	UNII-5+UNII-6+UNII-7_TX BE(EHT320) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
95	6425	4.83	0.00	13.83	30.00	1.0000	Complies

Test Mode	UNII-5+UNII-6+UNII-7_TX BE(EHT320) Mode_Total
-----------	---

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
95	6425	19.52	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	-2.22	0.00	6.78	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	-2.67	0.00	6.33	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	-2.36	0.00	6.64	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Ant. 4
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	-2.46	0.00	6.54	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	12.60	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	-0.09	0.00	8.91	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	-0.13	0.00	8.87	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	-0.40	0.00	8.60	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	-0.20	0.00	8.80	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	14.82	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	2.62	0.00	11.62	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	2.44	0.00	11.44	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	2.58	0.00	11.58	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	2.49	0.00	11.49	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	17.55	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT40) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	-2.39	0.00	6.61	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT40) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	-2.43	0.00	6.57	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT40) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	-2.36	0.00	6.64	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT40) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	-2.57	0.00	6.43	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT40) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	12.58	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT80) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	-0.09	0.00	8.91	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT80) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	0.20	0.00	9.20	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT80) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	-0.16	0.00	8.84	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT80) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	0.21	0.00	9.21	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT80) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	15.06	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	2.43	0.00	11.43	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	2.66	0.00	11.66	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT160) Mode_Ant. 3
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	2.24	0.00	11.24	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT160) Mode_Ant. 4
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	2.54	0.00	11.54	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT160) Mode_Total
-----------	--

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	17.49	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT320) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
127	6585	5.07	0.00	14.07	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT320) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
127	6585	5.00	0.00	14.00	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT320) Mode_Ant. 3
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
127	6585	4.67	0.00	13.67	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT320) Mode_Ant. 4
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
127	6585	4.71	0.00	13.71	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT320) Mode_Total
-----------	--

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
127	6585	19.89	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	-4.17	0.00	4.83	30.00	1.0000	Complies
213	7015	-4.23	0.00	4.77	30.00	1.0000	Complies
229	7095	-3.78	0.00	5.22	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	-4.73	0.00	4.27	30.00	1.0000	Complies
213	7015	-4.27	0.00	4.73	30.00	1.0000	Complies
229	7095	-3.71	0.00	5.29	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	-4.50	0.00	4.50	30.00	1.0000	Complies
213	7015	-4.39	0.00	4.61	30.00	1.0000	Complies
229	7095	-4.19	0.00	4.81	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	-4.46	0.00	4.54	30.00	1.0000	Complies
213	7015	-4.59	0.00	4.41	30.00	1.0000	Complies
229	7095	-4.41	0.00	4.59	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	10.56	30.00	1.0000	Complies
213	7015	10.65	30.00	1.0000	Complies
229	7095	11.01	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	-1.95	0.00	7.05	30.00	1.0000	Complies
211	7005	-1.73	0.00	7.27	30.00	1.0000	Complies
227	7085	-0.38	0.00	8.62	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	-2.00	0.00	7.00	30.00	1.0000	Complies
211	7005	-1.57	0.00	7.43	30.00	1.0000	Complies
227	7085	-0.35	0.00	8.65	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	-1.86	0.00	7.14	30.00	1.0000	Complies
211	7005	-1.46	0.00	7.54	30.00	1.0000	Complies
227	7085	-0.47	0.00	8.53	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	-1.71	0.00	7.29	30.00	1.0000	Complies
211	7005	-1.92	0.00	7.08	30.00	1.0000	Complies
227	7085	-1.80	0.00	7.20	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	13.14	30.00	1.0000	Complies
211	7005	13.35	30.00	1.0000	Complies
227	7085	14.31	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	0.75	0.00	9.75	30.00	1.0000	Complies
215	7025	0.80	0.00	9.8	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	0.86	0.00	9.86	30.00	1.0000	Complies
215	7025	0.81	0.00	9.81	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	0.56	0.00	9.56	30.00	1.0000	Complies
215	7025	0.87	0.00	9.87	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	1.14	0.00	10.14	30.00	1.0000	Complies
215	7025	0.56	0.00	9.56	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	15.85	30.00	1.0000	Complies
215	7025	15.78	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	3.60	0.00	12.60	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	3.82	0.00	12.82	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	3.73	0.00	12.73	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	3.87	0.00	12.87	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	18.78	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	-4.54	0.00	4.46	30.00	1.0000	Complies
213	7015	-3.89	0.00	5.11	30.00	1.0000	Complies
229	7095	-3.73	0.00	5.27	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	-4.63	0.00	4.37	30.00	1.0000	Complies
213	7015	-3.61	0.00	5.39	30.00	1.0000	Complies
229	7095	-3.98	0.00	5.02	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	-4.56	0.00	4.44	30.00	1.0000	Complies
213	7015	-3.62	0.00	5.38	30.00	1.0000	Complies
229	7095	-4.26	0.00	4.74	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	-4.33	0.00	4.67	30.00	1.0000	Complies
213	7015	-3.88	0.00	5.12	30.00	1.0000	Complies
229	7095	-4.61	0.00	4.39	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	10.51	30.00	1.0000	Complies
213	7015	11.27	30.00	1.0000	Complies
229	7095	10.89	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	-1.62	0.00	7.38	30.00	1.0000	Complies
211	7005	-1.65	0.00	7.35	30.00	1.0000	Complies
227	7085	-1.34	0.00	7.66	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	-2.06	0.00	6.94	30.00	1.0000	Complies
211	7005	-1.37	0.00	7.63	30.00	1.0000	Complies
227	7085	-1.28	0.00	7.72	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	-1.79	0.00	7.21	30.00	1.0000	Complies
211	7005	-1.56	0.00	7.44	30.00	1.0000	Complies
227	7085	-2.32	0.00	6.68	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	-1.83	0.00	7.17	30.00	1.0000	Complies
211	7005	-1.84	0.00	7.16	30.00	1.0000	Complies
227	7085	-1.65	0.00	7.35	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	13.20	30.00	1.0000	Complies
211	7005	13.42	30.00	1.0000	Complies
227	7085	13.39	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	0.98	0.00	9.98	30.00	1.0000	Complies
215	7025	1.61	0.00	10.61	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	0.70	0.00	9.70	30.00	1.0000	Complies
215	7025	1.69	0.00	10.69	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	0.67	0.00	9.67	30.00	1.0000	Complies
215	7025	1.53	0.00	10.53	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	1.03	0.00	10.03	30.00	1.0000	Complies
215	7025	1.23	0.00	10.23	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	15.87	30.00	1.0000	Complies
215	7025	16.54	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT160) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	3.86	0.00	12.86	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT160) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	3.56	0.00	12.56	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT160) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	3.95	0.00	12.95	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT160) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	3.53	0.00	12.53	30.00	1.0000	Complies

Test Mode	UNII-8_TX BE(EHT160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	18.75	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	-4.91	0.00	4.09	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	-4.85	0.00	4.15	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	-4.94	0.00	4.06	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Ant. 4
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	-4.65	0.00	4.35	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	10.18	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	-1.79	0.00	7.21	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	-2.02	0.00	6.98	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	-1.96	0.00	7.04	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Ant. 4
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	-1.78	0.00	7.22	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	13.13	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	0.36	0.00	9.36	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	0.24	0.00	9.24	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	0.04	0.00	9.04	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	0.62	0.00	9.62	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	15.34	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	2.96	0.00	11.96	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	2.65	0.00	11.65	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	2.63	0.00	11.63	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	3.02	0.00	12.02	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	17.84	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT20) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	-4.96	0.00	4.04	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT20) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	-4.89	0.00	4.11	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT20) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	-5.02	0.00	3.98	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT20) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	-4.85	0.00	4.15	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT20) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	10.09	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT40) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	-2.13	0.00	6.87	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT40) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	-1.92	0.00	7.08	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT40) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	-2.05	0.00	6.95	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT40) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	-1.79	0.00	7.21	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT40) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	13.05	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT80) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	0.22	0.00	9.22	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT80) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	0.01	0.00	9.01	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT80) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	-0.08	0.00	8.92	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT80) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	0.68	0.00	9.68	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT80) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	15.24	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	2.62	0.00	11.62	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	2.84	0.00	11.84	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT160) Mode_Ant. 3
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	2.58	0.00	11.58	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT160) Mode_Ant. 4
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	2.93	0.00	11.93	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT160) Mode_Total
-----------	--

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	17.77	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT320) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
159	6745	5.02	0.00	14.02	30.00	1.0000	Complies
191	6905	5.29	0.00	14.29	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT320) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
159	6745	5.48	0.00	14.48	30.00	1.0000	Complies
191	6905	5.09	0.00	14.09	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT320) Mode_Ant. 3
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
159	6745	5.13	0.00	14.13	30.00	1.0000	Complies
191	6905	5.16	0.00	14.16	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT320) Mode_Ant. 4
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
159	6745	4.49	0.00	13.49	30.00	1.0000	Complies
191	6905	5.68	0.00	14.68	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT320) Mode_Total
-----------	--

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
159	6745	20.06	30.00	1.0000	Complies
191	6905	20.33	30.00	1.0000	Complies

Note: Output power = Measure result + Cable loss

APPENDIX G - MAXIMUM POWER SPECTRAL DENSITY (E.I.R.P.)

Note: The test results please refer to BTL-FCCP-4-2405G048 R00 Part2.

APPENDIX H - IN-BAND EMISSION (MASK)

Note: The test results please refer to BTL-FCCP-4-2405G048 R00 Part2.

APPENDIX I - CONTENTION BASED PROTOCOL

Note: The test results please refer to BTL-FCCP-4-2405G048 R00 Part2.

End of Test Report