

Page 238 of 310




11.5. APPENDIX E: BAND EDGE MEASUREMENTS
11.5.1. Test Result


Test Mode	Antenna	ChName	Frequency [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
	Ant1	Low					PASS
	Ant2	Low	2412	9.64	-35.31	≤-20.36	PASS
	Ant1	Low	2417	11.45	-36.36	≤-18.55	PASS
11B_CDD	Ant2	Low	2417		-35.51	≤-19.73	PASS
110-000	Ant1	High	2457		-36.53	≤-19.05	PASS
	Ant2	High	2457	10.15	-36.76	≤-19.85	PASS
	Ant1	High	2462		-36.37	≤-19.45	PASS
	Ant2	High	2462	10.76	-36.32	≤-19.24	PASS
	Ant1	Low	2412	6.76	-33.15	≤-23.24	PASS
	Ant2	Low	2412	5.41	-33.87	≤-24.59	PASS
	Ant1	Low	2417	7.83	-32.9	≤-22.17	PASS
44C CDD	Ant2	Low 2412	PASS				
TIG-CDD	Ant1	High	2457	6.47	-44.01	≤-23.53	PASS
	Ant2	High	2457	5.60	-46.07	≤-24.4	PASS
	Ant1		2462	5.02	-45.48	≤-24.98	PASS
	Ant2	High	2462	5.16	-45.45	-35.39 ≤-18.16 -35.31 ≤-20.36 -36.36 ≤-18.55 -35.51 ≤-19.73 -36.53 ≤-19.05 -36.76 ≤-19.85 -36.37 ≤-19.45 -36.32 ≤-19.24 -33.15 ≤-23.24 -33.87 ≤-24.59 -32.9 ≤-22.17 -38.14 ≤-24.56 -44.01 ≤-23.53 -46.07 ≤-24.4 -45.48 ≤-24.98 -45.45 ≤-24.84 -34.74 ≤-24.93 -36.89 ≤-25.66 -32.8 ≤-22.38 -33.48 ≤-23.32 -43.89 ≤-23.55 -43.7 ≤-24.21 -40.52 ≤-24.11 -41.94 ≤-24.28 -37.79 ≤-27.52 -38.61 ≤-28.39 -37.86 ≤-26.48 -40.37 ≤-27.87 -42.96 ≤-27.19 -44.51 ≤-27.28 -40.42 ≤-27.54 -42.1 ≤-27.75 -41.81 ≤-26.08 -42.99 ≤-26.64 -42.99 ≤-26.64 -42.99 ≤-26.64 -44.23 ≤-25.24 -45.7 ≤-25.04 -45.7 ≤-25.04 -45.94 ≤-24.39 -45.7 ≤-25.04 -45.94 ≤-24.39 -45.7 ≤-25.04 -44.23 ≤-25.24 -45.44 ≤-27.9 -45.54 ≤-28.81 -44.7 ≤-29.23 -44.02 ≤-28.06 -43.9 ≤-29 -42.59 ≤-27.99	PASS
	Ant1	Low	2412	5.07	-34.74	≤-24.93	PASS
	Ant2	Low	2412	4.34	-36.89	≤-25.66	PASS
	Ant1	Low	2417		-32.8	≤-22.38	PASS
441100141140	Ant2	Low	2417	6.68	-33.48	≤-23.32	PASS
11N20MIMO	Ant1	High					PASS
	Ant2						PASS
	Ant1						PASS
	Ant2		2462	5.72	-41.94	≤-24.28	PASS
	Ant1		2422	2.48		≤-27.52	PASS
	Ant2	Low	2422		-38.61		PASS
	Ant1	Low					PASS
445446541546	Ant2	Low	2427	2.13	-40.37		PASS
11N40MIMO	Ant1	High	2447	2.81	-42.96	≤-27.19	PASS
	Ant2		2447		-44.51	≤-27.28	PASS
	Ant1		2452	2.46	-40.42		PASS
	Ant2						PASS
	Ant1		2412	3.92	-41.81	≤-26.08	PASS
	Ant2	Low	2412		-42.99		PASS
	Ant1						PASS
4447700141140	Ant2	Low			_		PASS
11AX20MIMO	Ant1	High			_		PASS
	Ant2						PASS
	Ant1		2462	5.26	-45.12		PASS
	Ant2					-34.74 ≤-24.93 -36.89 ≤-25.66 -32.8 ≤-22.38 -33.48 ≤-23.32 -43.89 ≤-23.55 -43.7 ≤-24.21 -40.52 ≤-24.11 -41.94 ≤-24.28 -37.79 ≤-27.52 -38.61 ≤-28.39 -37.86 ≤-26.48 -40.37 ≤-27.87 -42.96 ≤-27.19 -44.51 ≤-27.28 -40.42 ≤-27.54 -42.1 ≤-27.75 -41.81 ≤-26.08 -42.99 ≤-26.64 -44.23 ≤-25.24 -45.7 ≤-25.04 -45.7 ≤-25.04 -45.94 ≤-24.39 -45.12 ≤-24.74 -44.08 ≤-29.01 -42.43 ≤-29.35 -45.54 ≤-28.81	PASS
	Ant1						PASS
	Ant2						PASS
	Ant1						PASS
44 4 7/40141140	Ant2						PASS
11B-CDD 11G-CDD 11N20MIMO 11N40MIMO 11AX20MIMO	Ant1						PASS
	Ant2						PASS
	Ant1						PASS
	Ant2						PASS




11.5.2. Test Graphs

































































REPORT NO.: 4791046401-1-RF-1

Page 253 of 310

11.6. APPENDIX F: CONDUCTED SPURIOUS EMISSION 11.6.1. Test Result

Test Mode	Antenna	Frequency[MHz]	FreqRange [Mhz]	Result [dBm]	Limit [dBm]	Verdict
			Reference	11.84	[dBm]	PASS
	Ant1	2412	30~1000	-45.92	≤-18.16	PASS
			1000~26500	-40.81		PASS
		2412	Reference	9.83		PASS
	Ant2		30~1000	-45.88	≤-20.17	PASS
			1000~26500	-40.12		PASS
			Reference	11.82		PASS
	Ant1	2417	30~1000	-45.67	≤-18.18	PASS
			1000~26500	-40.47		PASS
			Reference	10.51		PASS
	Ant2	2417	30~1000	-45.4	≤-19.49	PASS
			1000~26500	-40.57		PASS
			Reference	14.15		PASS
	Ant1	2437	30~1000	-45.68	≤-15.85	PASS
			1000~26500	-42.92		PASS
11B-CDD			Reference	14.39		PASS
	Ant2	2437	30~1000	-44.71	≤-15.61	PASS
		-	1000~26500	-43.81		PASS
			Reference	10.73		PASS
	Ant1	2457	30~1000	-45.62	≤-19.27	PASS
	7		1000~26500	-40.2		PASS
			Reference	10.00		PASS
	Ant2	2457	30~1000	-45.62	≤-20	PASS
	7		1000~26500	-40.08		PASS
			Reference	10.30		PASS
	Ant1	2462	30~1000	-45.39		PASS
	Anti	2102	1000~26500	-40.66		PASS
			Reference	10.81		PASS
	Ant2	2462	30~1000	-45.49		PASS
	7 11112	2102	1000~26500	-40.5		PASS
			Reference	6.83		PASS
	Ant1	2412	30~1000	-45.43	≤-23 17	PASS
	7 (1)(1)	2112	1000~26500	-40.27		PASS
			Reference	5.65		PASS
	Ant2	2412	30~1000	-45.65	<-24 35	PASS
	7		1000~26500	-40.22		PASS
			Reference	7.80		PASS
	Ant1	2417	30~1000	-45.53		PASS
	7 (1)(1)	2	1000~26500	-40.43		PASS
			Reference	6.48		PASS
	Ant2	2417	30~1000	-45.8	≤-23.52	PASS
			1000~26500	-40.62		PASS
			Reference	11.37		PASS
4.00==	Ant1	2437	30~1000	-45.68	≤-18.63	PASS
11G-CDD	13.5		1000~26500	-40.07		PASS
			Reference	10.31		PASS
	Ant2	2437	30~1000	-45.31	≤-19.69	PASS
		= . + .	1000~26500	-39.97		PASS
			Reference	6.45		PASS
	Ant1	2457	30~1000	-45.52		PASS
	7	- . • .	1000~26500	-39.84		PASS
			Reference	5.99		PASS
	Ant2	2457	30~1000	-45.93		PASS
	,	2.07	1000~26500	-40.17		PASS
			Reference	4.34		PASS
	Ant1	2462	30~1000	-45.34		PASS
	7 (1)(1)	<u> </u>	1000~26500	-40.39		PASS
	Ant2	2462	Reference	5.29		PASS
L	/ till_	2702	Reference	0.23		1 / (00



			30~1000	-45.44	≤-24.71	PASS
			1000~26500	-40.28	≤-24.71	PASS
			Reference	5.71		PASS
	Ant1	2412	30~1000	-45.87	≤-24.29	PASS
			1000~26500	-40.91	≤-24.29	PASS
		2412	Reference	4.43		PASS
	Ant2		30~1000	-45.9	≤-25.57	PASS
			1000~26500	-39.8	≤-25.57	PASS
			Reference	7.76		PASS
	Ant1	2417	30~1000	-45.23	≤-22.24	PASS
			1000~26500	-40.65	≤-22.24	PASS
			Reference	6.74		PASS
	Ant2	2417	30~1000	-45.8	≤-23.26	PASS
			1000~26500	-39.62	≤-23.26	PASS
			Reference	11.33		PASS
	Ant1	2437	30~1000	-45.88	≤-18.67	PASS
44100141140			1000~26500	-40.86	≤-18.67	PASS
11N20MIMO			Reference	10.36		PASS
	Ant2	2437	30~1000	-45.73	≤-19.64	PASS
			1000~26500	-40.34	≤-19.64	PASS
			Reference	6.34		PASS
	Ant1	2457	30~1000	-45	≤-23.66	PASS
			1000~26500	-39.76	≤-23.66	PASS
			Reference	5.95		PASS
	Ant2	2457	30~1000	-45.62	≤-24.05	PASS
	<u>-</u>		1000~26500	-40.08	≤-24.05	PASS
			Reference	5.76		PASS
	Ant1	2462	30~1000	-45.25	≤-24.24	PASS
	,	2.02	1000~26500	-40.52	≤-24.24	PASS
			Reference	5.79		PASS
	Ant2	2462	30~1000	-45.75	≤-24.21	PASS
	7 11 12	2.02	1000~26500	-40.66	≤-24.21	PASS
			Reference	2.91		PASS
	Ant1	2422	30~1000	-44.98	≤-27.09	PASS
	7 (1)(1)	L 122	1000~26500	-40.57	≤-27.09	PASS
			Reference	1.40		PASS
	Ant2	2422	30~1000	-45.65	≤-28.6	PASS
	7 (11)2	L 122	1000~26500	-39.65	≤-28.6	PASS
			Reference	2.72		PASS
	Ant1	2427	30~1000	-45.49	≤-27.28	PASS
	7 (1)(1)	2 121	1000~26500	-40.52	≤-27.28	PASS
			Reference	2.18	= 27.20	PASS
	Ant2	2427	30~1000	-45.87	≤-27.82	PASS
	/ \\ \\ \	∠ 7 ∠1	1000~26500	-39.75	≤-27.82	PASS
			Reference	5.54	<u> </u>	PASS
	Ant1	2437	30~1000	-45.84	≤-24.46	PASS
		2437	1000~26500	-40.43	≤-24.46	PASS
11N40MIMO			Reference	4.57		PASS
	Ant2	2437	30~1000	-45.39	≤-25.43	PASS
			1000~26500	-40.41	≤-25.43	PASS
			Reference	2.87	3-25.45	PASS
		2447	30~1000	-45.58	≤-27.13	PASS
		2447				
	Ant2		1000~26500	-40.29	≤-27.13	PASS
		2447	Reference	2.75		PASS
			30~1000	-45.69	≤-27.25	PASS
	Ant1		1000~26500	-40.06	≤-27.25	PASS
		2452	Reference	2.39		PASS
			30~1000	-45.36	≤-27.61	PASS
			1000~26500	-40.43	≤-27.61	PASS
	A 10	0.450	Reference	2.30		PASS
	Ant2	2452	30~1000	-45.16	≤-27.7	PASS
			1000~26500	-40.45	≤-27.7	PASS
11AX20MIMO	Ant1	2412	Reference	4.56		PASS
	, 1111	4 71 4	30~1000	-45.54	≤-25.44	PASS



			1000~26500	-41.15	≤-25.44	PASS
	Ant2		Reference	3.27		PASS
		2412	30~1000	-46.23	≤-26.73	PASS
			1000~26500	-39.54	≤-26.73	PASS
			Reference	4.91		PASS
	Ant1	2417	30~1000	-45.6	≤-25.09	PASS
			1000~26500	-40.15	≤-25.09	PASS
		2417	Reference	3.70		PASS
	Ant2		30~1000	-45.23	≤-26.3	PASS
			1000~26500	-40.53		PASS
			Reference	10.62		PASS
	Ant1	2437	30~1000	-45.62	≤-19.38	PASS
			1000~26500	-40.47		PASS
			Reference	9.90		PASS
	Ant2	2437	30~1000	-45.59		PASS
	71112	2401	1000~26500			PASS
			Reference			PASS
	Ant1	2457	30~1000	-44.72	<-24.72	PASS
	/ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	2701	1000~26500	-39.39		PASS
			Reference			PASS
	Ant2	2457	30~1000	-45.52		PASS
	AIILZ	2437	1000~26500			PASS
			Reference			PASS
	Ant1	2462	30~1000			PASS
	Anti	2462				
			1000~26500 Reference		≥-24.73	PASS
	A m+O	2462				PASS
	Ant2	2462	30~1000			PASS
			1000~26500			PASS PASS
	Ant1	2422	Reference			
			30~1000 1000~26500			PASS PASS
	A m+O	2422	Reference			PASS
	Ant2	2422	30~1000			PASS
			1000~26500			PASS PASS
	A mtd	2427	Reference			
	Ant1	2427	30~1000			PASS
			1000~26500	+	≤-28.76	PASS
	A == 4.0	0.407	Reference			PASS PASS
	Ant2	2427	30~1000			
			1000~26500		≤-29.23	PASS
	A	0407	Reference		5.23 ≤-26.3	PASS
	Ant1	2437	30~1000	-45.51		PASS
11AX40MIMO			1000~26500		≥-27.75	PASS
	Ant2	2427	Reference		 < 00.04	PASS
		2437	30~1000			PASS
			1000~26500			PASS
		0447	Reference	1.96		PASS
		2447	30~1000			PASS
	Ant2		1000~26500	-39.62	≤-28.04	PASS
		2447	Reference			PASS
			30~1000			PASS
			1000~26500	-39.56		PASS
	A 4.4	2452	Reference			PASS
	Ant1		30~1000	-45.62		PASS
			1000~26500	-40.15		PASS
	Ant2	0.450	Reference			PASS
		2452	30~1000	-45.78	≤-28.96	PASS
			1000~26500	-40.75	≤-28.96	PASS



11.6.2. Test Graphs

