




Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	19.710	19.200
60	5300	19.800	19.100
64	5320	19.730	19.100




CH52

CH60
26 dB Bandwidth

CH64



99 % Occupied Bandwidth




Date: 3.MAY.2024 11:28:33

Date: 3.MAY.2024 11:30:49

Date: 3.MAY.2024 11:31:58


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	19.780	18.900
116	5580	19.820	18.900
140	5700	19.720	18.800
144	5720	19.740	19.400

CH100





CH116


26 dB Bandwidth




CH140



Date: 3.MAY.2024 11:34:48




Date: 3.MAY.2024 11:37:45




Date: 3.MAY.2024 11:39:53

26 dB Bandwidth



CH144


99 % Occupied Bandwidth



Date: 6.MAY.2024 11:13:40


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	18.290	27.100	0.5	Complies
157	5785	17.989	28.100	0.5	Complies
165	5825	18.189	27.400	0.5	Complies

CH149




Date: 3.MAY.2024 11:41:49

CH157
6 dB Bandwidth




Date: 3.MAY.2024 11:44:42

CH165




Date: 3.MAY.2024 11:46:32


99 % Occupied Bandwidth



Date: 3.MAY.2024 11:43:33



Date: 3.MAY.2024 11:45:33




Date: 3.MAY.2024 11:47:45

Test Mode	IEEE 802.11be (EHT40)_Ant.1
-----------	-----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	43.800	38.20
46	5230	99.990	61.80

CH38




CH46


26 dB Bandwidth



99 % Occupied Bandwidth



Date: 3.MAY.2024 11:57:12



Date: 3.MAY.2024 12:00:02

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	97.110	58.60
62	5310	39.330	38.20

CH54




CH62


26 dB Bandwidth



99 % Occupied Bandwidth



Date: 3.MAY.2024 12:16:38



Date: 3.MAY.2024 12:11:20

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	43.500	38.200
110	5550	39.100	39.600
134	5670	39.130	38.600
142	5710	93.980	37.800

CH102




CH110


26 dB Bandwidth




CH134




99 % Occupied Bandwidth



Date: 3.MAY.2024 12:21:10




Date: 3.MAY.2024 12:32:17




Date: 3.MAY.2024 12:29:03

CH142

26 dB Bandwidth




99 % Occupied Bandwidth



Date: 6.MAY.2024 11:33:25


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	34.000	67.000	0.5	Complies
159	5795	33.900	68.000	0.5	Complies

CH151




Date: 3.MAY.2024 12:36:40

CH159
6 dB Bandwidth




Date: 3.MAY.2024 12:38:14

99 % Occupied Bandwidth



Date: 3.MAY.2024 12:36:03



Date: 3.MAY.2024 12:37:34


Test Mode	IEEE 802.11be (EHT80)_Ant.1
-----------	-----------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	88.820	78.400

CH42 26 dB Bandwidth



99 % Occupied Bandwidth




Date: 3.MAY.2024 12:50:07

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	80.080	78.000

CH58 26 dB Bandwidth



99 % Occupied Bandwidth




Date: 3.JUN.2024 12:52:46

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	80.710	78.000
122	5610	135.100	84.400
138	5690	131.100	77.600


CH106

CH122
26 dB Bandwidth


CH138




99 % Occupied Bandwidth



Date: 3.MAY.2024 12:54:47



Date: 3.MAY.2024 12:56:46




Date: 6.MAY.2024 12:37:30


Test Mode	IEEE 802.11be (EHT160)_Ant.1
-----------	------------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
50	5250	161.800	158.400

CH50 26 dB Bandwidth



99 % Occupied Bandwidth




Date: 3.MAY.2024 13:01:56

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
114	5570	161.700	156.800

CH114 26 dB Bandwidth



99 % Occupied Bandwidth



Date: 3.JUN.2024 13:03:38

APPENDIX E OUTPUT POWER

Test Mode	IEEE 802.11a_Ant.1	Test Date	2024/5/2
-----------	--------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5180	18.27	0.0671	23.98	0.2500	PASS
5200	17.78	0.0600	23.98	0.2500	PASS
5240	17.75	0.0596	23.98	0.2500	PASS
5260	20.98	0.1253	23.98	0.2500	PASS
5300	17.99	0.0630	23.98	0.2500	PASS
5320	19.43	0.0877	23.98	0.2500	PASS
5500	18.49	0.0706	23.98	0.2500	PASS
5580	18.07	0.0641	23.98	0.2500	PASS
5700	15.48	0.0353	23.98	0.2500	PASS
5720	16.37	0.0434	23.98	0.2500	PASS
5745	23.34	0.2158	30.00	1.0000	PASS
5785	22.28	0.1690	30.00	1.0000	PASS
5825	22.96	0.1977	30.00	1.0000	PASS

Test Mode	IEEE 802.11a_Ant.2	Test Date	2024/5/2
-----------	--------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5180	19.83	0.0962	23.98	0.2500	PASS
5200	19.66	0.0925	23.98	0.2500	PASS
5240	19.55	0.0902	23.98	0.2500	PASS
5260	20.71	0.1178	23.98	0.2500	PASS
5300	18.26	0.0670	23.98	0.2500	PASS
5320	19.29	0.0849	23.98	0.2500	PASS
5500	18.18	0.0658	23.98	0.2500	PASS
5580	18.04	0.0637	23.98	0.2500	PASS
5700	15.11	0.0324	23.98	0.2500	PASS
5720	16.10	0.0407	23.98	0.2500	PASS
5745	22.89	0.1945	30.00	1.0000	PASS
5785	22.63	0.1832	30.00	1.0000	PASS
5825	22.81	0.1910	30.00	1.0000	PASS

Test Mode	IEEE 802.11a_Total	Test Date	2024/5/2
-----------	--------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5180	22.13	0.1633	23.98	0.2500	PASS
5200	21.83	0.1524	23.98	0.2500	PASS
5240	21.75	0.1496	23.98	0.2500	PASS
5260	23.85	0.2427	23.98	0.2500	PASS
5300	21.13	0.1297	23.98	0.2500	PASS
5320	22.37	0.1726	23.98	0.2500	PASS
5500	21.35	0.1365	23.98	0.2500	PASS
5580	21.06	0.1276	23.98	0.2500	PASS
5700	18.31	0.0678	23.98	0.2500	PASS
5720	19.25	0.0814	23.98	0.2500	PASS
5745	26.13	0.4102	30.00	1.0000	PASS
5785	25.47	0.3524	30.00	1.0000	PASS
5825	25.89	0.3882	30.00	1.0000	PASS

Test Mode	IEEE 802.11ac (VHT20)_Ant.1	Test Date	2024/5/2
-----------	-----------------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5180	18.44	0.0698	23.98	0.2500	PASS
5200	18.64	0.0731	23.98	0.2500	PASS
5240	18.50	0.0708	23.98	0.2500	PASS
5260	20.86	0.1219	23.98	0.2500	PASS
5300	18.59	0.0723	23.98	0.2500	PASS
5320	20.56	0.1138	23.98	0.2500	PASS
5500	19.38	0.0867	23.98	0.2500	PASS
5580	17.49	0.0561	23.98	0.2500	PASS
5700	15.89	0.0388	23.98	0.2500	PASS
5720	16.79	0.0478			
5745	22.58	0.1811	30.00	1.0000	PASS
5785	21.66	0.1466	30.00	1.0000	PASS
5825	22.68	0.1854	30.00	1.0000	PASS

Test Mode	IEEE 802.11ac (VHT20)_Ant.2	Test Date	2024/5/2
-----------	-----------------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5180	19.48	0.0887	23.98	0.2500	PASS
5200	19.71	0.0935	23.98	0.2500	PASS
5240	19.72	0.0938	23.98	0.2500	PASS
5260	20.58	0.1143	23.98	0.2500	PASS
5300	18.80	0.0759	23.98	0.2500	PASS
5320	20.59	0.1146	23.98	0.2500	PASS
5500	19.16	0.0824	23.98	0.2500	PASS
5580	17.66	0.0583	23.98	0.2500	PASS
5700	15.59	0.0362	23.98	0.2500	PASS
5720	16.29	0.0426	23.98	0.2500	PASS
5745	22.63	0.1832	30.00	1.0000	PASS
5785	21.73	0.1489	30.00	1.0000	PASS
5825	22.67	0.1849	30.00	1.0000	PASS

Test Mode	IEEE 802.11ac (VHT20)_Total	Test Date	2024/5/2
-----------	-----------------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5180	22.00	0.1585	23.98	0.2500	PASS
5200	22.21	0.1663	23.98	0.2500	PASS
5240	22.16	0.1644	23.98	0.2500	PASS
5260	23.73	0.2360	23.98	0.2500	PASS
5300	21.70	0.1479	23.98	0.2500	PASS
5320	23.58	0.2280	23.98	0.2500	PASS
5500	22.28	0.1690	23.98	0.2500	PASS
5580	20.58	0.1143	23.98	0.2500	PASS
5700	18.75	0.0750	23.98	0.2500	PASS
5720	19.56	0.0904	23.98	0.2500	PASS
5745	25.61	0.3639	30.00	1.0000	PASS
5785	24.70	0.2951	30.00	1.0000	PASS
5825	25.68	0.3698	30.00	1.0000	PASS

Test Mode	IEEE 802.11ac (VHT40)_Ant.1	Test Date	2024/5/2
-----------	-----------------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5190	19.73	0.0940	23.98	0.2500	PASS
5230	19.26	0.0843	23.98	0.2500	PASS
5270	20.85	0.1216	23.98	0.2500	PASS
5310	15.70	0.0372	23.98	0.2500	PASS
5510	17.50	0.0562	23.98	0.2500	PASS
5550	17.18	0.0522	23.98	0.2500	PASS
5670	19.35	0.0861	23.98	0.2500	PASS
5710	20.88	0.1225	23.98	0.2500	PASS
5755	22.74	0.1879	30.00	1.0000	PASS
5795	22.37	0.1726	30.00	1.0000	PASS

Test Mode	IEEE 802.11ac (VHT40)_Ant.2	Test Date	2024/5/2
-----------	-----------------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5190	20.06	0.1014	23.98	0.2500	PASS
5230	19.84	0.0964	23.98	0.2500	PASS
5270	20.29	0.1069	23.98	0.2500	PASS
5310	15.59	0.0362	23.98	0.2500	PASS
5510	16.84	0.0483	23.98	0.2500	PASS
5550	17.32	0.0540	23.98	0.2500	PASS
5670	18.97	0.0789	23.98	0.2500	PASS
5710	20.65	0.1161	23.98	0.2500	PASS
5755	22.73	0.1875	30.00	1.0000	PASS
5795	22.76	0.1888	30.00	1.0000	PASS

Test Mode	IEEE 802.11ac (VHT40)_Total	Test Date	2024/5/2
-----------	-----------------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5190	22.91	0.1954	23.98	0.2500	PASS
5230	22.57	0.1807	23.98	0.2500	PASS
5270	23.59	0.2286	23.98	0.2500	PASS
5310	18.66	0.0735	23.98	0.2500	PASS
5510	20.19	0.1045	23.98	0.2500	PASS
5550	20.26	0.1062	23.98	0.2500	PASS
5670	22.18	0.1652	23.98	0.2500	PASS
5710	23.78	0.2388	23.98	0.2500	PASS
5755	25.75	0.3758	30.00	1.0000	PASS
5795	25.58	0.3614	30.00	1.0000	PASS

Test Mode	IEEE 802.11ac (VHT80)_Ant.1	Test Date	2024/5/2
-----------	-----------------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5210	16.98	0.0499	23.98	0.2500	PASS
5290	17.89	0.0615	23.98	0.2500	PASS
5530	18.23	0.0665	23.98	0.2500	PASS
5610	17.72	0.0592	23.98	0.2500	PASS
5690	20.95	0.1245	23.98	0.2500	PASS
5775	20.16	0.1038	30.00	1.0000	PASS

Test Mode	IEEE 802.11ac (VHT80)_Ant.2	Test Date	2024/5/2
-----------	-----------------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5210	17.23	0.0528	23.98	0.2500	PASS
5290	18.02	0.0634	23.98	0.2500	PASS
5530	18.53	0.0713	23.98	0.2500	PASS
5610	17.91	0.0618	23.98	0.2500	PASS
5690	20.72	0.1180	23.98	0.2500	PASS
5775	20.30	0.1072	30.00	1.0000	PASS

Test Mode	IEEE 802.11ac (VHT80)_Total	Test Date	2024/5/2
-----------	-----------------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5210	20.11	0.1026	23.98	0.2500	PASS
5290	20.96	0.1247	23.98	0.2500	PASS
5530	21.39	0.1377	23.98	0.2500	PASS
5610	20.82	0.1208	23.98	0.2500	PASS
5690	23.85	0.2427	23.98	0.2500	PASS
5775	23.24	0.2109	30.00	1.0000	PASS

Test Mode	IEEE 802.11ac (VHT160)_Ant.1	Test Date	2024/5/2
-----------	------------------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5250	13.63	0.0231	23.98	0.2500	PASS
5570	19.27	0.0845	23.98	0.2500	PASS

Test Mode	IEEE 802.11ac (VHT160)_Ant.2	Test Date	2024/5/2
-----------	------------------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5250	13.90	0.0245	23.98	0.2500	PASS
5570	19.52	0.0895	23.98	0.2500	PASS

Test Mode	IEEE 802.11ac (VHT160)_Total	Test Date	2024/5/2
-----------	------------------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5250	16.78	0.0476	23.98	0.2500	PASS
5570	22.41	0.1742	23.98	0.2500	PASS

Test Mode	IEEE 802.11ax (HE20) _Ant.1	Test Date	2024/5/2
-----------	-----------------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5180	20.22	0.1052	23.98	0.2500	PASS
5200	20.59	0.1146	23.98	0.2500	PASS
5240	20.13	0.1030	23.98	0.2500	PASS
5260	20.61	0.1151	23.98	0.2500	PASS
5300	18.60	0.0724	23.98	0.2500	PASS
5320	19.82	0.0959	23.98	0.2500	PASS
5500	19.02	0.0798	23.98	0.2500	PASS
5580	18.86	0.0769	23.98	0.2500	PASS
5700	14.73	0.0297	23.98	0.2500	PASS
5720	21.00	0.1259	23.98	0.2500	PASS
5745	22.89	0.1945	30.00	1.0000	PASS
5785	21.35	0.1365	30.00	1.0000	PASS
5825	22.91	0.1954	30.00	1.0000	PASS

Test Mode	IEEE 802.11ax (HE20) _Ant.2	Test Date	2024/5/2
-----------	-----------------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5180	20.52	0.1127	23.98	0.2500	PASS
5200	20.88	0.1225	23.98	0.2500	PASS
5240	20.92	0.1236	23.98	0.2500	PASS
5260	20.43	0.1104	23.98	0.2500	PASS
5300	17.76	0.0597	23.98	0.2500	PASS
5320	19.85	0.0966	23.98	0.2500	PASS
5500	18.84	0.0766	23.98	0.2500	PASS
5580	18.75	0.0750	23.98	0.2500	PASS
5700	14.35	0.0272	23.98	0.2500	PASS
5720	20.87	0.1222	23.98	0.2500	PASS
5745	22.83	0.1919	30.00	1.0000	PASS
5785	20.63	0.1156	30.00	1.0000	PASS
5825	22.49	0.1774	30.00	1.0000	PASS

Test Mode	IEEE 802.11ax (HE20)_Total	Test Date	2024/5/2
-----------	----------------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5180	23.38	0.2178	23.98	0.2500	PASS
5200	23.74	0.2366	23.98	0.2500	PASS
5240	23.55	0.2265	23.98	0.2500	PASS
5260	23.53	0.2254	23.98	0.2500	PASS
5300	21.21	0.1321	23.98	0.2500	PASS
5320	22.84	0.1923	23.98	0.2500	PASS
5500	21.94	0.1563	23.98	0.2500	PASS
5580	21.81	0.1517	23.98	0.2500	PASS
5700	17.55	0.0569	23.98	0.2500	PASS
5720	23.95	0.2483	23.98	0.2500	PASS
5745	25.87	0.3864	30.00	1.0000	PASS
5785	24.01	0.2518	30.00	1.0000	PASS
5825	25.71	0.3724	30.00	1.0000	PASS

Test Mode	IEEE 802.11ax (HE40)_Ant.1	Test Date	2024/5/2
-----------	----------------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5190	15.82	0.0382	23.98	0.2500	PASS
5230	21.10	0.1288	23.98	0.2500	PASS
5270	20.69	0.1172	23.98	0.2500	PASS
5310	15.83	0.0383	23.98	0.2500	PASS
5510	15.19	0.0330	23.98	0.2500	PASS
5550	18.48	0.0705	23.98	0.2500	PASS
5670	18.60	0.0724	23.98	0.2500	PASS
5710	21.08	0.1282	23.98	0.2500	PASS
5755	22.80	0.1905	30.00	1.0000	PASS
5795	22.71	0.1866	30.00	1.0000	PASS

Test Mode	IEEE 802.11ax (HE40)_Ant.2	Test Date	2024/5/2
-----------	----------------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5190	16.44	0.0441	23.98	0.2500	PASS
5230	20.65	0.1161	23.98	0.2500	PASS
5270	20.92	0.1236	23.98	0.2500	PASS
5310	16.05	0.0403	23.98	0.2500	PASS
5510	14.77	0.0300	23.98	0.2500	PASS
5550	18.71	0.0743	23.98	0.2500	PASS
5670	18.30	0.0676	23.98	0.2500	PASS
5710	20.83	0.1210	23.98	0.2500	PASS
5755	22.34	0.1714	30.00	1.0000	PASS
5795	22.41	0.1742	30.00	1.0000	PASS

Test Mode	IEEE 802.11ax (HE40)_Total	Test Date	2024/5/2
-----------	----------------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5190	19.15	0.0822	23.98	0.2500	PASS
5230	23.89	0.2449	23.98	0.2500	PASS
5270	23.81	0.2404	23.98	0.2500	PASS
5310	18.95	0.0785	23.98	0.2500	PASS
5510	17.99	0.0630	23.98	0.2500	PASS
5550	21.60	0.1445	23.98	0.2500	PASS
5670	21.46	0.1400	23.98	0.2500	PASS
5710	23.96	0.2489	23.98	0.2500	PASS
5755	25.58	0.3614	30.00	1.0000	PASS
5795	25.57	0.3606	30.00	1.0000	PASS

Test Mode	IEEE 802.11ax (HE80) _Ant.1	Test Date	2024/5/2
-----------	-----------------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5210	11.73	0.0149	23.98	0.2500	PASS
5290	11.34	0.0136	23.98	0.2500	PASS
5530	13.66	0.0232	23.98	0.2500	PASS
5610	20.02	0.1005	23.98	0.2500	PASS
5690	20.85	0.1216	23.98	0.2500	PASS
5775	20.17	0.1040	30.00	1.0000	PASS

Test Mode	IEEE 802.11ax (HE80) _Ant.2	Test Date	2024/5/2
-----------	-----------------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5210	11.80	0.0151	23.98	0.2500	PASS
5290	11.20	0.0132	23.98	0.2500	PASS
5530	13.28	0.0213	23.98	0.2500	PASS
5610	20.09	0.1021	23.98	0.2500	PASS
5690	20.69	0.1172	23.98	0.2500	PASS
5775	19.57	0.0906	30.00	1.0000	PASS

Test Mode	IEEE 802.11ax (HE80) _Total	Test Date	2024/5/2
-----------	-----------------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5210	14.78	0.0301	23.98	0.2500	PASS
5290	14.28	0.0268	23.98	0.2500	PASS
5530	16.48	0.0445	23.98	0.2500	PASS
5610	23.07	0.2028	23.98	0.2500	PASS
5690	23.78	0.2388	23.98	0.2500	PASS
5775	22.89	0.1945	30.00	1.0000	PASS

Test Mode	IEEE 802.11ax (HE160)_Ant.1	Test Date	2024/5/2
-----------	-----------------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5250	10.89	0.0123	23.98	0.2500	PASS
5570	13.28	0.0213	23.98	0.2500	PASS

Test Mode	IEEE 802.11ax (HE160)_Ant.2	Test Date	2024/5/2
-----------	-----------------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5250	11.50	0.0141	23.98	0.2500	PASS
5570	13.19	0.0208	23.98	0.2500	PASS

Test Mode	IEEE 802.11ax (HE160)_Total	Test Date	2024/5/2
-----------	-----------------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5250	14.21	0.0264	23.98	0.2500	PASS
5570	16.24	0.0421	23.98	0.2500	PASS

Test Mode	IEEE 802.11be (EHT20)_Ant.1	Test Date	2024/5/2
-----------	-----------------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5180	17.21	0.0526	23.98	0.2500	PASS
5200	20.23	0.1054	23.98	0.2500	PASS
5240	20.11	0.1026	23.98	0.2500	PASS
5260	20.83	0.1211	23.98	0.2500	PASS
5300	18.09	0.0644	23.98	0.2500	PASS
5320	17.74	0.0594	23.98	0.2500	PASS
5500	17.23	0.0528	23.98	0.2500	PASS
5580	16.50	0.0447	23.98	0.2500	PASS
5700	14.15	0.0260	23.98	0.2500	PASS
5720	21.06	0.1276	23.98	0.2500	PASS
5745	22.01	0.1589	30.00	1.0000	PASS
5785	21.83	0.1524	30.00	1.0000	PASS
5825	22.31	0.1702	30.00	1.0000	PASS

Test Mode	IEEE 802.11be (EHT20)_Ant.2	Test Date	2024/5/2
-----------	-----------------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5180	17.47	0.0558	23.98	0.2500	PASS
5200	20.28	0.1067	23.98	0.2500	PASS
5240	20.16	0.1038	23.98	0.2500	PASS
5260	20.53	0.1130	23.98	0.2500	PASS
5300	18.23	0.0665	23.98	0.2500	PASS
5320	17.63	0.0579	23.98	0.2500	PASS
5500	16.83	0.0482	23.98	0.2500	PASS
5580	16.37	0.0434	23.98	0.2500	PASS
5700	13.96	0.0249	23.98	0.2500	PASS
5720	20.83	0.1211	23.98	0.2500	PASS
5745	21.69	0.1476	30.00	1.0000	PASS
5785	21.27	0.1340	30.00	1.0000	PASS
5825	21.97	0.1574	30.00	1.0000	PASS

Test Mode	IEEE 802.11be (EHT20)_Total	Test Date	2024/5/2
-----------	-----------------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5180	20.35	0.1084	23.98	0.2500	PASS
5200	23.27	0.2123	23.98	0.2500	PASS
5240	23.15	0.2065	23.98	0.2500	PASS
5260	23.69	0.2339	23.98	0.2500	PASS
5300	21.17	0.1309	23.98	0.2500	PASS
5320	20.70	0.1175	23.98	0.2500	PASS
5500	20.04	0.1009	23.98	0.2500	PASS
5580	19.45	0.0881	23.98	0.2500	PASS
5700	17.07	0.0509	23.98	0.2500	PASS
5720	23.96	0.2489	23.98	0.2500	PASS
5745	24.86	0.3062	30.00	1.0000	PASS
5785	24.57	0.2864	30.00	1.0000	PASS
5825	25.15	0.3273	30.00	1.0000	PASS

Test Mode	IEEE 802.11be (EHT40)_Ant.1	Test Date	2024/5/2
-----------	-----------------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5190	12.96	0.0198	23.98	0.2500	PASS
5230	20.57	0.1140	23.98	0.2500	PASS
5270	20.95	0.1245	23.98	0.2500	PASS
5310	15.06	0.0321	23.98	0.2500	PASS
5510	14.53	0.0284	23.98	0.2500	PASS
5550	19.85	0.0966	23.98	0.2500	PASS
5670	18.71	0.0743	23.98	0.2500	PASS
5710	20.99	0.1256	23.98	0.2500	PASS
5755	23.36	0.2168	30.00	1.0000	PASS
5795	23.05	0.2018	30.00	1.0000	PASS

Test Mode	IEEE 802.11be (EHT40)_Ant.2	Test Date	2024/5/2
-----------	-----------------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5190	13.19	0.0208	23.98	0.2500	PASS
5230	20.72	0.1180	23.98	0.2500	PASS
5270	20.67	0.1167	23.98	0.2500	PASS
5310	14.92	0.0310	23.98	0.2500	PASS
5510	14.23	0.0265	23.98	0.2500	PASS
5550	20.01	0.1002	23.98	0.2500	PASS
5670	18.43	0.0697	23.98	0.2500	PASS
5710	20.84	0.1213	23.98	0.2500	PASS
5755	23.00	0.1995	30.00	1.0000	PASS
5795	23.02	0.2004	30.00	1.0000	PASS

Test Mode	IEEE 802.11be (EHT40)_Total	Test Date	2024/5/2
-----------	-----------------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5190	16.08	0.0406	23.98	0.2500	PASS
5230	23.65	0.2317	23.98	0.2500	PASS
5270	23.82	0.2410	23.98	0.2500	PASS
5310	18.00	0.0631	23.98	0.2500	PASS
5510	17.39	0.0548	23.98	0.2500	PASS
5550	22.94	0.1968	23.98	0.2500	PASS
5670	21.58	0.1439	23.98	0.2500	PASS
5710	23.93	0.2472	23.98	0.2500	PASS
5755	26.19	0.4159	30.00	1.0000	PASS
5795	26.04	0.4018	30.00	1.0000	PASS

Test Mode	IEEE 802.11be (EHT80)_Ant.1	Test Date	2024/5/2
-----------	-----------------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5210	11.57	0.0144	23.98	0.2500	PASS
5290	12.65	0.0184	23.98	0.2500	PASS
5530	13.99	0.0251	23.98	0.2500	PASS
5610	19.40	0.0871	23.98	0.2500	PASS
5690	20.94	0.1242	23.98	0.2500	PASS
5775	19.72	0.0938	30.00	1.0000	PASS

Test Mode	IEEE 802.11be (EHT80)_Ant.2	Test Date	2024/5/2
-----------	-----------------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5210	11.63	0.0146	23.98	0.2500	PASS
5290	12.71	0.0187	23.98	0.2500	PASS
5530	13.74	0.0237	23.98	0.2500	PASS
5610	19.51	0.0893	23.98	0.2500	PASS
5690	20.73	0.1183	23.98	0.2500	PASS
5775	19.01	0.0796	30.00	1.0000	PASS

Test Mode	IEEE 802.11be (EHT80)_Total	Test Date	2024/5/2
-----------	-----------------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5210	14.61	0.0289	23.98	0.2500	PASS
5290	15.69	0.0371	23.98	0.2500	PASS
5530	16.88	0.0488	23.98	0.2500	PASS
5610	22.47	0.1766	23.98	0.2500	PASS
5690	23.85	0.2427	23.98	0.2500	PASS
5775	22.39	0.1734	30.00	1.0000	PASS

Test Mode	IEEE 802.11be (EHT160)_Ant.1	Test Date	2024/5/2
-----------	------------------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5250	11.63	0.0146	23.98	0.2500	PASS
5570	13.39	0.0218	23.98	0.2500	PASS

Test Mode	IEEE 802.11be (EHT160)_Ant.2	Test Date	2024/5/2
-----------	------------------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5250	11.52	0.0142	23.98	0.2500	PASS
5570	13.30	0.0214	23.98	0.2500	PASS


Test Mode	IEEE 802.11be (EHT160)_Total	Test Date	2024/5/2
-----------	------------------------------	-----------	----------

Frequency (MHz)	Conducted Output Power		Conducted Output Power Limit		Result
	(dBm)	(W)	(dBm)	(W)	
5250	14.58	0.0287	23.98	0.2500	PASS
5570	16.35	0.0432	23.98	0.2500	PASS


APPENDIX F POWER SPECTRAL DENSITY

Test Mode	IEEE 802.11a_Ant.1
-----------	--------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.31	0.17	7.48	11.00	Complies
40	5200	7.09	0.17	7.26	11.00	Complies
48	5240	6.94	0.17	7.11	11.00	Complies



Date: 16.MAY.2024 11:52:08




Date: 16.MAY.2024 11:53:08




Date: 16.MAY.2024 11:53:46


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.52	0.17	7.69	11.00	Complies
60	5300	7.40	0.17	7.57	11.00	Complies
64	5320	7.34	0.17	7.51	11.00	Complies



Date: 2.MAY.2024 11:58:42




Date: 2.MAY.2024 12:02:25



Date: 2.MAY.2024 12:03:41


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.74	0.17	7.91	11.00	Complies
116	5580	7.25	0.17	7.42	11.00	Complies
140	5700	7.67	0.17	7.84	11.00	Complies
144	5720	7.63	0.17	7.80	11.00	Complies

CH100




Date: 2.MAY.2024 12:05:11

CH116




Date: 2.MAY.2024 12:08:28

CH140



Date: 2.MAY.2024 12:10:07


CH144



Date: 6.MAY.2024 10:49:08


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.09	0.17	9.26	30.00	Complies
157	5785	8.70	0.17	8.87	30.00	Complies
165	5825	8.43	0.17	8.60	30.00	Complies

CH149




Date: 3.MAY.2024 14:27:58

CH157



Date: 3.MAY.2024 14:28:54


CH165




Date: 3.MAY.2024 14:31:55

Test Mode	IEEE 802.11a_Ant.2
-----------	--------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.37	0.17	7.54	11.00	Complies
40	5200	7.22	0.17	7.39	11.00	Complies
48	5240	7.38	0.17	7.55	11.00	Complies



Date: 16.MAY.2024 16:11:19




Date: 16.MAY.2024 16:12:36




Date: 16.MAY.2024 16:13:26


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.71	0.17	7.88	11.00	Complies
60	5300	7.50	0.17	7.67	11.00	Complies
64	5320	7.37	0.17	7.54	11.00	Complies



Date: 3.MAY.2024 14:18:13




Date: 3.MAY.2024 14:19:41



Date: 3.MAY.2024 14:20:16


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.53	0.17	7.70	11.00	Complies
116	5580	7.39	0.17	7.56	11.00	Complies
140	5700	7.42	0.17	7.59	11.00	Complies
144	5720	6.02	0.17	6.19	11.00	Complies

CH100




Date: 3.MAY.2024 14:23:23

CH116




Date: 3.MAY.2024 14:24:58

CH140



Date: 3.MAY.2024 14:26:30


CH144



Date: 6.MAY.2024 14:10:16


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.09	0.17	9.26	30.00	Complies
157	5785	8.70	0.17	8.87	30.00	Complies
165	5825	8.43	0.17	8.60	30.00	Complies

CH149




Date: 3.MAY.2024 14:27:58

CH157



Date: 3.MAY.2024 14:28:54

CH165



Date: 3.MAY.2024 14:31:55


Test Mode	IEEE 802.11a_Total
-----------	--------------------

Frequency	Measured Power Spectral Density	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dBm/MHz)	
5180	10.52	11.00	Pass
5200	10.33	11.00	Pass
5240	10.34	11.00	Pass
5260	7.69	11.00	Pass
5300	7.57	11.00	Pass
5320	7.51	11.00	Pass
5500	7.91	11.00	Pass
5580	7.42	11.00	Pass
5700	7.84	11.00	Pass
5720	10.08	11.00	Pass


Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
5745	8.85	30.00	Pass
5785	9.02	30.00	Pass
5825	9.05	30.00	Pass

Test Mode	IEEE 802.11ac (VHT20)_Ant.1
-----------	-----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.48	0.31	7.79	11.00	Complies
40	5200	7.17	0.31	7.48	11.00	Complies
48	5240	6.95	0.31	7.26	11.00	Complies



Date: 16.MAY.2024 16:06:33




Date: 16.MAY.2024 16:03:20




Date: 16.MAY.2024 16:03:53


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.70	0.31	7.01	11.00	Complies
60	5300	6.68	0.31	6.99	11.00	Complies
64	5320	6.44	0.31	6.75	11.00	Complies



Date: 2.MAY.2024 12:34:07




Date: 2.MAY.2024 12:35:26



Date: 2.MAY.2024 12:36:46


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.07	0.31	7.38	11.00	Complies
116	5580	7.38	0.31	7.69	11.00	Complies
140	5700	6.92	0.31	7.23	11.00	Complies
144	5720	7.08	0.31	7.39	11.00	Complies

CH100




Date: 2.MAY.2024 12:38:06

CH116




Date: 2.MAY.2024 12:39:58

CH140



Date: 2.MAY.2024 12:41:36


CH144



Date: 6.MAY.2024 10:44:04


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.87	0.31	9.18	30.00	Complies
157	5785	8.18	0.31	8.49	30.00	Complies
165	5825	8.24	0.31	8.55	30.00	Complies

CH149




Date: 2.MAY.2024 12:43:23

CH157



Date: 2.MAY.2024 12:46:57

CH165




Date: 2.MAY.2024 12:52:06

Test Mode	IEEE 802.11ac (VHT20)_Ant.2
-----------	-----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.27	0.31	7.58	11.00	Complies
40	5200	7.08	0.31	7.39	11.00	Complies
48	5240	7.15	0.31	7.46	11.00	Complies

CH36




Date: 16.MAY.2024 16:21:37

CH40



Date: 16.MAY.2024 16:27:09


CH48



Date: 16.MAY.2024 16:27:49


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.69	0.31	7.00	11.00	Complies
60	5300	6.50	0.31	6.81	11.00	Complies
64	5320	6.47	0.31	6.78	11.00	Complies

CH52




Date: 3.MAY.2024 14:38:53

CH60



Date: 3.MAY.2024 14:39:35


CH64



Date: 3.MAY.2024 14:40:15


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.97	0.31	7.28	11.00	Complies
116	5580	7.05	0.31	7.36	11.00	Complies
140	5700	5.91	0.31	6.22	11.00	Complies
144	5720	6.38	0.31	6.69	11.00	Complies

CH100




Date: 3.MAY.2024 14:41:02

CH116




Date: 3.MAY.2024 14:41:46

CH140



Date: 3.MAY.2024 14:48:03


CH144



Date: 6.MAY.2024 14:12:12


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.56	0.31	7.87	30.00	Complies
157	5785	7.05	0.31	7.36	30.00	Complies
165	5825	7.65	0.31	7.96	30.00	Complies

CH149




Date: 3.MAY.2024 14:48:56

CH157



Date: 3.MAY.2024 14:51:00

CH165



Date: 3.MAY.2024 14:52:29

Test Mode	IEEE 802.11ac (VHT20)_Total
-----------	-----------------------------


Frequency	Measured Power Spectral Density	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dBm/MHz)	
5180	10.69	11.00	Pass
5200	10.44	11.00	Pass
5240	10.37	11.00	Pass
5260	10.01	11.00	Pass
5300	9.91	11.00	Pass
5320	9.77	11.00	Pass
5500	10.34	11.00	Pass
5580	10.53	11.00	Pass
5700	9.76	11.00	Pass
5720	10.06	11.00	Pass

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.58	30.00	Pass
157	5785	10.97	30.00	Pass
165	5825	11.27	30.00	Pass

Test Mode	IEEE 802.11ac (VHT40)_Ant.1
-----------	-----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.44	0.18	5.62	11.00	Complies
46	5230	6.10	0.18	6.28	11.00	Complies

CH38



Date: 2.MAY.2024 14:16:52


CH46



Date: 2.MAY.2024 14:58:31


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	3.87	0.18	4.05	11.00	Complies
62	5310	3.42	0.18	3.60	11.00	Complies

CH54



Date: 2.MAY.2024 15:04:35


CH62



Date: 2.MAY.2024 15:31:02


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	4.17	0.18	4.35	11.00	Complies
110	5550	4.93	0.18	5.11	11.00	Complies
134	5670	3.98	0.18	4.16	11.00	Complies
142	5710	7.23	0.18	7.41	11.00	Complies

CH102




Date: 2.MAY.2024 15:36:18

CH110




Date: 2.MAY.2024 15:40:08

CH134



Date: 2.MAY.2024 15:42:20


CH142



Date: 6.MAY.2024 11:17:25


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.55	0.18	5.73	30.00	Complies
159	5795	5.10	0.18	5.28	30.00	Complies

CH151



Date: 2.MAY.2024 15:47:12

CH159




Date: 2.MAY.2024 15:53:00

Test Mode	IEEE 802.11ac (VHT40)_Ant.2
-----------	-----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.60	0.18	6.78	11.00	Complies
46	5230	6.21	0.18	6.39	11.00	Complies

CH38



Date: 3.MAY.2024 14:55:49


CH46



Date: 3.MAY.2024 14:57:07


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	3.60	0.18	3.78	11.00	Complies
62	5310	3.56	0.18	3.74	11.00	Complies

CH54



Date: 3.MAY.2024 14:58:10


CH62



Date: 3.MAY.2024 14:59:08


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	3.42	0.18	3.60	11.00	Complies
110	5550	4.23	0.18	4.41	11.00	Complies
134	5670	3.69	0.18	3.87	11.00	Complies
142	5710	7.55	0.18	7.73	11.00	Complies

CH102




Date: 3.MAY.2024 15:00:07

CH110




Date: 3.MAY.2024 15:01:23

CH134



Date: 3.MAY.2024 15:02:14


CH142



Date: 6.MAY.2024 14:18:33


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	4.96	0.18	5.14	30.00	Complies
159	5795	5.13	0.18	5.31	30.00	Complies

CH151



Date: 3.MAY.2024 15:03:03

CH159



Date: 3.MAY.2024 15:03:44


Test Mode	IEEE 802.11ac (VHT40)_Total
-----------	-----------------------------

Frequency	Measured Power Spectral Density	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dBm/MHz)	
5190	9.25	11.00	Pass
5230	9.35	11.00	Pass
5270	6.93	11.00	Pass
5310	6.68	11.00	Pass
5510	7.00	11.00	Pass
5550	7.79	11.00	Pass
5670	7.03	11.00	Pass
5710	10.58	11.00	Pass

Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
5755	8.46	30.00	Pass
5795	8.31	30.00	Pass

Test Mode	IEEE 802.11ac (VHT80)_Ant.1
-----------	-----------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	0.78	0.36	1.14	11.00	Complies



Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-1.14	0.36	-0.78	11.00	Complies

