



80M\_HCH\_5809.5MHz\_Ant2\_NTNV



80M\_HCH\_5809.5MHz\_MIMO\_NTNV



## 5. Frequency Stability

### 5.1 Ant1

#### 5.1.1 Test Result

Ant1							
Mode	TX Type	Frequency (MHz)	Temperature (°C)	Voltage (VDC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
1.4M	MIMO	5728.5	20	3.06	5728.475	5725 to 5850	Pass
				3.60	5728.476	5725 to 5850	Pass
				4.14	5728.476	5725 to 5850	Pass
			-10	3.60	5728.473	5725 to 5850	Pass
				3.60	5728.475	5725 to 5850	Pass
			0	3.60	5728.475	5725 to 5850	Pass
				3.60	5728.478	5725 to 5850	Pass
			10	3.60	5728.475	5725 to 5850	Pass
				3.60	5728.468	5725 to 5850	Pass
			30	3.60	5728.476	5725 to 5850	Pass
				3.60	5728.473	5725 to 5850	Pass
		5786.5	20	3.06	5786.466	5725 to 5850	Pass
				3.60	5786.468	5725 to 5850	Pass
				4.14	5786.468	5725 to 5850	Pass
			-10	3.60	5786.469	5725 to 5850	Pass
				3.60	5786.466	5725 to 5850	Pass
			0	3.60	5786.469	5725 to 5850	Pass
				3.60	5786.471	5725 to 5850	Pass
			10	3.60	5786.471	5725 to 5850	Pass
				3.60	5786.469	5725 to 5850	Pass
			30	3.60	5786.471	5725 to 5850	Pass
				3.60	5786.471	5725 to 5850	Pass
		5846.12	20	3.06	5846.100	5725 to 5850	Pass
				3.60	5846.099	5725 to 5850	Pass
				4.14	5846.099	5725 to 5850	Pass
			-10	3.60	5846.100	5725 to 5850	Pass
				3.60	5846.098	5725 to 5850	Pass
			0	3.60	5846.102	5725 to 5850	Pass
				3.60	5846.100	5725 to 5850	Pass
			10	3.60	5846.102	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230900303107

Page: 453 of 458

			20	3.60	5846.106	5725 to 5850	Pass
			30	3.60	5846.103	5725 to 5850	Pass
			40	3.60	5846.103	5725 to 5850	Pass
3M	MIMO	5727.5	20	3.06	5727.461	5725 to 5850	Pass
				3.60	5727.452	5725 to 5850	Pass
				4.14	5727.455	5725 to 5850	Pass
			-10	3.60	5727.449	5725 to 5850	Pass
				3.60	5727.446	5725 to 5850	Pass
				3.60	5727.449	5725 to 5850	Pass
			5	3.60	5727.461	5725 to 5850	Pass
				3.60	5727.464	5725 to 5850	Pass
				3.60	5727.476	5725 to 5850	Pass
			30	3.60	5727.449	5725 to 5850	Pass
				3.60	5727.452	5725 to 5850	Pass
				3.60	5727.452	5725 to 5850	Pass
		5784.5	20	3.06	5784.482	5725 to 5850	Pass
				3.60	5784.479	5725 to 5850	Pass
				4.14	5784.491	5725 to 5850	Pass
			-10	3.60	5784.482	5725 to 5850	Pass
				3.60	5784.473	5725 to 5850	Pass
				3.60	5784.473	5725 to 5850	Pass
			5	3.60	5784.467	5725 to 5850	Pass
				3.60	5784.491	5725 to 5850	Pass
				3.60	5784.476	5725 to 5850	Pass
			30	3.60	5784.473	5725 to 5850	Pass
				3.60	5784.467	5725 to 5850	Pass
				3.60	5784.467	5725 to 5850	Pass
		5847.2	20	3.06	5847.206	5725 to 5850	Pass
				3.60	5847.212	5725 to 5850	Pass
				4.14	5847.215	5725 to 5850	Pass
			-10	3.60	5847.224	5725 to 5850	Pass
				3.60	5847.218	5725 to 5850	Pass
				3.60	5847.209	5725 to 5850	Pass
			5	3.60	5847.212	5725 to 5850	Pass
				3.60	5847.221	5725 to 5850	Pass
				3.60	5847.224	5725 to 5850	Pass
			30	3.60	5847.218	5725 to 5850	Pass
				3.60	5847.218	5725 to 5850	Pass
				3.60	5847.218	5725 to 5850	Pass
5M	MIMO	5732.5	20	3.06	5732.585	5725 to 5850	Pass
				3.60	5732.585	5725 to 5850	Pass
				4.14	5732.595	5725 to 5850	Pass
			-10	3.60	5732.585	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch (Shenzhen) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230900303107

Page: 454 of 458

			-5	3.60	5732.590	5725 to 5850	Pass
			0	3.60	5732.580	5725 to 5850	Pass
			5	3.60	5732.600	5725 to 5850	Pass
			10	3.60	5732.585	5725 to 5850	Pass
			20	3.60	5732.590	5725 to 5850	Pass
			30	3.60	5732.595	5725 to 5850	Pass
			40	3.60	5732.610	5725 to 5850	Pass
		5782.5	20	3.06	5782.580	5725 to 5850	Pass
				3.60	5782.570	5725 to 5850	Pass
				4.14	5782.595	5725 to 5850	Pass
			-10	3.60	5782.595	5725 to 5850	Pass
			-5	3.60	5782.595	5725 to 5850	Pass
			0	3.60	5782.585	5725 to 5850	Pass
			5	3.60	5782.595	5725 to 5850	Pass
			10	3.60	5782.600	5725 to 5850	Pass
			20	3.60	5782.570	5725 to 5850	Pass
			30	3.60	5782.595	5725 to 5850	Pass
			40	3.60	5782.590	5725 to 5850	Pass
		5842.5	20	3.06	5842.585	5725 to 5850	Pass
				3.60	5842.605	5725 to 5850	Pass
				4.14	5842.600	5725 to 5850	Pass
			-10	3.60	5842.530	5725 to 5850	Pass
			-5	3.60	5842.535	5725 to 5850	Pass
			0	3.60	5842.550	5725 to 5850	Pass
			5	3.60	5842.545	5725 to 5850	Pass
			10	3.60	5842.530	5725 to 5850	Pass
			20	3.60	5842.550	5725 to 5850	Pass
			30	3.60	5842.545	5725 to 5850	Pass
			40	3.60	5842.545	5725 to 5850	Pass
10M	MIMO	5730.5	20	3.06	5730.550	5725 to 5850	Pass
				3.60	5730.540	5725 to 5850	Pass
				4.14	5730.520	5725 to 5850	Pass
			-10	3.60	5730.580	5725 to 5850	Pass
			-5	3.60	5730.550	5725 to 5850	Pass
			0	3.60	5730.520	5725 to 5850	Pass
			5	3.60	5730.540	5725 to 5850	Pass
			10	3.60	5730.590	5725 to 5850	Pass
			20	3.60	5730.490	5725 to 5850	Pass
			30	3.60	5730.530	5725 to 5850	Pass
			40	3.60	5730.550	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch (Testing & Calibration Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230900303107

Page: 455 of 458

		5787.5	20	3.06	5787.550	5725 to 5850	Pass
				3.60	5787.560	5725 to 5850	Pass
				4.14	5787.520	5725 to 5850	Pass
			-10	3.60	5787.530	5725 to 5850	Pass
			-5	3.60	5787.540	5725 to 5850	Pass
			0	3.60	5787.560	5725 to 5850	Pass
			5	3.60	5787.560	5725 to 5850	Pass
			10	3.60	5787.560	5725 to 5850	Pass
			20	3.60	5787.530	5725 to 5850	Pass
			30	3.60	5787.500	5725 to 5850	Pass
			40	3.60	5787.470	5725 to 5850	Pass
		5844.5	20	3.06	5844.550	5725 to 5850	Pass
				3.60	5844.520	5725 to 5850	Pass
				4.14	5844.510	5725 to 5850	Pass
			-10	3.60	5844.540	5725 to 5850	Pass
			-5	3.60	5844.570	5725 to 5850	Pass
			0	3.60	5844.510	5725 to 5850	Pass
			5	3.60	5844.500	5725 to 5850	Pass
			10	3.60	5844.590	5725 to 5850	Pass
			20	3.60	5844.550	5725 to 5850	Pass
			30	3.60	5844.540	5725 to 5850	Pass
			40	3.60	5844.550	5725 to 5850	Pass
20M	MIMO	5735.5	20	3.06	5735.540	5725 to 5850	Pass
				3.60	5735.540	5725 to 5850	Pass
				4.14	5735.520	5725 to 5850	Pass
			-10	3.60	5735.560	5725 to 5850	Pass
			-5	3.60	5735.540	5725 to 5850	Pass
			0	3.60	5735.520	5725 to 5850	Pass
			5	3.60	5735.560	5725 to 5850	Pass
			10	3.60	5735.540	5725 to 5850	Pass
			20	3.60	5735.560	5725 to 5850	Pass
			30	3.60	5735.540	5725 to 5850	Pass
			40	3.60	5735.540	5725 to 5850	Pass
		5787.5	20	3.06	5787.560	5725 to 5850	Pass
				3.60	5787.540	5725 to 5850	Pass
				4.14	5787.540	5725 to 5850	Pass
			-10	3.60	5787.560	5725 to 5850	Pass
			-5	3.60	5787.560	5725 to 5850	Pass
			0	3.60	5787.540	5725 to 5850	Pass
			5	3.60	5787.540	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch (Testing & Calibration Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230900303107

Page: 456 of 458

			10	3.60	5787.540	5725 to 5850	Pass
			20	3.60	5787.560	5725 to 5850	Pass
			30	3.60	5787.540	5725 to 5850	Pass
			40	3.60	5787.540	5725 to 5850	Pass
		5839.5	20	3.06	5839.520	5725 to 5850	Pass
				3.60	5839.520	5725 to 5850	Pass
				4.14	5839.520	5725 to 5850	Pass
			-10	3.60	5839.560	5725 to 5850	Pass
			-5	3.60	5839.540	5725 to 5850	Pass
			0	3.60	5839.540	5725 to 5850	Pass
			5	3.60	5839.540	5725 to 5850	Pass
			10	3.60	5839.540	5725 to 5850	Pass
			20	3.60	5839.540	5725 to 5850	Pass
			30	3.60	5839.500	5725 to 5850	Pass
			40	3.60	5839.520	5725 to 5850	Pass
40M	MIMO	5745.5	20	3.06	5745.580	5725 to 5850	Pass
				3.60	5745.620	5725 to 5850	Pass
				4.14	5745.580	5725 to 5850	Pass
			-10	3.60	5745.620	5725 to 5850	Pass
			-5	3.60	5745.580	5725 to 5850	Pass
			0	3.60	5745.580	5725 to 5850	Pass
			5	3.60	5745.580	5725 to 5850	Pass
			10	3.60	5745.580	5725 to 5850	Pass
			20	3.60	5745.580	5725 to 5850	Pass
			30	3.60	5745.580	5725 to 5850	Pass
			40	3.60	5745.580	5725 to 5850	Pass
		5787.5	20	3.06	5787.580	5725 to 5850	Pass
				3.60	5787.580	5725 to 5850	Pass
				4.14	5787.580	5725 to 5850	Pass
			-10	3.60	5787.580	5725 to 5850	Pass
			-5	3.60	5787.580	5725 to 5850	Pass
			0	3.60	5787.580	5725 to 5850	Pass
			5	3.60	5787.580	5725 to 5850	Pass
			10	3.60	5787.580	5725 to 5850	Pass
			20	3.60	5787.580	5725 to 5850	Pass
			30	3.60	5787.580	5725 to 5850	Pass
			40	3.60	5787.580	5725 to 5850	Pass
		5829.5	20	3.06	5829.580	5725 to 5850	Pass
				3.60	5829.580	5725 to 5850	Pass
				4.14	5829.580	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch (Shenzhen) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230900303107

Page: 457 of 458

			-10	3.60	5829.580	5725 to 5850	Pass
			-5	3.60	5829.580	5725 to 5850	Pass
			0	3.60	5829.580	5725 to 5850	Pass
			5	3.60	5829.580	5725 to 5850	Pass
			10	3.60	5829.580	5725 to 5850	Pass
			20	3.60	5829.580	5725 to 5850	Pass
			30	3.60	5829.580	5725 to 5850	Pass
			40	3.60	5829.580	5725 to 5850	Pass
60M	MIMO	5755.5	20	3.06	5755.560	5725 to 5850	Pass
				3.60	5755.560	5725 to 5850	Pass
				4.14	5755.560	5725 to 5850	Pass
			-10	3.60	5755.560	5725 to 5850	Pass
			-5	3.60	5755.560	5725 to 5850	Pass
			0	3.60	5755.560	5725 to 5850	Pass
			5	3.60	5755.560	5725 to 5850	Pass
			10	3.60	5755.560	5725 to 5850	Pass
			20	3.60	5755.560	5725 to 5850	Pass
			30	3.60	5755.560	5725 to 5850	Pass
			40	3.60	5755.560	5725 to 5850	Pass
		5787.5	20	3.06	5787.560	5725 to 5850	Pass
				3.60	5787.560	5725 to 5850	Pass
				4.14	5787.560	5725 to 5850	Pass
			-10	3.60	5787.560	5725 to 5850	Pass
			-5	3.60	5787.560	5725 to 5850	Pass
			0	3.60	5787.560	5725 to 5850	Pass
			5	3.60	5787.560	5725 to 5850	Pass
			10	3.60	5787.560	5725 to 5850	Pass
			20	3.60	5787.620	5725 to 5850	Pass
			30	3.60	5787.560	5725 to 5850	Pass
			40	3.60	5787.560	5725 to 5850	Pass
		5819.5	20	3.06	5819.560	5725 to 5850	Pass
				3.60	5819.560	5725 to 5850	Pass
				4.14	5819.560	5725 to 5850	Pass
			-10	3.60	5819.560	5725 to 5850	Pass
			-5	3.60	5819.620	5725 to 5850	Pass
			0	3.60	5819.560	5725 to 5850	Pass
			5	3.60	5819.560	5725 to 5850	Pass
			10	3.60	5819.560	5725 to 5850	Pass
			20	3.60	5819.620	5725 to 5850	Pass
			30	3.60	5819.560	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch (Testing & Calibration Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230900303107

Page: 458 of 458

			40	3.60	5819.560	5725 to 5850	Pass
80M	MIMO	5765.5	20	3.06	5765.650	5725 to 5850	Pass
				3.60	5765.650	5725 to 5850	Pass
				4.14	5765.650	5725 to 5850	Pass
			-10	3.60	5765.650	5725 to 5850	Pass
			-5	3.60	5765.650	5725 to 5850	Pass
			0	3.60	5765.650	5725 to 5850	Pass
			5	3.60	5765.650	5725 to 5850	Pass
			10	3.60	5765.650	5725 to 5850	Pass
			20	3.60	5765.650	5725 to 5850	Pass
			30	3.60	5765.650	5725 to 5850	Pass
			40	3.60	5765.650	5725 to 5850	Pass
		5787.5	20	3.06	5787.650	5725 to 5850	Pass
				3.60	5787.650	5725 to 5850	Pass
				4.14	5787.650	5725 to 5850	Pass
			-10	3.60	5787.650	5725 to 5850	Pass
			-5	3.60	5787.650	5725 to 5850	Pass
			0	3.60	5787.650	5725 to 5850	Pass
			5	3.60	5787.650	5725 to 5850	Pass
			10	3.60	5787.650	5725 to 5850	Pass
			20	3.60	5787.575	5725 to 5850	Pass
			30	3.60	5787.650	5725 to 5850	Pass
			40	3.60	5787.650	5725 to 5850	Pass
		5809.5	20	3.06	5809.650	5725 to 5850	Pass
				3.60	5809.650	5725 to 5850	Pass
				4.14	5809.650	5725 to 5850	Pass
			-10	3.60	5809.650	5725 to 5850	Pass
			-5	3.60	5809.650	5725 to 5850	Pass
			0	3.60	5809.575	5725 to 5850	Pass
			5	3.60	5809.650	5725 to 5850	Pass
			10	3.60	5809.575	5725 to 5850	Pass
			20	3.60	5809.650	5725 to 5850	Pass
			30	3.60	5809.650	5725 to 5850	Pass
			40	3.60	5809.650	5725 to 5850	Pass

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com