






## Maximum Power Spectral Density Level



Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	-5.94	0.07	-5.87	30	Pass
NVNT	a	5785	Ant1	-5.53	0.07	-5.46	30	Pass
NVNT	a	5825	Ant1	-5.68	0.07	-5.61	30	Pass
NVNT	a	5745	Ant2	-5.38	0.07	-5.31	30	Pass
NVNT	a	5785	Ant2	-5.65	0.07	-5.58	30	Pass
NVNT	a	5825	Ant2	-5.83	0.07	-5.76	30	Pass
NVNT	n20	5745	Ant1	-5.93	0.04	-5.89	30	Pass
NVNT	n20	5785	Ant1	-5.3	0.04	-5.26	30	Pass
NVNT	n20	5825	Ant1	-5.7	0.04	-5.66	30	Pass
NVNT	n20	5745	Ant2	-5.53	0.04	-5.49	30	Pass
NVNT	n20	5785	Ant2	-5.53	0.04	-5.49	30	Pass
NVNT	n20	5825	Ant2	-5.88	0.04	-5.84	30	Pass
NVNT	n40	5755	Ant1	-8.71	0.04	-8.67	30	Pass
NVNT	n40	5795	Ant1	-8.19	0.04	-8.15	30	Pass
NVNT	n40	5755	Ant2	-8.4	0.04	-8.36	30	Pass
NVNT	n40	5795	Ant2	-8.38	0.04	-8.34	30	Pass
NVNT	ac20	5745	Ant1	-5.96	0.04	-5.92	30	Pass
NVNT	ac20	5785	Ant1	-5.53	0.04	-5.49	30	Pass
NVNT	ac20	5825	Ant1	-5.73	0.04	-5.69	30	Pass
NVNT	ac20	5745	Ant2	-5.07	0.04	-5.03	30	Pass
NVNT	ac20	5785	Ant2	-5.49	0.04	-5.45	30	Pass
NVNT	ac20	5825	Ant2	-6.24	0.04	-6.2	30	Pass
NVNT	ac40	5755	Ant1	-8.7	0.04	-8.66	30	Pass
NVNT	ac40	5795	Ant1	-8.27	0.04	-8.23	30	Pass
NVNT	ac40	5755	Ant2	-8.36	0.04	-8.32	30	Pass
NVNT	ac40	5795	Ant2	-8.47	0.04	-8.43	30	Pass
NVNT	ac80	5775	Ant1	-10.75	0.04	-10.71	30	Pass
NVNT	ac80	5775	Ant2	-10.74	0.04	-10.7	30	Pass
NVNT	ax20	5745	Ant1	-6.35	0.04	-6.31	30	Pass
NVNT	ax20	5785	Ant1	-5.88	0.04	-5.84	30	Pass
NVNT	ax20	5825	Ant1	-6.39	0.04	-6.35	30	Pass
NVNT	ax20	5745	Ant2	-6.06	0.04	-6.02	30	Pass
NVNT	ax20	5785	Ant2	-6.13	0.04	-6.09	30	Pass
NVNT	ax20	5825	Ant2	-6.47	0.04	-6.43	30	Pass
NVNT	ax40	5755	Ant1	-9.16	0.04	-9.12	30	Pass
NVNT	ax40	5795	Ant1	-8.83	0.04	-8.79	30	Pass
NVNT	ax40	5755	Ant2	-9.04	0.03	-9.01	30	Pass
NVNT	ax40	5795	Ant2	-8.57	0.04	-8.53	30	Pass
NVNT	ax80	5775	Ant1	-10.25	0.04	-10.21	30	Pass
NVNT	ax80	5775	Ant2	-11.06	0.04	-11.02	30	Pass















































































## Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Verdict
NVNT	a	5745	Ant1	-30.17	Pass
NVNT	a	5825	Ant1	-28.85	Pass
NVNT	a	5745	Ant2	-26.85	Pass
NVNT	a	5825	Ant2	-29.2	Pass
NVNT	n20	5745	Ant1	-31.06	Pass
NVNT	n20	5825	Ant1	-29.96	Pass
NVNT	n20	5745	Ant2	-30.73	Pass
NVNT	n20	5825	Ant2	-30.51	Pass
NVNT	n40	5755	Ant1	-30.59	Pass
NVNT	n40	5795	Ant1	-29.25	Pass
NVNT	n40	5755	Ant2	-31.07	Pass
NVNT	n40	5795	Ant2	-30.09	Pass
NVNT	ac20	5745	Ant1	-31.15	Pass
NVNT	ac20	5825	Ant1	-29.38	Pass
NVNT	ac20	5745	Ant2	-31.07	Pass
NVNT	ac20	5825	Ant2	-30.03	Pass
NVNT	ac40	5755	Ant1	-30.76	Pass
NVNT	ac40	5795	Ant1	-28.76	Pass
NVNT	ac40	5755	Ant2	-30.85	Pass
NVNT	ac40	5795	Ant2	-28.9	Pass
NVNT	ac80	5775	Ant1	-26	Pass
NVNT	ac80	5775	Ant2	-30.27	Pass
NVNT	ax20	5745	Ant1	-30.95	Pass
NVNT	ax20	5825	Ant1	-29.17	Pass
NVNT	ax20	5745	Ant2	-31.28	Pass
NVNT	ax20	5825	Ant2	-29.72	Pass
NVNT	ax40	5755	Ant1	-30.16	Pass
NVNT	ax40	5795	Ant1	-29.46	Pass
NVNT	ax40	5755	Ant2	-31.38	Pass
NVNT	ax40	5795	Ant2	-29.88	Pass
NVNT	ax80	5775	Ant1	-30.05	Pass
NVNT	ax80	5775	Ant2	-29.81	Pass

