




DH5_Ant1_2480_30~1000




DH5_Ant1_2480_1000~26500




2DH5_Ant1_2402_0~Reference




2DH5_Ant1_2402_30~1000




2DH5_Ant1_2402_1000~26500




2DH5_Ant1_2441_0~Reference




2DH5_Ant1_2441_30~1000




2DH5_Ant1_2441_1000~26500




2DH5_Ant1_2480_0~Reference




2DH5_Ant1_2480_30~1000




2DH5_Ant1_2480_1000~26500




3DH5_Ant1_2402_0~Reference




3DH5_Ant1_2402_30~1000




3DH5_Ant1_2402_1000~26500




3DH5_Ant1_2441_0~Reference




3DH5_Ant1_2441_30~1000




3DH5_Ant1_2441_1000~26500




3DH5_Ant1_2480_0~Reference



3DH5_Ant1_2480_30~1000



3DH5_Ant1_2480_1000~26500






9. Duty Cycle


9.1. Test Result

TestMode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	1/TKHz	Verdict
DH5	Ant1	2402	2.91	3.75	77.60	0.34	---
		2441	2.91	3.75	77.60	0.34	---
		2480	2.91	3.75	77.60	0.34	---
2DH5	Ant1	2402	2.91	3.75	77.60	0.34	---
		2441	2.91	3.75	77.60	0.34	---
		2480	2.91	3.75	77.60	0.34	---
3DH5	Ant1	2402	2.91	3.75	77.60	0.34	---
		2441	2.91	3.75	77.60	0.34	---
		2480	2.92	3.76	77.66	0.34	---


9.2. Test Graphs




2DH5_Ant1_2402




2DH5_Ant1_2441




2DH5_Ant1_2480




3DH5_Ant1_2402



3DH5_Ant1_2441



3DH5_Ant1_2480



10. Emissions in Restricted Bands




10.1. Test Result

TestMode	Antenna	ChName	Channel	Detector	Freq. [MHz]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	Low	2402	AV	2310.000	-65.16	≤-41.20	PASS
				AV	2340.783	-62.63	≤-41.20	PASS
				AV	2390.000	-64.8	≤-41.20	PASS
				Peak	2310.000	-53.52	≤-21.20	PASS
				Peak	2340.935	-50.29	≤-21.20	PASS
				Peak	2390.000	-52.38	≤-21.20	PASS
		High	2480	AV	2483.500	-60.75	≤-41.20	PASS
				AV	2483.565	-60.83	≤-41.20	PASS
				AV	2500.000	-64.11	≤-41.20	PASS
				Peak	2483.500	-50.97	≤-21.20	PASS
				Peak	2484.957	-48.78	≤-21.20	PASS
				Peak	2500.000	-53.37	≤-21.20	PASS
2DH5	Ant1	Low	2402	AV	2310.000	-65.09	≤-41.20	PASS
				AV	2340.783	-62.49	≤-41.20	PASS
				AV	2390.000	-64.45	≤-41.20	PASS
				Peak	2310.000	-53.35	≤-21.20	PASS
				Peak	2342.152	-50.42	≤-21.20	PASS
				Peak	2390.000	-54.25	≤-21.20	PASS
		High	2480	AV	2483.500	-60.42	≤-41.20	PASS
				AV	2483.565	-60.62	≤-41.20	PASS
				AV	2500.000	-63.93	≤-41.20	PASS
				Peak	2483.500	-47.78	≤-21.20	PASS
				Peak	2483.565	-47.46	≤-21.20	PASS
				Peak	2500.000	-50.79	≤-21.20	PASS
3DH5	Ant1	Low	2402	AV	2310.000	-65.22	≤-41.20	PASS
				AV	2340.174	-62.58	≤-41.20	PASS
				AV	2390.000	-64.35	≤-41.20	PASS
				Peak	2310.000	-55.25	≤-21.20	PASS
				Peak	2340.783	-51.24	≤-21.20	PASS
				Peak	2390.000	-53.47	≤-21.20	PASS
		High	2480	AV	2483.500	-60.41	≤-41.20	PASS
				AV	2483.565	-60.47	≤-41.20	PASS
				AV	2500.000	-64.18	≤-41.20	PASS
				Peak	2483.500	-50.29	≤-21.20	PASS
				Peak	2483.565	-50.23	≤-21.20	PASS
				Peak	2500.000	-53.61	≤-21.20	PASS


Note:

- The Antenna Gain is compensated in the graph.
- The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dB


10.2. Test Graphs




DH5_Ant1_High_2480_Peak




2DH5_Ant1_Low_2402_AV




2DH5_Ant1_Low_2402_Peak




2DH5_Ant1_High_2480_AV




2DH5_Ant1_High_2480_Peak




3DH5_Ant1_Low_2402_AV




3DH5_Ant1_Low_2402_Peak



3DH5_Ant1_High_2480_AV



3DH5_Ant1_High_2480_Peak



-----End of the report-----