

Appendix for Band 2

Report No.: BCTC2406563773-5E

Applicant: Shenzhen Feiyufei Digital Technology Co., Ltd

Product Name: Tablet

Test Model: NET X2


Tested Date: 2024-06-18 to 2024-06-27

Issued Date: 2024-07-17

Shenzhen BCTC Testing Co., Ltd.

Contents

Appendix 1. Conducted output power	3
Appendix 2. Frequency stability.....	9
Appendix 3. Peak-to-Average Ratio	30
Appendix 4. Occupied bandwidth	49
Appendix 5. Band edge	68
Appendix 6. Out-of-band emissions	81



Appendix 1. Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Verdict
Band2	1.4	18607	1	#0	QPSK	23.10	PASS
Band2	1.4	18607	1	#Mid	QPSK	23.15	PASS
Band2	1.4	18607	1	#Max	QPSK	23.15	PASS
Band2	1.4	18607	3	#0	QPSK	23.01	PASS
Band2	1.4	18607	3	#Mid	QPSK	23.03	PASS
Band2	1.4	18607	3	#Max	QPSK	23.10	PASS
Band2	1.4	18607	6	#0	QPSK	22.15	PASS
Band2	1.4	18607	1	#0	16QAM	23.41	PASS
Band2	1.4	18607	1	#Mid	16QAM	23.42	PASS
Band2	1.4	18607	1	#Max	16QAM	23.42	PASS
Band2	1.4	18607	3	#0	16QAM	22.30	PASS
Band2	1.4	18607	3	#Mid	16QAM	22.28	PASS
Band2	1.4	18607	3	#Max	16QAM	22.28	PASS
Band2	1.4	18607	6	#0	16QAM	21.28	PASS
Band2	1.4	18900	1	#0	QPSK	22.88	PASS
Band2	1.4	18900	1	#Mid	QPSK	22.84	PASS
Band2	1.4	18900	1	#Max	QPSK	22.78	PASS
Band2	1.4	18900	3	#0	QPSK	22.98	PASS
Band2	1.4	18900	3	#Mid	QPSK	22.97	PASS
Band2	1.4	18900	3	#Max	QPSK	22.97	PASS
Band2	1.4	18900	6	#0	QPSK	21.92	PASS
Band2	1.4	18900	1	#0	16QAM	22.57	PASS
Band2	1.4	18900	1	#Mid	16QAM	22.62	PASS
Band2	1.4	18900	1	#Max	16QAM	22.62	PASS
Band2	1.4	18900	3	#0	16QAM	22.04	PASS
Band2	1.4	18900	3	#Mid	16QAM	22.03	PASS
Band2	1.4	18900	3	#Max	16QAM	22.05	PASS
Band2	1.4	18900	6	#0	16QAM	21.01	PASS
Band2	1.4	19193	1	#0	QPSK	22.85	PASS
Band2	1.4	19193	1	#Mid	QPSK	22.85	PASS
Band2	1.4	19193	1	#Max	QPSK	22.80	PASS
Band2	1.4	19193	3	#0	QPSK	22.87	PASS
Band2	1.4	19193	3	#Mid	QPSK	22.83	PASS
Band2	1.4	19193	3	#Max	QPSK	22.88	PASS
Band2	1.4	19193	6	#0	QPSK	21.89	PASS
Band2	1.4	19193	1	#0	16QAM	22.67	PASS
Band2	1.4	19193	1	#Mid	16QAM	22.56	PASS
Band2	1.4	19193	1	#Max	16QAM	22.59	PASS
Band2	1.4	19193	3	#0	16QAM	22.27	PASS
Band2	1.4	19193	3	#Mid	16QAM	22.21	PASS

Band2	1.4	19193	3	#Max	16QAM	22.21	PASS
Band2	1.4	19193	6	#0	16QAM	21.05	PASS
Band2	3	18615	1	#0	QPSK	22.98	PASS
Band2	3	18615	1	#Mid	QPSK	22.92	PASS
Band2	3	18615	1	#Max	QPSK	22.87	PASS
Band2	3	18615	8	#0	QPSK	22.08	PASS
Band2	3	18615	8	#Mid	QPSK	22.06	PASS
Band2	3	18615	8	#Max	QPSK	22.01	PASS
Band2	3	18615	15	#0	QPSK	22.10	PASS
Band2	3	18615	1	#0	16QAM	23.49	PASS
Band2	3	18615	1	#Mid	16QAM	23.53	PASS
Band2	3	18615	1	#Max	16QAM	23.40	PASS
Band2	3	18615	8	#0	16QAM	21.20	PASS
Band2	3	18615	8	#Mid	16QAM	21.19	PASS
Band2	3	18615	8	#Max	16QAM	20.99	PASS
Band2	3	18615	15	#0	16QAM	21.42	PASS
Band2	3	18900	1	#0	QPSK	22.81	PASS
Band2	3	18900	1	#Mid	QPSK	22.90	PASS
Band2	3	18900	1	#Max	QPSK	22.86	PASS
Band2	3	18900	8	#0	QPSK	21.97	PASS
Band2	3	18900	8	#Mid	QPSK	22.07	PASS
Band2	3	18900	8	#Max	QPSK	22.07	PASS
Band2	3	18900	15	#0	QPSK	22.03	PASS
Band2	3	18900	1	#0	16QAM	22.03	PASS
Band2	3	18900	1	#Mid	16QAM	22.02	PASS
Band2	3	18900	1	#Max	16QAM	22.08	PASS
Band2	3	18900	8	#0	16QAM	21.14	PASS
Band2	3	18900	8	#Mid	16QAM	21.15	PASS
Band2	3	18900	8	#Max	16QAM	21.46	PASS
Band2	3	18900	15	#0	16QAM	21.06	PASS
Band2	3	19185	1	#0	QPSK	22.90	PASS
Band2	3	19185	1	#Mid	QPSK	22.83	PASS
Band2	3	19185	1	#Max	QPSK	22.88	PASS
Band2	3	19185	8	#0	QPSK	21.94	PASS
Band2	3	19185	8	#Mid	QPSK	21.76	PASS
Band2	3	19185	8	#Max	QPSK	21.87	PASS
Band2	3	19185	15	#0	QPSK	21.88	PASS
Band2	3	19185	1	#0	16QAM	22.39	PASS
Band2	3	19185	1	#Mid	16QAM	22.34	PASS
Band2	3	19185	1	#Max	16QAM	22.27	PASS
Band2	3	19185	8	#0	16QAM	21.01	PASS
Band2	3	19185	8	#Mid	16QAM	20.95	PASS
Band2	3	19185	8	#Max	16QAM	20.94	PASS
Band2	3	19185	15	#0	16QAM	21.08	PASS

Band2	5	18625	1	#0	QPSK	22.96	PASS
Band2	5	18625	1	#Mid	QPSK	22.89	PASS
Band2	5	18625	1	#Max	QPSK	22.89	PASS
Band2	5	18625	12	#0	QPSK	22.16	PASS
Band2	5	18625	12	#Mid	QPSK	22.00	PASS
Band2	5	18625	12	#Max	QPSK	22.02	PASS
Band2	5	18625	25	#0	QPSK	21.95	PASS
Band2	5	18625	1	#0	16QAM	22.76	PASS
Band2	5	18625	1	#Mid	16QAM	22.73	PASS
Band2	5	18625	1	#Max	16QAM	22.68	PASS
Band2	5	18625	12	#0	16QAM	21.18	PASS
Band2	5	18625	12	#Mid	16QAM	21.03	PASS
Band2	5	18625	12	#Max	16QAM	21.03	PASS
Band2	5	18625	25	#0	16QAM	21.07	PASS
Band2	5	18900	1	#0	QPSK	23.02	PASS
Band2	5	18900	1	#Mid	QPSK	23.01	PASS
Band2	5	18900	1	#Max	QPSK	23.04	PASS
Band2	5	18900	12	#0	QPSK	22.07	PASS
Band2	5	18900	12	#Mid	QPSK	22.02	PASS
Band2	5	18900	12	#Max	QPSK	22.04	PASS
Band2	5	18900	25	#0	QPSK	22.01	PASS
Band2	5	18900	1	#0	16QAM	22.30	PASS
Band2	5	18900	1	#Mid	16QAM	22.21	PASS
Band2	5	18900	1	#Max	16QAM	22.20	PASS
Band2	5	18900	12	#0	16QAM	20.98	PASS
Band2	5	18900	12	#Mid	16QAM	20.96	PASS
Band2	5	18900	12	#Max	16QAM	21.36	PASS
Band2	5	18900	25	#0	16QAM	21.13	PASS
Band2	5	19175	1	#0	QPSK	22.83	PASS
Band2	5	19175	1	#Mid	QPSK	22.82	PASS
Band2	5	19175	1	#Max	QPSK	22.78	PASS
Band2	5	19175	12	#0	QPSK	21.89	PASS
Band2	5	19175	12	#Mid	QPSK	21.91	PASS
Band2	5	19175	12	#Max	QPSK	21.86	PASS
Band2	5	19175	25	#0	QPSK	21.94	PASS
Band2	5	19175	1	#0	16QAM	22.38	PASS
Band2	5	19175	1	#Mid	16QAM	22.37	PASS
Band2	5	19175	1	#Max	16QAM	22.36	PASS
Band2	5	19175	12	#0	16QAM	20.97	PASS
Band2	5	19175	12	#Mid	16QAM	21.01	PASS
Band2	5	19175	12	#Max	16QAM	20.84	PASS
Band2	5	19175	25	#0	16QAM	20.93	PASS
Band2	10	18650	1	#0	QPSK	22.95	PASS
Band2	10	18650	1	#Mid	QPSK	22.95	PASS

Band2	10	18650	1	#Max	QPSK	23.13	PASS
Band2	10	18650	25	#0	QPSK	21.97	PASS
Band2	10	18650	25	#Mid	QPSK	21.99	PASS
Band2	10	18650	25	#Max	QPSK	22.12	PASS
Band2	10	18650	50	#0	QPSK	22.03	PASS
Band2	10	18650	1	#0	16QAM	23.51	PASS
Band2	10	18650	1	#Mid	16QAM	23.54	PASS
Band2	10	18650	1	#Max	16QAM	23.73	PASS
Band2	10	18650	25	#0	16QAM	21.02	PASS
Band2	10	18650	25	#Mid	16QAM	21.06	PASS
Band2	10	18650	25	#Max	16QAM	21.05	PASS
Band2	10	18650	50	#0	16QAM	21.16	PASS
Band2	10	18900	1	#0	QPSK	23.01	PASS
Band2	10	18900	1	#Mid	QPSK	23.03	PASS
Band2	10	18900	1	#Max	QPSK	22.91	PASS
Band2	10	18900	25	#0	QPSK	22.07	PASS
Band2	10	18900	25	#Mid	QPSK	22.01	PASS
Band2	10	18900	25	#Max	QPSK	21.99	PASS
Band2	10	18900	50	#0	QPSK	21.96	PASS
Band2	10	18900	1	#0	16QAM	23.21	PASS
Band2	10	18900	1	#Mid	16QAM	23.11	PASS
Band2	10	18900	1	#Max	16QAM	23.08	PASS
Band2	10	18900	25	#0	16QAM	21.12	PASS
Band2	10	18900	25	#Mid	16QAM	21.13	PASS
Band2	10	18900	25	#Max	16QAM	21.12	PASS
Band2	10	18900	50	#0	16QAM	21.16	PASS
Band2	10	19150	1	#0	QPSK	22.99	PASS
Band2	10	19150	1	#Mid	QPSK	22.98	PASS
Band2	10	19150	1	#Max	QPSK	22.87	PASS
Band2	10	19150	25	#0	QPSK	21.95	PASS
Band2	10	19150	25	#Mid	QPSK	21.98	PASS
Band2	10	19150	25	#Max	QPSK	21.98	PASS
Band2	10	19150	50	#0	QPSK	21.99	PASS
Band2	10	19150	1	#0	16QAM	22.79	PASS
Band2	10	19150	1	#Mid	16QAM	22.59	PASS
Band2	10	19150	1	#Max	16QAM	22.61	PASS
Band2	10	19150	25	#0	16QAM	21.06	PASS
Band2	10	19150	25	#Mid	16QAM	21.13	PASS
Band2	10	19150	25	#Max	16QAM	21.08	PASS
Band2	10	19150	50	#0	16QAM	21.06	PASS
Band2	15	18675	1	#0	QPSK	22.98	PASS
Band2	15	18675	1	#Mid	QPSK	23.08	PASS
Band2	15	18675	1	#Max	QPSK	23.08	PASS
Band2	15	18675	36	#0	QPSK	22.04	PASS

Band2	15	18675	36	#Mid	QPSK	22.06	PASS
Band2	15	18675	36	#Max	QPSK	22.05	PASS
Band2	15	18675	75	#0	QPSK	22.06	PASS
Band2	15	18675	1	#0	16QAM	23.52	PASS
Band2	15	18675	1	#Mid	16QAM	23.72	PASS
Band2	15	18675	1	#Max	16QAM	23.67	PASS
Band2	15	18675	36	#0	16QAM	21.09	PASS
Band2	15	18675	36	#Mid	16QAM	21.16	PASS
Band2	15	18675	36	#Max	16QAM	21.46	PASS
Band2	15	18675	75	#0	16QAM	21.22	PASS
Band2	15	18900	1	#0	QPSK	23.01	PASS
Band2	15	18900	1	#Mid	QPSK	22.98	PASS
Band2	15	18900	1	#Max	QPSK	22.97	PASS
Band2	15	18900	36	#0	QPSK	22.04	PASS
Band2	15	18900	36	#Mid	QPSK	21.95	PASS
Band2	15	18900	36	#Max	QPSK	22.03	PASS
Band2	15	18900	75	#0	QPSK	22.00	PASS
Band2	15	18900	1	#0	16QAM	22.57	PASS
Band2	15	18900	1	#Mid	16QAM	22.53	PASS
Band2	15	18900	1	#Max	16QAM	22.45	PASS
Band2	15	18900	36	#0	16QAM	21.20	PASS
Band2	15	18900	36	#Mid	16QAM	21.19	PASS
Band2	15	18900	36	#Max	16QAM	21.23	PASS
Band2	15	18900	75	#0	16QAM	21.13	PASS
Band2	15	19125	1	#0	QPSK	22.96	PASS
Band2	15	19125	1	#Mid	QPSK	22.91	PASS
Band2	15	19125	1	#Max	QPSK	22.82	PASS
Band2	15	19125	36	#0	QPSK	21.98	PASS
Band2	15	19125	36	#Mid	QPSK	21.91	PASS
Band2	15	19125	36	#Max	QPSK	21.91	PASS
Band2	15	19125	75	#0	QPSK	21.91	PASS
Band2	15	19125	1	#0	16QAM	23.08	PASS
Band2	15	19125	1	#Mid	16QAM	23.03	PASS
Band2	15	19125	1	#Max	16QAM	22.92	PASS
Band2	15	19125	36	#0	16QAM	21.05	PASS
Band2	15	19125	36	#Mid	16QAM	21.01	PASS
Band2	15	19125	36	#Max	16QAM	21.07	PASS
Band2	15	19125	75	#0	16QAM	21.06	PASS
Band2	20	18700	1	#0	QPSK	23.10	PASS
Band2	20	18700	1	#Mid	QPSK	23.08	PASS
Band2	20	18700	1	#Max	QPSK	23.06	PASS
Band2	20	18700	50	#0	QPSK	22.07	PASS
Band2	20	18700	50	#Mid	QPSK	22.10	PASS
Band2	20	18700	50	#Max	QPSK	22.06	PASS

Band2	20	18700	100	#0	QPSK	22.05	PASS
Band2	20	18700	1	#0	16QAM	22.68	PASS
Band2	20	18700	1	#Mid	16QAM	22.67	PASS
Band2	20	18700	1	#Max	16QAM	22.71	PASS
Band2	20	18700	50	#0	16QAM	21.19	PASS
Band2	20	18700	50	#Mid	16QAM	21.26	PASS
Band2	20	18700	50	#Max	16QAM	21.30	PASS
Band2	20	18700	100	#0	16QAM	21.22	PASS
Band2	20	18900	1	#0	QPSK	23.12	PASS
Band2	20	18900	1	#Mid	QPSK	23.11	PASS
Band2	20	18900	1	#Max	QPSK	23.18	PASS
Band2	20	18900	50	#0	QPSK	22.07	PASS
Band2	20	18900	50	#Mid	QPSK	22.10	PASS
Band2	20	18900	50	#Max	QPSK	22.02	PASS
Band2	20	18900	100	#0	QPSK	22.14	PASS
Band2	20	18900	1	#0	16QAM	22.32	PASS
Band2	20	18900	1	#Mid	16QAM	22.43	PASS
Band2	20	18900	1	#Max	16QAM	22.30	PASS
Band2	20	18900	50	#0	16QAM	21.13	PASS
Band2	20	18900	50	#Mid	16QAM	21.17	PASS
Band2	20	18900	50	#Max	16QAM	21.13	PASS
Band2	20	18900	100	#0	16QAM	21.15	PASS
Band2	20	19100	1	#0	QPSK	23.02	PASS
Band2	20	19100	1	#Mid	QPSK	23.07	PASS
Band2	20	19100	1	#Max	QPSK	23.03	PASS
Band2	20	19100	50	#0	QPSK	22.01	PASS
Band2	20	19100	50	#Mid	QPSK	21.94	PASS
Band2	20	19100	50	#Max	QPSK	21.91	PASS
Band2	20	19100	100	#0	QPSK	21.98	PASS
Band2	20	19100	1	#0	16QAM	22.48	PASS
Band2	20	19100	1	#Mid	16QAM	22.39	PASS
Band2	20	19100	1	#Max	16QAM	22.34	PASS
Band2	20	19100	50	#0	16QAM	21.05	PASS
Band2	20	19100	50	#Mid	16QAM	21.04	PASS
Band2	20	19100	50	#Max	16QAM	21.08	PASS
Band2	20	19100	100	#0	16QAM	21.06	PASS

Appendix 2. Frequency stability

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Voltage (Vdc)	Temperature (C)	Result (Hz)	Result (ppm)	Low Limit (ppm)	High Limit (ppm)	Verdict
Band2	1.4	18607	6	#0	QPSK	LV	NT	11.32	0.006	-2.5	2.5	PASS
Band2	1.4	18607	6	#0	QPSK	NV	NT	31.97	0.017	-2.5	2.5	PASS
Band2	1.4	18607	6	#0	QPSK	HV	NT	-5.49	-0.003	-2.5	2.5	PASS
Band2	1.4	18607	6	#0	16QAM	LV	NT	0.59	0.000	-2.5	2.5	PASS
Band2	1.4	18607	6	#0	16QAM	NV	NT	1.75	0.001	-2.5	2.5	PASS
Band2	1.4	18607	6	#0	16QAM	HV	NT	0.36	0.000	-2.5	2.5	PASS
Band2	1.4	18900	6	#0	QPSK	LV	NT	8.98	0.005	-2.5	2.5	PASS
Band2	1.4	18900	6	#0	QPSK	NV	NT	13.85	0.007	-2.5	2.5	PASS
Band2	1.4	18900	6	#0	QPSK	HV	NT	-24.52	-0.013	-2.5	2.5	PASS
Band2	1.4	18900	6	#0	16QAM	LV	NT	1.29	0.001	-2.5	2.5	PASS
Band2	1.4	18900	6	#0	16QAM	NV	NT	5.81	0.003	-2.5	2.5	PASS
Band2	1.4	18900	6	#0	16QAM	HV	NT	9.63	0.005	-2.5	2.5	PASS
Band2	1.4	19193	6	#0	QPSK	LV	NT	-4.81	-0.003	-2.5	2.5	PASS
Band2	1.4	19193	6	#0	QPSK	NV	NT	-6.32	-0.003	-2.5	2.5	PASS
Band2	1.4	19193	6	#0	QPSK	HV	NT	-11.64	-0.006	-2.5	2.5	PASS
Band2	1.4	19193	6	#0	16QAM	LV	NT	-22.12	-0.012	-2.5	2.5	PASS
Band2	1.4	19193	6	#0	16QAM	NV	NT	-31.30	-0.016	-2.5	2.5	PASS
Band2	1.4	19193	6	#0	16QAM	HV	NT	-43.70	-0.023	-2.5	2.5	PASS



Ban d2	3	18615	15	#0	QPSK	LV	NT	16.4 8	0.00 9	-2.5	2.5	PAS S
Ban d2	3	18615	15	#0	QPSK	NV	NT	14.5 6	0.00 8	-2.5	2.5	PAS S
Ban d2	3	18615	15	#0	QPSK	HV	NT	28.0 4	0.01 5	-2.5	2.5	PAS S
Ban d2	3	18615	15	#0	16QAM	LV	NT	35.5 6	0.01 9	-2.5	2.5	PAS S
Ban d2	3	18615	15	#0	16QAM	NV	NT	37.3 6	0.02 0	-2.5	2.5	PAS S
Ban d2	3	18615	15	#0	16QAM	HV	NT	32.9 4	0.01 8	-2.5	2.5	PAS S
Ban d2	3	18900	15	#0	QPSK	LV	NT	-3.2 8	-0.0 02	-2.5	2.5	PAS S
Ban d2	3	18900	15	#0	QPSK	NV	NT	-1.4 3	-0.0 01	-2.5	2.5	PAS S
Ban d2	3	18900	15	#0	QPSK	HV	NT	-1.6 5	-0.0 01	-2.5	2.5	PAS S
Ban d2	3	18900	15	#0	16QAM	LV	NT	-3.5 6	-0.0 02	-2.5	2.5	PAS S
Ban d2	3	18900	15	#0	16QAM	NV	NT	-5.3 8	-0.0 03	-2.5	2.5	PAS S
Ban d2	3	18900	15	#0	16QAM	HV	NT	-8.1 4	-0.0 04	-2.5	2.5	PAS S
Ban d2	3	19185	15	#0	QPSK	LV	NT	7.70 4	0.00 4	-2.5	2.5	PAS S
Ban d2	3	19185	15	#0	QPSK	NV	NT	5.74 3	0.00 3	-2.5	2.5	PAS S
Ban d2	3	19185	15	#0	QPSK	HV	NT	-1.3 6	-0.0 01	-2.5	2.5	PAS S
Ban d2	3	19185	15	#0	16QAM	LV	NT	-14. 00	-0.0 07	-2.5	2.5	PAS S
Ban d2	3	19185	15	#0	16QAM	NV	NT	-24. 72	-0.0 13	-2.5	2.5	PAS S
Ban d2	3	19185	15	#0	16QAM	HV	NT	-34. 90	-0.0 18	-2.5	2.5	PAS S
Ban d2	5	18625	25	#0	QPSK	LV	NT	20.3 1	0.01 1	-2.5	2.5	PAS S
Ban d2	5	18625	25	#0	QPSK	NV	NT	35.3 8	0.01 9	-2.5	2.5	PAS S
Ban d2	5	18625	25	#0	QPSK	HV	NT	39.8 0	0.02 1	-2.5	2.5	PAS S
Ban d2	5	18625	25	#0	16QAM	LV	NT	36.3 3	0.02 0	-2.5	2.5	PAS S



Ban d2	5	18625	25	#0	16QAM	NV	NT	33.3 7	0.01 8	-2.5	2.5	PAS S
Ban d2	5	18625	25	#0	16QAM	HV	NT	27.7 7	0.01 5	-2.5	2.5	PAS S
Ban d2	5	18900	25	#0	QPSK	LV	NT	-2.8 6	-0.0 02	-2.5	2.5	PAS S
Ban d2	5	18900	25	#0	QPSK	NV	NT	-0.2 4	0.00 0	-2.5	2.5	PAS S
Ban d2	5	18900	25	#0	QPSK	HV	NT	1.19	0.00 1	-2.5	2.5	PAS S
Ban d2	5	18900	25	#0	16QAM	LV	NT	-0.0 3	0.00 0	-2.5	2.5	PAS S
Ban d2	5	18900	25	#0	16QAM	NV	NT	0.01	0.00 0	-2.5	2.5	PAS S
Ban d2	5	18900	25	#0	16QAM	HV	NT	-1.6 0	-0.0 01	-2.5	2.5	PAS S
Ban d2	5	19175	25	#0	QPSK	LV	NT	5.88	0.00 3	-2.5	2.5	PAS S
Ban d2	5	19175	25	#0	QPSK	NV	NT	2.17	0.00 1	-2.5	2.5	PAS S
Ban d2	5	19175	25	#0	QPSK	HV	NT	-4.6 9	-0.0 02	-2.5	2.5	PAS S
Ban d2	5	19175	25	#0	16QAM	LV	NT	-16. 06	-0.0 08	-2.5	2.5	PAS S
Ban d2	5	19175	25	#0	16QAM	NV	NT	-27. 05	-0.0 14	-2.5	2.5	PAS S
Ban d2	5	19175	25	#0	16QAM	HV	NT	-38. 41	-0.0 20	-2.5	2.5	PAS S
Ban d2	10	18650	50	#0	QPSK	LV	NT	25.1 6	0.01 4	-2.5	2.5	PAS S
Ban d2	10	18650	50	#0	QPSK	NV	NT	34.3 6	0.01 9	-2.5	2.5	PAS S
Ban d2	10	18650	50	#0	QPSK	HV	NT	42.3 3	0.02 3	-2.5	2.5	PAS S
Ban d2	10	18650	50	#0	16QAM	LV	NT	39.1 4	0.02 1	-2.5	2.5	PAS S
Ban d2	10	18650	50	#0	16QAM	NV	NT	27.5 4	0.01 5	-2.5	2.5	PAS S
Ban d2	10	18650	50	#0	16QAM	HV	NT	16.9 1	0.00 9	-2.5	2.5	PAS S
Ban d2	10	18900	50	#0	QPSK	LV	NT	-4.9 9	-0.0 03	-2.5	2.5	PAS S
Ban d2	10	18900	50	#0	QPSK	NV	NT	-8.1 0	-0.0 04	-2.5	2.5	PAS S




Ban d2	10	18900	50	#0	QPSK	HV	NT	-10. 10	-0.0 05	-2.5	2.5	PAS S
Ban d2	10	18900	50	#0	16QAM	LV	NT	-14. 31	-0.0 08	-2.5	2.5	PAS S
Ban d2	10	18900	50	#0	16QAM	NV	NT	-19. 04	-0.0 10	-2.5	2.5	PAS S
Ban d2	10	18900	50	#0	16QAM	HV	NT	-24. 70	-0.0 13	-2.5	2.5	PAS S
Ban d2	10	19150	50	#0	QPSK	LV	NT	-10. 83	-0.0 06	-2.5	2.5	PAS S
Ban d2	10	19150	50	#0	QPSK	NV	NT	-16. 68	-0.0 09	-2.5	2.5	PAS S
Ban d2	10	19150	50	#0	QPSK	HV	NT	-26. 36	-0.0 14	-2.5	2.5	PAS S
Ban d2	10	19150	50	#0	16QAM	LV	NT	-40. 48	-0.0 21	-2.5	2.5	PAS S
Ban d2	10	19150	50	#0	16QAM	NV	NT	-54. 60	-0.0 29	-2.5	2.5	PAS S
Ban d2	10	19150	50	#0	16QAM	HV	NT	-3.3 6	-0.0 02	-2.5	2.5	PAS S
Ban d2	15	18675	75	#0	QPSK	LV	NT	39.6 7	0.02 1	-2.5	2.5	PAS S
Ban d2	15	18675	75	#0	QPSK	NV	NT	21.0 7	0.01 1	-2.5	2.5	PAS S
Ban d2	15	18675	75	#0	QPSK	HV	NT	7.44	0.00 4	-2.5	2.5	PAS S
Ban d2	15	18675	75	#0	16QAM	LV	NT	-17. 95	-0.0 10	-2.5	2.5	PAS S
Ban d2	15	18675	75	#0	16QAM	NV	NT	-40. 23	-0.0 22	-2.5	2.5	PAS S
Ban d2	15	18675	75	#0	16QAM	HV	NT	-21. 33	-0.01 1	-2.5	2.5	PAS S
Ban d2	15	18900	75	#0	QPSK	LV	NT	-13. 07	-0.0 07	-2.5	2.5	PAS S
Ban d2	15	18900	75	#0	QPSK	NV	NT	-19. 76	-0.01 1	-2.5	2.5	PAS S
Ban d2	15	18900	75	#0	QPSK	HV	NT	-29. 80	-0.0 16	-2.5	2.5	PAS S
Ban d2	15	18900	75	#0	16QAM	LV	NT	-39. 48	-0.0 21	-2.5	2.5	PAS S
Ban d2	15	18900	75	#0	16QAM	NV	NT	0.62	0.00 0	-2.5	2.5	PAS S
Ban d2	15	18900	75	#0	16QAM	HV	NT	-4.9 6	-0.0 03	-2.5	2.5	PAS S



Ban d2	15	19125	75	#0	QPSK	LV	NT	-12. 66	-0.0 07	-2.5	2.5	PAS S
Ban d2	15	19125	75	#0	QPSK	NV	NT	-19. 56	-0.0 10	-2.5	2.5	PAS S
Ban d2	15	19125	75	#0	QPSK	HV	NT	-36. 02	-0.0 19	-2.5	2.5	PAS S
Ban d2	15	19125	75	#0	16QAM	LV	NT	-10. 69	-0.0 06	-2.5	2.5	PAS S
Ban d2	15	19125	75	#0	16QAM	NV	NT	-30. 76	-0.0 16	-2.5	2.5	PAS S
Ban d2	15	19125	75	#0	16QAM	HV	NT	-42. 72	-0.0 22	-2.5	2.5	PAS S
Ban d2	20	18700	10 0	#0	QPSK	LV	NT	22.6 0	0.01 2	-2.5	2.5	PAS S
Ban d2	20	18700	10 0	#0	QPSK	NV	NT	8.75	0.00 5	-2.5	2.5	PAS S
Ban d2	20	18700	10 0	#0	QPSK	HV	NT	-18. 20	-0.0 10	-2.5	2.5	PAS S
Ban d2	20	18700	10 0	#0	16QAM	LV	NT	-23. 36	-0.0 13	-2.5	2.5	PAS S
Ban d2	20	18700	10 0	#0	16QAM	NV	NT	-16. 98	-0.0 09	-2.5	2.5	PAS S
Ban d2	20	18700	10 0	#0	16QAM	HV	NT	-35. 81	-0.0 19	-2.5	2.5	PAS S
Ban d2	20	18900	10 0	#0	QPSK	LV	NT	-18. 21	-0.0 10	-2.5	2.5	PAS S
Ban d2	20	18900	10 0	#0	QPSK	NV	NT	-26. 36	-0.0 14	-2.5	2.5	PAS S
Ban d2	20	18900	10 0	#0	QPSK	HV	NT	-37. 42	-0.0 20	-2.5	2.5	PAS S
Ban d2	20	18900	10 0	#0	16QAM	LV	NT	-45. 48	-0.0 24	-2.5	2.5	PAS S
Ban d2	20	18900	10 0	#0	16QAM	NV	NT	18.6 3	0.01 0	-2.5	2.5	PAS S
Ban d2	20	18900	10 0	#0	16QAM	HV	NT	16.6 7	0.00 9	-2.5	2.5	PAS S
Ban d2	20	19100	10 0	#0	QPSK	LV	NT	32.8 4	0.01 7	-2.5	2.5	PAS S
Ban d2	20	19100	10 0	#0	QPSK	NV	NT	14.5 5	0.00 8	-2.5	2.5	PAS S
Ban d2	20	19100	10 0	#0	QPSK	HV	NT	16.4 2	0.00 9	-2.5	2.5	PAS S
Ban d2	20	19100	10 0	#0	16QAM	LV	NT	15.3 5	0.00 8	-2.5	2.5	PAS S

Ban d2	20	19100	10 0	#0	16QAM	NV	NT	13.5 9	0.00 7	-2.5	2.5	PAS S
Ban d2	20	19100	10 0	#0	16QAM	HV	NT	16.1 8	0.00 9	-2.5	2.5	PAS S





Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Voltage (Vdc)	Temperature (C)	Result (Hz)	Result (ppm)	Low Limit (ppm)	High Limit (ppm)	Verdict
Band2	1.4	18607	6	#0	QPSK	NV	-30	34.43	0.019	-2.5	2.5	PASS
Band2	1.4	18607	6	#0	QPSK	NV	-20	31.61	0.017	-2.5	2.5	PASS
Band2	1.4	18607	6	#0	QPSK	NV	-10	19.33	0.010	-2.5	2.5	PASS
Band2	1.4	18607	6	#0	QPSK	NV	0	1.23	0.001	-2.5	2.5	PASS
Band2	1.4	18607	6	#0	QPSK	NV	10	-24.73	-0.013	-2.5	2.5	PASS
Band2	1.4	18607	6	#0	QPSK	NV	20	-11.44	-0.006	-2.5	2.5	PASS
Band2	1.4	18607	6	#0	QPSK	NV	30	-39.77	-0.021	-2.5	2.5	PASS
Band2	1.4	18607	6	#0	QPSK	NV	40	-25.56	-0.014	-2.5	2.5	PASS
Band2	1.4	18607	6	#0	QPSK	NV	50	-10.74	-0.006	-2.5	2.5	PASS
Band2	1.4	18607	6	#0	16QAM	NV	-30	-21.36	-0.012	-2.5	2.5	PASS
Band2	1.4	18607	6	#0	16QAM	NV	-20	-48.97	-0.026	-2.5	2.5	PASS
Band2	1.4	18607	6	#0	16QAM	NV	-10	-38.21	-0.021	-2.5	2.5	PASS
Band2	1.4	18607	6	#0	16QAM	NV	0	-22.77	-0.012	-2.5	2.5	PASS
Band2	1.4	18607	6	#0	16QAM	NV	10	-17.48	-0.009	-2.5	2.5	PASS
Band2	1.4	18607	6	#0	16QAM	NV	20	-18.95	-0.010	-2.5	2.5	PASS
Band2	1.4	18607	6	#0	16QAM	NV	30	-17.05	-0.009	-2.5	2.5	PASS
Band2	1.4	18607	6	#0	16QAM	NV	40	-27.89	-0.015	-2.5	2.5	PASS
Band2	1.4	18607	6	#0	16QAM	NV	50	-35.75	-0.019	-2.5	2.5	PASS
Band2	1.4	18900	6	#0	QPSK	NV	-30	-9.53	-0.005	-2.5	2.5	PASS



Ban d2	1.4	18900	6	#0	QPSK	NV	-20	-27. 95	-0.0 15	-2.5	2.5	PAS S
Ban d2	1.4	18900	6	#0	QPSK	NV	-10	-36. 41	-0.0 19	-2.5	2.5	PAS S
Ban d2	1.4	18900	6	#0	QPSK	NV	0	-32. 43	-0.0 17	-2.5	2.5	PAS S
Ban d2	1.4	18900	6	#0	QPSK	NV	10	-13. 78	-0.0 07	-2.5	2.5	PAS S
Ban d2	1.4	18900	6	#0	QPSK	NV	20	-42. 70	-0.0 23	-2.5	2.5	PAS S
Ban d2	1.4	18900	6	#0	QPSK	NV	30	-24. 02	-0.0 13	-2.5	2.5	PAS S
Ban d2	1.4	18900	6	#0	QPSK	NV	40	-53. 92	-0.0 29	-2.5	2.5	PAS S
Ban d2	1.4	18900	6	#0	QPSK	NV	50	-30. 34	-0.0 16	-2.5	2.5	PAS S
Ban d2	1.4	18900	6	#0	16QAM	NV	-30	-9.4 4	-0.0 05	-2.5	2.5	PAS S
Ban d2	1.4	18900	6	#0	16QAM	NV	-20	-33. 49	-0.0 18	-2.5	2.5	PAS S
Ban d2	1.4	18900	6	#0	16QAM	NV	-10	-8.2 7	-0.0 04	-2.5	2.5	PAS S
Ban d2	1.4	18900	6	#0	16QAM	NV	0	-27. 94	-0.0 15	-2.5	2.5	PAS S
Ban d2	1.4	18900	6	#0	16QAM	NV	10	3.96	0.00 2	-2.5	2.5	PAS S
Ban d2	1.4	18900	6	#0	16QAM	NV	20	-13. 10	-0.0 07	-2.5	2.5	PAS S
Ban d2	1.4	18900	6	#0	16QAM	NV	30	-32. 40	-0.0 17	-2.5	2.5	PAS S
Ban d2	1.4	18900	6	#0	16QAM	NV	40	-46. 21	-0.0 25	-2.5	2.5	PAS S
Ban d2	1.4	18900	6	#0	16QAM	NV	50	-23. 13	-0.0 12	-2.5	2.5	PAS S
Ban d2	1.4	19193	6	#0	QPSK	NV	-30	9.26	0.00 5	-2.5	2.5	PAS S
Ban d2	1.4	19193	6	#0	QPSK	NV	-20	-13. 82	-0.0 07	-2.5	2.5	PAS S
Ban d2	1.4	19193	6	#0	QPSK	NV	-10	-12. 10	-0.0 06	-2.5	2.5	PAS S
Ban d2	1.4	19193	6	#0	QPSK	NV	0	-22. 99	-0.0 12	-2.5	2.5	PAS S
Ban d2	1.4	19193	6	#0	QPSK	NV	10	-49. 78	-0.0 26	-2.5	2.5	PAS S



Ban d2	1.4	19193	6	#0	QPSK	NV	20	-14. 31	-0.0 07	-2.5	2.5	PAS S
Ban d2	1.4	19193	6	#0	QPSK	NV	30	-41. 23	-0.0 22	-2.5	2.5	PAS S
Ban d2	1.4	19193	6	#0	QPSK	NV	40	-49. 14	-0.0 26	-2.5	2.5	PAS S
Ban d2	1.4	19193	6	#0	QPSK	NV	50	-9.0 8	-0.0 05	-2.5	2.5	PAS S
Ban d2	1.4	19193	6	#0	16QAM	NV	-30	-41. 94	-0.0 22	-2.5	2.5	PAS S
Ban d2	1.4	19193	6	#0	16QAM	NV	-20	-33. 40	-0.0 17	-2.5	2.5	PAS S
Ban d2	1.4	19193	6	#0	16QAM	NV	-10	2.86	0.00 1	-2.5	2.5	PAS S
Ban d2	1.4	19193	6	#0	16QAM	NV	0	-17. 62	-0.0 09	-2.5	2.5	PAS S
Ban d2	1.4	19193	6	#0	16QAM	NV	10	-42. 23	-0.0 22	-2.5	2.5	PAS S
Ban d2	1.4	19193	6	#0	16QAM	NV	20	-26. 87	-0.0 14	-2.5	2.5	PAS S
Ban d2	1.4	19193	6	#0	16QAM	NV	30	-48. 35	-0.0 25	-2.5	2.5	PAS S
Ban d2	1.4	19193	6	#0	16QAM	NV	40	-18. 41	-0.0 10	-2.5	2.5	PAS S
Ban d2	1.4	19193	6	#0	16QAM	NV	50	-38. 85	-0.0 20	-2.5	2.5	PAS S
Ban d2	3	18615	15	#0	QPSK	NV	-30	29.5 0	0.01 6	-2.5	2.5	PAS S
Ban d2	3	18615	15	#0	QPSK	NV	-20	44.3 0	0.02 4	-2.5	2.5	PAS S
Ban d2	3	18615	15	#0	QPSK	NV	-10	-1.5 7	-0.0 01	-2.5	2.5	PAS S
Ban d2	3	18615	15	#0	QPSK	NV	0	-3.2 3	-0.0 02	-2.5	2.5	PAS S
Ban d2	3	18615	15	#0	QPSK	NV	10	-11.7 2	-0.0 06	-2.5	2.5	PAS S
Ban d2	3	18615	15	#0	QPSK	NV	20	-21. 53	-0.0 12	-2.5	2.5	PAS S
Ban d2	3	18615	15	#0	QPSK	NV	30	-33. 87	-0.0 18	-2.5	2.5	PAS S
Ban d2	3	18615	15	#0	QPSK	NV	40	2.32	0.00 1	-2.5	2.5	PAS S
Ban d2	3	18615	15	#0	QPSK	NV	50	-14. 66	-0.0 08	-2.5	2.5	PAS S



Ban d2	3	18615	15	#0	16QAM	NV	-30	-30. 43	-0.0 16	-2.5	2.5	PAS S
Ban d2	3	18615	15	#0	16QAM	NV	-20	-46. 15	-0.0 25	-2.5	2.5	PAS S
Ban d2	3	18615	15	#0	16QAM	NV	-10	-34. 26	-0.0 19	-2.5	2.5	PAS S
Ban d2	3	18615	15	#0	16QAM	NV	0	-46. 22	-0.0 25	-2.5	2.5	PAS S
Ban d2	3	18615	15	#0	16QAM	NV	10	3.92	0.00 2	-2.5	2.5	PAS S
Ban d2	3	18615	15	#0	16QAM	NV	20	-7.0 7	-0.0 04	-2.5	2.5	PAS S
Ban d2	3	18615	15	#0	16QAM	NV	30	-17. 80	-0.0 10	-2.5	2.5	PAS S
Ban d2	3	18615	15	#0	16QAM	NV	40	-27. 04	-0.0 15	-2.5	2.5	PAS S
Ban d2	3	18615	15	#0	16QAM	NV	50	-38. 12	-0.0 21	-2.5	2.5	PAS S
Ban d2	3	18900	15	#0	QPSK	NV	-30	-4.2 1	-0.0 02	-2.5	2.5	PAS S
Ban d2	3	18900	15	#0	QPSK	NV	-20	-9.2 6	-0.0 05	-2.5	2.5	PAS S
Ban d2	3	18900	15	#0	QPSK	NV	-10	-15. 06	-0.0 08	-2.5	2.5	PAS S
Ban d2	3	18900	15	#0	QPSK	NV	0	-21. 51	-0.01 1	-2.5	2.5	PAS S
Ban d2	3	18900	15	#0	QPSK	NV	10	-29. 37	-0.0 16	-2.5	2.5	PAS S
Ban d2	3	18900	15	#0	QPSK	NV	20	-40. 68	-0.0 22	-2.5	2.5	PAS S
Ban d2	3	18900	15	#0	QPSK	NV	30	-10. 66	-0.0 06	-2.5	2.5	PAS S
Ban d2	3	18900	15	#0	QPSK	NV	40	-20. 28	-0.01 1	-2.5	2.5	PAS S
Ban d2	3	18900	15	#0	QPSK	NV	50	-30. 81	-0.0 16	-2.5	2.5	PAS S
Ban d2	3	18900	15	#0	16QAM	NV	-30	-34. 66	-0.0 18	-2.5	2.5	PAS S
Ban d2	3	18900	15	#0	16QAM	NV	-20	-15. 48	-0.0 08	-2.5	2.5	PAS S
Ban d2	3	18900	15	#0	16QAM	NV	-10	-23. 78	-0.0 13	-2.5	2.5	PAS S
Ban d2	3	18900	15	#0	16QAM	NV	0	-30. 83	-0.0 16	-2.5	2.5	PAS S



Ban d2	3	18900	15	#0	16QAM	NV	10	-36. 64	-0.0 19	-2.5	2.5	PAS S
Ban d2	3	18900	15	#0	16QAM	NV	20	-42. 96	-0.0 23	-2.5	2.5	PAS S
Ban d2	3	18900	15	#0	16QAM	NV	30	1.62	0.00 1	-2.5	2.5	PAS S
Ban d2	3	18900	15	#0	16QAM	NV	40	-13. 09	-0.0 07	-2.5	2.5	PAS S
Ban d2	3	18900	15	#0	16QAM	NV	50	-30. 33	-0.0 16	-2.5	2.5	PAS S
Ban d2	3	19185	15	#0	QPSK	NV	-30	-10. 24	-0.0 05	-2.5	2.5	PAS S
Ban d2	3	19185	15	#0	QPSK	NV	-20	-20. 67	-0.01 1	-2.5	2.5	PAS S
Ban d2	3	19185	15	#0	QPSK	NV	-10	-36. 74	-0.0 19	-2.5	2.5	PAS S
Ban d2	3	19185	15	#0	QPSK	NV	0	-4.0 2	-0.0 02	-2.5	2.5	PAS S
Ban d2	3	19185	15	#0	QPSK	NV	10	-22. 00	-0.0 12	-2.5	2.5	PAS S
Ban d2	3	19185	15	#0	QPSK	NV	20	-40. 04	-0.0 21	-2.5	2.5	PAS S
Ban d2	3	19185	15	#0	QPSK	NV	30	-9.4 0	-0.0 05	-2.5	2.5	PAS S
Ban d2	3	19185	15	#0	QPSK	NV	40	-27. 21	-0.0 14	-2.5	2.5	PAS S
Ban d2	3	19185	15	#0	QPSK	NV	50	-16. 97	-0.0 09	-2.5	2.5	PAS S
Ban d2	3	19185	15	#0	16QAM	NV	-30	-17. 57	-0.0 09	-2.5	2.5	PAS S
Ban d2	3	19185	15	#0	16QAM	NV	-20	-35. 95	-0.0 19	-2.5	2.5	PAS S
Ban d2	3	19185	15	#0	16QAM	NV	-10	0.17	0.00 0	-2.5	2.5	PAS S
Ban d2	3	19185	15	#0	16QAM	NV	0	-13. 26	-0.0 07	-2.5	2.5	PAS S
Ban d2	3	19185	15	#0	16QAM	NV	10	-24. 83	-0.0 13	-2.5	2.5	PAS S
Ban d2	3	19185	15	#0	16QAM	NV	20	-35. 69	-0.0 19	-2.5	2.5	PAS S
Ban d2	3	19185	15	#0	16QAM	NV	30	-47. 78	-0.0 25	-2.5	2.5	PAS S
Ban d2	3	19185	15	#0	16QAM	NV	40	-32. 54	-0.0 17	-2.5	2.5	PAS S



Ban d2	3	19185	15	#0	16QAM	NV	50	-49. 78	-0.0 26	-2.5	2.5	PAS S
Ban d2	5	18625	25	#0	QPSK	NV	-30	38.6 8	0.02 1	-2.5	2.5	PAS S
Ban d2	5	18625	25	#0	QPSK	NV	-20	15.9 8	0.00 9	-2.5	2.5	PAS S
Ban d2	5	18625	25	#0	QPSK	NV	-10	23.9 9	0.01 3	-2.5	2.5	PAS S
Ban d2	5	18625	25	#0	QPSK	NV	0	4.68	0.00 3	-2.5	2.5	PAS S
Ban d2	5	18625	25	#0	QPSK	NV	10	-36. 86	-0.0 20	-2.5	2.5	PAS S
Ban d2	5	18625	25	#0	QPSK	NV	20	-6.9 8	-0.0 04	-2.5	2.5	PAS S
Ban d2	5	18625	25	#0	QPSK	NV	30	-16. 49	-0.0 09	-2.5	2.5	PAS S
Ban d2	5	18625	25	#0	QPSK	NV	40	-25. 28	-0.0 14	-2.5	2.5	PAS S
Ban d2	5	18625	25	#0	QPSK	NV	50	-38. 09	-0.0 21	-2.5	2.5	PAS S
Ban d2	5	18625	25	#0	16QAM	NV	-30	-47. 38	-0.0 26	-2.5	2.5	PAS S
Ban d2	5	18625	25	#0	16QAM	NV	-20	-6.9 7	-0.0 04	-2.5	2.5	PAS S
Ban d2	5	18625	25	#0	16QAM	NV	-10	-15. 09	-0.0 08	-2.5	2.5	PAS S
Ban d2	5	18625	25	#0	16QAM	NV	0	-20. 84	-0.01 1	-2.5	2.5	PAS S
Ban d2	5	18625	25	#0	16QAM	NV	10	-28. 07	-0.0 15	-2.5	2.5	PAS S
Ban d2	5	18625	25	#0	16QAM	NV	20	-31. 43	-0.0 17	-2.5	2.5	PAS S
Ban d2	5	18625	25	#0	16QAM	NV	30	-38. 39	-0.0 21	-2.5	2.5	PAS S
Ban d2	5	18625	25	#0	16QAM	NV	40	-43. 26	-0.0 23	-2.5	2.5	PAS S
Ban d2	5	18625	25	#0	16QAM	NV	50	-47. 38	-0.0 26	-2.5	2.5	PAS S
Ban d2	5	18900	25	#0	QPSK	NV	-30	-5.6 8	-0.0 03	-2.5	2.5	PAS S
Ban d2	5	18900	25	#0	QPSK	NV	-20	-4.4 8	-0.0 02	-2.5	2.5	PAS S
Ban d2	5	18900	25	#0	QPSK	NV	-10	-8.1 4	-0.0 04	-2.5	2.5	PAS S



Ban d2	5	18900	25	#0	QPSK	NV	0	-12. 04	-0.0 06	-2.5	2.5	PAS S
Ban d2	5	18900	25	#0	QPSK	NV	10	-14. 23	-0.0 08	-2.5	2.5	PAS S
Ban d2	5	18900	25	#0	QPSK	NV	20	-19. 93	-0.01 1	-2.5	2.5	PAS S
Ban d2	5	18900	25	#0	QPSK	NV	30	-24. 79	-0.0 13	-2.5	2.5	PAS S
Ban d2	5	18900	25	#0	QPSK	NV	40	-30. 56	-0.0 16	-2.5	2.5	PAS S
Ban d2	5	18900	25	#0	QPSK	NV	50	-36. 35	-0.0 19	-2.5	2.5	PAS S
Ban d2	5	18900	25	#0	16QAM	NV	-30	-42. 86	-0.0 23	-2.5	2.5	PAS S
Ban d2	5	18900	25	#0	16QAM	NV	-20	-38. 80	-0.0 21	-2.5	2.5	PAS S
Ban d2	5	18900	25	#0	16QAM	NV	-10	-29. 44	-0.0 16	-2.5	2.5	PAS S
Ban d2	5	18900	25	#0	16QAM	NV	0	-32. 37	-0.0 17	-2.5	2.5	PAS S
Ban d2	5	18900	25	#0	16QAM	NV	10	-36. 94	-0.0 20	-2.5	2.5	PAS S
Ban d2	5	18900	25	#0	16QAM	NV	20	-38. 67	-0.0 21	-2.5	2.5	PAS S
Ban d2	5	18900	25	#0	16QAM	NV	30	-40. 63	-0.0 22	-2.5	2.5	PAS S
Ban d2	5	18900	25	#0	16QAM	NV	40	-43. 40	-0.0 23	-2.5	2.5	PAS S
Ban d2	5	18900	25	#0	16QAM	NV	50	-45. 46	-0.0 24	-2.5	2.5	PAS S
Ban d2	5	19175	25	#0	QPSK	NV	-30	-1.3 2	-0.0 01	-2.5	2.5	PAS S
Ban d2	5	19175	25	#0	QPSK	NV	-20	-7.6 4	-0.0 04	-2.5	2.5	PAS S
Ban d2	5	19175	25	#0	QPSK	NV	-10	-22. 90	-0.0 12	-2.5	2.5	PAS S
Ban d2	5	19175	25	#0	QPSK	NV	0	-9.7 3	-0.0 05	-2.5	2.5	PAS S
Ban d2	5	19175	25	#0	QPSK	NV	10	-18. 21	-0.0 10	-2.5	2.5	PAS S
Ban d2	5	19175	25	#0	QPSK	NV	20	-34. 72	-0.0 18	-2.5	2.5	PAS S
Ban d2	5	19175	25	#0	QPSK	NV	30	-48. 07	-0.0 25	-2.5	2.5	PAS S



Ban d2	5	19175	25	#0	QPSK	NV	40	-2.2 7	-0.0 01	-2.5	2.5	PAS S
Ban d2	5	19175	25	#0	QPSK	NV	50	-19. 74	-0.0 10	-2.5	2.5	PAS S
Ban d2	5	19175	25	#0	16QAM	NV	-30	-34. 26	-0.0 18	-2.5	2.5	PAS S
Ban d2	5	19175	25	#0	16QAM	NV	-20	-49. 61	-0.0 26	-2.5	2.5	PAS S
Ban d2	5	19175	25	#0	16QAM	NV	-10	-23. 55	-0.0 12	-2.5	2.5	PAS S
Ban d2	5	19175	25	#0	16QAM	NV	0	-33. 73	-0.0 18	-2.5	2.5	PAS S
Ban d2	5	19175	25	#0	16QAM	NV	10	-43. 62	-0.0 23	-2.5	2.5	PAS S
Ban d2	5	19175	25	#0	16QAM	NV	20	-21. 26	-0.01 1	-2.5	2.5	PAS S
Ban d2	5	19175	25	#0	16QAM	NV	30	-11.4 7	-0.0 06	-2.5	2.5	PAS S
Ban d2	5	19175	25	#0	16QAM	NV	40	-18. 67	-0.0 10	-2.5	2.5	PAS S
Ban d2	5	19175	25	#0	16QAM	NV	50	-27. 32	-0.0 14	-2.5	2.5	PAS S
Ban d2	10	18650	50	#0	QPSK	NV	-30	40.8 6	0.02 2	-2.5	2.5	PAS S
Ban d2	10	18650	50	#0	QPSK	NV	-20	25.6 3	0.01 4	-2.5	2.5	PAS S
Ban d2	10	18650	50	#0	QPSK	NV	-10	28.9 1	0.01 6	-2.5	2.5	PAS S
Ban d2	10	18650	50	#0	QPSK	NV	0	23.2 0	0.01 3	-2.5	2.5	PAS S
Ban d2	10	18650	50	#0	QPSK	NV	10	11.2 7	0.00 6	-2.5	2.5	PAS S
Ban d2	10	18650	50	#0	QPSK	NV	20	-0.5 4	0.00 0	-2.5	2.5	PAS S
Ban d2	10	18650	50	#0	QPSK	NV	30	-15. 23	-0.0 08	-2.5	2.5	PAS S
Ban d2	10	18650	50	#0	QPSK	NV	40	-29. 80	-0.0 16	-2.5	2.5	PAS S
Ban d2	10	18650	50	#0	QPSK	NV	50	-42. 69	-0.0 23	-2.5	2.5	PAS S
Ban d2	10	18650	50	#0	16QAM	NV	-30	-20. 97	-0.01 1	-2.5	2.5	PAS S
Ban d2	10	18650	50	#0	16QAM	NV	-20	-32. 74	-0.0 18	-2.5	2.5	PAS S



Ban d2	10	18650	50	#0	16QAM	NV	-10	-41. 33	-0.0 22	-2.5	2.5	PAS S
Ban d2	10	18650	50	#0	16QAM	NV	0	-41. 73	-0.0 22	-2.5	2.5	PAS S
Ban d2	10	18650	50	#0	16QAM	NV	10	5.22	0.00 3	-2.5	2.5	PAS S
Ban d2	10	18650	50	#0	16QAM	NV	20	-1.8 5	-0.0 01	-2.5	2.5	PAS S
Ban d2	10	18650	50	#0	16QAM	NV	30	-8.3 3	-0.0 04	-2.5	2.5	PAS S
Ban d2	10	18650	50	#0	16QAM	NV	40	-14. 38	-0.0 08	-2.5	2.5	PAS S
Ban d2	10	18650	50	#0	16QAM	NV	50	-21. 60	-0.0 12	-2.5	2.5	PAS S
Ban d2	10	18900	50	#0	QPSK	NV	-30	-6.2 1	-0.0 03	-2.5	2.5	PAS S
Ban d2	10	18900	50	#0	QPSK	NV	-20	-6.4 4	-0.0 03	-2.5	2.5	PAS S
Ban d2	10	18900	50	#0	QPSK	NV	-10	-8.0 8	-0.0 04	-2.5	2.5	PAS S
Ban d2	10	18900	50	#0	QPSK	NV	0	-12. 27	-0.0 07	-2.5	2.5	PAS S
Ban d2	10	18900	50	#0	QPSK	NV	10	-19. 67	-0.0 10	-2.5	2.5	PAS S
Ban d2	10	18900	50	#0	QPSK	NV	20	-23. 57	-0.0 13	-2.5	2.5	PAS S
Ban d2	10	18900	50	#0	QPSK	NV	30	-28. 31	-0.0 15	-2.5	2.5	PAS S
Ban d2	10	18900	50	#0	QPSK	NV	40	-34. 07	-0.0 18	-2.5	2.5	PAS S
Ban d2	10	18900	50	#0	QPSK	NV	50	-38. 95	-0.0 21	-2.5	2.5	PAS S
Ban d2	10	18900	50	#0	16QAM	NV	-30	-2.0 9	-0.0 01	-2.5	2.5	PAS S
Ban d2	10	18900	50	#0	16QAM	NV	-20	12.1 6	0.00 6	-2.5	2.5	PAS S
Ban d2	10	18900	50	#0	16QAM	NV	-10	9.77	0.00 5	-2.5	2.5	PAS S
Ban d2	10	18900	50	#0	16QAM	NV	0	6.35	0.00 3	-2.5	2.5	PAS S
Ban d2	10	18900	50	#0	16QAM	NV	10	5.44	0.00 3	-2.5	2.5	PAS S
Ban d2	10	18900	50	#0	16QAM	NV	20	4.68	0.00 2	-2.5	2.5	PAS S



Ban d2	10	18900	50	#0	16QAM	NV	30	3.20	0.00 2	-2.5	2.5	PAS S
Ban d2	10	18900	50	#0	16QAM	NV	40	2.68	0.00 1	-2.5	2.5	PAS S
Ban d2	10	18900	50	#0	16QAM	NV	50	2.70	0.00 1	-2.5	2.5	PAS S
Ban d2	10	19150	50	#0	QPSK	NV	-30	-1.6 9	-0.0 01	-2.5	2.5	PAS S
Ban d2	10	19150	50	#0	QPSK	NV	-20	-4.7 9	-0.0 03	-2.5	2.5	PAS S
Ban d2	10	19150	50	#0	QPSK	NV	-10	-12. 13	-0.0 06	-2.5	2.5	PAS S
Ban d2	10	19150	50	#0	QPSK	NV	0	-26. 61	-0.0 14	-2.5	2.5	PAS S
Ban d2	10	19150	50	#0	QPSK	NV	10	-40. 38	-0.0 21	-2.5	2.5	PAS S
Ban d2	10	19150	50	#0	QPSK	NV	20	-40. 07	-0.0 21	-2.5	2.5	PAS S
Ban d2	10	19150	50	#0	QPSK	NV	30	-20. 01	-0.01 1	-2.5	2.5	PAS S
Ban d2	10	19150	50	#0	QPSK	NV	40	-34. 02	-0.0 18	-2.5	2.5	PAS S
Ban d2	10	19150	50	#0	QPSK	NV	50	-11.8 9	-0.0 06	-2.5	2.5	PAS S
Ban d2	10	19150	50	#0	16QAM	NV	-30	-27. 98	-0.0 15	-2.5	2.5	PAS S
Ban d2	10	19150	50	#0	16QAM	NV	-20	-41. 33	-0.0 22	-2.5	2.5	PAS S
Ban d2	10	19150	50	#0	16QAM	NV	-10	-15. 59	-0.0 08	-2.5	2.5	PAS S
Ban d2	10	19150	50	#0	16QAM	NV	0	1.76	0.00 1	-2.5	2.5	PAS S
Ban d2	10	19150	50	#0	16QAM	NV	10	-4.5 2	-0.0 02	-2.5	2.5	PAS S
Ban d2	10	19150	50	#0	16QAM	NV	20	-11.5 0	-0.0 06	-2.5	2.5	PAS S
Ban d2	10	19150	50	#0	16QAM	NV	30	-18. 22	-0.0 10	-2.5	2.5	PAS S
Ban d2	10	19150	50	#0	16QAM	NV	40	-23. 36	-0.0 12	-2.5	2.5	PAS S
Ban d2	10	19150	50	#0	16QAM	NV	50	-28. 58	-0.0 15	-2.5	2.5	PAS S
Ban d2	15	18675	75	#0	QPSK	NV	-30	17.9 4	0.01 0	-2.5	2.5	PAS S



Ban d2	15	18675	75	#0	QPSK	NV	-20	37.8 8	0.02 0	-2.5	2.5	PAS S
Ban d2	15	18675	75	#0	QPSK	NV	-10	29.2 8	0.01 6	-2.5	2.5	PAS S
Ban d2	15	18675	75	#0	QPSK	NV	0	10.1 6	0.00 5	-2.5	2.5	PAS S
Ban d2	15	18675	75	#0	QPSK	NV	10	-12. 00	-0.0 06	-2.5	2.5	PAS S
Ban d2	15	18675	75	#0	QPSK	NV	20	-33. 99	-0.0 18	-2.5	2.5	PAS S
Ban d2	15	18675	75	#0	QPSK	NV	30	-12. 00	-0.0 06	-2.5	2.5	PAS S
Ban d2	15	18675	75	#0	QPSK	NV	40	-14. 99	-0.0 08	-2.5	2.5	PAS S
Ban d2	15	18675	75	#0	QPSK	NV	50	-24. 28	-0.0 13	-2.5	2.5	PAS S
Ban d2	15	18675	75	#0	16QAM	NV	-30	-17. 52	-0.0 09	-2.5	2.5	PAS S
Ban d2	15	18675	75	#0	16QAM	NV	-20	-33. 07	-0.0 18	-2.5	2.5	PAS S
Ban d2	15	18675	75	#0	16QAM	NV	-10	-44. 26	-0.0 24	-2.5	2.5	PAS S
Ban d2	15	18675	75	#0	16QAM	NV	0	-18.1 1	-0.0 10	-2.5	2.5	PAS S
Ban d2	15	18675	75	#0	16QAM	NV	10	11.1 7	0.00 6	-2.5	2.5	PAS S
Ban d2	15	18675	75	#0	16QAM	NV	20	3.58	0.00 2	-2.5	2.5	PAS S
Ban d2	15	18675	75	#0	16QAM	NV	30	-7.1 0	-0.0 04	-2.5	2.5	PAS S
Ban d2	15	18675	75	#0	16QAM	NV	40	-15. 19	-0.0 08	-2.5	2.5	PAS S
Ban d2	15	18675	75	#0	16QAM	NV	50	-24. 23	-0.0 13	-2.5	2.5	PAS S
Ban d2	15	18900	75	#0	QPSK	NV	-30	-15. 99	-0.0 09	-2.5	2.5	PAS S
Ban d2	15	18900	75	#0	QPSK	NV	-20	-15. 19	-0.0 08	-2.5	2.5	PAS S
Ban d2	15	18900	75	#0	QPSK	NV	-10	-19. 20	-0.0 10	-2.5	2.5	PAS S
Ban d2	15	18900	75	#0	QPSK	NV	0	-24. 08	-0.0 13	-2.5	2.5	PAS S
Ban d2	15	18900	75	#0	QPSK	NV	10	-31. 40	-0.0 17	-2.5	2.5	PAS S



Ban d2	15	18900	75	#0	QPSK	NV	20	-38. 08	-0.0 20	-2.5	2.5	PAS S
Ban d2	15	18900	75	#0	QPSK	NV	30	-43. 67	-0.0 23	-2.5	2.5	PAS S
Ban d2	15	18900	75	#0	QPSK	NV	40	-48. 84	-0.0 26	-2.5	2.5	PAS S
Ban d2	15	18900	75	#0	QPSK	NV	50	-53. 52	-0.0 28	-2.5	2.5	PAS S
Ban d2	15	18900	75	#0	16QAM	NV	-30	-10. 06	-0.0 05	-2.5	2.5	PAS S
Ban d2	15	18900	75	#0	16QAM	NV	-20	-13. 75	-0.0 07	-2.5	2.5	PAS S
Ban d2	15	18900	75	#0	16QAM	NV	-10	-14. 56	-0.0 08	-2.5	2.5	PAS S
Ban d2	15	18900	75	#0	16QAM	NV	0	-13. 03	-0.0 07	-2.5	2.5	PAS S
Ban d2	15	18900	75	#0	16QAM	NV	10	-11.3 3	-0.0 06	-2.5	2.5	PAS S
Ban d2	15	18900	75	#0	16QAM	NV	20	-10. 81	-0.0 06	-2.5	2.5	PAS S
Ban d2	15	18900	75	#0	16QAM	NV	30	-10. 24	-0.0 05	-2.5	2.5	PAS S
Ban d2	15	18900	75	#0	16QAM	NV	40	-10. 21	-0.0 05	-2.5	2.5	PAS S
Ban d2	15	18900	75	#0	16QAM	NV	50	-11.3 7	-0.0 06	-2.5	2.5	PAS S
Ban d2	15	19125	75	#0	QPSK	NV	-30	7.02	0.00 4	-2.5	2.5	PAS S
Ban d2	15	19125	75	#0	QPSK	NV	-20	0.90	0.00 0	-2.5	2.5	PAS S
Ban d2	15	19125	75	#0	QPSK	NV	-10	-18. 40	-0.0 10	-2.5	2.5	PAS S
Ban d2	15	19125	75	#0	QPSK	NV	0	-28. 21	-0.0 15	-2.5	2.5	PAS S
Ban d2	15	19125	75	#0	QPSK	NV	10	-10. 39	-0.0 05	-2.5	2.5	PAS S
Ban d2	15	19125	75	#0	QPSK	NV	20	-30. 31	-0.0 16	-2.5	2.5	PAS S
Ban d2	15	19125	75	#0	QPSK	NV	30	-38. 94	-0.0 20	-2.5	2.5	PAS S
Ban d2	15	19125	75	#0	QPSK	NV	40	-21. 44	-0.01 1	-2.5	2.5	PAS S
Ban d2	15	19125	75	#0	QPSK	NV	50	-8.3 7	-0.0 04	-2.5	2.5	PAS S



Ban d2	15	19125	75	#0	16QAM	NV	-30	-16. 35	-0.0 09	-2.5	2.5	PAS S
Ban d2	15	19125	75	#0	16QAM	NV	-20	-28. 30	-0.0 15	-2.5	2.5	PAS S
Ban d2	15	19125	75	#0	16QAM	NV	-10	-38. 92	-0.0 20	-2.5	2.5	PAS S
Ban d2	15	19125	75	#0	16QAM	NV	0	-42. 51	-0.0 22	-2.5	2.5	PAS S
Ban d2	15	19125	75	#0	16QAM	NV	10	-15. 56	-0.0 08	-2.5	2.5	PAS S
Ban d2	15	19125	75	#0	16QAM	NV	20	-21. 01	-0.01 1	-2.5	2.5	PAS S
Ban d2	15	19125	75	#0	16QAM	NV	30	-26. 97	-0.0 14	-2.5	2.5	PAS S
Ban d2	15	19125	75	#0	16QAM	NV	40	-33. 17	-0.0 17	-2.5	2.5	PAS S
Ban d2	15	19125	75	#0	16QAM	NV	50	-39. 21	-0.0 21	-2.5	2.5	PAS S
Ban d2	20	18700	10 0	#0	QPSK	NV	-30	22.6 7	0.01 2	-2.5	2.5	PAS S
Ban d2	20	18700	10 0	#0	QPSK	NV	-20	34.3 0	0.01 8	-2.5	2.5	PAS S
Ban d2	20	18700	10 0	#0	QPSK	NV	-10	25.9 4	0.01 4	-2.5	2.5	PAS S
Ban d2	20	18700	10 0	#0	QPSK	NV	0	6.68	0.00 4	-2.5	2.5	PAS S
Ban d2	20	18700	10 0	#0	QPSK	NV	10	-13. 32	-0.0 07	-2.5	2.5	PAS S
Ban d2	20	18700	10 0	#0	QPSK	NV	20	-32. 14	-0.0 17	-2.5	2.5	PAS S
Ban d2	20	18700	10 0	#0	QPSK	NV	30	-12. 20	-0.0 07	-2.5	2.5	PAS S
Ban d2	20	18700	10 0	#0	QPSK	NV	40	-19. 87	-0.01 1	-2.5	2.5	PAS S
Ban d2	20	18700	10 0	#0	QPSK	NV	50	-37. 81	-0.0 20	-2.5	2.5	PAS S
Ban d2	20	18700	10 0	#0	16QAM	NV	-30	-4.7 1	-0.0 03	-2.5	2.5	PAS S
Ban d2	20	18700	10 0	#0	16QAM	NV	-20	-17. 27	-0.0 09	-2.5	2.5	PAS S
Ban d2	20	18700	10 0	#0	16QAM	NV	-10	-26. 16	-0.0 14	-2.5	2.5	PAS S
Ban d2	20	18700	10 0	#0	16QAM	NV	0	-33. 13	-0.0 18	-2.5	2.5	PAS S



Ban d2	20	18700	10 0	#0	16QAM	NV	10	-38. 62	-0.0 21	-2.5	2.5	PAS S
Ban d2	20	18700	10 0	#0	16QAM	NV	20	-46. 02	-0.0 25	-2.5	2.5	PAS S
Ban d2	20	18700	10 0	#0	16QAM	NV	30	-48. 44	-0.0 26	-2.5	2.5	PAS S
Ban d2	20	18700	10 0	#0	16QAM	NV	40	-41. 38	-0.0 22	-2.5	2.5	PAS S
Ban d2	20	18700	10 0	#0	16QAM	NV	50	-11.8 4	-0.0 06	-2.5	2.5	PAS S
Ban d2	20	18900	10 0	#0	QPSK	NV	-30	-2.6 5	-0.0 01	-2.5	2.5	PAS S
Ban d2	20	18900	10 0	#0	QPSK	NV	-20	-1.8 0	-0.0 01	-2.5	2.5	PAS S
Ban d2	20	18900	10 0	#0	QPSK	NV	-10	-4.2 1	-0.0 02	-2.5	2.5	PAS S
Ban d2	20	18900	10 0	#0	QPSK	NV	0	-8.9 7	-0.0 05	-2.5	2.5	PAS S
Ban d2	20	18900	10 0	#0	QPSK	NV	10	-15. 06	-0.0 08	-2.5	2.5	PAS S
Ban d2	20	18900	10 0	#0	QPSK	NV	20	-20. 33	-0.01 1	-2.5	2.5	PAS S
Ban d2	20	18900	10 0	#0	QPSK	NV	30	-25. 78	-0.0 14	-2.5	2.5	PAS S
Ban d2	20	18900	10 0	#0	QPSK	NV	40	-32. 53	-0.0 17	-2.5	2.5	PAS S
Ban d2	20	18900	10 0	#0	QPSK	NV	50	-39. 17	-0.0 21	-2.5	2.5	PAS S
Ban d2	20	18900	10 0	#0	16QAM	NV	-30	-7.8 4	-0.0 04	-2.5	2.5	PAS S
Ban d2	20	18900	10 0	#0	16QAM	NV	-20	-8.1 5	-0.0 04	-2.5	2.5	PAS S
Ban d2	20	18900	10 0	#0	16QAM	NV	-10	-10. 36	-0.0 06	-2.5	2.5	PAS S
Ban d2	20	18900	10 0	#0	16QAM	NV	0	-8.2 7	-0.0 04	-2.5	2.5	PAS S
Ban d2	20	18900	10 0	#0	16QAM	NV	10	-9.7 1	-0.0 05	-2.5	2.5	PAS S
Ban d2	20	18900	10 0	#0	16QAM	NV	20	-5.3 4	-0.0 03	-2.5	2.5	PAS S
Ban d2	20	18900	10 0	#0	16QAM	NV	30	-3.5 9	-0.0 02	-2.5	2.5	PAS S
Ban d2	20	18900	10 0	#0	16QAM	NV	40	-1.6 6	-0.0 01	-2.5	2.5	PAS S




Ban d2	20	18900	10 0	#0	16QAM	NV	50	-0.2 3	0.00 0	-2.5	2.5	PAS S
Ban d2	20	19100	10 0	#0	QPSK	NV	-30	-7.7 4	-0.0 04	-2.5	2.5	PAS S
Ban d2	20	19100	10 0	#0	QPSK	NV	-20	-15. 22	-0.0 08	-2.5	2.5	PAS S
Ban d2	20	19100	10 0	#0	QPSK	NV	-10	-37. 38	-0.0 20	-2.5	2.5	PAS S
Ban d2	20	19100	10 0	#0	QPSK	NV	0	18.7 3	0.01 0	-2.5	2.5	PAS S
Ban d2	20	19100	10 0	#0	QPSK	NV	10	0.21	0.00 0	-2.5	2.5	PAS S
Ban d2	20	19100	10 0	#0	QPSK	NV	20	-20. 37	-0.01 1	-2.5	2.5	PAS S
Ban d2	20	19100	10 0	#0	QPSK	NV	30	-39. 20	-0.0 21	-2.5	2.5	PAS S
Ban d2	20	19100	10 0	#0	QPSK	NV	40	-9.6 1	-0.0 05	-2.5	2.5	PAS S
Ban d2	20	19100	10 0	#0	QPSK	NV	50	-27. 42	-0.0 14	-2.5	2.5	PAS S
Ban d2	20	19100	10 0	#0	16QAM	NV	-30	-19. 53	-0.0 10	-2.5	2.5	PAS S
Ban d2	20	19100	10 0	#0	16QAM	NV	-20	-31. 83	-0.0 17	-2.5	2.5	PAS S
Ban d2	20	19100	10 0	#0	16QAM	NV	-10	-40. 14	-0.0 21	-2.5	2.5	PAS S
Ban d2	20	19100	10 0	#0	16QAM	NV	0	-47. 15	-0.0 25	-2.5	2.5	PAS S
Ban d2	20	19100	10 0	#0	16QAM	NV	10	-54. 10	-0.0 28	-2.5	2.5	PAS S
Ban d2	20	19100	10 0	#0	16QAM	NV	20	1.95	0.00 1	-2.5	2.5	PAS S
Ban d2	20	19100	10 0	#0	16QAM	NV	30	-4.6 5	-0.0 02	-2.5	2.5	PAS S
Ban d2	20	19100	10 0	#0	16QAM	NV	40	-11.4 9	-0.0 06	-2.5	2.5	PAS S
Ban d2	20	19100	10 0	#0	16QAM	NV	50	-18. 00	-0.0 09	-2.5	2.5	PAS S

Appendix 3. Peak-to-Average Ratio


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band2	1.4	18607	1	#0	QPSK	1.96	13	PASS
Band2	1.4	18607	1	#0	16QAM	2.43	13	PASS
Band2	1.4	18900	1	#0	QPSK	2.58	13	PASS
Band2	1.4	18900	1	#0	16QAM	3.15	13	PASS
Band2	1.4	19193	1	#0	QPSK	3.75	13	PASS
Band2	1.4	19193	1	#0	16QAM	4.32	13	PASS
Band2	3	18615	1	#0	QPSK	2.06	13	PASS
Band2	3	18615	1	#0	16QAM	2.48	13	PASS
Band2	3	18900	1	#0	QPSK	2.82	13	PASS
Band2	3	18900	1	#0	16QAM	3.00	13	PASS
Band2	3	19185	1	#0	QPSK	3.15	13	PASS
Band2	3	19185	1	#0	16QAM	3.60	13	PASS
Band2	5	18625	1	#0	QPSK	2.14	13	PASS
Band2	5	18625	1	#0	16QAM	2.84	13	PASS
Band2	5	18900	1	#0	QPSK	2.73	13	PASS
Band2	5	18900	1	#0	16QAM	3.20	13	PASS
Band2	5	19175	1	#0	QPSK	3.07	13	PASS
Band2	5	19175	1	#0	16QAM	3.67	13	PASS
Band2	10	18650	1	#0	QPSK	2.18	13	PASS
Band2	10	18650	1	#0	16QAM	2.56	13	PASS
Band2	10	18900	1	#0	QPSK	3.32	13	PASS
Band2	10	18900	1	#0	16QAM	3.85	13	PASS
Band2	10	19150	1	#0	QPSK	4.53	13	PASS
Band2	10	19150	1	#0	16QAM	5.14	13	PASS
Band2	15	18675	1	#0	QPSK	2.23	13	PASS
Band2	15	18675	1	#0	16QAM	2.60	13	PASS
Band2	15	18900	1	#0	QPSK	4.11	13	PASS
Band2	15	18900	1	#0	16QAM	4.79	13	PASS
Band2	15	19125	1	#0	QPSK	5.12	13	PASS
Band2	15	19125	1	#0	16QAM	5.83	13	PASS
Band2	20	18700	1	#0	QPSK	2.06	13	PASS
Band2	20	18700	1	#0	16QAM	2.64	13	PASS
Band2	20	18900	1	#0	QPSK	4.80	13	PASS
Band2	20	18900	1	#0	16QAM	5.58	13	PASS
Band2	20	19100	1	#0	QPSK	5.19	13	PASS
Band2	20	19100	1	#0	16QAM	5.83	13	PASS



Band2 QPSK BW=1.4MHz Channel=18607 RB Size=1 Position=#0




Band2 16QAM BW=1.4MHz Channel=18607 RB Size=1 Position=#0






Band2 QPSK BW=1.4MHz Channel=18900 RB Size=1 Position=#0




Band2 16QAM BW=1.4MHz Channel=18900 RB Size=1 Position=#0





Band2 QPSK BW=1.4MHz Channel=19193 RB Size=1 Position=#0



Band2 16QAM BW=1.4MHz Channel=19193 RB Size=1 Position=#0

