


Inverted F Antenna Specification

Summary

ITEM	ANT SPEC						
Model Name	2.4G ANT						
Center Frequency	Horizontal			Vertical			
	2402MHz	2426MHz	2480MHz	2402MHz	2426MHz	2480MHz	
	-1.68	-1.05	-0.62	-5.98	-4.52	-3.60	
MAX. Gain	-0.62						
Polarization	Horizontal and Vertical						
Azimuth Beam Pattern	Omni-directional						
Impedance	50 Ohm						
Antenna Length	33.75mm						
Manufacture	ZHUHAI JIELI TECHNOLOGY CO.,LTD						

Antenna Photo & Length (mm)



Horizontal: 2402 MHz 2426 MHz 2480 MHz

Power (dBm)

Max: 0 Min: -40 Scale: 5/div



Frequency (MHz)	Gain(dB)		
	Max	Min	Avg
2402	-1.68253	-29.8654	-8.28375
2426	-1.145602	-35.7406	-7.28436
2480	-0.622875	-26.1352	-6.87628

Vertical: 2402 MHz 2426 MHz 2480 MHz

Power (dBm)

Max: 0 Min: -30 Scale: 5/div



Frequency (MHz)	Gain(dB)		
	Max	Min	Avg
2402	-6.0426	-23.9682	-12.9088
2426	-4.8158	-25.2747	-11.8524
2480	-3.54348	-27.6225	-10.7682

ANT Test Labs: Attestation of Global Compliance Co., Ltd.