



Date: 13.JUN.2024 20:42:04

11N20SISO_Ant1_5180




Date: 13.JUN.2024 20:48:16

11N20SISO_Ant1_5200




Date: 13.JUN.2024 20:52:49


11N20SISO_Ant1_5240




11N20SISO_Ant1_5745




11N20SISO_Ant1_5785




11N20SISO_Ant1_5825




11N40SISO_Ant1_5190




11N40SISO_Ant1_5230




11N40SISO_Ant1_5755




11N40SISO_Ant1_5795




11AC20SISO_Ant1_5180




11AC20SISO_Ant1_5200




11AC20SISO_Ant1_5240




11AC20SISO_Ant1_5745




11AC20SISO_Ant1_5785




11AC20SISO_Ant1_5825




11AC40SISO_Ant1_5190




11AC40SISO_Ant1_5230




11AC40SISO_Ant1_5755



11AC40SISO_Ant1_5795




11AX20SISO_Ant1_5180




Date: 13.JUN.2024 21:32:28

11AX20SISO_Ant1_5200




Date: 13.JUN.2024 21:36:40

11AX20SISO_Ant1_5240




Date: 13.JUN.2024 21:38:34


11AX20SISO_Ant1_5745




11AX20SISO_Ant1_5785




11AX20SISO_Ant1_5825




11AX40SISO_Ant1_5190




11AX40SISO_Ant1_5230



11AX40SISO_Ant1_5755



11AX40SISO_Ant1_5795



6. Band edge measurements

6.1. Test Result


TestMode	Antenna	ChName	Channel	Result[dBm]	Limit[dBm]	Verdict
11A	Ant1	Low	5180	-32.64	≤-27	PASS
		High	5240	-31.88	≤-27	PASS
11N20SISO	Ant1	Low	5180	-32.38	≤-27	PASS
		High	5240	-32.02	≤-27	PASS
11N40SISO	Ant1	Low	5190	-32.01	≤-27	PASS
		High	5230	-33.76	≤-27	PASS
11AC20SISO	Ant1	Low	5180	-32.8	≤-27	PASS
		High	5240	-32.79	≤-27	PASS
11AC40SISO	Ant1	Low	5190	-32	≤-27	PASS
		High	5230	-32.03	≤-27	PASS
11AX20SISO	Ant1	Low	5180	-31.73	≤-27	PASS
		High	5240	-31.92	≤-27	PASS
11AX40SISO	Ant1	Low	5190	-32.1	≤-27	PASS
		High	5230	-32.52	≤-27	PASS

TestMode	Antenna	ChName	Channel	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5745	5650~5700	-32.99	≤-26.01	PASS
				5700~5720	-32.99	≤13.55	PASS
				5720~5725	-24.21	≤27.00	PASS
				5760~5650	-32.66	≤-27	PASS
		High	5825	5850~5855	-33.02	≤26.06	PASS
				5855~5875	-34.57	≤11.36	PASS
				5875~5925	-34.23	≤-15.32	PASS
				5925~5935	-35.48	≤-27	PASS
11N20SISO	Ant1	Low	5745	5650~5700	-33.18	≤-19.23	PASS
				5700~5720	-33.51	≤12.85	PASS
				5720~5725	-23.96	≤27.00	PASS
				5760~5650	-32.92	≤-27	PASS
		High	5825	5850~5855	-32.83	≤17.58	PASS
				5855~5875	-34.51	≤15.09	PASS
				5875~5925	-33.84	≤-5.33	PASS
				5925~5935	-34.49	≤-27	PASS
11N40SISO	Ant1	Low	5755	5650~5700	-32.88	≤-9.85	PASS
				5700~5720	-27.2	≤15.58	PASS
				5720~5725	-23.92	≤26.16	PASS
		High	5795	5780~5650	-31.64	≤-27	PASS
				5850~5855	-34.67	≤15.85	PASS
				5855~5875	-33.84	≤13.38	PASS

				5875~5925	-33.83	≤-9.32	PASS
				5925~5935	-34.54	≤-27	PASS
11AC20SIS O	Ant1	Low	5745	5650~5700	-33.05	≤-15.90	PASS
				5700~5720	-28.53	≤15.55	PASS
				5720~5725	-24.02	≤25.10	PASS
				5760~5650	-32.23	≤-27	PASS
	High	5825	5850~5855	-32.13	≤26.95	PASS	
			5855~5875	-32.19	≤10.05	PASS	
			5875~5925	-35.21	≤7.84	PASS	
			5925~5935	-34.66	≤-27	PASS	
11AC40SIS O	Ant1	Low	5755	5650~5700	-30.74	≤-13.18	PASS
				5700~5720	-22.77	≤15.53	PASS
				5720~5725	-18.85	≤26.60	PASS
				5780~5650	-31.45	≤-27	PASS
	High	5795	5850~5855	-34.77	≤22.39	PASS	
			5855~5875	-34.68	≤13.38	PASS	
			5875~5925	-33.69	≤9.61	PASS	
			5925~5935	-35.23	≤-27	PASS	
11AX20SIS O	Ant1	Low	5745	5650~5700	-31.2	≤-24.66	PASS
				5700~5720	-26.34	≤15.60	PASS
				5720~5725	-20.35	≤27.00	PASS
				5760~5650	-30.57	≤-27	PASS
	High	5825	5850~5855	-32.75	≤18.03	PASS	
			5855~5875	-33	≤10.16	PASS	
			5875~5925	-33.94	≤8.71	PASS	
			5925~5935	-33.88	≤-27	PASS	
11AX40SIS O	Ant1	Low	5755	5650~5700	-31.13	≤3.61	PASS
				5700~5720	-23.03	≤14.71	PASS
				5720~5725	-20.46	≤26.60	PASS
				5780~5650	-30.71	≤-27	PASS
	High	5795	5850~5855	-33.26	≤26.21	PASS	
			5855~5875	-33.52	≤13.92	PASS	
			5875~5925	-33.45	≤7.84	PASS	
			5925~5935	-34	≤-27	PASS	


6.2. Test Graphs






Date: 13.JUN.2024 20:48:36

11N20SISO_Ant1_High_5240






Date: 13.JUN.2024 20:55:59


11N40SISO_Ant1_Low_5190




Date: 13.JUN.2024 21:54:41

11N40SISO_Ant1_High_5230







11AC40SISO_Ant1_High_5230




11AX20SISO_Ant1_Low_5180




11AX20SISO_Ant1_High_5240




11AX40SISO_Ant1_Low_5190




11AX40SISO_Ant1_High_5230




11A_Ant1_Low_5745






11A_Ant1_High_5825




11N20SISO_Ant1_Low_5745



11N20SISO_Ant1_High_5825




11AC20SISO_Ant1_Low_5745




Date: 13.JUN.2024 21:22:45

11AC20SISO_Ant1_High_5825




Date: 13.JUN.2024 21:28:59

11AC40SISO_Ant1_Low_5755




Date: 14.JUN.2024 09:06:51

11AC40SISO_Ant1_High_5795




Date: 14.JUN.2024 09:14:28

11AX20SISO_Ant1_Low_5745




Date: 13.JUN.2024 21:52:09

11AX20SISO_Ant1_High_5825




Date: 13.JUN.2024 21:49:59

11AX40SISO_Ant1_Low_5755



11AX40SISO_Ant1_High_5795



7. Emissions in Restricted Bands

7.1. Test Result

TestMode	Antenna	ChName	Channel	Detector	Freq [MHz]	EIRP [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5180	AV	4500.000	-47.43	≤-41.20	PASS
				AV	5149.275	-42.15	≤-41.20	PASS
				AV	5150.000	-41.44	≤-41.20	PASS
				Peak	4500.000	-37.32	≤-21.20	PASS
				Peak	5149.275	-26.44	≤-21.20	PASS
				Peak	5150.000	-25.26	≤-21.20	PASS
		High	5240	AV	5350.000	-43.71	≤-41.20	PASS
				AV	5448.870	-42.51	≤-41.20	PASS
				AV	5460.000	-43.19	≤-41.20	PASS
				Peak	5350.000	-35.23	≤-21.20	PASS
				Peak	5378.261	-31.8	≤-21.20	PASS
				Peak	5460.000	-33.42	≤-21.20	PASS
		Low	5745	AV	5650.000	-42.56	≤-27.00	PASS
				AV	5700.000	-44.48	≤10.00	PASS
				AV	5720.000	-43.34	≤15.60	PASS
				AV	5725.000	-35.94	≤27.00	PASS
				Peak	5650.000	-32.79	≤-27.00	PASS
				Peak	5700.000	-35.29	≤10.00	PASS
				Peak	5720.000	-30.42	≤15.60	PASS
				Peak	5725.000	-24.77	≤27.00	PASS
		High	5825	AV	5850.000	-42.55	≤27.00	PASS
				AV	5855.000	-43.48	≤15.60	PASS
				AV	5875.000	-45.36	≤10.00	PASS
				AV	5925.000	-44.8	≤-27.00	PASS
Peak	5850.000			-33.26	≤27.00	PASS		
Peak	5855.000			-34.55	≤15.60	PASS		
Peak	5875.000			-37.07	≤10.00	PASS		
Peak	5925.000			-34.9	≤-27.00	PASS		
11N20SISO	Ant1	Low	5180	AV	4500.000	-46.84	≤-41.20	PASS
				AV	4916.957	-44.23	≤-41.20	PASS
				AV	5150.000	-44.21	≤-41.20	PASS
				Peak	4500.000	-36.06	≤-21.20	PASS
				Peak	5149.275	-31.31	≤-21.20	PASS
				Peak	5150.000	-32.26	≤-21.20	PASS
		High	5240	AV	5350.000	-44.36	≤-41.20	PASS
				AV	5451.652	-42.65	≤-41.20	PASS
				AV	5460.000	-43.19	≤-41.20	PASS
				Peak	5350.000	-35.83	≤-21.20	PASS
Peak	5441.217	-32.17	≤-21.20	PASS				

	Low	5745	Peak	5460.000	-33.72	≤-21.20	PASS	
			AV	5650.000	-42.6	≤-27.00	PASS	
			AV	5700.000	-44.49	≤10.00	PASS	
			AV	5720.000	-42.36	≤15.60	PASS	
			AV	5725.000	-34.67	≤27.00	PASS	
			Peak	5650.000	-33.87	≤-27.00	PASS	
			Peak	5700.000	-36.02	≤10.00	PASS	
			Peak	5720.000	-32.42	≤15.60	PASS	
		Peak	5725.000	-19.34	≤27.00	PASS		
		High	5825	AV	5850.000	-42.33	≤27.00	PASS
				AV	5855.000	-42.67	≤15.60	PASS
				AV	5875.000	-45.44	≤10.00	PASS
				AV	5925.000	-44.22	≤-27.00	PASS
				Peak	5850.000	-32.71	≤27.00	PASS
	Peak			5855.000	-34.31	≤15.60	PASS	
	11N40SISO	Low	5190	AV	4500.000	-45.86	≤-41.20	PASS
				AV	5078.261	-42.61	≤-41.20	PASS
				AV	5150.000	-43.31	≤-41.20	PASS
				Peak	4500.000	-36.22	≤-21.20	PASS
				Peak	4904.783	-31.44	≤-21.20	PASS
				Peak	5150.000	-32.54	≤-21.20	PASS
				High	5230	AV	5350.000	-44.76
		AV	5453.594			-42.81	≤-41.20	PASS
		AV	5460.000			-43.34	≤-41.20	PASS
		Peak	5350.000			-34.82	≤-21.20	PASS
		Peak	5447.565			-32.57	≤-21.20	PASS
		Peak	5460.000			-34.33	≤-21.20	PASS
		Ant1	Low	5755	AV	5650.000	-43.07	≤-27.00
AV					5700.000	-44.02	≤10.00	PASS
AV	5720.000				-39.57	≤15.60	PASS	
AV	5725.000				-36.55	≤27.00	PASS	
Peak	5650.000				-35.14	≤-27.00	PASS	
Peak	5700.000				-34.92	≤10.00	PASS	
Peak	5720.000				-27.12	≤15.60	PASS	
Peak	5725.000				-18.99	≤27.00	PASS	
High	5795		AV	5850.000	-44.36	≤27.00	PASS	
			AV	5855.000	-44.67	≤15.60	PASS	
			AV	5875.000	-44.83	≤10.00	PASS	
			AV	5925.000	-44.14	≤-27.00	PASS	
			Peak	5850.000	-35.44	≤27.00	PASS	
			Peak	5855.000	-36.2	≤15.60	PASS	
Peak	5875.000	-36.26	≤10.00	PASS				
Peak	5925.000	-35.05	≤-27.00	PASS				

11AC20SIS O	Ant1	Low	5180	AV	4500.000	-46.67	≤-41.20	PASS
				AV	5149.275	-43.96	≤-41.20	PASS
				AV	5150.000	-44.09	≤-41.20	PASS
				Peak	4500.000	-36.6	≤-21.20	PASS
				Peak	4867.246	-32.33	≤-21.20	PASS
				Peak	5150.000	-33.02	≤-21.20	PASS
		High	5240	AV	5350.000	-43.75	≤-41.20	PASS
				AV	5446.783	-42.36	≤-41.20	PASS
				AV	5460.000	-43.74	≤-41.20	PASS
				Peak	5350.000	-34.28	≤-21.20	PASS
				Peak	5447.130	-32.47	≤-21.20	PASS
				Peak	5460.000	-34.05	≤-21.20	PASS
	Low	5745	AV	5650.000	-42.71	≤-27.00	PASS	
			AV	5700.000	-44.42	≤10.00	PASS	
			AV	5720.000	-42.74	≤15.60	PASS	
			AV	5725.000	-35.5	≤27.00	PASS	
			Peak	5650.000	-33.43	≤-27.00	PASS	
			Peak	5700.000	-34.33	≤10.00	PASS	
			Peak	5720.000	-30.89	≤15.60	PASS	
			Peak	5725.000	-21.91	≤27.00	PASS	
	High	5825	AV	5850.000	-42.33	≤27.00	PASS	
			AV	5855.000	-42.89	≤15.60	PASS	
			AV	5875.000	-45.16	≤10.00	PASS	
			AV	5925.000	-44.44	≤-27.00	PASS	
Peak			5850.000	-32.67	≤27.00	PASS		
Peak			5855.000	-34.3	≤15.60	PASS		
Peak			5875.000	-36.08	≤10.00	PASS		
Peak			5925.000	-35.44	≤-27.00	PASS		
11AC40SIS O	Ant1	Low	5190	AV	4500.000	-46.42	≤-41.20	PASS
				AV	5078.261	-43.16	≤-41.20	PASS
				AV	5150.000	-43.53	≤-41.20	PASS
				Peak	4500.000	-34.38	≤-21.20	PASS
				Peak	4863.188	-32.07	≤-21.20	PASS
				Peak	5150.000	-32.79	≤-21.20	PASS
		High	5230	AV	5350.000	-44.48	≤-41.20	PASS
				AV	5448.319	-42.42	≤-41.20	PASS
	AV			5460.000	-43.53	≤-41.20	PASS	
	Peak			5350.000	-35.89	≤-21.20	PASS	
	Low	5755	Peak	5448.319	-32.42	≤-21.20	PASS	
			Peak	5460.000	-34.7	≤-21.20	PASS	
			AV	5650.000	-41.83	≤-27.00	PASS	
			AV	5700.000	-42.44	≤10.00	PASS	
	Low	5755	AV	5720.000	-35.3	≤15.60	PASS	
			AV	5725.000	-31.95	≤27.00	PASS	
Peak			5650.000	-32.1	≤-27.00	PASS		
Peak			5650.000	-32.1	≤-27.00	PASS		

		High	5795	Peak	5700.000	-32.24	≤10.00	PASS
				Peak	5720.000	-20.2	≤15.60	PASS
				Peak	5725.000	-17.79	≤27.00	PASS
				AV	5850.000	-44.9	≤27.00	PASS
				AV	5855.000	-44.79	≤15.60	PASS
				AV	5875.000	-44.2	≤10.00	PASS
				AV	5925.000	-44.35	≤-27.00	PASS
				Peak	5850.000	-35.12	≤27.00	PASS
				Peak	5855.000	-36.1	≤15.60	PASS
				Peak	5875.000	-35.88	≤10.00	PASS
11AX20SIS O	Ant1	Low	5180	AV	4500.000	-46.73	≤-41.20	PASS
				AV	4921.014	-43.95	≤-41.20	PASS
				AV	5150.000	-44.1	≤-41.20	PASS
				Peak	4500.000	-36.47	≤-21.20	PASS
				Peak	4958.551	-31.75	≤-21.20	PASS
				Peak	5150.000	-32.24	≤-21.20	PASS
				AV	5350.000	-44.21	≤-41.20	PASS
				AV	5454.087	-42.09	≤-41.20	PASS
				AV	5460.000	-43.04	≤-41.20	PASS
				Peak	5350.000	-35.61	≤-21.20	PASS
		Peak	5453.391	-31.91	≤-21.20	PASS		
		Peak	5460.000	-34.37	≤-21.20	PASS		
		AV	5650.000	-42.1	≤-27.00	PASS		
		AV	5700.000	-44.17	≤10.00	PASS		
		AV	5720.000	-40.63	≤15.60	PASS		
		AV	5725.000	-34.79	≤27.00	PASS		
		Peak	5650.000	-31.99	≤-27.00	PASS		
		Peak	5700.000	-34.5	≤10.00	PASS		
		Peak	5720.000	-27.06	≤15.60	PASS		
		Peak	5725.000	-21.42	≤27.00	PASS		
High	5825	AV	5850.000	-41.91	≤27.00	PASS		
		AV	5855.000	-43.21	≤15.60	PASS		
		AV	5875.000	-45.13	≤10.00	PASS		
		AV	5925.000	-44.27	≤-27.00	PASS		
		Peak	5850.000	-33.42	≤27.00	PASS		
		Peak	5855.000	-33.05	≤15.60	PASS		
		Peak	5875.000	-36.44	≤10.00	PASS		
		Peak	5925.000	-35.55	≤-27.00	PASS		
11AX40SIS O	Ant1	Low	5190	AV	4500.000	-46.13	≤-41.20	PASS
				AV	5079.275	-43	≤-41.20	PASS
				AV	5150.000	-43.15	≤-41.20	PASS
				Peak	4500.000	-36.97	≤-21.20	PASS
				Peak	4901.739	-32	≤-21.20	PASS
				Peak	5150.000	-30.31	≤-21.20	PASS


	High	5230	AV	5350.000	-44.71	≤-41.20	PASS
			AV	5449.072	-42.08	≤-41.20	PASS
			AV	5460.000	-42.86	≤-41.20	PASS
			Peak	5350.000	-36.88	≤-21.20	PASS
			Peak	5439.652	-32.6	≤-21.20	PASS
			Peak	5460.000	-35.05	≤-21.20	PASS
	Low	5755	AV	5650.000	-42.1	≤-27.00	PASS
			AV	5700.000	-41.59	≤10.00	PASS
			AV	5720.000	-34.34	≤15.60	PASS
			AV	5725.000	-32.47	≤27.00	PASS
			Peak	5650.000	-32.52	≤-27.00	PASS
			Peak	5700.000	-32.63	≤10.00	PASS
			Peak	5720.000	-21.69	≤15.60	PASS
			Peak	5725.000	-20.67	≤27.00	PASS
	High	5795	AV	5850.000	-44.23	≤27.00	PASS
			AV	5855.000	-44.27	≤15.60	PASS
			AV	5875.000	-44.72	≤10.00	PASS
			AV	5925.000	-44.35	≤-27.00	PASS
			Peak	5850.000	-35.28	≤27.00	PASS
			Peak	5855.000	-36.09	≤15.60	PASS
			Peak	5875.000	-34.58	≤10.00	PASS
			Peak	5925.000	-34.59	≤-27.00	PASS

Note:

1. The Antenna Gain is compensated in the graph.
2. For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.
3. The Duty Cycle Factor is compensated in the graph.


7.2. Test Graphs






Date: 13.JUN.2024 20:27:29

11A_Ant1_High_5240_Peak




Date: 13.JUN.2024 20:27:07

11A_Ant1_Low_5745_AV




Date: 13.JUN.2024 20:32:35

11A_Ant1_Low_5745_Peak




Date: 13.JUN.2024 20:32:12

11A_Ant1_High_5825_AV




Date: 13.JUN.2024 20:43:35

11A_Ant1_High_5825_Peak




Date: 13.JUN.2024 20:43:12

11N20SISO_Ant1_Low_5180_AV




Date: 13.JUN.2024 20:49:44

11N20SISO_Ant1_Low_5180_Peak




Date: 13.JUN.2024 20:49:22

11N20SISO_Ant1_High_5240_AV




Date: 13.JUN.2024 20:57:07


11N20SISO_Ant1_High_5240_Peak




11N20SISO_Ant1_Low_5745_AV



11N20SISO_Ant1_Low_5745_Peak



11N20SISO_Ant1_High_5825_AV




Date: 13.JUN.2024 21:07:47

11N20SISO_Ant1_High_5825_Peak




Date: 13.JUN.2024 21:07:24

11N40SISO_Ant1_Low_5190_AV




Date: 13.JUN.2024 21:55:49

11N40SISO_Ant1_Low_5190_Peak




Date: 13.JUN.2024 21:55:27

11N40SISO_Ant1_High_5230_AV




Date: 14.JUN.2024 08:49:39

11N40SISO_Ant1_High_5230_Peak




Date: 14.JUN.2024 08:49:17

11N40SISO_Ant1_Low_5755_AV




Date: 14.JUN.2024 08:55:21

11N40SISO_Ant1_Low_5755_Peak






Date: 14.JUN.2024 08:54:57


11N40SISO_Ant1_High_5795_AV




Date: 14.JUN.2024 09:01:06

11N40SISO_Ant1_High_5795_Peak







11AC20SISO_Ant1_High_5240_Peak




11AC20SISO_Ant1_Low_5745_AV




11AC20SISO_Ant1_Low_5745_Peak




11AC20SISO_Ant1_High_5825_AV



11AC20SISO_Ant1_High_5825_Peak




11AC40SISO_Ant1_Low_5190_AV




Date: 14.JUN.2024 09:32:28

11AC40SISO_Ant1_Low_5190_Peak




Date: 14.JUN.2024 09:32:06

11AC40SISO_Ant1_High_5230_AV




Date: 14.JUN.2024 09:36:33

11AC40SISO_Ant1_High_5230_Peak




Date: 14.JUN.2024 09:36:11

11AC40SISO_Ant1_Low_5755_AV



Date: 14.JUN.2024 09:08:04

11AC40SISO_Ant1_Low_5755_Peak



Date: 14.JUN.2024 09:07:40

11AC40SISO_Ant1_High_5795_AV