

RF Exposure Report

For

Applicant Name:

Address:

EUT Name: Brand Name: Model Number: Series Model Number:

PHROZEN TECH CO.,LTD.

3F., NO.287, NIUPU RD., XIANGSHAN DIST., HSINCHU CITY 30091, TAIWAN Phrozen Lumii DLP 3D Printer **phrozen** Phrozen Lumii DLP 3D Printer

Phrozen Lumii DLP 3D Printer Refer to section 2

Issued By

Company Name:

BTF Testing Lab (Shenzhen) Co., Ltd. F101, 201 and 301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Street, Bao'an District, Shenzhen,

Address:

Report Number: Test Standards: FCC ID: Test Conclusion: Test Date: Date of Issue:

Tested by

Prepared By:

Date:

Approved By:

Date:

BTF240412R00202 47 CFR Part 2 Subpart J Section 2.1091 2BCTP-LUMIIDLP Pass 2024-04-14 to 2024-07-20 2024-07-20

China

Ssxx.guo/ Test engineer

Ale the Ace Xie V adin 2024 Ryan.CJ nager 2024-07-20

Note: All the test results in this report only related to the testing samples. Which can be duplicated completely for the legal use with approval of applicant; it shall not be reproduced except in full without the written approval of BTF Testing Lab (Shenzhen) Co., Ltd., All the objections should be raised within thirty days from the date of issue. To validate the report, you can contact us.



Revision History				
Version	Issue Date	Revisions Content		
R_V0	2024-07-20	Original		
100 C				
Note:	Once the revision has	Once the revision has been made, then previous versions reports are invalid.		






Table of Contents

1.	Introd	uction	
	1.1	Identification of Testing Laboratory	4
	1.2	Identification of the Responsible Testing Location	4
	1.3	Laboratory Condition	
	1.4	Announcement	4
2.	Produ	ict Information	5
	2.1	Application Information	5
	2.2	Manufacturer Information	5
	2.3	Factory Information	5
	2.4	General Description of Equipment under Test (EUT)	5
3.	REQU	JIREMENT	
	3.1	Assessment Result	6



1. Introduction

1.1 Identification of Testing Laboratory

Company Name: BTF Testing Lab (Shenzhen) Co., Ltd.	
Address: F101, 201 and 301, Building 1, Block 2, Tantou Industrial Park, Community, Songgang Street, Bao'an District, Shenzhen, Chin	
Phone Number: +86-0755-23146130	
Fax Number:	+86-0755-23146130

1.2 Identification of the Responsible Testing Location

Test Location:	BTF Testing Lab (Shenzhen) Co., Ltd.		
Address:	F101, 201 and 301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Street, Bao'an District, Shenzhen, China		
Description:	All measurement facilities used to collect the measurement data are located at F101,201 and 301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Street, Bao'an District, Shenzhen, China		
FCC Registration Number:	518915		
Designation Number:	CN1330		

1.3 Laboratory Condition

Ambient Temperature:	20℃ to 25℃
Ambient Relative Humidity:	45% to 55%
Ambient Pressure:	100 kPa to 102 kPa

1.4 Announcement

- (1) The test report reference to the report template version v0.
- (2) The test report is invalid if not marked with the signatures of the persons responsible for preparing, reviewing and approving the test report.
- (3) The test report is invalid if there is any evidence and/or falsification.
- (4) This document may not be altered or revised in any way unless done so by BTF and all revisions are duly noted in the revisions section.
- (5) Content of the test report, in part or in full, cannot be used for publicity and/or promotional purposes without prior written approval from the laboratory.
- (6) The laboratory is only responsible for the data released by the laboratory, except for the part provided by the applicant.



2. Product Information

2.1 Application Information

Company Name: PHROZEN TECH CO.,LTD.	
Address:	3F., NO.287, NIUPU RD., XIANGSHAN DIST., HSINCHU CITY 30091, TAIWAN

2.2 Manufacturer Information

Company Name:	PHROZEN TECH CO.,LTD.
Address:	3F., NO.287, NIUPU RD., XIANGSHAN DIST., HSINCHU CITY 30091, TAIWAN

2.3 Factory Information

Company Name:	DONGGUAN CITY PHROZEN TECH CO.,LTD.
Address:	Room 601,No.28,Xinhong Road,Lincun,Tangxia Town,Dongguan City,Guangdong Province, China

2.4 General Description of Equipment under Test (EUT)

EUT Name	Phrozen Lumii DLP 3D Printer
Under Test Model Name	Phrozen Lumii DLP 3D Printer
Series Model Name	N/A
Description of Model name differentiation	N/A
Hardware Version	N/A
Software and Firmware Version	N/A



3. Test Requirement

The criteria listed in the following table shall be used to evaluate the environment impact of human exposure to radio frequency (RF) radiation as specified in 1.1307(b), Limits for Maximum Permissible Exposure (MPE),

Frequency range	Electric field	Magnetic field strength	Power density	Averaging time		
(MHz)	strength(V/m)	(A/m)	(mW/cm ²)	(minutes)		
	(A) Limits f	or Occupational/Controlled	Exposures			
0.3-3.0	614	1.63	*(100)	6		
3.0-30	1842/f	4.89/f	*(900/f ²)	6		
30-300	61.4	0.163	1.0	6		
300-1500	-	-	f/300	6		
1500-100,000	-	-	5	6		
(B) Limits for General Population/Uncontrolled Exposure						
0.3-1.34	614	1.63	*(100)	30		
1.34-30	824/f	2.19/f	*(180/f ²)	30		
30-300 27.5		0.073	0.2	30		
300–1500	-	-	f/1500	30		
1500-100,000	-	-	1.0	30		
300–1500	-	0.073 - -	f/1500	30		

Note: f = frequency in MHz

EVALUATION METHOD

Transmission formula: Pd = (Pout*G)/(4*pi*r²)

Where

Pd = power density in mW/cm², **Pout** = output power to antenna in mW, **G** = gain of antenna in linear scale; **Pi** = 3.1416, **R** = distance between observation point and center of the radiator in cm

3.1 Assessment Result

⊠ Passed

Not Applicable

Frequency (MHz)	Туре	Conducted Power (dBm)	Maximum Tune- up (dBm)	Power Density (mW/cm2)	Limit (mW/cm2)	Result
2462	802.11n (HT20)	16.83	17	0.010	1.0000	ⁱ Pass

Note: The exposure evaluation safety distance is 20cm.



Test Report Number: BTF240412R00202



BTF Testing Lab (Shenzhen) Co., Ltd.

F101, 201 and 301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Street, Bao'an District, Shenzhen, China

www.btf-lab.com

--END OF REPORT--