



## Appendix A

### RF Test Data for BT (Conducted Measurement)

Product Name: Wireless earphone

Test Model: BHD-TW13

#### Environmental Conditions

Temperature:	23.8°C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Paddi Chen
Supervised by:	Nick Peng





### A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	0.844	N/A	Pass
NVNT	1-DH5	2441	Ant1	0.809	N/A	Pass
NVNT	1-DH5	2480	Ant1	0.842	N/A	Pass
NVNT	2-DH5	2402	Ant1	1.279	N/A	Pass
NVNT	2-DH5	2441	Ant1	1.261	N/A	Pass
NVNT	2-DH5	2480	Ant1	1.268	N/A	Pass
NVNT	3-DH5	2402	Ant1	1.242	N/A	Pass
NVNT	3-DH5	2441	Ant1	1.282	N/A	Pass
NVNT	3-DH5	2480	Ant1	1.284	N/A	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity



Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1





-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1





-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1



-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1





-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1





-20dB Bandwidth NVNT 3-DH5 2480MHz Ant1





## A.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	-1.51	21	Pass
NVNT	1-DH5	2441	Ant1	-1.99	21	Pass
NVNT	1-DH5	2480	Ant1	-1.64	21	Pass
NVNT	2-DH5	2402	Ant1	-2.18	21	Pass
NVNT	2-DH5	2441	Ant1	-2.76	21	Pass
NVNT	2-DH5	2480	Ant1	-1.71	21	Pass
NVNT	3-DH5	2402	Ant1	-2.15	21	Pass
NVNT	3-DH5	2441	Ant1	-2.7	21	Pass
NVNT	3-DH5	2480	Ant1	-1.73	21	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity






Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1






Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1






Power NVNT 2-DH5 2441MHz Ant1




Power NVNT 2-DH5 2480MHz Ant1






Power NVNT 3-DH5 2402MHz Ant1




Power NVNT 3-DH5 2441MHz Ant1





Power NVNT 3-DH5 2480MHz Ant1





### A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2402.01	2403.01	1	0.563	Pass
NVNT	2-DH5	Ant1	2402.16	2403.158	0.998	0.853	Pass
NVNT	3-DH5	Ant1	2402.16	2403.162	1.002	0.856	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity




Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1




CFS NVNT 2-DH5 2402MHz Ant1





CFS NVNT 3-DH5 2402MHz Ant1







### A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.882	293.964	102	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.882	293.964	102	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.886	294.372	102	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity




Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant1 One Burst




Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2402MHz Ant1 One Burst




Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2402MHz Ant1 One Burst



Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated





## A.5 Number of Hopping Channel


Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass






Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1




Hopping No. NVNT 2-DH5 2402MHz Ant1





Hopping No. NVNT 3-DH5 2402MHz Ant1





## A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-54.69	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-53.98	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-53.05	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-53.9	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-54.35	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-55.02	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity






Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission





### (Hopping)

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-53.07	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-53.83	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-52.86	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-54.18	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-53.04	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-54.1	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity




Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission








Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission





### A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-52.08	-20	Pass
NVNT	1-DH5	2441	Ant1	-52.29	-20	Pass
NVNT	1-DH5	2480	Ant1	-53.16	-20	Pass
NVNT	2-DH5	2402	Ant1	-52.63	-20	Pass
NVNT	2-DH5	2441	Ant1	-51.34	-20	Pass
NVNT	2-DH5	2480	Ant1	-53.1	-20	Pass
NVNT	3-DH5	2402	Ant1	-52.28	-20	Pass
NVNT	3-DH5	2441	Ant1	-52.37	-20	Pass
NVNT	3-DH5	2480	Ant1	-51.92	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission








Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





### A.8 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant1	76.88	1.14	0.35
NVNT	1-DH5	2441	Ant1	76.91	1.14	0.35
NVNT	1-DH5	2480	Ant1	76.88	1.14	0.35
NVNT	2-DH5	2402	Ant1	76.96	1.14	0.35
NVNT	2-DH5	2441	Ant1	76.96	1.14	0.35
NVNT	2-DH5	2480	Ant1	76.96	1.14	0.35
NVNT	3-DH5	2402	Ant1	77.01	1.13	0.35
NVNT	3-DH5	2441	Ant1	77.01	1.13	0.35
NVNT	3-DH5	2480	Ant1	77.01	1.13	0.35




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity






Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant1




Duty Cycle NVNT 1-DH5 2441MHz Ant1






Duty Cycle NVNT 1-DH5 2480MHz Ant1




Duty Cycle NVNT 2-DH5 2402MHz Ant1






Duty Cycle NVNT 2-DH5 2441MHz Ant1




Duty Cycle NVNT 2-DH5 2480MHz Ant1






Duty Cycle NVNT 3-DH5 2402MHz Ant1




Duty Cycle NVNT 3-DH5 2441MHz Ant1





Duty Cycle NVNT 3-DH5 2480MHz Ant1





## A.9 Restrict Band


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-48.79	2.5	-	48.97	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-58.4	2.5	1.14	40.5	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2350.416	-47.17	2.5	-	50.59	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2387.376	-57.51	2.5	1.14	41.39	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-51.01	2.5	-	46.75	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-58.17	2.5	1.14	40.73	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-49.03	2.5	-	48.73	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-58.15	2.5	1.14	40.75	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2495.584	-46.44	2.5	-	51.32	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2496.616	-57.09	2.5	1.14	41.81	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-50.01	2.5	-	47.75	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-58.09	2.5	1.14	40.81	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-49.54	2.5	-	48.22	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-58.35	2.5	1.14	40.55	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2324.112	-47.18	2.5	-	50.58	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2378.544	-57.4	2.5	1.14	41.5	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-49.63	2.5	-	48.13	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-58	2.5	1.14	40.9	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-48.4	2.5	-	49.36	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-57.8	2.5	1.14	41.1	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2491.84	-47.14	2.5	-	50.62	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2486.656	-57.15	2.5	1.14	41.75	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-50.44	2.5	-	47.32	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-57.93	2.5	1.14	40.97	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-51.31	2.5	-	46.45	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-58.91	2.5	1.13	39.98	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2368.752	-46.46	2.5	-	51.3	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2386.128	-57.56	2.5	1.13	41.33	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-49.65	2.5	-	48.11	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-58.35	2.5	1.13	40.54	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-51	2.5	-	46.76	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-57.79	2.5	1.13	41.1	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2492.608	-47.14	2.5	-	50.62	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2490.88	-57.14	2.5	1.13	41.75	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-50.82	2.5	-	46.94	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-57.51	2.5	1.13	41.38	Average	54	Pass






Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average








Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

