



DH5_Ant1_2480_30~1000




DH5_Ant1_2480_1000~26500




2DH5_Ant1_2402_0~Reference




2DH5_Ant1_2402_30~1000




2DH5_Ant1_2402_1000~26500




2DH5_Ant1_2441_0~Reference



2DH5_Ant1_2441_30~1000




2DH5_Ant1_2441_1000~26500




2DH5_Ant1_2480_0~Reference



2DH5_Ant1_2480_30~1000




2DH5_Ant1_2480_1000~26500




3DH5_Ant1_2402_0~Reference




3DH5_Ant1_2402_30~1000




3DH5_Ant1_2402_1000~26500




3DH5_Ant1_2441_0~Reference



3DH5_Ant1_2441_30~1000




3DH5_Ant1_2441_1000~26500




3DH5_Ant1_2480_0~Reference



3DH5_Ant1_2480_30~1000



3DH5_Ant1_2480_1000~26500









9. Duty Cycle

9.1. Test Result


TestMode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	1/T KHz	Verdict
DH5	Ant1	2402	2.89	3.74	77.27	0.35	---
		2441	2.89	3.75	77.07	0.35	---
		2480	2.89	3.75	77.07	0.35	---
2DH5	Ant1	2402	2.89	3.74	77.27	0.35	---
		2441	2.91	3.76	77.39	0.34	---
		2480	2.90	3.75	77.33	0.34	---
3DH5	Ant1	2402	2.91	3.75	77.60	0.34	---
		2441	2.90	3.74	77.54	0.34	---
		2480	2.91	3.75	77.60	0.34	---

9.2. Test Graphs







3DH5_Ant1_2402



3DH5_Ant1_2441



3DH5_Ant1_2480



10. Emissions in Restricted Bands




10.1. Test Result

TestMode	Antenna	ChName	Channel	Detector	Freq. [MHz]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	Low	2402	AV	2310.000	-64.38	≤-41.20	PASS
				AV	2328.304	-55.88	≤-41.20	PASS
				AV	2390.000	-64.53	≤-41.20	PASS
				Peak	2310.000	-53.44	≤-21.20	PASS
				Peak	2328.457	-49.75	≤-21.20	PASS
				Peak	2390.000	-54.14	≤-21.20	PASS
		High	2480	AV	2483.500	-62.64	≤-41.20	PASS
				AV	2483.681	-62.5	≤-41.20	PASS
				AV	2500.000	-63.69	≤-41.20	PASS
				Peak	2483.500	-52.69	≤-21.20	PASS
				Peak	2487.391	-50.38	≤-21.20	PASS
				Peak	2500.000	-53.47	≤-21.20	PASS
2DH5	Ant1	Low	2402	AV	2310.000	-64.55	≤-41.20	PASS
				AV	2328.304	-57.12	≤-41.20	PASS
				AV	2390.000	-64.54	≤-41.20	PASS
				Peak	2310.000	-53.57	≤-21.20	PASS
				Peak	2328.152	-49.03	≤-21.20	PASS
				Peak	2390.000	-54.57	≤-21.20	PASS
		High	2480	AV	2483.500	-62.89	≤-41.20	PASS
				AV	2483.565	-62.91	≤-41.20	PASS
				AV	2500.000	-63.68	≤-41.20	PASS
				Peak	2483.500	-52.53	≤-21.20	PASS
				Peak	2484.377	-50.27	≤-21.20	PASS
				Peak	2500.000	-53.53	≤-21.20	PASS
3DH5	Ant1	Low	2402	AV	2310.000	-64.57	≤-41.20	PASS
				AV	2328.304	-57.2	≤-41.20	PASS
				AV	2390.000	-64.28	≤-41.20	PASS
				Peak	2310.000	-53.37	≤-21.20	PASS
				Peak	2328.304	-48.36	≤-21.20	PASS
				Peak	2390.000	-52.69	≤-21.20	PASS
		High	2480	AV	2483.500	-62.76	≤-41.20	PASS
				AV	2483.913	-62.75	≤-41.20	PASS
				AV	2500.000	-63.72	≤-41.20	PASS
				Peak	2483.500	-52.59	≤-21.20	PASS
				Peak	2490.058	-51.17	≤-21.20	PASS
				Peak	2500.000	-52.42	≤-21.20	PASS


Note:

1. The Antenna Gain is compensated in the graph.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.


10.2. Test Graphs




DH5_Ant1_High_2480_Peak






2DH5_Ant1_Low_2402_AV






2DH5_Ant1_Low_2402_Peak



2DH5_Ant1_High_2480_AV





-----End of the report-----