


ANTENNA SPECIFICATION

Summary

ITEM	ANT SPEC					
Model Name	2.4G ANT					
Antenna plate	PCB antenna					
Center Frequency	Horizontal			Vertical		
	2400MHz	2450MHz	2500MHz	2400MHz	2450MHz	2500MHz
	-1.26	-0.74	0	-5.76	-3.75	-2.01
MAX. Gain	0					
Polariza	Horizontal and Vertical					
Impedance	50 Ohm					
Manufacture	SHENZHENSHISHUNDACHENGTECHNOLOGY.CO.,LTD					
Address: 401A, Xinfu Industrial Park, Chongqing Road, Heping Community, Fuhai Street, Bao'an District, Shenzhen						


Antenna Photo & Length (mm)



Horizontal: 2400 MHz 2450 MHz 2500 MHz

Power (dBm)

Max: 0 Min: -40 Scale: 5/div




Frequency (MHz)	Gain(dBi)		
	Max.	Min	Avg.
2400	-1.5217	-30.0813	-8.4873
2450	-0.7481	-36.7495	-7.3712
2500	-0.000000	-23.2729	-6.4939

Ver al: 2400 MHz 2450 MHz 2500 MHz

Power (dBm)

Max: 0 Min: -30 Scale: 5/div



Frequency (MHz)	Gain(dBi)		
	Max.	Min	Avg.
2400	-6.1223	-23.2425	-12.5095
2450	-3.2534	-26.1866	-10.5699
2500	-1.91101	-29.4181	-9.52526