



Appendix E. On Time, Duty Cycle

1.1. Test Result and Data

For Aux

Modulation Type	On Time (ms)	Period Time (ms)	Duty Cycle (%)
802.11ax HE20	2.60	2.63	98.75%
802.11ax HE40	2.60	2.63	98.75%
802.11ax HE80	2.61	2.64	98.75%
802.11ax HE160	2.60	2.64	98.71%

For Main


Modulation Type	On Time (ms)	Period Time (ms)	Duty Cycle (%)
802.11ax HE20	2.60	2.63	98.78%
802.11ax HE40	2.60	2.63	98.75%
802.11ax HE80	2.61	2.64	98.82%
802.11ax HE160	2.60	2.64	98.75%

For Mimo


Modulation Type	On Time (ms)	Period Time (ms)	Duty Cycle (%)
802.11ax HE20	2.60	2.64	98.56%
802.11ax HE40	2.60	2.64	98.56%
802.11ax HE80	2.61	2.65	98.45%
802.11ax HE160	2.32	2.36	98.39%

For Aux


Modulation Type: 802.11ax HE20 (7.3Mbps)




Modulation Type: 802.11ax HE160 (61.3Mbps)



Modulation Type: 802.11ax HE40 (14.6Mbps)




Modulation Type: 802.11ax HE80 (30.6Mbps)






For Main


Modulation Type: 802.11ax HE20 (7.3Mbps)




Modulation Type: 802.11ax HE160 (61.3Mbps)



Modulation Type: 802.11ax HE40 (14.6Mbps)




Modulation Type: 802.11ax HE80 (30.6Mbps)






For Mimo


Modulation Type: 802.11ax HE20 (7.3Mbps)



Modulation Type: 802.11ax HE160 (61.3Mbps)



Modulation Type: 802.11ax HE40 (14.6Mbps)



Modulation Type: 802.11ax HE80 (30.6Mbps)

