



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: Network Media Player

Test Model: Pro One 8K

Environmental Conditions

Temperature:	23.8° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Taylor Hu
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.1 -20dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant0	1.029	N/A	Pass
NVNT	1-DH5	2441	Ant0	1.023	N/A	Pass
NVNT	1-DH5	2480	Ant0	0.954	N/A	Pass
NVNT	2-DH5	2402	Ant0	1.288	N/A	Pass
NVNT	2-DH5	2441	Ant0	1.284	N/A	Pass
NVNT	2-DH5	2480	Ant0	1.33	N/A	Pass
NVNT	3-DH5	2402	Ant0	1.281	N/A	Pass
NVNT	3-DH5	2441	Ant0	1.291	N/A	Pass
NVNT	3-DH5	2480	Ant0	1.301	N/A	Pass






Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant0




-20dB Bandwidth NVNT 1-DH5 2441MHz Ant0






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant0




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant0






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant0



-20dB Bandwidth NVNT 2-DH5 2480MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-20dB Bandwidth NVNT 3-DH5 2402MHz Ant0



-20dB Bandwidth NVNT 3-DH5 2441MHz Ant0




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





A.2 Maximum Peak Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant0	-3.9	21	Pass
NVNT	1-DH5	2441	Ant0	-1.43	21	Pass
NVNT	1-DH5	2480	Ant0	-2.8	21	Pass
NVNT	2-DH5	2402	Ant0	-1.95	21	Pass
NVNT	2-DH5	2441	Ant0	0.42	21	Pass
NVNT	2-DH5	2480	Ant0	-0.99	21	Pass
NVNT	3-DH5	2402	Ant0	-1.42	21	Pass
NVNT	3-DH5	2441	Ant0	0.89	21	Pass
NVNT	3-DH5	2480	Ant0	-0.6	21	Pass








Test Graphs



Power NVNT 1-DH5 2402MHz Ant0






Power NVNT 1-DH5 2441MHz Ant0













A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant0	2401.844	2402.834	0.99	0.686	Pass
NVNT	2-DH5	Ant0	2402.034	2403.034	1	0.887	Pass
NVNT	3-DH5	Ant0	2402.028	2403.034	1.006	0.867	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Test Graphs

CFS NVNT 1-DH5 2402MHz Ant0



CFS NVNT 2-DH5 2402MHz Ant0







A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant0	2.881	276.576	96	31600	400	Pass
NVNT	2-DH5	2402	Ant0	2.898	295.596	102	31600	400	Pass
NVNT	3-DH5	2402	Ant0	2.897	309.979	107	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen,
518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant0 One Burst



Dwell NVNT 1-DH5 2402MHz Ant0 Accumulated



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Dwell NVNT 2-DH5 2402MHz Ant0 One Burst




Dwell NVNT 2-DH5 2402MHz Ant0 Accumulated






Dwell NVNT 3-DH5 2402MHz Ant0 One Burst



Dwell NVNT 3-DH5 2402MHz Ant0 Accumulated





A.5 Number of Hopping Channel


Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant0	79	15	Pass
NVNT	2-DH5	Ant0	79	15	Pass
NVNT	3-DH5	Ant0	79	15	Pass






Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant0



Hopping No. NVNT 2-DH5 2402MHz Ant0




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





A.6 Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant0	No-Hopping	-52.59	-20	Pass
NVNT	1-DH5	2480	Ant0	No-Hopping	-53.52	-20	Pass
NVNT	2-DH5	2402	Ant0	No-Hopping	-51.84	-20	Pass
NVNT	2-DH5	2480	Ant0	No-Hopping	-52.35	-20	Pass
NVNT	3-DH5	2402	Ant0	No-Hopping	-51.86	-20	Pass
NVNT	3-DH5	2480	Ant0	No-Hopping	-54.07	-20	Pass






Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant0 No-Hopping Ref



Band Edge NVNT 1-DH5 2402MHz Ant0 No-Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge NVNT 1-DH5 2480MHz Ant0 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant0 No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant0 No-Hopping Ref



Band Edge NVNT 2-DH5 2402MHz Ant0 No-Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge NVNT 2-DH5 2480MHz Ant0 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant0 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant0 No-Hopping Ref



Band Edge NVNT 3-DH5 2402MHz Ant0 No-Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge NVNT 3-DH5 2480MHz Ant0 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant0 No-Hopping Emission





Band Edge(Hopping)


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant0	Hopping	-51.71	-20	Pass
NVNT	1-DH5	2480	Ant0	Hopping	-52.33	-20	Pass
NVNT	2-DH5	2402	Ant0	Hopping	-51.96	-20	Pass
NVNT	2-DH5	2480	Ant0	Hopping	-52.87	-20	Pass
NVNT	3-DH5	2402	Ant0	Hopping	-51.45	-20	Pass
NVNT	3-DH5	2480	Ant0	Hopping	-50.5	-20	Pass






Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant0 Hopping Ref



Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant0 Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant0 Hopping Ref



Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant0 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant0 Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant0 Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant0 Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant0 Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant0 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant0 Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant0 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant0 Hopping Emission





A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant0	-51.49	-20	Pass
NVNT	1-DH5	2441	Ant0	-52.81	-20	Pass
NVNT	1-DH5	2480	Ant0	-52.11	-20	Pass
NVNT	2-DH5	2402	Ant0	-50.2	-20	Pass
NVNT	2-DH5	2441	Ant0	-53.85	-20	Pass
NVNT	2-DH5	2480	Ant0	-51.88	-20	Pass
NVNT	3-DH5	2402	Ant0	-50.89	-20	Pass
NVNT	3-DH5	2441	Ant0	-53.07	-20	Pass
NVNT	3-DH5	2480	Ant0	-52.17	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant0 Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant0 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant0 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant0 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant0 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant0 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant0 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant0 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant0 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant0 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant0 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant0 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant0 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant0 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant0 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant0 Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant0 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant0 Emission





A.8 Restrict Band


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant0	No-Hopping	2310	-49.35	3.0	48.91	Peak	74	Pass
NVNT	1-DH5	2402	Ant0	No-Hopping	2310	-57.73	3.0	40.53	Average	54	Pass
NVNT	1-DH5	2402	Ant0	No-Hopping	2382.384	-47.17	3.0	51.09	Peak	74	Pass
NVNT	1-DH5	2402	Ant0	No-Hopping	2386.992	-57.23	3.0	41.03	Average	54	Pass
NVNT	1-DH5	2402	Ant0	No-Hopping	2390	-50.4	3.0	47.86	Peak	74	Pass
NVNT	1-DH5	2402	Ant0	No-Hopping	2390	-57.47	3.0	40.79	Average	54	Pass
NVNT	1-DH5	2480	Ant0	No-Hopping	2483.5	-49.67	3.0	48.59	Peak	74	Pass
NVNT	1-DH5	2480	Ant0	No-Hopping	2483.5	-56.43	3.0	41.83	Average	54	Pass
NVNT	1-DH5	2480	Ant0	No-Hopping	2497.504	-46.61	3.0	51.65	Peak	74	Pass
NVNT	1-DH5	2480	Ant0	No-Hopping	2483.512	-56.43	3.0	41.83	Average	54	Pass
NVNT	1-DH5	2480	Ant0	No-Hopping	2500	-49.39	3.0	48.87	Peak	74	Pass
NVNT	1-DH5	2480	Ant0	No-Hopping	2500	-57.13	3.0	41.13	Average	54	Pass
NVNT	2-DH5	2402	Ant0	No-Hopping	2310	-50.92	3.0	47.34	Peak	74	Pass
NVNT	2-DH5	2402	Ant0	No-Hopping	2310	-57.7	3.0	40.56	Average	54	Pass
NVNT	2-DH5	2402	Ant0	No-Hopping	2374.32	-47	3.0	51.26	Peak	74	Pass
NVNT	2-DH5	2402	Ant0	No-Hopping	2380.464	-57.25	3.0	41.01	Average	54	Pass
NVNT	2-DH5	2402	Ant0	No-Hopping	2390	-49.11	3.0	49.15	Peak	74	Pass
NVNT	2-DH5	2402	Ant0	No-Hopping	2390	-57.37	3.0	40.89	Average	54	Pass
NVNT	2-DH5	2480	Ant0	No-Hopping	2483.5	-48.48	3.0	49.78	Peak	74	Pass
NVNT	2-DH5	2480	Ant0	No-Hopping	2483.5	-55.41	3.0	42.85	Average	54	Pass
NVNT	2-DH5	2480	Ant0	No-Hopping	2487.304	-45.1	3.0	53.16	Peak	74	Pass
NVNT	2-DH5	2480	Ant0	No-Hopping	2483.512	-55.41	3.0	42.85	Average	54	Pass
NVNT	2-DH5	2480	Ant0	No-Hopping	2500	-48.37	3.0	49.89	Peak	74	Pass
NVNT	2-DH5	2480	Ant0	No-Hopping	2500	-57.03	3.0	41.23	Average	54	Pass
NVNT	3-DH5	2402	Ant0	No-Hopping	2310	-49.33	3.0	48.93	Peak	74	Pass
NVNT	3-DH5	2402	Ant0	No-Hopping	2310	-57.72	3.0	40.54	Average	54	Pass
NVNT	3-DH5	2402	Ant0	No-Hopping	2385.168	-47.77	3.0	50.49	Peak	74	Pass
NVNT	3-DH5	2402	Ant0	No-Hopping	2380.08	-57.24	3.0	41.02	Average	54	Pass
NVNT	3-DH5	2402	Ant0	No-Hopping	2390	-49.35	3.0	48.91	Peak	74	Pass
NVNT	3-DH5	2402	Ant0	No-Hopping	2390	-57.42	3.0	40.84	Average	54	Pass
NVNT	3-DH5	2480	Ant0	No-Hopping	2483.5	-49.87	3.0	48.39	Peak	74	Pass
NVNT	3-DH5	2480	Ant0	No-Hopping	2483.5	-55.49	3.0	42.77	Average	54	Pass
NVNT	3-DH5	2480	Ant0	No-Hopping	2493.472	-46.33	3.0	51.93	Peak	74	Pass
NVNT	3-DH5	2480	Ant0	No-Hopping	2483.512	-55.49	3.0	42.77	Average	54	Pass
NVNT	3-DH5	2480	Ant0	No-Hopping	2500	-48.9	3.0	49.36	Peak	74	Pass
NVNT	3-DH5	2480	Ant0	No-Hopping	2500	-56.97	3.0	41.29	Average	54	Pass






Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant0 No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant0 No-Hopping Average






Restrict Band NVNT 1-DH5 2480MHz Ant0 No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant0 No-Hopping Average






Restrict Band NVNT 2-DH5 2402MHz Ant0 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant0 No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant0 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant0 No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant0 No-Hopping Peak



Restrict Band NVNT 3-DH5 2402MHz Ant0 No-Hopping Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT 3-DH5 2480MHz Ant0 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant0 No-Hopping Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity