



NVNT	ac40	5795	Ant3	5925	-58.09	2	0.53	-55.56	Average	-27	Pass
NVNT	ac80	5775	Ant3	5850	-49.51	2	-	-47.51	Peak	27	Pass
NVNT	ac80	5775	Ant3	5850	-58.6	2	0.25	-56.35	Average	27	Pass
NVNT	ac80	5775	Ant3	5855	-50.73	2	-	-48.73	Peak	15.6	Pass
NVNT	ac80	5775	Ant3	5855	-58.18	2	0.25	-55.93	Average	15.6	Pass
NVNT	ac80	5775	Ant3	5875	-48.83	2	-	-46.83	Peak	10	Pass
NVNT	ac80	5775	Ant3	5875	-58.28	2	0.25	-56.03	Average	10	Pass
NVNT	ac80	5775	Ant3	5925	-50.31	2	-	-48.31	Peak	-27	Pass
NVNT	ac80	5775	Ant3	5925	-57.71	2	0.25	-55.46	Average	-27	Pass
NVNT	ac80	5775	Ant3	5650	-50.39	2	-	-48.39	Peak	-27	Pass
NVNT	ac80	5775	Ant3	5650	-58.48	2	0.25	-56.23	Average	-27	Pass
NVNT	ac80	5775	Ant3	5700	-50.06	2	-	-48.06	Peak	10	Pass
NVNT	ac80	5775	Ant3	5700	-57.67	2	0.25	-55.42	Average	10	Pass
NVNT	ac80	5775	Ant3	5720	-43.48	2	-	-41.48	Peak	15.6	Pass
NVNT	ac80	5775	Ant3	5720	-54.9	2	0.25	-52.65	Average	15.6	Pass
NVNT	ac80	5775	Ant3	5725	-39.58	2	-	-37.58	Peak	27	Pass
NVNT	ac80	5775	Ant3	5725	-53.16	2	0.25	-50.91	Average	27	Pass


Test Graphs

Restrict Band NVNT a 5745MHz Ant3 Peak




Restrict Band NVNT a 5745MHz Ant3 Average








Restrict Band NVNT a 5825MHz Ant3 Peak



Restrict Band NVNT a 5825MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n20 5745MHz Ant3 Peak



Restrict Band NVNT n20 5745MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n20 5825MHz Ant3 Peak



Restrict Band NVNT n20 5825MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n40 5755MHz Ant3 Peak



Restrict Band NVNT n40 5755MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n40 5795MHz Ant3 Peak



Restrict Band NVNT n40 5795MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac20 5745MHz Ant3 Peak



Restrict Band NVNT ac20 5745MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac20 5825MHz Ant3 Peak



Restrict Band NVNT ac20 5825MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac40 5755MHz Ant3 Peak



Restrict Band NVNT ac40 5755MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac40 5795MHz Ant3 Peak



Restrict Band NVNT ac40 5795MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac80 5775MHz Ant3 Peak



Restrict Band NVNT ac80 5775MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac80 5775MHz Ant3 Peak



Restrict Band NVNT ac80 5775MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	EIRP Power (dBm)	Detector	Limit (dBm)	Verdict
NVNT	a	5745	Ant4	5650	-51.42	2	-	-49.42	Peak	-27	Pass
NVNT	a	5745	Ant4	5650	-57.98	2	0.24	-55.74	Average	-27	Pass
NVNT	a	5745	Ant4	5700	-49.91	2	-	-47.91	Peak	10	Pass
NVNT	a	5745	Ant4	5700	-57.75	2	0.24	-55.51	Average	10	Pass
NVNT	a	5745	Ant4	5720	-44.91	2	-	-42.91	Peak	15.6	Pass
NVNT	a	5745	Ant4	5720	-56.57	2	0.24	-54.33	Average	15.6	Pass
NVNT	a	5745	Ant4	5725	-37.21	2	-	-35.21	Peak	27	Pass
NVNT	a	5745	Ant4	5725	-53.31	2	0.24	-51.07	Average	27	Pass
NVNT	a	5825	Ant4	5850	-46.35	2	-	-44.35	Peak	27	Pass
NVNT	a	5825	Ant4	5850	-56.6	2	0.24	-54.36	Average	27	Pass
NVNT	a	5825	Ant4	5855	-46.64	2	-	-44.64	Peak	15.6	Pass
NVNT	a	5825	Ant4	5855	-58.26	2	0.24	-56.02	Average	15.6	Pass
NVNT	a	5825	Ant4	5875	-48.57	2	-	-46.57	Peak	10	Pass
NVNT	a	5825	Ant4	5875	-57.9	2	0.24	-55.66	Average	10	Pass
NVNT	a	5825	Ant4	5925	-50.42	2	-	-48.42	Peak	-27	Pass
NVNT	a	5825	Ant4	5925	-57.94	2	0.24	-55.7	Average	-27	Pass
NVNT	n20	5745	Ant4	5650	-48.06	2	-	-46.06	Peak	-27	Pass
NVNT	n20	5745	Ant4	5650	-57.38	2	0.28	-55.1	Average	-27	Pass
NVNT	n20	5745	Ant4	5700	-47.26	2	-	-45.26	Peak	10	Pass
NVNT	n20	5745	Ant4	5700	-54.95	2	0.28	-52.67	Average	10	Pass
NVNT	n20	5745	Ant4	5720	-32.8	2	-	-30.8	Peak	15.6	Pass
NVNT	n20	5745	Ant4	5720	-46.18	2	0.28	-43.9	Average	15.6	Pass
NVNT	n20	5745	Ant4	5725	-27.22	2	-	-25.22	Peak	27	Pass
NVNT	n20	5745	Ant4	5725	-40.99	2	0.28	-38.71	Average	27	Pass
NVNT	n20	5825	Ant4	5850	-45.08	2	-	-43.08	Peak	27	Pass
NVNT	n20	5825	Ant4	5850	-56.63	2	0.28	-54.35	Average	27	Pass
NVNT	n20	5825	Ant4	5855	-47.05	2	-	-45.05	Peak	15.6	Pass
NVNT	n20	5825	Ant4	5855	-57.74	2	0.28	-55.46	Average	15.6	Pass
NVNT	n20	5825	Ant4	5875	-50.71	2	-	-48.71	Peak	10	Pass
NVNT	n20	5825	Ant4	5875	-58.28	2	0.28	-56	Average	10	Pass
NVNT	n20	5825	Ant4	5925	-50.99	2	-	-48.99	Peak	-27	Pass
NVNT	n20	5825	Ant4	5925	-58.01	2	0.28	-55.73	Average	-27	Pass
NVNT	n40	5755	Ant4	5650	-50.1	2	-	-48.1	Peak	-27	Pass
NVNT	n40	5755	Ant4	5650	-57.85	2	0.24	-55.61	Average	-27	Pass
NVNT	n40	5755	Ant4	5700	-50.31	2	-	-48.31	Peak	10	Pass
NVNT	n40	5755	Ant4	5700	-57.88	2	0.24	-55.64	Average	10	Pass
NVNT	n40	5755	Ant4	5720	-40.43	2	-	-38.43	Peak	15.6	Pass
NVNT	n40	5755	Ant4	5720	-54.38	2	0.24	-52.14	Average	15.6	Pass
NVNT	n40	5755	Ant4	5725	-35.76	2	-	-33.76	Peak	27	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	n40	5755	Ant4	5725	-49.9	2	0.24	-47.66	Average	27	Pass
NVNT	n40	5795	Ant4	5850	-48.64	2	-	-46.64	Peak	27	Pass
NVNT	n40	5795	Ant4	5850	-56.93	2	0.23	-54.7	Average	27	Pass
NVNT	n40	5795	Ant4	5855	-49.21	2	-	-47.21	Peak	15.6	Pass
NVNT	n40	5795	Ant4	5855	-56.66	2	0.23	-54.43	Average	15.6	Pass
NVNT	n40	5795	Ant4	5875	-51.14	2	-	-49.14	Peak	10	Pass
NVNT	n40	5795	Ant4	5875	-57.53	2	0.23	-55.3	Average	10	Pass
NVNT	n40	5795	Ant4	5925	-50.47	2	-	-48.47	Peak	-27	Pass
NVNT	n40	5795	Ant4	5925	-58.38	2	0.23	-56.15	Average	-27	Pass
NVNT	ac20	5745	Ant4	5650	-49.65	2	-	-47.65	Peak	-27	Pass
NVNT	ac20	5745	Ant4	5650	-58.04	2	0.28	-55.76	Average	-27	Pass
NVNT	ac20	5745	Ant4	5700	-51.02	2	-	-49.02	Peak	10	Pass
NVNT	ac20	5745	Ant4	5700	-58.09	2	0.28	-55.81	Average	10	Pass
NVNT	ac20	5745	Ant4	5720	-38	2	-	-36	Peak	15.6	Pass
NVNT	ac20	5745	Ant4	5720	-53.95	2	0.28	-51.67	Average	15.6	Pass
NVNT	ac20	5745	Ant4	5725	-33.27	2	-	-31.27	Peak	27	Pass
NVNT	ac20	5745	Ant4	5725	-46.95	2	0.28	-44.67	Average	27	Pass
NVNT	ac20	5825	Ant4	5850	-43.16	2	-	-41.16	Peak	27	Pass
NVNT	ac20	5825	Ant4	5850	-55.32	2	0.28	-53.04	Average	27	Pass
NVNT	ac20	5825	Ant4	5855	-45.63	2	-	-43.63	Peak	15.6	Pass
NVNT	ac20	5825	Ant4	5855	-58	2	0.28	-55.72	Average	15.6	Pass
NVNT	ac20	5825	Ant4	5875	-50.29	2	-	-48.29	Peak	10	Pass
NVNT	ac20	5825	Ant4	5875	-58.33	2	0.28	-56.05	Average	10	Pass
NVNT	ac20	5825	Ant4	5925	-48.94	2	-	-46.94	Peak	-27	Pass
NVNT	ac20	5825	Ant4	5925	-57.88	2	0.28	-55.6	Average	-27	Pass
NVNT	ac40	5755	Ant4	5650	-49.83	2	-	-47.83	Peak	-27	Pass
NVNT	ac40	5755	Ant4	5650	-57.78	2	0.24	-55.54	Average	-27	Pass
NVNT	ac40	5755	Ant4	5700	-49.56	2	-	-47.56	Peak	10	Pass
NVNT	ac40	5755	Ant4	5700	-57.9	2	0.24	-55.66	Average	10	Pass
NVNT	ac40	5755	Ant4	5720	-41.32	2	-	-39.32	Peak	15.6	Pass
NVNT	ac40	5755	Ant4	5720	-54.54	2	0.24	-52.3	Average	15.6	Pass
NVNT	ac40	5755	Ant4	5725	-36.6	2	-	-34.6	Peak	27	Pass
NVNT	ac40	5755	Ant4	5725	-52.01	2	0.24	-49.77	Average	27	Pass
NVNT	ac40	5795	Ant4	5850	-52.68	2	-	-50.68	Peak	27	Pass
NVNT	ac40	5795	Ant4	5850	-59.29	2	0.23	-57.06	Average	27	Pass
NVNT	ac40	5795	Ant4	5855	-51.01	2	-	-49.01	Peak	15.6	Pass
NVNT	ac40	5795	Ant4	5855	-58.78	2	0.23	-56.55	Average	15.6	Pass
NVNT	ac40	5795	Ant4	5875	-50.62	2	-	-48.62	Peak	10	Pass
NVNT	ac40	5795	Ant4	5875	-58.28	2	0.23	-56.05	Average	10	Pass
NVNT	ac40	5795	Ant4	5925	-49.7	2	-	-47.7	Peak	-27	Pass
NVNT	ac40	5795	Ant4	5925	-57.78	2	0.23	-55.55	Average	-27	Pass
NVNT	ac80	5775	Ant4	5850	-49.95	2	-	-47.95	Peak	27	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



NVNT	ac80	5775	Ant4	5850	-58.95	2	0.47	-56.48	Average	27	Pass
NVNT	ac80	5775	Ant4	5855	-50.66	2	-	-48.66	Peak	15.6	Pass
NVNT	ac80	5775	Ant4	5855	-58.54	2	0.47	-56.07	Average	15.6	Pass
NVNT	ac80	5775	Ant4	5875	-49.67	2	-	-47.67	Peak	10	Pass
NVNT	ac80	5775	Ant4	5875	-57.89	2	0.47	-55.42	Average	10	Pass
NVNT	ac80	5775	Ant4	5925	-50.28	2	-	-48.28	Peak	-27	Pass
NVNT	ac80	5775	Ant4	5925	-57.62	2	0.47	-55.15	Average	-27	Pass
NVNT	ac80	5775	Ant4	5650	-51.69	2	-	-49.69	Peak	-27	Pass
NVNT	ac80	5775	Ant4	5650	-58.01	2	0.47	-55.54	Average	-27	Pass
NVNT	ac80	5775	Ant4	5700	-49.89	2	-	-47.89	Peak	10	Pass
NVNT	ac80	5775	Ant4	5700	-58.02	2	0.47	-55.55	Average	10	Pass
NVNT	ac80	5775	Ant4	5720	-44.99	2	-	-42.99	Peak	15.6	Pass
NVNT	ac80	5775	Ant4	5720	-54.98	2	0.47	-52.51	Average	15.6	Pass
NVNT	ac80	5775	Ant4	5725	-37.29	2	-	-35.29	Peak	27	Pass
NVNT	ac80	5775	Ant4	5725	-52.85	2	0.47	-50.38	Average	27	Pass


Test Graphs

Restrict Band NVNT a 5745MHz Ant4 Peak




Restrict Band NVNT a 5745MHz Ant4 Average








Restrict Band NVNT a 5825MHz Ant4 Peak



Restrict Band NVNT a 5825MHz Ant4 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n20 5745MHz Ant4 Peak



Restrict Band NVNT n20 5745MHz Ant4 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n20 5825MHz Ant4 Peak



Restrict Band NVNT n20 5825MHz Ant4 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n40 5755MHz Ant4 Peak



Restrict Band NVNT n40 5755MHz Ant4 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n40 5795MHz Ant4 Peak



Restrict Band NVNT n40 5795MHz Ant4 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac20 5745MHz Ant4 Peak



Restrict Band NVNT ac20 5745MHz Ant4 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac20 5825MHz Ant4 Peak



Restrict Band NVNT ac20 5825MHz Ant4 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac40 5755MHz Ant4 Peak



Restrict Band NVNT ac40 5755MHz Ant4 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac40 5795MHz Ant4 Peak



Restrict Band NVNT ac40 5795MHz Ant4 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac80 5775MHz Ant4 Peak



Restrict Band NVNT ac80 5775MHz Ant4 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac80 5775MHz Ant4 Peak



Restrict Band NVNT ac80 5775MHz Ant4 Average





Mimo

Condition	Mode	Frequency (MHz)	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	EIRP Power (dBm)	Detector	Limit (dBm)	Verdict
NVNT	n20mimo	5745	5650	-50.22	4.73	-	-45.49	Peak	-27	Pass
NVNT	n20mimo	5745	5650	-58.32	4.73	0.28	-53.31	Average	-27	Pass
NVNT	n20mimo	5745	5700	-50.07	4.73	-	-45.34	Peak	10	Pass
NVNT	n20mimo	5745	5700	-57.46	4.73	0.28	-52.45	Average	10	Pass
NVNT	n20mimo	5745	5720	-41.59	4.73	-	-36.86	Peak	15.6	Pass
NVNT	n20mimo	5745	5720	-55.28	4.73	0.28	-50.27	Average	15.6	Pass
NVNT	n20mimo	5745	5725	-34.72	4.73	-	-29.99	Peak	27	Pass
NVNT	n20mimo	5745	5725	-49.53	4.73	0.28	-44.52	Average	27	Pass
NVNT	n20mimo	5825	5850	-42.2	4.73	-	-37.47	Peak	27	Pass
NVNT	n20mimo	5825	5850	-55.81	4.73	0.28	-50.80	Average	27	Pass
NVNT	n20mimo	5825	5855	-47.68	4.73	-	-42.95	Peak	15.6	Pass
NVNT	n20mimo	5825	5855	-57.19	4.73	0.28	-52.18	Average	15.6	Pass
NVNT	n20mimo	5825	5875	-51.19	4.73	-	-46.46	Peak	10	Pass
NVNT	n20mimo	5825	5875	-58.17	4.73	0.28	-53.16	Average	10	Pass
NVNT	n20mimo	5825	5925	-50.82	4.73	-	-46.09	Peak	-27	Pass
NVNT	n20mimo	5825	5925	-57.45	4.73	0.28	-52.44	Average	-27	Pass
NVNT	n40mimo	5755	5650	-49.8	4.73	-	-45.07	Peak	-27	Pass
NVNT	n40mimo	5755	5650	-58.23	4.73	0.54	-52.96	Average	-27	Pass
NVNT	n40mimo	5755	5700	-49.63	4.73	-	-44.90	Peak	10	Pass
NVNT	n40mimo	5755	5700	-57.89	4.73	0.54	-52.62	Average	10	Pass
NVNT	n40mimo	5755	5720	-33.98	4.73	-	-29.25	Peak	15.6	Pass
NVNT	n40mimo	5755	5720	-54.66	4.73	0.54	-49.39	Average	15.6	Pass
NVNT	n40mimo	5755	5725	-36.08	4.73	-	-31.35	Peak	27	Pass
NVNT	n40mimo	5755	5725	-51.12	4.73	0.54	-45.85	Average	27	Pass
NVNT	n40mimo	5795	5850	-44.64	4.73	-	-39.91	Peak	27	Pass
NVNT	n40mimo	5795	5850	-52.76	4.73	0.54	-47.49	Average	27	Pass
NVNT	n40mimo	5795	5855	-44.98	4.73	-	-40.25	Peak	15.6	Pass
NVNT	n40mimo	5795	5855	-54.73	4.73	0.54	-49.46	Average	15.6	Pass
NVNT	n40mimo	5795	5875	-48.43	4.73	-	-43.70	Peak	10	Pass
NVNT	n40mimo	5795	5875	-57.85	4.73	0.54	-52.58	Average	10	Pass
NVNT	n40mimo	5795	5925	-49.48	4.73	-	-44.75	Peak	-27	Pass
NVNT	n40mimo	5795	5925	-57.38	4.73	0.54	-52.11	Average	-27	Pass
NVNT	ac20mimo	5745	5650	-47.96	4.73	-	-43.23	Peak	-27	Pass
NVNT	ac20mimo	5745	5650	-57.78	4.73	0.28	-52.77	Average	-27	Pass
NVNT	ac20mimo	5745	5700	-49.51	4.73	-	-44.78	Peak	10	Pass
NVNT	ac20mimo	5745	5700	-57.18	4.73	0.28	-52.17	Average	10	Pass
NVNT	ac20mimo	5745	5720	-41.16	4.73	-	-36.43	Peak	15.6	Pass





NVNT	ac20mimo	5745	5720	-54.72	4.73	0.28	-49.71	Average	15.6	Pass
NVNT	ac20mimo	5745	5725	-32.75	4.73	-	-28.02	Peak	27	Pass
NVNT	ac20mimo	5745	5725	-50.24	4.73	0.28	-45.23	Average	27	Pass
NVNT	ac20mimo	5825	5850	-34.45	4.73	-	-29.72	Peak	27	Pass
NVNT	ac20mimo	5825	5850	-45.48	4.73	0.28	-40.47	Average	27	Pass
NVNT	ac20mimo	5825	5855	-37.98	4.73	-	-33.25	Peak	15.6	Pass
NVNT	ac20mimo	5825	5855	-51.35	4.73	0.28	-46.34	Average	15.6	Pass
NVNT	ac20mimo	5825	5875	-46.75	4.73	-	-42.02	Peak	10	Pass
NVNT	ac20mimo	5825	5875	-55.13	4.73	0.28	-50.12	Average	10	Pass
NVNT	ac20mimo	5825	5925	-48.37	4.73	-	-43.64	Peak	-27	Pass
NVNT	ac20mimo	5825	5925	-57.09	4.73	0.28	-52.08	Average	-27	Pass
NVNT	ac40mimo	5755	5650	-49.54	4.73	-	-44.81	Peak	-27	Pass
NVNT	ac40mimo	5755	5650	-57.77	4.73	0.53	-52.51	Average	-27	Pass
NVNT	ac40mimo	5755	5700	-49.68	4.73	-	-44.95	Peak	10	Pass
NVNT	ac40mimo	5755	5700	-57.91	4.73	0.53	-52.65	Average	10	Pass
NVNT	ac40mimo	5755	5720	-41.11	4.73	-	-36.38	Peak	15.6	Pass
NVNT	ac40mimo	5755	5720	-54.49	4.73	0.53	-49.23	Average	15.6	Pass
NVNT	ac40mimo	5755	5725	-33.63	4.73	-	-28.90	Peak	27	Pass
NVNT	ac40mimo	5755	5725	-50.52	4.73	0.53	-45.26	Average	27	Pass
NVNT	ac40mimo	5795	5850	-50.65	4.73	-	-45.92	Peak	27	Pass
NVNT	ac40mimo	5795	5850	-58.76	4.73	0.53	-53.50	Average	27	Pass
NVNT	ac40mimo	5795	5855	-51.67	4.73	-	-46.94	Peak	15.6	Pass
NVNT	ac40mimo	5795	5855	-58.47	4.73	0.53	-53.21	Average	15.6	Pass
NVNT	ac40mimo	5795	5875	-49.82	4.73	-	-45.09	Peak	10	Pass
NVNT	ac40mimo	5795	5875	-58.58	4.73	0.53	-53.32	Average	10	Pass
NVNT	ac40mimo	5795	5925	-50.13	4.73	-	-45.40	Peak	-27	Pass
NVNT	ac40mimo	5795	5925	-58.09	4.73	0.53	-52.83	Average	-27	Pass
NVNT	ac80mimo	5775	5850	-49.51	4.73	-	-44.78	Peak	27	Pass
NVNT	ac80mimo	5775	5850	-58.6	4.73	0.25	-53.62	Average	27	Pass
NVNT	ac80mimo	5775	5855	-50.73	4.73	-	-46.00	Peak	15.6	Pass
NVNT	ac80mimo	5775	5855	-58.18	4.73	0.25	-53.20	Average	15.6	Pass
NVNT	ac80mimo	5775	5875	-48.83	4.73	-	-44.10	Peak	10	Pass
NVNT	ac80mimo	5775	5875	-58.28	4.73	0.25	-53.30	Average	10	Pass
NVNT	ac80mimo	5775	5925	-50.31	4.73	-	-45.58	Peak	-27	Pass
NVNT	ac80mimo	5775	5925	-57.71	4.73	0.25	-52.73	Average	-27	Pass
NVNT	ac80mimo	5775	5650	-50.39	4.73	-	-45.66	Peak	-27	Pass
NVNT	ac80mimo	5775	5650	-58.48	4.73	0.25	-53.50	Average	-27	Pass
NVNT	ac80mimo	5775	5700	-50.06	4.73	-	-45.33	Peak	10	Pass
NVNT	ac80mimo	5775	5700	-57.67	4.73	0.25	-52.69	Average	10	Pass
NVNT	ac80mimo	5775	5720	-43.48	4.73	-	-38.75	Peak	15.6	Pass
NVNT	ac80mimo	5775	5720	-54.9	4.73	0.25	-49.92	Average	15.6	Pass
NVNT	ac80mimo	5775	5725	-39.58	4.73	-	-34.85	Peak	27	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity