





PSD NVNT n20 5200MHz Ant4




PSD NVNT n20 5240MHz Ant4






PSD NVNT n40 5190MHz Ant4




PSD NVNT n40 5230MHz Ant4






PSD NVNT ac20 5180MHz Ant4




PSD NVNT ac20 5200MHz Ant4






PSD NVNT ac20 5240MHz Ant4




PSD NVNT ac40 5190MHz Ant4






PSD NVNT ac40 5230MHz Ant4



PSD NVNT ac80 5210MHz Ant4





B.4 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBUV/m)	Detector	Limit (dBUV/m)	Verdict
NVNT	a	5180	Ant3	4500	-49.67	5.04	-	50.63	Peak	68.2	Pass
NVNT	a	5180	Ant3	4500	-59.19	5.04	0.24	41.35	Average	54	Pass
NVNT	a	5180	Ant3	5068.4	-45.85	5.04	-	54.45	Peak	68.2	Pass
NVNT	a	5180	Ant3	5147.5	-55.45	5.04	0.24	45.09	Average	54	Pass
NVNT	a	5180	Ant3	5150	-46.42	5.04	-	53.88	Peak	68.2	Pass
NVNT	a	5180	Ant3	5150	-56.11	5.04	0.24	44.43	Average	54	Pass
NVNT	a	5240	Ant3	5350	-47.46	5.04	-	52.84	Peak	68.2	Pass
NVNT	a	5240	Ant3	5350	-56.62	5.04	0.24	43.92	Average	54	Pass
NVNT	a	5240	Ant3	5425.2	-47.25	5.04	-	53.05	Peak	68.2	Pass
NVNT	a	5240	Ant3	5350.32	-56.57	5.04	0.24	43.97	Average	54	Pass
NVNT	a	5240	Ant3	5460	-50.31	5.04	-	49.99	Peak	68.2	Pass
NVNT	a	5240	Ant3	5460	-58.4	5.04	0.24	42.14	Average	54	Pass
NVNT	n20	5180	Ant3	4500	-51.48	5.04	-	48.82	Peak	68.2	Pass
NVNT	n20	5180	Ant3	4500	-58.73	5.04	0.28	41.85	Average	54	Pass
NVNT	n20	5180	Ant3	5148.9	-44.67	5.04	-	55.63	Peak	68.2	Pass
NVNT	n20	5180	Ant3	5148.9	-55.97	5.04	0.28	44.61	Average	54	Pass
NVNT	n20	5180	Ant3	5150	-45.42	5.04	-	54.88	Peak	68.2	Pass
NVNT	n20	5180	Ant3	5150	-56.4	5.04	0.28	44.18	Average	54	Pass
NVNT	n20	5240	Ant3	5350	-48.6	5.04	-	51.7	Peak	68.2	Pass
NVNT	n20	5240	Ant3	5350	-57.38	5.04	0.28	43.2	Average	54	Pass
NVNT	n20	5240	Ant3	5423.76	-47.38	5.04	-	52.92	Peak	68.2	Pass
NVNT	n20	5240	Ant3	5351.76	-56.48	5.04	0.28	44.1	Average	54	Pass
NVNT	n20	5240	Ant3	5460	-49.94	5.04	-	50.36	Peak	68.2	Pass
NVNT	n20	5240	Ant3	5460	-58.13	5.04	0.28	42.45	Average	54	Pass
NVNT	n40	5190	Ant3	4500	-50.86	5.04	-	49.44	Peak	68.2	Pass
NVNT	n40	5190	Ant3	4500	-58.48	5.04	0.24	42.06	Average	54	Pass
NVNT	n40	5190	Ant3	5148.97	-45.13	5.04	-	55.17	Peak	68.2	Pass
NVNT	n40	5190	Ant3	5149.7	-54.92	5.04	0.24	45.62	Average	54	Pass
NVNT	n40	5190	Ant3	5150	-45.78	5.04	-	54.52	Peak	68.2	Pass
NVNT	n40	5190	Ant3	5150	-54.92	5.04	0.24	45.62	Average	54	Pass
NVNT	n40	5230	Ant3	5350	-49.81	5.04	-	50.49	Peak	68.2	Pass
NVNT	n40	5230	Ant3	5350	-57.16	5.04	0.24	43.38	Average	54	Pass
NVNT	n40	5230	Ant3	5383.05	-47.72	5.04	-	52.58	Peak	68.2	Pass
NVNT	n40	5230	Ant3	5390.07	-56.9	5.04	0.24	43.64	Average	54	Pass
NVNT	n40	5230	Ant3	5460	-50.91	5.04	-	49.39	Peak	68.2	Pass
NVNT	n40	5230	Ant3	5460	-58.25	5.04	0.24	42.29	Average	54	Pass
NVNT	ac20	5180	Ant3	4500	-49.75	5.04	-	50.55	Peak	68.2	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



NVNT	ac20	5180	Ant3	4500	-58.24	5.04	0.28	42.34	Average	54	Pass
NVNT	ac20	5180	Ant3	5148.9	-43.66	5.04	-	56.64	Peak	68.2	Pass
NVNT	ac20	5180	Ant3	5149.6	-55.19	5.04	0.28	45.39	Average	54	Pass
NVNT	ac20	5180	Ant3	5150	-46.52	5.04	-	53.78	Peak	68.2	Pass
NVNT	ac20	5180	Ant3	5150	-54.96	5.04	0.28	45.62	Average	54	Pass
NVNT	ac20	5240	Ant3	5350	-47.73	5.04	-	52.57	Peak	68.2	Pass
NVNT	ac20	5240	Ant3	5350	-57.06	5.04	0.28	43.52	Average	54	Pass
NVNT	ac20	5240	Ant3	5455.92	-46.77	5.04	-	53.53	Peak	68.2	Pass
NVNT	ac20	5240	Ant3	5350.56	-56.72	5.04	0.28	43.86	Average	54	Pass
NVNT	ac20	5240	Ant3	5460	-51.03	5.04	-	49.27	Peak	68.2	Pass
NVNT	ac20	5240	Ant3	5460	-57.71	5.04	0.28	42.87	Average	54	Pass
NVNT	ac40	5190	Ant3	4500	-49.88	5.04	-	50.42	Peak	68.2	Pass
NVNT	ac40	5190	Ant3	4500	-58.32	5.04	0.23	42.21	Average	54	Pass
NVNT	ac40	5190	Ant3	5145.32	-40.63	5.04	-	59.67	Peak	68.2	Pass
NVNT	ac40	5190	Ant3	5149.7	-52.93	5.04	0.23	47.6	Average	54	Pass
NVNT	ac40	5190	Ant3	5150	-41.22	5.04	-	59.08	Peak	68.2	Pass
NVNT	ac40	5190	Ant3	5150	-52.93	5.04	0.23	47.6	Average	54	Pass
NVNT	ac40	5230	Ant3	5350	-49.84	5.04	-	50.46	Peak	68.2	Pass
NVNT	ac40	5230	Ant3	5350	-57.62	5.04	0.24	42.92	Average	54	Pass
NVNT	ac40	5230	Ant3	5377.65	-47.54	5.04	-	52.76	Peak	68.2	Pass
NVNT	ac40	5230	Ant3	5369.28	-57.12	5.04	0.24	43.42	Average	54	Pass
NVNT	ac40	5230	Ant3	5460	-49.58	5.04	-	50.72	Peak	68.2	Pass
NVNT	ac40	5230	Ant3	5460	-57.79	5.04	0.24	42.75	Average	54	Pass
NVNT	ac80	5210	Ant3	5350	-47.84	5.04	-	52.46	Peak	68.2	Pass
NVNT	ac80	5210	Ant3	5350	-56.48	5.04	0.25	44.07	Average	54	Pass
NVNT	ac80	5210	Ant3	5353.74	-45.46	5.04	-	54.84	Peak	68.2	Pass
NVNT	ac80	5210	Ant3	5351.43	-55.75	5.04	0.25	44.8	Average	54	Pass
NVNT	ac80	5210	Ant3	5460	-49.1	5.04	-	51.2	Peak	68.2	Pass
NVNT	ac80	5210	Ant3	5460	-57.6	5.04	0.25	42.95	Average	54	Pass
NVNT	ac80	5210	Ant3	4500	-51.1	5.04	-	49.2	Peak	68.2	Pass
NVNT	ac80	5210	Ant3	4500	-58.7	5.04	0.25	41.85	Average	54	Pass
NVNT	ac80	5210	Ant3	5147.8	-44.04	5.04	-	56.26	Peak	68.2	Pass
NVNT	ac80	5210	Ant3	5147.8	-54.53	5.04	0.25	46.02	Average	54	Pass
NVNT	ac80	5210	Ant3	5150	-43.71	5.04	-	56.59	Peak	68.2	Pass
NVNT	ac80	5210	Ant3	5150	-54.58	5.04	0.25	45.97	Average	54	Pass


Test Graphs




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



Restrict Band NVNT a 5180MHz Ant3 Peak




Restrict Band NVNT a 5180MHz Ant3 Average






Restrict Band NVNT a 5240MHz Ant3 Peak




Restrict Band NVNT a 5240MHz Ant3 Average






Restrict Band NVNT n20 5180MHz Ant3 Peak




Restrict Band NVNT n20 5180MHz Ant3 Average






Restrict Band NVNT n20 5240MHz Ant3 Peak




Restrict Band NVNT n20 5240MHz Ant3 Average






Restrict Band NVNT n40 5190MHz Ant3 Peak




Restrict Band NVNT n40 5190MHz Ant3 Average






Restrict Band NVNT n40 5230MHz Ant3 Peak




Restrict Band NVNT n40 5230MHz Ant3 Average






Restrict Band NVNT ac20 5180MHz Ant3 Peak




Restrict Band NVNT ac20 5180MHz Ant3 Average






Restrict Band NVNT ac20 5240MHz Ant3 Peak




Restrict Band NVNT ac20 5240MHz Ant3 Average






Restrict Band NVNT ac40 5190MHz Ant3 Peak




Restrict Band NVNT ac40 5190MHz Ant3 Average






Restrict Band NVNT ac40 5230MHz Ant3 Peak




Restrict Band NVNT ac40 5230MHz Ant3 Average






Restrict Band NVNT ac80 5210MHz Ant3 Peak




Restrict Band NVNT ac80 5210MHz Ant3 Average






Restrict Band NVNT ac80 5210MHz Ant3 Peak



Restrict Band NVNT ac80 5210MHz Ant3 Average





Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5180	Ant4	4500	-49.67	5.04	-	50.63	Peak	68.2	Pass
NVNT	a	5180	Ant4	4500	-58.62	5.04	0.24	41.92	Average	54	Pass
NVNT	a	5180	Ant4	5148.2	-44.05	5.04	-	56.25	Peak	68.2	Pass
NVNT	a	5180	Ant4	5148.2	-56.04	5.04	0.24	44.5	Average	54	Pass
NVNT	a	5180	Ant4	5150	-47.45	5.04	-	52.85	Peak	68.2	Pass
NVNT	a	5180	Ant4	5150	-56.47	5.04	0.24	44.07	Average	54	Pass
NVNT	a	5240	Ant4	5350	-47.9	5.04	-	52.4	Peak	68.2	Pass
NVNT	a	5240	Ant4	5350	-57.41	5.04	0.24	43.13	Average	54	Pass
NVNT	a	5240	Ant4	5424.96	-47.38	5.04	-	52.92	Peak	68.2	Pass
NVNT	a	5240	Ant4	5351.76	-56.65	5.04	0.24	43.89	Average	54	Pass
NVNT	a	5240	Ant4	5460	-49.46	5.04	-	50.84	Peak	68.2	Pass
NVNT	a	5240	Ant4	5460	-58.44	5.04	0.24	42.1	Average	54	Pass
NVNT	n20	5180	Ant4	4500	-51.06	5.04	-	49.24	Peak	68.2	Pass
NVNT	n20	5180	Ant4	4500	-58.56	5.04	0.28	42.02	Average	54	Pass
NVNT	n20	5180	Ant4	5146.8	-45.36	5.04	-	54.94	Peak	68.2	Pass
NVNT	n20	5180	Ant4	5148.2	-55.64	5.04	0.28	44.94	Average	54	Pass
NVNT	n20	5180	Ant4	5150	-45.08	5.04	-	55.22	Peak	68.2	Pass
NVNT	n20	5180	Ant4	5150	-55.41	5.04	0.28	45.17	Average	54	Pass
NVNT	n20	5240	Ant4	5350	-49.56	5.04	-	50.74	Peak	68.2	Pass
NVNT	n20	5240	Ant4	5350	-57.67	5.04	0.28	42.91	Average	54	Pass
NVNT	n20	5240	Ant4	5416.56	-47.08	5.04	-	53.22	Peak	68.2	Pass
NVNT	n20	5240	Ant4	5352	-57.06	5.04	0.28	43.52	Average	54	Pass
NVNT	n20	5240	Ant4	5460	-50.18	5.04	-	50.12	Peak	68.2	Pass
NVNT	n20	5240	Ant4	5460	-58.51	5.04	0.28	42.07	Average	54	Pass
NVNT	n40	5190	Ant4	4500	-50.2	5.04	-	50.1	Peak	68.2	Pass
NVNT	n40	5190	Ant4	4500	-58.86	5.04	0.12	41.56	Average	54	Pass
NVNT	n40	5190	Ant4	5146.78	-39.42	5.04	-	60.88	Peak	68.2	Pass
NVNT	n40	5190	Ant4	5146.78	-55.04	5.04	0.12	45.38	Average	54	Pass
NVNT	n40	5190	Ant4	5150	-42.66	5.04	-	57.64	Peak	68.2	Pass
NVNT	n40	5190	Ant4	5150	-55.49	5.04	0.12	44.93	Average	54	Pass
NVNT	n40	5230	Ant4	5350	-50.51	5.04	-	49.79	Peak	68.2	Pass
NVNT	n40	5230	Ant4	5350	-57.7	5.04	0.12	42.72	Average	54	Pass
NVNT	n40	5230	Ant4	5413.02	-47.41	5.04	-	52.89	Peak	68.2	Pass
NVNT	n40	5230	Ant4	5399.25	-57.11	5.04	0.12	43.31	Average	54	Pass
NVNT	n40	5230	Ant4	5460	-49.57	5.04	-	50.73	Peak	68.2	Pass
NVNT	n40	5230	Ant4	5460	-58.09	5.04	0.12	42.33	Average	54	Pass
NVNT	ac20	5180	Ant4	4500	-50.2	5.04	-	50.1	Peak	68.2	Pass
NVNT	ac20	5180	Ant4	4500	-58.69	5.04	0.28	41.89	Average	54	Pass
NVNT	ac20	5180	Ant4	5144.7	-42.67	5.04	-	57.63	Peak	68.2	Pass






NVNT	ac20	5180	Ant4	5149.6	-55.65	5.04	0.28	44.93	Average	54	Pass
NVNT	ac20	5180	Ant4	5150	-46.63	5.04	-	53.67	Peak	68.2	Pass
NVNT	ac20	5180	Ant4	5150	-55.16	5.04	0.28	45.42	Average	54	Pass
NVNT	ac20	5240	Ant4	5350	-49.83	5.04	-	50.47	Peak	68.2	Pass
NVNT	ac20	5240	Ant4	5350	-57.07	5.04	0.28	43.51	Average	54	Pass
NVNT	ac20	5240	Ant4	5390.4	-47.34	5.04	-	52.96	Peak	68.2	Pass
NVNT	ac20	5240	Ant4	5350.8	-56.84	5.04	0.28	43.74	Average	54	Pass
NVNT	ac20	5240	Ant4	5460	-49.2	5.04	-	51.1	Peak	68.2	Pass
NVNT	ac20	5240	Ant4	5460	-58.03	5.04	0.28	42.55	Average	54	Pass
NVNT	ac40	5190	Ant4	4500	-49.98	5.04	-	50.32	Peak	68.2	Pass
NVNT	ac40	5190	Ant4	4500	-58.59	5.04	0.23	41.94	Average	54	Pass
NVNT	ac40	5190	Ant4	5148.97	-45.18	5.04	-	55.12	Peak	68.2	Pass
NVNT	ac40	5190	Ant4	5149.7	-54.59	5.04	0.23	45.94	Average	54	Pass
NVNT	ac40	5190	Ant4	5150	-46.45	5.04	-	53.85	Peak	68.2	Pass
NVNT	ac40	5190	Ant4	5150	-54.59	5.04	0.23	45.94	Average	54	Pass
NVNT	ac40	5230	Ant4	5350	-49.85	5.04	-	50.45	Peak	68.2	Pass
NVNT	ac40	5230	Ant4	5350	-57.54	5.04	0.23	42.99	Average	54	Pass
NVNT	ac40	5230	Ant4	5451.63	-47.88	5.04	-	52.42	Peak	68.2	Pass
NVNT	ac40	5230	Ant4	5351.19	-57.28	5.04	0.23	43.25	Average	54	Pass
NVNT	ac40	5230	Ant4	5460	-50.17	5.04	-	50.13	Peak	68.2	Pass
NVNT	ac40	5230	Ant4	5460	-57.88	5.04	0.23	42.65	Average	54	Pass
NVNT	ac80	5210	Ant4	5350	-48.83	5.04	-	51.47	Peak	68.2	Pass
NVNT	ac80	5210	Ant4	5350	-56.49	5.04	0.47	44.28	Average	54	Pass
NVNT	ac80	5210	Ant4	5377.17	-45.87	5.04	-	54.43	Peak	68.2	Pass
NVNT	ac80	5210	Ant4	5362.98	-56.28	5.04	0.47	44.49	Average	54	Pass
NVNT	ac80	5210	Ant4	5460	-50.77	5.04	-	49.53	Peak	68.2	Pass
NVNT	ac80	5210	Ant4	5460	-57.68	5.04	0.47	43.09	Average	54	Pass
NVNT	ac80	5210	Ant4	4500	-49.49	5.04	-	50.81	Peak	68.2	Pass
NVNT	ac80	5210	Ant4	4500	-58.61	5.04	0.47	42.16	Average	54	Pass
NVNT	ac80	5210	Ant4	5149.38	-42.8	5.04	-	57.5	Peak	68.2	Pass
NVNT	ac80	5210	Ant4	5149.38	-55.14	5.04	0.47	45.63	Average	54	Pass
NVNT	ac80	5210	Ant4	5150	-44.04	5.04	-	56.26	Peak	68.2	Pass
NVNT	ac80	5210	Ant4	5150	-54.97	5.04	0.47	45.8	Average	54	Pass






Test Graphs

Restrict Band NVNT a 5180MHz Ant4 Peak




Restrict Band NVNT a 5180MHz Ant4 Average






Restrict Band NVNT a 5240MHz Ant4 Peak



Restrict Band NVNT a 5240MHz Ant4 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n20 5180MHz Ant4 Peak




Restrict Band NVNT n20 5180MHz Ant4 Average






Restrict Band NVNT n20 5240MHz Ant4 Peak



Restrict Band NVNT n20 5240MHz Ant4 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n40 5190MHz Ant4 Peak




Restrict Band NVNT n40 5190MHz Ant4 Average






Restrict Band NVNT n40 5230MHz Ant4 Peak




Restrict Band NVNT n40 5230MHz Ant4 Average






Restrict Band NVNT ac20 5180MHz Ant4 Peak




Restrict Band NVNT ac20 5180MHz Ant4 Average






Restrict Band NVNT ac20 5240MHz Ant4 Peak




Restrict Band NVNT ac20 5240MHz Ant4 Average





Restrict Band NVNT ac40 5190MHz Ant4 Peak



Restrict Band NVNT ac40 5190MHz Ant4 Average

