



Appendix B

RF Test Data for 5.2GWIFI(Conducted Measurement)

Product Name: 650Mbps USB WiFi Adapter

Test Model: 2505013

Environmental Conditions

Temperature:	23.5°C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Paddi Chen
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



B.1 -26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	26.213	---	Pass
NVNT	a	5200	Ant1	24.684	---	Pass
NVNT	a	5240	Ant1	19.855	---	Pass
NVNT	n20	5180	Ant1	24.604	---	Pass
NVNT	n20	5200	Ant1	25.126	---	Pass
NVNT	n20	5240	Ant1	20.24	---	Pass
NVNT	n40	5190	Ant1	47.383	---	Pass
NVNT	n40	5230	Ant1	40.182	---	Pass
NVNT	ac20	5180	Ant1	27.424	---	Pass
NVNT	ac20	5200	Ant1	23.731	---	Pass
NVNT	ac20	5240	Ant1	20.19	---	Pass
NVNT	ac40	5190	Ant1	50.548	---	Pass
NVNT	ac40	5230	Ant1	40.375	---	Pass
NVNT	ac80	5210	Ant1	84.942	---	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Test Graphs

-26dB Bandwidth NVNT a 5180MHz Ant1



-26dB Bandwidth NVNT a 5200MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT a 5240MHz Ant1



-26dB Bandwidth NVNT n20 5180MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT n20 5200MHz Ant1



-26dB Bandwidth NVNT n20 5240MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT n40 5190MHz Ant1




-26dB Bandwidth NVNT n40 5230MHz Ant1






-26dB Bandwidth NVNT ac20 5180MHz Ant1



-26dB Bandwidth NVNT ac20 5200MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ac20 5240MHz Ant1



-26dB Bandwidth NVNT ac40 5190MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ac40 5230MHz Ant1



-26dB Bandwidth NVNT ac80 5210MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



B.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	12.74	0.17	12.91	24	Pass
NVNT	a	5200	Ant1	12.47	0.17	12.64	24	Pass
NVNT	a	5240	Ant1	12.04	0.17	12.21	24	Pass
NVNT	n20	5180	Ant1	11.24	0.19	11.43	24	Pass
NVNT	n20	5200	Ant1	11.55	0.18	11.73	24	Pass
NVNT	n20	5240	Ant1	11.53	0.19	11.72	24	Pass
NVNT	n40	5190	Ant1	10.44	0.1	10.54	24	Pass
NVNT	n40	5230	Ant1	10.53	0.1	10.63	24	Pass
NVNT	ac20	5180	Ant1	11.9	0.27	12.17	24	Pass
NVNT	ac20	5200	Ant1	11.24	0.27	11.51	24	Pass
NVNT	ac20	5240	Ant1	10.83	0.27	11.1	24	Pass
NVNT	ac40	5190	Ant1	10.47	0.28	10.75	24	Pass
NVNT	ac40	5230	Ant1	10.11	0.28	10.39	24	Pass
NVNT	ac80	5210	Ant1	9.37	0.39	9.76	24	Pass

B.3 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant1	2.44	0.17	2.61	11	Pass
NVNT	a	5200	Ant1	3.43	0.17	3.6	11	Pass
NVNT	a	5240	Ant1	1.77	0.17	1.94	11	Pass
NVNT	n20	5180	Ant1	1.04	0.19	1.23	11	Pass
NVNT	n20	5200	Ant1	1.27	0.18	1.45	11	Pass
NVNT	n20	5240	Ant1	0.93	0.19	1.12	11	Pass
NVNT	n40	5190	Ant1	-2.34	0.1	-2.24	11	Pass
NVNT	n40	5230	Ant1	-1.82	0.1	-1.72	11	Pass
NVNT	ac20	5180	Ant1	1.48	0.27	1.75	11	Pass
NVNT	ac20	5200	Ant1	0.97	0.27	1.24	11	Pass
NVNT	ac20	5240	Ant1	0.14	0.27	0.41	11	Pass
NVNT	ac40	5190	Ant1	-2.12	0.28	-1.84	11	Pass
NVNT	ac40	5230	Ant1	-2.44	0.28	-2.16	11	Pass
NVNT	ac80	5210	Ant1	-6.03	0.39	-5.64	11	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Test Graphs

PSD NVNT a 5180MHz Ant1




PSD NVNT a 5200MHz Ant1






PSD NVNT a 5240MHz Ant1



PSD NVNT n20 5180MHz Ant1







Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity








PSD NVNT ac20 5180MHz Ant1



PSD NVNT ac20 5200MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



PSD NVNT ac20 5240MHz Ant1



PSD NVNT ac40 5190MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



PSD NVNT ac40 5230MHz Ant1



PSD NVNT ac80 5210MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



B.4 Restrict Band

Condition	Mode	Frequency (MHz)	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5180	4500	-50.14	2.86	-	47.98	Peak	68.2	Pass
NVNT	a	5180	4500	-57.16	2.86	0.17	41.13	Average	54	Pass
NVNT	a	5180	5090.8	-43.89	2.86	-	54.23	Peak	68.2	Pass
NVNT	a	5180	5020.1	-54.34	2.86	0.17	43.95	Average	54	Pass
NVNT	a	5180	5150	-47.66	2.86	-	50.46	Peak	68.2	Pass
NVNT	a	5180	5150	-55.22	2.86	0.17	43.07	Average	54	Pass
NVNT	a	5240	5350	-47.57	2.86	-	50.55	Peak	68.2	Pass
NVNT	a	5240	5350	-56.9	2.86	0.17	41.39	Average	54	Pass
NVNT	a	5240	5456.4	-45.78	2.86	-	52.34	Peak	68.2	Pass
NVNT	a	5240	5400	-56.18	2.86	0.17	42.11	Average	54	Pass
NVNT	a	5240	5460	-49.7	2.86	-	48.42	Peak	68.2	Pass
NVNT	a	5240	5460	-57.53	2.86	0.17	40.76	Average	54	Pass
NVNT	n20	5180	4500	-48.7	2.86	-	49.42	Peak	68.2	Pass
NVNT	n20	5180	4500	-57.55	2.86	0.19	40.76	Average	54	Pass
NVNT	n20	5180	5055.8	-44.49	2.86	-	53.63	Peak	68.2	Pass
NVNT	n20	5180	5019.4	-54.39	2.86	0.19	43.92	Average	54	Pass
NVNT	n20	5180	5150	-48.1	2.86	-	50.02	Peak	68.2	Pass
NVNT	n20	5180	5150	-55.29	2.86	0.19	43.02	Average	54	Pass
NVNT	n20	5240	5350	-49.52	2.86	-	48.6	Peak	68.2	Pass
NVNT	n20	5240	5350	-56.95	2.86	0.19	41.36	Average	54	Pass
NVNT	n20	5240	5356.32	-46.53	2.86	-	51.59	Peak	68.2	Pass
NVNT	n20	5240	5367.36	-55.97	2.86	0.19	42.34	Average	54	Pass
NVNT	n20	5240	5460	-48.92	2.86	-	49.2	Peak	68.2	Pass
NVNT	n20	5240	5460	-56.87	2.86	0.19	41.44	Average	54	Pass
NVNT	n40	5190	4500	-48.55	2.86	-	49.57	Peak	68.2	Pass
NVNT	n40	5190	4500	-57.47	2.86	0.1	40.75	Average	54	Pass
NVNT	n40	5190	5145.32	-43.73	2.86	-	54.39	Peak	68.2	Pass
NVNT	n40	5190	5149.7	-53.13	2.86	0.1	45.09	Average	54	Pass
NVNT	n40	5190	5150	-44.24	2.86	-	53.88	Peak	68.2	Pass
NVNT	n40	5190	5150	-53.13	2.86	0.1	45.09	Average	54	Pass
NVNT	n40	5230	5350	-49.25	2.86	-	48.87	Peak	68.2	Pass
NVNT	n40	5230	5350	-56.1	2.86	0.1	42.12	Average	54	Pass
NVNT	n40	5230	5446.23	-45.61	2.86	-	52.51	Peak	68.2	Pass
NVNT	n40	5230	5390.07	-55	2.86	0.1	43.22	Average	54	Pass
NVNT	n40	5230	5460	-48.92	2.86	-	49.2	Peak	68.2	Pass






NVNT	n40	5230	5460	-57.06	2.86	0.1	41.16	Average	54	Pass
NVNT	ac20	5180	4500	-49.32	2.86	-	48.8	Peak	68.2	Pass
NVNT	ac20	5180	4500	-58.04	2.86	0.27	40.35	Average	54	Pass
NVNT	ac20	5180	4920.7	-44.33	2.86	-	53.79	Peak	68.2	Pass
NVNT	ac20	5180	5071.9	-54.76	2.86	0.27	43.63	Average	54	Pass
NVNT	ac20	5180	5150	-47.82	2.86	-	50.3	Peak	68.2	Pass
NVNT	ac20	5180	5150	-55.15	2.86	0.27	43.24	Average	54	Pass
NVNT	ac20	5240	5350	-49.06	2.86	-	49.06	Peak	68.2	Pass
NVNT	ac20	5240	5350	-56.23	2.86	0.27	42.16	Average	54	Pass
NVNT	ac20	5240	5380.8	-44.96	2.86	-	53.16	Peak	68.2	Pass
NVNT	ac20	5240	5400.24	-54.78	2.86	0.27	43.61	Average	54	Pass
NVNT	ac20	5240	5460	-48.62	2.86	-	49.5	Peak	68.2	Pass
NVNT	ac20	5240	5460	-56.4	2.86	0.27	41.99	Average	54	Pass
NVNT	ac40	5190	4500	-48.37	2.86	-	49.75	Peak	68.2	Pass
NVNT	ac40	5190	4500	-57.16	2.86	0.28	41.24	Average	54	Pass
NVNT	ac40	5190	5141.67	-42.88	2.86	-	55.24	Peak	68.2	Pass
NVNT	ac40	5190	5149.7	-52.95	2.86	0.28	45.45	Average	54	Pass
NVNT	ac40	5190	5150	-45.25	2.86	-	52.87	Peak	68.2	Pass
NVNT	ac40	5190	5150	-52.95	2.86	0.28	45.45	Average	54	Pass
NVNT	ac40	5230	5350	-49.05	2.86	-	49.07	Peak	68.2	Pass
NVNT	ac40	5230	5350	-56.45	2.86	0.28	41.95	Average	54	Pass
NVNT	ac40	5230	5440.83	-45.07	2.86	-	53.05	Peak	68.2	Pass
NVNT	ac40	5230	5390.88	-55.22	2.86	0.28	43.18	Average	54	Pass
NVNT	ac40	5230	5460	-49.1	2.86	-	49.02	Peak	68.2	Pass
NVNT	ac40	5230	5460	-56.48	2.86	0.28	41.92	Average	54	Pass
NVNT	ac80	5210	5350	-48.45	2.86	-	49.67	Peak	68.2	Pass
NVNT	ac80	5210	5350	-56.7	2.86	0.55	41.97	Average	54	Pass
NVNT	ac80	5210	5448.45	-45.94	2.86	-	52.18	Peak	68.2	Pass
NVNT	ac80	5210	5384.43	-55.59	2.86	0.55	43.08	Average	54	Pass
NVNT	ac80	5210	5460	-48.53	2.86	-	49.59	Peak	68.2	Pass
NVNT	ac80	5210	5460	-56.21	2.86	0.55	42.46	Average	54	Pass
NVNT	ac80	5210	4500	-48.38	2.86	-	49.74	Peak	68.2	Pass
NVNT	ac80	5210	4500	-57.26	2.86	0.55	41.41	Average	54	Pass
NVNT	ac80	5210	5134.37	-43.29	2.86	-	54.83	Peak	68.2	Pass
NVNT	ac80	5210	5149.38	-52	2.86	0.55	46.67	Average	54	Pass
NVNT	ac80	5210	5150	-43.24	2.86	-	54.88	Peak	68.2	Pass
NVNT	ac80	5210	5150	-52.41	2.86	0.55	46.26	Average	54	Pass






Test Graphs

Restrict Band NVNT a 5180MHz Peak



Restrict Band NVNT a 5180MHz Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT a 5240MHz Peak



Restrict Band NVNT a 5240MHz Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n20 5180MHz Peak



Restrict Band NVNT n20 5180MHz Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n20 5240MHz Peak



Restrict Band NVNT n20 5240MHz Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n40 5190MHz Peak



Restrict Band NVNT n40 5190MHz Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n40 5230MHz Peak



Restrict Band NVNT n40 5230MHz Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac20 5180MHz Peak



Restrict Band NVNT ac20 5180MHz Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac20 5240MHz Peak



Restrict Band NVNT ac20 5240MHz Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac40 5190MHz Peak




Restrict Band NVNT ac40 5190MHz Average






Restrict Band NVNT ac40 5230MHz Peak



Restrict Band NVNT ac40 5230MHz Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac80 5210MHz Peak



Restrict Band NVNT ac80 5210MHz Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity