





PSD NVNT n20 5200MHz Ant2




PSD NVNT n20 5240MHz Ant2






PSD NVNT n40 5190MHz Ant2




PSD NVNT n40 5230MHz Ant2






PSD NVNT ac20 5180MHz Ant2




PSD NVNT ac20 5200MHz Ant2






PSD NVNT ac20 5240MHz Ant2




PSD NVNT ac40 5190MHz Ant2






PSD NVNT ac40 5230MHz Ant2



PSD NVNT ac80 5210MHz Ant2





B.4 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBUV/m)	Detector	Limit (dBUV/m)	Verdict
NVNT	a	5180	Ant1	4500	-48.43	2.05	-	48.88	Peak	68.2	Pass
NVNT	a	5180	Ant1	4500	-57.14	2.05	0.24	40.41	Average	54	Pass
NVNT	a	5180	Ant1	5148.2	-38.86	2.05	-	58.45	Peak	68.2	Pass
NVNT	a	5180	Ant1	5148.2	-53.42	2.05	0.24	44.13	Average	54	Pass
NVNT	a	5180	Ant1	5150	-41.15	2.05	-	56.16	Peak	68.2	Pass
NVNT	a	5180	Ant1	5150	-52.94	2.05	0.24	44.61	Average	54	Pass
NVNT	a	5240	Ant1	5350	-46.83	2.05	-	50.48	Peak	68.2	Pass
NVNT	a	5240	Ant1	5350	-56.01	2.05	0.24	41.54	Average	54	Pass
NVNT	a	5240	Ant1	5397.84	-46.16	2.05	-	51.15	Peak	68.2	Pass
NVNT	a	5240	Ant1	5350.8	-55.31	2.05	0.24	42.24	Average	54	Pass
NVNT	a	5240	Ant1	5460	-49.04	2.05	-	48.27	Peak	68.2	Pass
NVNT	a	5240	Ant1	5460	-57.37	2.05	0.24	40.18	Average	54	Pass
NVNT	n20	5180	Ant1	4500	-50.76	2.05	-	46.55	Peak	68.2	Pass
NVNT	n20	5180	Ant1	4500	-57.57	2.05	0.28	40.02	Average	54	Pass
NVNT	n20	5180	Ant1	5149.6	-42.53	2.05	-	54.78	Peak	68.2	Pass
NVNT	n20	5180	Ant1	5149.6	-54.51	2.05	0.28	43.08	Average	54	Pass
NVNT	n20	5180	Ant1	5150	-37.52	2.05	-	59.79	Peak	68.2	Pass
NVNT	n20	5180	Ant1	5150	-53.37	2.05	0.28	44.22	Average	54	Pass
NVNT	n20	5240	Ant1	5350	-47.29	2.05	-	50.02	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5350	-56.42	2.05	0.28	41.17	Average	54	Pass
NVNT	n20	5240	Ant1	5422.32	-46.29	2.05	-	51.02	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5352.24	-55.77	2.05	0.28	41.82	Average	54	Pass
NVNT	n20	5240	Ant1	5460	-49.74	2.05	-	47.57	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5460	-57.16	2.05	0.28	40.43	Average	54	Pass
NVNT	n40	5190	Ant1	4500	-48.52	2.05	-	48.79	Peak	68.2	Pass
NVNT	n40	5190	Ant1	4500	-57.12	2.05	0.12	40.31	Average	54	Pass
NVNT	n40	5190	Ant1	5147.51	-40.2	2.05	-	57.11	Peak	68.2	Pass
NVNT	n40	5190	Ant1	5149.7	-52.8	2.05	0.12	44.63	Average	54	Pass
NVNT	n40	5190	Ant1	5150	-42.16	2.05	-	55.15	Peak	68.2	Pass
NVNT	n40	5190	Ant1	5150	-52.8	2.05	0.12	44.63	Average	54	Pass
NVNT	n40	5230	Ant1	5350	-47.43	2.05	-	49.88	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5350	-55.99	2.05	0.12	41.44	Average	54	Pass
NVNT	n40	5230	Ant1	5459.73	-45.45	2.05	-	51.86	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5441.91	-55.98	2.05	0.12	41.45	Average	54	Pass
NVNT	n40	5230	Ant1	5460	-48.84	2.05	-	48.47	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5460	-57.28	2.05	0.12	40.15	Average	54	Pass
NVNT	ac20	5180	Ant1	4500	-48.94	2.05	-	48.37	Peak	68.2	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	ac20	5180	Ant1	4500	-57.36	2.05	0.28	40.23	Average	54	Pass
NVNT	ac20	5180	Ant1	5147.5	-40.83	2.05	-	56.48	Peak	68.2	Pass
NVNT	ac20	5180	Ant1	5148.9	-52.08	2.05	0.28	45.51	Average	54	Pass
NVNT	ac20	5180	Ant1	5150	-42.47	2.05	-	54.84	Peak	68.2	Pass
NVNT	ac20	5180	Ant1	5150	-52.15	2.05	0.28	45.44	Average	54	Pass
NVNT	ac20	5240	Ant1	5350	-47.72	2.05	-	49.59	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5350	-56.39	2.05	0.28	41.2	Average	54	Pass
NVNT	ac20	5240	Ant1	5449.68	-46.16	2.05	-	51.15	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5352	-55.67	2.05	0.28	41.92	Average	54	Pass
NVNT	ac20	5240	Ant1	5460	-49.02	2.05	-	48.29	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5460	-56.91	2.05	0.28	40.68	Average	54	Pass
NVNT	ac40	5190	Ant1	4500	-49.32	2.05	-	47.99	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	4500	-56.97	2.05	0.12	40.46	Average	54	Pass
NVNT	ac40	5190	Ant1	5149.7	-41.8	2.05	-	55.51	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	5149.7	-52.98	2.05	0.12	44.45	Average	54	Pass
NVNT	ac40	5190	Ant1	5150	-41.8	2.05	-	55.51	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	5150	-52.98	2.05	0.12	44.45	Average	54	Pass
NVNT	ac40	5230	Ant1	5350	-47.34	2.05	-	49.97	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5350	-56.54	2.05	0.12	40.89	Average	54	Pass
NVNT	ac40	5230	Ant1	5378.46	-45.91	2.05	-	51.4	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5358.48	-55.76	2.05	0.12	41.67	Average	54	Pass
NVNT	ac40	5230	Ant1	5460	-47.74	2.05	-	49.57	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5460	-57.29	2.05	0.12	40.14	Average	54	Pass
NVNT	ac80	5210	Ant1	5350	-47.35	2.05	-	49.96	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5350	-55.92	2.05	0.25	41.64	Average	54	Pass
NVNT	ac80	5210	Ant1	5351.43	-44.77	2.05	-	52.54	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5353.08	-55.47	2.05	0.25	42.09	Average	54	Pass
NVNT	ac80	5210	Ant1	5460	-48.64	2.05	-	48.67	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5460	-57.02	2.05	0.25	40.54	Average	54	Pass
NVNT	ac80	5210	Ant1	4500	-49.2	2.05	-	48.11	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	4500	-57.39	2.05	0.25	40.17	Average	54	Pass
NVNT	ac80	5210	Ant1	5144.64	-41.73	2.05	-	55.58	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5143.85	-52.03	2.05	0.25	45.53	Average	54	Pass
NVNT	ac80	5210	Ant1	5150	-44.5	2.05	-	52.81	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5150	-52.38	2.05	0.25	45.18	Average	54	Pass


Test Graphs




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



Restrict Band NVNT a 5180MHz Ant1 Peak




Restrict Band NVNT a 5180MHz Ant1 Average






Restrict Band NVNT a 5240MHz Ant1 Peak




Restrict Band NVNT a 5240MHz Ant1 Average






Restrict Band NVNT n20 5180MHz Ant1 Peak




Restrict Band NVNT n20 5180MHz Ant1 Average






Restrict Band NVNT n20 5240MHz Ant1 Peak




Restrict Band NVNT n20 5240MHz Ant1 Average






Restrict Band NVNT n40 5190MHz Ant1 Peak




Restrict Band NVNT n40 5190MHz Ant1 Average






Restrict Band NVNT n40 5230MHz Ant1 Peak




Restrict Band NVNT n40 5230MHz Ant1 Average






Restrict Band NVNT ac20 5180MHz Ant1 Peak




Restrict Band NVNT ac20 5180MHz Ant1 Average






Restrict Band NVNT ac20 5240MHz Ant1 Peak




Restrict Band NVNT ac20 5240MHz Ant1 Average






Restrict Band NVNT ac40 5190MHz Ant1 Peak




Restrict Band NVNT ac40 5190MHz Ant1 Average






Restrict Band NVNT ac40 5230MHz Ant1 Peak




Restrict Band NVNT ac40 5230MHz Ant1 Average






Restrict Band NVNT ac80 5210MHz Ant1 Peak




Restrict Band NVNT ac80 5210MHz Ant1 Average






Restrict Band NVNT ac80 5210MHz Ant1 Peak



Restrict Band NVNT ac80 5210MHz Ant1 Average





Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5180	Ant2	4500	-49.24	2.05	-	48.07	Peak	68.2	Pass
NVNT	a	5180	Ant2	4500	-57.54	2.05	0.24	40.01	Average	54	Pass
NVNT	a	5180	Ant2	5147.5	-43.6	2.05	-	53.71	Peak	68.2	Pass
NVNT	a	5180	Ant2	5148.9	-53.24	2.05	0.24	44.31	Average	54	Pass
NVNT	a	5180	Ant2	5150	-40.76	2.05	-	56.55	Peak	68.2	Pass
NVNT	a	5180	Ant2	5150	-52.52	2.05	0.24	45.03	Average	54	Pass
NVNT	a	5240	Ant2	5350	-48.75	2.05	-	48.56	Peak	68.2	Pass
NVNT	a	5240	Ant2	5350	-55.89	2.05	0.24	41.66	Average	54	Pass
NVNT	a	5240	Ant2	5350.8	-45.83	2.05	-	51.48	Peak	68.2	Pass
NVNT	a	5240	Ant2	5350.8	-55.88	2.05	0.24	41.67	Average	54	Pass
NVNT	a	5240	Ant2	5460	-47.75	2.05	-	49.56	Peak	68.2	Pass
NVNT	a	5240	Ant2	5460	-57.49	2.05	0.24	40.06	Average	54	Pass
NVNT	n20	5180	Ant2	4500	-49.03	2.05	-	48.28	Peak	68.2	Pass
NVNT	n20	5180	Ant2	4500	-57.13	2.05	0.28	40.46	Average	54	Pass
NVNT	n20	5180	Ant2	5148.9	-40.05	2.05	-	57.26	Peak	68.2	Pass
NVNT	n20	5180	Ant2	5149.6	-51.79	2.05	0.28	45.8	Average	54	Pass
NVNT	n20	5180	Ant2	5150	-40.59	2.05	-	56.72	Peak	68.2	Pass
NVNT	n20	5180	Ant2	5150	-52.52	2.05	0.28	45.07	Average	54	Pass
NVNT	n20	5240	Ant2	5350	-48.92	2.05	-	48.39	Peak	68.2	Pass
NVNT	n20	5240	Ant2	5350	-55.72	2.05	0.28	41.87	Average	54	Pass
NVNT	n20	5240	Ant2	5351.52	-45.82	2.05	-	51.49	Peak	68.2	Pass
NVNT	n20	5240	Ant2	5350.08	-55.72	2.05	0.28	41.87	Average	54	Pass
NVNT	n20	5240	Ant2	5460	-48.26	2.05	-	49.05	Peak	68.2	Pass
NVNT	n20	5240	Ant2	5460	-57.39	2.05	0.28	40.2	Average	54	Pass
NVNT	n40	5190	Ant2	4500	-48.48	2.05	-	48.83	Peak	68.2	Pass
NVNT	n40	5190	Ant2	4500	-57.54	2.05	0.55	40.32	Average	54	Pass
NVNT	n40	5190	Ant2	5148.97	-40.3	2.05	-	57.01	Peak	68.2	Pass
NVNT	n40	5190	Ant2	5149.7	-52.79	2.05	0.55	45.07	Average	54	Pass
NVNT	n40	5190	Ant2	5150	-41.38	2.05	-	55.93	Peak	68.2	Pass
NVNT	n40	5190	Ant2	5150	-52.79	2.05	0.55	45.07	Average	54	Pass
NVNT	n40	5230	Ant2	5350	-48.39	2.05	-	48.92	Peak	68.2	Pass
NVNT	n40	5230	Ant2	5350	-56.73	2.05	0.12	40.7	Average	54	Pass
NVNT	n40	5230	Ant2	5430.03	-45.82	2.05	-	51.49	Peak	68.2	Pass
NVNT	n40	5230	Ant2	5422.2	-55.91	2.05	0.12	41.52	Average	54	Pass
NVNT	n40	5230	Ant2	5460	-49.93	2.05	-	47.38	Peak	68.2	Pass
NVNT	n40	5230	Ant2	5460	-57.01	2.05	0.12	40.42	Average	54	Pass
NVNT	ac20	5180	Ant2	4500	-48.71	2.05	-	48.6	Peak	68.2	Pass
NVNT	ac20	5180	Ant2	4500	-57.54	2.05	0.28	40.05	Average	54	Pass
NVNT	ac20	5180	Ant2	5149.6	-44.27	2.05	-	53.04	Peak	68.2	Pass





NVNT	ac20	5180	Ant2	5148.2	-54.51	2.05	0.28	43.08	Average	54	Pass
NVNT	ac20	5180	Ant2	5150	-40.86	2.05	-	56.45	Peak	68.2	Pass
NVNT	ac20	5180	Ant2	5150	-54.48	2.05	0.28	43.11	Average	54	Pass
NVNT	ac20	5240	Ant2	5350	-48.66	2.05	-	48.65	Peak	68.2	Pass
NVNT	ac20	5240	Ant2	5350	-56.36	2.05	0.28	41.23	Average	54	Pass
NVNT	ac20	5240	Ant2	5430.48	-45.74	2.05	-	51.57	Peak	68.2	Pass
NVNT	ac20	5240	Ant2	5351.76	-55.83	2.05	0.28	41.76	Average	54	Pass
NVNT	ac20	5240	Ant2	5460	-49.9	2.05	-	47.41	Peak	68.2	Pass
NVNT	ac20	5240	Ant2	5460	-57.05	2.05	0.28	40.54	Average	54	Pass
NVNT	ac40	5190	Ant2	4500	-48.09	2.05	-	49.22	Peak	68.2	Pass
NVNT	ac40	5190	Ant2	4500	-57.7	2.05	0.12	39.73	Average	54	Pass
NVNT	ac40	5190	Ant2	5149.7	-42.17	2.05	-	55.14	Peak	68.2	Pass
NVNT	ac40	5190	Ant2	5149.7	-51.88	2.05	0.12	45.55	Average	54	Pass
NVNT	ac40	5190	Ant2	5150	-42.17	2.05	-	55.14	Peak	68.2	Pass
NVNT	ac40	5190	Ant2	5150	-51.88	2.05	0.12	45.55	Average	54	Pass
NVNT	ac40	5230	Ant2	5350	-49.08	2.05	-	48.23	Peak	68.2	Pass
NVNT	ac40	5230	Ant2	5350	-56.6	2.05	0.12	40.83	Average	54	Pass
NVNT	ac40	5230	Ant2	5430.57	-46.42	2.05	-	50.89	Peak	68.2	Pass
NVNT	ac40	5230	Ant2	5390.88	-56.14	2.05	0.12	41.29	Average	54	Pass
NVNT	ac40	5230	Ant2	5460	-48.67	2.05	-	48.64	Peak	68.2	Pass
NVNT	ac40	5230	Ant2	5460	-57.11	2.05	0.12	40.32	Average	54	Pass
NVNT	ac80	5210	Ant2	5350	-48.65	2.05	-	48.66	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	5350	-55.93	2.05	0.25	41.63	Average	54	Pass
NVNT	ac80	5210	Ant2	5368.92	-44.79	2.05	-	52.52	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	5360.34	-55.42	2.05	0.25	42.14	Average	54	Pass
NVNT	ac80	5210	Ant2	5460	-48.61	2.05	-	48.7	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	5460	-56.58	2.05	0.25	40.98	Average	54	Pass
NVNT	ac80	5210	Ant2	4500	-50.52	2.05	-	46.79	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	4500	-57.23	2.05	0.25	40.33	Average	54	Pass
NVNT	ac80	5210	Ant2	5122.52	-41.22	2.05	-	56.09	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	5145.43	-51.24	2.05	0.25	46.32	Average	54	Pass
NVNT	ac80	5210	Ant2	5150	-42.08	2.05	-	55.23	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	5150	-51.61	2.05	0.25	45.95	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Restrict Band NVNT a 5180MHz Ant2 Peak




Restrict Band NVNT a 5180MHz Ant2 Average






Restrict Band NVNT a 5240MHz Ant2 Peak




Restrict Band NVNT a 5240MHz Ant2 Average






Restrict Band NVNT n20 5180MHz Ant2 Peak




Restrict Band NVNT n20 5180MHz Ant2 Average






Restrict Band NVNT n20 5240MHz Ant2 Peak




Restrict Band NVNT n20 5240MHz Ant2 Average






Restrict Band NVNT n40 5190MHz Ant2 Peak




Restrict Band NVNT n40 5190MHz Ant2 Average






Restrict Band NVNT n40 5230MHz Ant2 Peak




Restrict Band NVNT n40 5230MHz Ant2 Average






Restrict Band NVNT ac20 5180MHz Ant2 Peak




Restrict Band NVNT ac20 5180MHz Ant2 Average






Restrict Band NVNT ac20 5240MHz Ant2 Peak




Restrict Band NVNT ac20 5240MHz Ant2 Average





Restrict Band NVNT ac40 5190MHz Ant2 Peak



Restrict Band NVNT ac40 5190MHz Ant2 Average

