





Restrict Band NVNT n40 5755MHz Ant1 Peak




Restrict Band NVNT n40 5755MHz Ant1 Average






Restrict Band NVNT n40 5795MHz Ant1 Peak




Restrict Band NVNT n40 5795MHz Ant1 Average






Restrict Band NVNT ac20 5745MHz Ant1 Peak




Restrict Band NVNT ac20 5745MHz Ant1 Average






Restrict Band NVNT ac20 5825MHz Ant1 Peak




Restrict Band NVNT ac20 5825MHz Ant1 Average






Restrict Band NVNT ac40 5755MHz Ant1 Peak




Restrict Band NVNT ac40 5755MHz Ant1 Average






Restrict Band NVNT ac40 5795MHz Ant1 Peak




Restrict Band NVNT ac40 5795MHz Ant1 Average






Restrict Band NVNT ac80 5775MHz Ant1 Peak




Restrict Band NVNT ac80 5775MHz Ant1 Average






Restrict Band NVNT ac80 5775MHz Ant1 Peak



Restrict Band NVNT ac80 5775MHz Ant1 Average





Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	EIRP Power (dBm)	Detector	Limit (dBm)	Verdict
NVNT	a	5745	Ant2	5650	-49.58	2	-	-47.58	Peak	-27	Pass
NVNT	a	5745	Ant2	5650	-58.15	2	0.24	-55.91	Average	-27	Pass
NVNT	a	5745	Ant2	5700	-50.07	2	-	-48.07	Peak	10	Pass
NVNT	a	5745	Ant2	5700	-57.78	2	0.24	-55.54	Average	10	Pass
NVNT	a	5745	Ant2	5720	-42.37	2	-	-40.37	Peak	15.6	Pass
NVNT	a	5745	Ant2	5720	-56.17	2	0.24	-53.93	Average	15.6	Pass
NVNT	a	5745	Ant2	5725	-37.64	2	-	-35.64	Peak	27	Pass
NVNT	a	5745	Ant2	5725	-52.92	2	0.24	-50.68	Average	27	Pass
NVNT	a	5825	Ant2	5850	-44.39	2	-	-42.39	Peak	27	Pass
NVNT	a	5825	Ant2	5850	-57.2	2	0.24	-54.96	Average	27	Pass
NVNT	a	5825	Ant2	5855	-49.18	2	-	-47.18	Peak	15.6	Pass
NVNT	a	5825	Ant2	5855	-58.16	2	0.24	-55.92	Average	15.6	Pass
NVNT	a	5825	Ant2	5875	-49.85	2	-	-47.85	Peak	10	Pass
NVNT	a	5825	Ant2	5875	-58.17	2	0.24	-55.93	Average	10	Pass
NVNT	a	5825	Ant2	5925	-49.57	2	-	-47.57	Peak	-27	Pass
NVNT	a	5825	Ant2	5925	-57.27	2	0.24	-55.03	Average	-27	Pass
NVNT	n20	5745	Ant2	5650	-50.04	2	-	-48.04	Peak	-27	Pass
NVNT	n20	5745	Ant2	5650	-57.56	2	0.28	-55.28	Average	-27	Pass
NVNT	n20	5745	Ant2	5700	-50.04	2	-	-48.04	Peak	10	Pass
NVNT	n20	5745	Ant2	5700	-58.13	2	0.28	-55.85	Average	10	Pass
NVNT	n20	5745	Ant2	5720	-39.25	2	-	-37.25	Peak	15.6	Pass
NVNT	n20	5745	Ant2	5720	-54.07	2	0.28	-51.79	Average	15.6	Pass
NVNT	n20	5745	Ant2	5725	-35.94	2	-	-33.94	Peak	27	Pass
NVNT	n20	5745	Ant2	5725	-47.89	2	0.28	-45.61	Average	27	Pass
NVNT	n20	5825	Ant2	5850	-34.53	2	-	-32.53	Peak	27	Pass
NVNT	n20	5825	Ant2	5850	-47.25	2	0.28	-44.97	Average	27	Pass
NVNT	n20	5825	Ant2	5855	-38.29	2	-	-36.29	Peak	15.6	Pass
NVNT	n20	5825	Ant2	5855	-53.75	2	0.28	-51.47	Average	15.6	Pass
NVNT	n20	5825	Ant2	5875	-48.67	2	-	-46.67	Peak	10	Pass
NVNT	n20	5825	Ant2	5875	-56.53	2	0.28	-54.25	Average	10	Pass
NVNT	n20	5825	Ant2	5925	-48.3	2	-	-46.3	Peak	-27	Pass
NVNT	n20	5825	Ant2	5925	-57.22	2	0.28	-54.94	Average	-27	Pass
NVNT	n40	5755	Ant2	5650	-50.61	2	-	-48.61	Peak	-27	Pass
NVNT	n40	5755	Ant2	5650	-57.25	2	0.28	-54.97	Average	-27	Pass
NVNT	n40	5755	Ant2	5700	-49.19	2	-	-47.19	Peak	10	Pass
NVNT	n40	5755	Ant2	5700	-57.35	2	0.28	-55.07	Average	10	Pass
NVNT	n40	5755	Ant2	5720	-42.04	2	-	-40.04	Peak	15.6	Pass
NVNT	n40	5755	Ant2	5720	-54.37	2	0.28	-52.09	Average	15.6	Pass
NVNT	n40	5755	Ant2	5725	-38.46	2	-	-36.46	Peak	27	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	n40	5755	Ant2	5725	-52.86	2	0.28	-50.58	Average	27	Pass
NVNT	ac20	5745	Ant2	5650	-50.41	2	-	-48.41	Peak	-27	Pass
NVNT	ac20	5745	Ant2	5650	-57.87	2	0.28	-55.59	Average	-27	Pass
NVNT	ac20	5745	Ant2	5700	-50.24	2	-	-48.24	Peak	10	Pass
NVNT	ac20	5745	Ant2	5700	-57.15	2	0.28	-54.87	Average	10	Pass
NVNT	ac20	5745	Ant2	5720	-40.13	2	-	-38.13	Peak	15.6	Pass
NVNT	ac20	5745	Ant2	5720	-53.79	2	0.28	-51.51	Average	15.6	Pass
NVNT	ac20	5745	Ant2	5725	-37.16	2	-	-35.16	Peak	27	Pass
NVNT	ac20	5745	Ant2	5725	-47.91	2	0.28	-45.63	Average	27	Pass
NVNT	ac20	5825	Ant2	5850	-43.28	2	-	-41.28	Peak	27	Pass
NVNT	ac20	5825	Ant2	5850	-55.56	2	0.28	-53.28	Average	27	Pass
NVNT	ac20	5825	Ant2	5855	-50.26	2	-	-48.26	Peak	15.6	Pass
NVNT	ac20	5825	Ant2	5855	-57.36	2	0.28	-55.08	Average	15.6	Pass
NVNT	ac20	5825	Ant2	5875	-50.74	2	-	-48.74	Peak	10	Pass
NVNT	ac20	5825	Ant2	5875	-57.88	2	0.28	-55.6	Average	10	Pass
NVNT	ac20	5825	Ant2	5925	-47.78	2	-	-45.78	Peak	-27	Pass
NVNT	ac20	5825	Ant2	5925	-57.51	2	0.28	-55.23	Average	-27	Pass
NVNT	ac40	5755	Ant2	5650	-50.7	2	-	-48.7	Peak	-27	Pass
NVNT	ac40	5755	Ant2	5650	-57.43	2	0.12	-55.31	Average	-27	Pass
NVNT	ac40	5755	Ant2	5700	-50.44	2	-	-48.44	Peak	10	Pass
NVNT	ac40	5755	Ant2	5700	-57.56	2	0.12	-55.44	Average	10	Pass
NVNT	ac40	5755	Ant2	5720	-43.29	2	-	-41.29	Peak	15.6	Pass
NVNT	ac40	5755	Ant2	5720	-53.7	2	0.12	-51.58	Average	15.6	Pass
NVNT	ac40	5755	Ant2	5725	-40.17	2	-	-38.17	Peak	27	Pass
NVNT	ac40	5755	Ant2	5725	-52.31	2	0.12	-50.19	Average	27	Pass
NVNT	ac40	5795	Ant2	5850	-50.34	2	-	-48.34	Peak	27	Pass
NVNT	ac40	5795	Ant2	5850	-58.51	2	0.12	-56.39	Average	27	Pass
NVNT	ac40	5795	Ant2	5855	-51.75	2	-	-49.75	Peak	15.6	Pass
NVNT	ac40	5795	Ant2	5855	-58.49	2	0.12	-56.37	Average	15.6	Pass
NVNT	ac40	5795	Ant2	5875	-50.54	2	-	-48.54	Peak	10	Pass
NVNT	ac40	5795	Ant2	5875	-58.21	2	0.12	-56.09	Average	10	Pass
NVNT	ac40	5795	Ant2	5925	-49.43	2	-	-47.43	Peak	-27	Pass
NVNT	ac40	5795	Ant2	5925	-57.56	2	0.12	-55.44	Average	-27	Pass
NVNT	ac80	5775	Ant2	5650	-51	2	-	-49	Peak	-27	Pass
NVNT	ac80	5775	Ant2	5650	-58.53	2	0.25	-56.28	Average	-27	Pass
NVNT	ac80	5775	Ant2	5700	-48.88	2	-	-46.88	Peak	10	Pass
NVNT	ac80	5775	Ant2	5700	-57.87	2	0.25	-55.62	Average	10	Pass
NVNT	ac80	5775	Ant2	5720	-44.56	2	-	-42.56	Peak	15.6	Pass
NVNT	ac80	5775	Ant2	5720	-54.66	2	0.25	-52.41	Average	15.6	Pass
NVNT	ac80	5775	Ant2	5725	-40.31	2	-	-38.31	Peak	27	Pass
NVNT	ac80	5775	Ant2	5725	-54	2	0.25	-51.75	Average	27	Pass
NVNT	ac80	5775	Ant2	5850	-40.85	2	-	-38.85	Peak	27	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




NVNT	ac80	5775	Ant2	5850	-50.28	2	0.25	-48.03	Average	27	Pass
NVNT	ac80	5775	Ant2	5855	-38.9	2	-	-36.9	Peak	15.6	Pass
NVNT	ac80	5775	Ant2	5855	-50.78	2	0.25	-48.53	Average	15.6	Pass
NVNT	ac80	5775	Ant2	5875	-43.54	2	-	-41.54	Peak	10	Pass
NVNT	ac80	5775	Ant2	5875	-54.17	2	0.25	-51.92	Average	10	Pass
NVNT	ac80	5775	Ant2	5925	-49.71	2	-	-47.71	Peak	-27	Pass
NVNT	ac80	5775	Ant2	5925	-56.8	2	0.25	-54.55	Average	-27	Pass








Restrict Band NVNT a 5825MHz Ant2 Peak




Restrict Band NVNT a 5825MHz Ant2 Average






Restrict Band NVNT n20 5745MHz Ant2 Peak




Restrict Band NVNT n20 5745MHz Ant2 Average






Restrict Band NVNT n20 5825MHz Ant2 Peak




Restrict Band NVNT n20 5825MHz Ant2 Average






Restrict Band NVNT n40 5755MHz Ant2 Peak




Restrict Band NVNT n40 5755MHz Ant2 Average






Restrict Band NVNT ac20 5745MHz Ant2 Peak




Restrict Band NVNT ac20 5745MHz Ant2 Average






Restrict Band NVNT ac20 5825MHz Ant2 Peak




Restrict Band NVNT ac20 5825MHz Ant2 Average






Restrict Band NVNT ac40 5755MHz Ant2 Peak




Restrict Band NVNT ac40 5755MHz Ant2 Average






Restrict Band NVNT ac40 5795MHz Ant2 Peak




Restrict Band NVNT ac40 5795MHz Ant2 Average






Restrict Band NVNT ac80 5775MHz Ant2 Peak




Restrict Band NVNT ac80 5775MHz Ant2 Average






Restrict Band NVNT ac80 5775MHz Ant2 Peak



Restrict Band NVNT ac80 5775MHz Ant2 Average





Mimo

Condition	Mode	Frequency (MHz)	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	n20mimo	5745	5650	-49.66	4.68	-	-44.98	Peak	-27	Pass
NVNT	n20mimo	5745	5650	-57.78	4.68	0.28	-52.82	Average	-27	Pass
NVNT	n20mimo	5745	5700	-50.49	4.68	-	-45.81	Peak	10	Pass
NVNT	n20mimo	5745	5700	-57.21	4.68	0.28	-52.25	Average	10	Pass
NVNT	n20mimo	5745	5720	-40.57	4.68	-	-35.89	Peak	15.6	Pass
NVNT	n20mimo	5745	5720	-55.11	4.68	0.28	-50.15	Average	15.6	Pass
NVNT	n20mimo	5745	5725	-35.55	4.68	-	-30.87	Peak	27	Pass
NVNT	n20mimo	5745	5725	-50.28	4.68	0.28	-45.32	Average	27	Pass
NVNT	n20mimo	5825	5850	-33.85	4.68	-	-29.17	Peak	27	Pass
NVNT	n20mimo	5825	5850	-45.5	4.68	0.28	-40.54	Average	27	Pass
NVNT	n20mimo	5825	5855	-40.51	4.68	-	-35.83	Peak	15.6	Pass
NVNT	n20mimo	5825	5855	-52.38	4.68	0.28	-47.42	Average	15.6	Pass
NVNT	n20mimo	5825	5875	-46.68	4.68	-	-42.00	Peak	10	Pass
NVNT	n20mimo	5825	5875	-55.8	4.68	0.28	-50.84	Average	10	Pass
NVNT	n20mimo	5825	5925	-48.01	4.68	-	-43.33	Peak	-27	Pass
NVNT	n20mimo	5825	5925	-56.7	4.68	0.28	-51.74	Average	-27	Pass
NVNT	n40mimo	5755	5650	-48.68	4.68	-	-44.00	Peak	-27	Pass
NVNT	n40mimo	5755	5650	-57.46	4.68	0.12	-52.66	Average	-27	Pass
NVNT	n40mimo	5755	5700	-48.65	4.68	-	-43.97	Peak	10	Pass
NVNT	n40mimo	5755	5700	-57.52	4.68	0.12	-52.72	Average	10	Pass
NVNT	n40mimo	5755	5720	-44.33	4.68	-	-39.65	Peak	15.6	Pass
NVNT	n40mimo	5755	5720	-54.65	4.68	0.12	-49.85	Average	15.6	Pass
NVNT	n40mimo	5755	5725	-39.84	4.68	-	-35.16	Peak	27	Pass
NVNT	n40mimo	5755	5725	-52.25	4.68	0.12	-47.45	Average	27	Pass
NVNT	n40mimo	5795	5850	-51.36	4.68	-	-46.68	Peak	27	Pass
NVNT	n40mimo	5795	5850	-58.72	4.68	0.12	-53.92	Average	27	Pass
NVNT	n40mimo	5795	5855	-50.18	4.68	-	-45.50	Peak	15.6	Pass
NVNT	n40mimo	5795	5855	-58.47	4.68	0.12	-53.67	Average	15.6	Pass
NVNT	n40mimo	5795	5875	-50.12	4.68	-	-45.44	Peak	10	Pass
NVNT	n40mimo	5795	5875	-58.13	4.68	0.12	-53.33	Average	10	Pass
NVNT	n40mimo	5795	5925	-49.19	4.68	-	-44.51	Peak	-27	Pass
NVNT	n40mimo	5795	5925	-57.7	4.68	0.12	-52.90	Average	-27	Pass
NVNT	ac20mimo	5745	5650	-50.72	4.68	-	-46.04	Peak	-27	Pass
NVNT	ac20mimo	5745	5650	-57.71	4.68	0.28	-52.75	Average	-27	Pass
NVNT	ac20mimo	5745	5700	-48.84	4.68	-	-44.16	Peak	10	Pass





NVNT	ac20mimo	5745	5700	-57.72	4.68	0.28	-52.76	Average	10	Pass
NVNT	ac20mimo	5745	5720	-43.71	4.68	-	-39.03	Peak	15.6	Pass
NVNT	ac20mimo	5745	5720	-54.79	4.68	0.28	-49.83	Average	15.6	Pass
NVNT	ac20mimo	5745	5725	-36.54	4.68	-	-31.86	Peak	27	Pass
NVNT	ac20mimo	5745	5725	-49.4	4.68	0.28	-44.44	Average	27	Pass
NVNT	ac20mimo	5825	5850	-38.91	4.68	-	-34.23	Peak	27	Pass
NVNT	ac20mimo	5825	5850	-54.84	4.68	0.28	-49.88	Average	27	Pass
NVNT	ac20mimo	5825	5855	-47.31	4.68	-	-42.63	Peak	15.6	Pass
NVNT	ac20mimo	5825	5855	-56.71	4.68	0.28	-51.75	Average	15.6	Pass
NVNT	ac20mimo	5825	5875	-50.04	4.68	-	-45.36	Peak	10	Pass
NVNT	ac20mimo	5825	5875	-57.36	4.68	0.28	-52.40	Average	10	Pass
NVNT	ac20mimo	5825	5925	-50.4	4.68	-	-45.72	Peak	-27	Pass
NVNT	ac20mimo	5825	5925	-57.54	4.68	0.28	-52.58	Average	-27	Pass
NVNT	ac40mimo	5755	5650	-49.65	4.68	-	-44.97	Peak	-27	Pass
NVNT	ac40mimo	5755	5650	-57.71	4.68	0.12	-52.91	Average	-27	Pass
NVNT	ac40mimo	5755	5700	-50.4	4.68	-	-45.72	Peak	10	Pass
NVNT	ac40mimo	5755	5700	-57.87	4.68	0.12	-53.07	Average	10	Pass
NVNT	ac40mimo	5755	5720	-43.38	4.68	-	-38.70	Peak	15.6	Pass
NVNT	ac40mimo	5755	5720	-53.92	4.68	0.12	-49.12	Average	15.6	Pass
NVNT	ac40mimo	5755	5725	-38.65	4.68	-	-33.97	Peak	27	Pass
NVNT	ac40mimo	5755	5725	-51.07	4.68	0.12	-46.27	Average	27	Pass
NVNT	ac40mimo	5795	5850	-52.07	4.68	-	-47.39	Peak	27	Pass
NVNT	ac40mimo	5795	5850	-58.26	4.68	0.12	-53.46	Average	27	Pass
NVNT	ac40mimo	5795	5855	-51.3	4.68	-	-46.62	Peak	15.6	Pass
NVNT	ac40mimo	5795	5855	-58.63	4.68	0.12	-53.83	Average	15.6	Pass
NVNT	ac40mimo	5795	5875	-51.48	4.68	-	-46.80	Peak	10	Pass
NVNT	ac40mimo	5795	5875	-58.59	4.68	0.12	-53.79	Average	10	Pass
NVNT	ac40mimo	5795	5925	-50.61	4.68	-	-45.93	Peak	-27	Pass
NVNT	ac40mimo	5795	5925	-58.27	4.68	0.12	-53.47	Average	-27	Pass
NVNT	ac80mimo	5775	5650	-50.62	4.68	-	-45.94	Peak	-27	Pass
NVNT	ac80mimo	5775	5650	-58.15	4.68	0.25	-53.22	Average	-27	Pass
NVNT	ac80mimo	5775	5700	-50.43	4.68	-	-45.75	Peak	10	Pass
NVNT	ac80mimo	5775	5700	-57.74	4.68	0.25	-52.81	Average	10	Pass
NVNT	ac80mimo	5775	5720	-45.01	4.68	-	-40.33	Peak	15.6	Pass
NVNT	ac80mimo	5775	5720	-54.7	4.68	0.25	-49.77	Average	15.6	Pass
NVNT	ac80mimo	5775	5725	-41.9	4.68	-	-37.22	Peak	27	Pass
NVNT	ac80mimo	5775	5725	-53.09	4.68	0.25	-48.16	Average	27	Pass
NVNT	ac80mimo	5775	5850	-42.37	4.68	-	-37.69	Peak	27	Pass
NVNT	ac80mimo	5775	5850	-52.42	4.68	0.25	-47.49	Average	27	Pass
NVNT	ac80mimo	5775	5855	-44.02	4.68	-	-39.34	Peak	15.6	Pass
NVNT	ac80mimo	5775	5855	-52.74	4.68	0.25	-47.81	Average	15.6	Pass
NVNT	ac80mimo	5775	5875	-47.67	4.68	-	-42.99	Peak	10	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	ac80mimo	5775	5875	-56.01	4.68	0.25	-51.08	Average	10	Pass
NVNT	ac80mimo	5775	5925	-48.94	4.68	-	-44.26	Peak	-27	Pass
NVNT	ac80mimo	5775	5925	-56.95	4.68	0.25	-52.02	Average	-27	Pass


Note: 802.11a mode, only show the worst set of antenna1 data.






Test Graphs

Restrict Band NVNT a 5745MHz Peak




Restrict Band NVNT a 5745MHz Average






Restrict Band NVNT a 5825MHz Peak




Restrict Band NVNT a 5825MHz Average






Restrict Band NVNT n20 5745MHz Peak




Restrict Band NVNT n20 5745MHz Average






Restrict Band NVNT n20 5825MHz Peak




Restrict Band NVNT n20 5825MHz Average






Restrict Band NVNT n40 5755MHz Peak




Restrict Band NVNT n40 5755MHz Average






Restrict Band NVNT n40 5795MHz Peak




Restrict Band NVNT n40 5795MHz Average






Restrict Band NVNT ac20 5745MHz Peak




Restrict Band NVNT ac20 5745MHz Average






Restrict Band NVNT ac20 5825MHz Peak




Restrict Band NVNT ac20 5825MHz Average






Restrict Band NVNT ac40 5755MHz Peak




Restrict Band NVNT ac40 5755MHz Average





Restrict Band NVNT ac40 5795MHz Peak



Restrict Band NVNT ac40 5795MHz Average

