


Test Mode	UNII-3_TX AX(HE20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.807	19.600	0.5	Complies
157	5785	17.790	19.700	0.5	Complies
165	5825	18.350	19.700	0.5	Complies

CH149




Date: 3.JAN.2024 11:22:46

CH157
6 dB Bandwidth




Date: 3.JAN.2024 11:24:10

CH165




Date: 3.JAN.2024 11:27:15


99 % Occupied Bandwidth



Date: 3.JAN.2024 11:22:16



Date: 3.JAN.2024 11:23:40




Date: 3.JAN.2024 11:26:40

Test Mode	UNII-3_TX AX(HE40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	37.600	45.800	0.5	Complies
159	5795	36.900	51.000	0.5	Complies

CH151




Date: 3.JAN.2024 12:27:54

CH159
6 dB Bandwidth




Date: 3.JAN.2024 12:24:06

99 % Occupied Bandwidth



Date: 3.JAN.2024 12:27:16




Date: 3.JAN.2024 12:23:27

Test Mode	UNII-3_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	77.600	79.600	0.5	Complies

CH155
6 dB Bandwidth



Date: 3.JAN.2024 12:53:01

99 % Occupied Bandwidth



Date: 3.JAN.2024 12:52:25

APPENDIX E MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1	Tested Date	2024/1/2
-----------	-------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.59	1.27	17.86	23.98	0.2500	Complies
40	5200	17.76	1.27	19.03	23.98	0.2500	Complies
48	5240	15.69	1.27	16.96	23.98	0.2500	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2	Tested Date	2024/1/2
-----------	-------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.93	1.27	14.20	23.98	0.2500	Complies
40	5200	19.47	1.27	20.74	23.98	0.2500	Complies
48	5240	12.65	1.27	13.92	23.98	0.2500	Complies

Test Mode	UNII-1_TX A Mode_Total	Tested Date	2024/1/2
-----------	------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.41	23.98	0.2500	Complies
40	5200	22.98	23.98	0.2500	Complies
48	5240	18.71	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1	Tested Date	2024/1/2
-----------	-------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.09	1.27	19.36	23.98	0.2500	Complies
40	5200	17.91	1.27	19.18	23.98	0.2500	Complies
48	5240	17.17	1.27	18.44	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2	Tested Date	2024/1/2
-----------	-------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.51	1.27	21.78	23.98	0.2500	Complies
40	5200	20.15	1.27	21.42	23.98	0.2500	Complies
48	5240	19.94	1.27	21.21	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Total	Tested Date	2024/1/2
-----------	------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.75	23.98	0.2500	Complies
40	5200	23.46	23.98	0.2500	Complies
48	5240	23.06	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1	Tested Date	2024/1/2
-----------	-------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.43	1.42	17.85	23.98	0.2500	Complies
46	5230	16.90	1.42	18.32	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2	Tested Date	2024/1/2
-----------	-------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.18	1.42	20.60	23.98	0.2500	Complies
46	5230	19.14	1.42	20.56	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Total	Tested Date	2024/1/2
-----------	------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.45	23.98	0.2500	Complies
46	5230	22.59	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1	Tested Date	2024/1/2
-----------	---------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.73	1.17	17.90	23.98	0.2500	Complies
40	5200	17.83	1.17	19.00	23.98	0.2500	Complies
48	5240	15.72	1.17	16.89	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2	Tested Date	2024/1/2
-----------	---------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.13	1.17	14.30	23.98	0.2500	Complies
40	5200	19.95	1.17	21.12	23.98	0.2500	Complies
48	5240	12.99	1.17	14.16	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total	Tested Date	2024/1/2
-----------	--------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.49	23.98	0.2500	Complies
40	5200	23.20	23.98	0.2500	Complies
48	5240	18.75	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1	Tested Date	2024/1/2
-----------	---------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	10.43	1.33	11.76	23.98	0.2500	Complies
46	5230	11.06	1.33	12.39	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2	Tested Date	2024/1/2
-----------	---------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	12.06	1.33	13.39	23.98	0.2500	Complies
46	5230	13.12	1.33	14.45	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total	Tested Date	2024/1/2
-----------	--------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.66	23.98	0.2500	Complies
46	5230	16.55	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1	Tested Date	2024/1/2
-----------	---------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	7.99	1.42	9.41	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2	Tested Date	2024/1/2
-----------	---------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	9.76	1.42	11.18	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total	Tested Date	2024/1/2
-----------	--------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.40	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1	Tested Date	2024/1/2
-----------	--------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.22	1.48	19.70	23.98	0.2500	Complies
40	5200	11.15	1.48	12.63	23.98	0.2500	Complies
48	5240	17.88	1.48	19.36	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2	Tested Date	2024/1/2
-----------	--------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.03	1.48	14.51	23.98	0.2500	Complies
40	5200	11.88	1.48	13.36	23.98	0.2500	Complies
48	5240	12.72	1.48	14.20	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total	Tested Date	2024/1/2
-----------	-------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.85	23.98	0.2500	Complies
40	5200	16.02	23.98	0.2500	Complies
48	5240	20.52	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1	Tested Date	2024/1/2
-----------	--------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	10.66	1.58	12.24	23.98	0.2500	Complies
46	5230	10.69	1.58	12.27	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2	Tested Date	2024/1/2
-----------	--------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	11.99	1.58	13.57	23.98	0.2500	Complies
46	5230	13.02	1.58	14.60	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total	Tested Date	2024/1/2
-----------	-------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.96	23.98	0.2500	Complies
46	5230	16.60	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1	Tested Date	2024/1/2
-----------	--------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	7.02	1.70	8.72	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2	Tested Date	2024/1/2
-----------	--------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	8.61	1.70	10.31	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total	Tested Date	2024/1/2
-----------	-------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.60	23.98	0.2500	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1	Tested Date	2024/1/2
-----------	-------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.75	1.27	18.02	30.00	1.0000	Complies
157	5785	16.48	1.27	17.75	30.00	1.0000	Complies
165	5825	16.51	1.27	17.78	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2	Tested Date	2024/1/2
-----------	-------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.75	1.27	21.02	30.00	1.0000	Complies
157	5785	19.21	1.27	20.48	30.00	1.0000	Complies
165	5825	18.89	1.27	20.16	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Total	Tested Date	2024/1/2
-----------	------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.26	30.00	1.0000	Complies
157	5785	21.81	30.00	1.0000	Complies
165	5825	21.62	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1	Tested Date	2024/1/2
-----------	-------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.69	1.27	17.96	30.00	1.0000	Complies
157	5785	16.58	1.27	17.85	30.00	1.0000	Complies
165	5825	16.17	1.27	17.44	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2	Tested Date	2024/1/2
-----------	-------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.25	1.27	21.52	30.00	1.0000	Complies
157	5785	19.77	1.27	21.04	30.00	1.0000	Complies
165	5825	19.46	1.27	20.73	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Total	Tested Date	2024/1/2
-----------	------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.11	30.00	1.0000	Complies
157	5785	22.75	30.00	1.0000	Complies
165	5825	22.40	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1	Tested Date	2024/1/2
-----------	-------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.32	1.42	18.74	30.00	1.0000	Complies
159	5795	17.15	1.42	18.57	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2	Tested Date	2024/1/2
-----------	-------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.80	1.42	22.22	30.00	1.0000	Complies
159	5795	20.31	1.42	21.73	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Total	Tested Date	2024/1/2
-----------	------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.83	30.00	1.0000	Complies
159	5795	23.44	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1	Tested Date	2024/1/2
-----------	---------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.76	1.17	17.93	30.00	1.0000	Complies
157	5785	16.45	1.17	17.62	30.00	1.0000	Complies
165	5825	16.14	1.17	17.31	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2	Tested Date	2024/1/2
-----------	---------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.24	1.17	21.41	30.00	1.0000	Complies
157	5785	19.69	1.17	20.86	30.00	1.0000	Complies
165	5825	19.49	1.17	20.66	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total	Tested Date	2024/1/2
-----------	--------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.02	30.00	1.0000	Complies
157	5785	22.55	30.00	1.0000	Complies
165	5825	22.31	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1	Tested Date	2024/1/2
-----------	---------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.19	1.33	18.52	30.00	1.0000	Complies
159	5795	17.05	1.33	18.38	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2	Tested Date	2024/1/2
-----------	---------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.66	1.33	21.99	30.00	1.0000	Complies
159	5795	20.13	1.33	21.46	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total	Tested Date	2024/1/2
-----------	--------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.61	30.00	1.0000	Complies
159	5795	23.20	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1	Tested Date	2024/1/2
-----------	---------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	9.87	1.42	11.29	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2	Tested Date	2024/1/2
-----------	---------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	13.08	1.42	14.50	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total	Tested Date	2024/1/2
-----------	--------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	16.20	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1	Tested Date	2024/1/2
-----------	--------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.67	1.48	19.15	30.00	1.0000	Complies
157	5785	17.31	1.48	18.79	30.00	1.0000	Complies
165	5825	17.11	1.48	18.59	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2	Tested Date	2024/1/2
-----------	--------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.41	1.48	21.89	30.00	1.0000	Complies
157	5785	20.05	1.48	21.53	30.00	1.0000	Complies
165	5825	19.67	1.48	21.15	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total	Tested Date	2024/1/2
-----------	-------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.75	30.00	1.0000	Complies
157	5785	23.39	30.00	1.0000	Complies
165	5825	23.07	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1	Tested Date	2024/1/2
-----------	--------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.72	1.58	19.30	30.00	1.0000	Complies
159	5795	17.77	1.58	19.35	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2	Tested Date	2024/1/2
-----------	--------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.66	1.58	22.24	30.00	1.0000	Complies
159	5795	20.31	1.58	21.89	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total	Tested Date	2024/1/2
-----------	-------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.02	30.00	1.0000	Complies
159	5795	23.81	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1	Tested Date	2024/1/2
-----------	--------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	10.06	1.70	11.76	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2	Tested Date	2024/1/2
-----------	--------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	12.81	1.70	14.51	30.00	1.0000	Complies


Test Mode	UNII-3_TX AX(HE80) Mode_Total	Tested Date	2024/1/2
-----------	-------------------------------	-------------	----------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	16.36	30.00	1.0000	Complies

APPENDIX F POWER SPECTRAL DENSITY


Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-6.06	1.27	-4.79	10.10	Complies
40	5200	-5.92	1.27	-4.65	10.10	Complies
48	5240	-6.66	1.27	-5.39	10.10	Complies



Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-6.02	1.27	-4.75	10.10	Complies
40	5200	-2.64	1.27	-1.37	10.10	Complies
48	5240	-6.64	1.27	-5.37	10.10	Complies




Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-1.76	10.10	Complies
40	5200	0.30	10.10	Complies
48	5240	-2.37	10.10	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-6.20	1.27	-4.93	10.10	Complies
40	5200	-4.76	1.27	-3.49	10.10	Complies
48	5240	-6.92	1.27	-5.65	10.10	Complies



Date: 11.JAN.2024 15:14:53




Date: 3.JAN.2024 10:28:39




Date: 11.JAN.2024 15:15:54

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-5.97	1.27	-4.79	10.10	Complies
40	5200	-3.72	1.27	-2.45	10.10	Complies
48	5240	-7.12	1.27	-5.85	10.10	Complies



Date: 11.JAN.2024 15:30:29



Date: 3.JAN.2024 14:28:48




Date: 11.JAN.2024 15:34:39

Test Mode	UNII-1_TX N(HT20) Mode_Total
-----------	------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-1.80	10.10	Complies
40	5200	-0.03	10.10	Complies
48	5240	-2.74	10.10	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-2.59	1.42	-1.17	10.10	Complies
46	5230	-2.85	1.42	-1.43	10.10	Complies




Date: 3.JAN.2024 11:44:52




Date: 3.JAN.2024 11:46:23

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-1.60	1.42	-0.18	10.10	Complies
46	5230	-2.30	1.42	-0.88	10.10	Complies



Date: 3.JAN.2024 15:25:28




Date: 3.JAN.2024 15:26:50

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	2.37	10.10	Complies
46	5230	1.87	10.10	Complies


Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-6.79	1.42	-5.37	10.10	Complies



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-5.40	1.42	-3.98	10.10	Complies




Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-1.60	10.10	Complies


Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-7.23	1.48	-5.75	10.10	Complies
40	5200	-6.86	1.48	-5.38	10.10	Complies
48	5240	-7.53	1.48	-6.05	10.10	Complies



Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-7.37	1.48	-5.89	10.10	Complies
40	5200	-5.76	1.48	-4.28	10.10	Complies
48	5240	-7.22	1.48	-5.74	10.10	Complies




Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-2.81	10.10	Complies
40	5200	-1.78	10.10	Complies
48	5240	-2.88	10.10	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-2.52	1.58	-0.94	10.10	Complies
46	5230	-2.82	1.58	-1.24	10.10	Complies




Date: 3.JAN.2024 12:15:32




Date: 3.JAN.2024 12:19:47

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-1.50	1.58	0.08	10.10	Complies
46	5230	-0.86	1.58	0.72	10.10	Complies



Date: 3.JAN.2024 15:54:05




Date: 3.JAN.2024 15:55:59

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	2.61	10.10	Complies
46	5230	2.86	10.10	Complies


Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-6.93	1.70	-5.23	10.10	Complies



Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-4.93	1.70	-3.23	10.10	Complies




Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-1.10	10.10	Complies


Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-14.96	1.27	-13.69	29.10	Complies
157	5785	-19.54	1.27	-18.27	29.10	Complies
165	5825	-15.94	1.27	-14.67	29.10	Complies



Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-2.49	1.27	-1.22	29.10	Complies
157	5785	-8.18	1.27	-6.91	29.10	Complies
165	5825	-7.22	1.27	-5.95	29.10	Complies




Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-0.98	29.10	Complies
157	5785	-6.61	29.10	Complies
165	5825	-5.40	29.10	Complies


Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-11.46	1.17	-10.29	29.10	Complies
157	5785	-13.84	1.17	-12.67	29.10	Complies
165	5825	-16.77	1.17	-15.60	29.10	Complies



Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-8.40	1.17	-7.23	29.10	Complies
157	5785	-11.48	1.17	-10.31	29.10	Complies
165	5825	-12.71	1.17	-11.54	29.10	Complies




Test Mode	UNII-3_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-5.48	29.10	Complies
157	5785	-8.32	29.10	Complies
165	5825	-10.10	29.10	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-17.12	1.42	-15.70	29.10	Complies
159	5795	-23.20	1.42	-21.78	29.10	Complies

CH151



Date: 3.JAN.2024 11:48:13

CH159




Date: 3.JAN.2024 11:52:15

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-13.46	1.42	-12.04	29.10	Complies
159	5795	-18.31	1.42	-16.89	29.10	Complies

CH151



Date: 3.JAN.2024 15:30:01

CH159




Date: 3.JAN.2024 15:31:34

Test Mode	UNII-3_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-10.48	29.10	Complies
159	5795	-15.67	29.10	Complies


Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-20.20	1.42	-18.78	29.10	Complies



Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-16.71	1.42	-15.29	29.10	Complies




Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-13.68	29.10	Complies


Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-9.24	1.48	-7.76	29.10	Complies
157	5785	-15.70	1.48	-14.22	29.10	Complies
165	5825	-11.71	1.48	-10.23	29.10	Complies



Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-8.15	1.48	-6.67	29.10	Complies
157	5785	-14.34	1.48	-12.86	29.10	Complies
165	5825	-7.24	1.48	-5.76	29.10	Complies




Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-4.17	29.10	Complies
157	5785	-10.47	29.10	Complies
165	5825	-4.43	29.10	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-15.52	1.58	-13.94	29.10	Complies
159	5795	-17.61	1.58	-16.03	29.10	Complies

CH151



Date: 3.JAN.2024 12:28:16

CH159




Date: 3.JAN.2024 12:24:28

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-10.41	1.58	-8.83	29.10	Complies
159	5795	-15.14	1.58	-13.56	29.10	Complies

CH151



Date: 3.JAN.2024 15:57:21

CH159




Date: 3.JAN.2024 15:59:54

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-7.67	29.10	Complies
159	5795	-11.61	29.10	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-19.69	1.70	-17.99	29.10	Complies



Date: 3.JAN.2024 12:53:23

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-14.99	1.70	-13.29	29.10	Complies



Date: 3.JAN.2024 16:15:14

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-12.02	29.10	Complies

End of Test Report