


Test Mode UNII-2A_TX IEEE 802.11a_Ant.1


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	45.089	28.100
60	5300	43.590	26.800
64	5320	43.797	28.000

CH52




Date: 19_SEP,2024 11:22:14

CH60
26 dB Bandwidth




Date: 19_SEP,2024 11:25:35

CH64




Date: 19_SEP,2024 11:26:38


99 % Occupied Bandwidth



Date: 19_SEP,2024 11:22:00



Date: 19_SEP,2024 11:25:14




Date: 19_SEP,2024 11:26:23

Test Mode	UNII-2A_TX IEEE 802.11ac (VHT20)_Ant.1
-----------	--


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	45.789	29.200
60	5300	39.800	29.700
64	5320	45.895	28.500

CH52




Date: 19.SEP.2024 12:22:50

CH60
26 dB Bandwidth




Date: 19.SEP.2024 12:27:24

CH64




Date: 19.SEP.2024 12:29:21


99 % Occupied Bandwidth



Date: 19.SEP.2024 12:22:34



Date: 19.SEP.2024 12:24:32




Date: 19.SEP.2024 12:29:07


Test Mode	UNII-2A_TX IEEE 802.11ac (VHT40)_Ant.1
-----------	--

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	40.298	70.200
62	5310	53.390	67.600

CH54




Date: 19.SEP.2024 14:36:09


CH62
26 dB Bandwidth


Date: 19.SEP.2024 14:40:41

99 % Occupied Bandwidth



Date: 19.SEP.2024 14:36:03




Date: 19.SEP.2024 14:37:40

Test Mode	UNII-2A_TX IEEE 802.11ac (VHT80)_Ant.1
-----------	--


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	170.398	78.400

CH58 26 dB Bandwidth



Date: 19,SEP,2024 15:21:28

99 % Occupied Bandwidth




Date: 19,SEP,2024 15:21:08


Test Mode	UNII-2A_TX IEEE 802.11ax (HE20)_Ant.1
-----------	---------------------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	45.698	26.800
60	5300	45.590	27.500
64	5320	44.249	26.900

CH52




Date: 19.SEP.2024 12:43:35

CH60
26 dB Bandwidth



Date: 19.SEP.2024 12:45:25

CH64




Date: 19.SEP.2024 12:47:03


99 % Occupied Bandwidth



Date: 19.SEP.2024 12:43:21



Date: 19.SEP.2024 12:45:06




Date: 19.SEP.2024 12:46:47


Test Mode	UNII-2A_TX IEEE 802.11ax (HE40)_Ant.1
-----------	---------------------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	40.400	70.200
62	5310	39.990	67.600

CH54




Date: 19.SEP.2024 15:03:48


CH62
26 dB Bandwidth


Date: 19.SEP.2024 15:04:56

99 % Occupied Bandwidth



Date: 19.SEP.2024 15:03:45




Date: 19.SEP.2024 15:04:28

Test Mode	UNII-2A_TX IEEE 802.11ax (HE80)_Ant.1
-----------	---------------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	163.800	78.400

CH58 26 dB Bandwidth



Date: 19,SEP,2024 15:33:40

99 % Occupied Bandwidth




Date: 19,SEP,2024 15:33:24


Test Mode UNII-2C_TX IEEE 802.11a_Ant.1

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	37.750	21.500
116	5580	37.800	21.100
140	5700	37.400	20.600

CH100




Date: 19.SEP.2024 11:40:46

CH116
26 dB Bandwidth



Date: 19.SEP.2024 11:43:18

CH140




Date: 19.SEP.2024 11:44:42


99 % Occupied Bandwidth



Date: 19.SEP.2024 11:40:28



Date: 19.SEP.2024 11:43:01




Date: 19.SEP.2024 11:44:21


Test Mode UNII-2C_TX IEEE 802.11ac (VHT20)_Ant.1

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	40.350	22.100
116	5580	40.150	21.400
140	5700	40.150	22.100

CH100




Date: 19_SEP,2024 12:30:40

CH116
26 dB Bandwidth



Date: 19_SEP,2024 12:32:25

CH140




Date: 19_SEP,2024 12:34:07


99 % Occupied Bandwidth



Date: 19_SEP,2024 12:30:26



Date: 19_SEP,2024 12:32:10




Date: 19_SEP,2024 12:33:52

Test Mode	UNII-2C_TX IEEE 802.11ac (VHT40)_Ant.1
-----------	--


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	50.194	60.600
110	5550	57.798	60.600
134	5670	58.394	44.800

CH102




Date: 19.SEP.2024 14:49:21

CH110
26 dB Bandwidth




Date: 19.SEP.2024 14:53:04

CH134




Date: 19.SEP.2024 14:57:07


99 % Occupied Bandwidth



Date: 19.SEP.2024 14:42:57



Date: 19.SEP.2024 14:50:22




Date: 19.SEP.2024 14:53:46


Test Mode	UNII-2C_TX IEEE 802.11ac (VHT80)_Ant.1
-----------	--

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	156.992	77.600
122	5610	154.390	77.200



CH106



CH122
26 dB Bandwidth




99 % Occupied Bandwidth



Test Mode	UNII-2C_TX IEEE 802.11ax (HE20)_Ant.1
-----------	---------------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	33.399	21.400
116	5580	39.799	21.100
140	5700	36.997	21.000

CH100




Date: 19_SEP,2024 12:49:15

CH116
26 dB Bandwidth




Date: 19_SEP,2024 12:50:36

CH140




Date: 19_SEP,2024 12:52:13


99 % Occupied Bandwidth



Date: 19_SEP,2024 12:49:56



Date: 19_SEP,2024 12:50:19




Date: 19_SEP,2024 12:51:55

Test Mode	UNII-2C_TX IEEE 802.11ax (HE40)_Ant.1
-----------	---------------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	50.190	59.600
110	5550	42.397	59.000
134	5670	40.590	56.000

CH102




Date: 19_SEP_2024 15:09:50

CH110
26 dB Bandwidth




Date: 19_SEP_2024 15:13:23

CH134




Date: 19_SEP_2024 15:16:16


99 % Occupied Bandwidth



Date: 19_SEP_2024 15:07:46



Date: 19_SEP_2024 15:10:44




Date: 19_SEP_2024 15:14:10

Test Mode	UNII-2C_TX IEEE 802.11ax (HE80)_Ant.1
-----------	---------------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	141.196	78.400
122	5610	136.200	78.000

CH106




Date: 19.SEP.2024 15:25:07

CH122
26 dB Bandwidth




Date: 19.SEP.2024 15:37:29

99 % Occupied Bandwidth



Date: 19.SEP.2024 15:26:31



Date: 19.SEP.2024 15:36:18

APPENDIX E MAXIMUM OUTPUT POWER

Test Mode	UNII-2A_TX IEEE 802.11a_Ant.1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.03	1.15	14.18	23.98	0.2500	Complies
60	5300	13.86	1.15	15.01	23.98	0.2500	Complies
64	5320	13.22	1.15	14.37	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11a_Ant.2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.29	1.15	15.44	23.98	0.2500	Complies
60	5300	14.64	1.15	15.79	23.98	0.2500	Complies
64	5320	14.23	1.15	15.38	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11a_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.86	23.98	0.2500	Complies
60	5300	18.42	23.98	0.2500	Complies
64	5320	17.91	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11n (HT20)_Ant.1
-----------	--------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.28	1.19	15.47	23.98	0.2500	Complies
60	5300	14.27	1.19	15.46	23.98	0.2500	Complies
64	5320	13.69	1.19	14.88	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11n (HT20)_Ant.2
-----------	--------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.21	1.19	15.40	23.98	0.2500	Complies
60	5300	14.49	1.19	15.68	23.98	0.2500	Complies
64	5320	14.73	1.19	15.92	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11n (HT20)_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.45	23.98	0.2500	Complies
60	5300	18.58	23.98	0.2500	Complies
64	5320	18.44	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11n (HT40)_Ant.1
-----------	--------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.04	1.21	14.25	23.98	0.2500	Complies
62	5310	12.69	1.21	13.90	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11n (HT40)_Ant.2
-----------	--------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.33	1.21	14.54	23.98	0.2500	Complies
62	5310	12.62	1.21	13.83	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11n (HT40)_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.41	23.98	0.2500	Complies
62	5310	16.88	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11ac (VHT20)_Ant.1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.27	1.22	17.49	23.98	0.2500	Complies
60	5300	15.94	1.22	17.16	23.98	0.2500	Complies
64	5320	14.98	1.22	16.20	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11ac (VHT20)_Ant.2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.87	1.22	16.09	23.98	0.2500	Complies
60	5300	14.56	1.22	15.78	23.98	0.2500	Complies
64	5320	14.74	1.22	15.96	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11ac (VHT20)_Total
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	19.85	23.98	0.2500	Complies
60	5300	19.53	23.98	0.2500	Complies
64	5320	19.09	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11ac (VHT40)_Ant.1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.79	1.21	15.00	23.98	0.2500	Complies
62	5310	12.77	1.21	13.98	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11ac (VHT40)_Ant.2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	12.87	1.21	14.08	23.98	0.2500	Complies
62	5310	12.58	1.21	13.79	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11ac (VHT40)_Total
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.57	23.98	0.2500	Complies
62	5310	16.89	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11ac (VHT80)_Ant.1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	10.98	1.33	12.31	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11ac (VHT80)_Ant.2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	10.83	1.33	12.16	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11ac (VHT80)_Total
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.25	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11ax (HE20)_Ant.1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.19	1.44	17.63	23.98	0.2500	Complies
60	5300	15.98	1.44	17.42	23.98	0.2500	Complies
64	5320	15.05	1.44	16.49	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11ax (HE20)_Ant.2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.74	1.44	16.18	23.98	0.2500	Complies
60	5300	14.58	1.44	16.02	23.98	0.2500	Complies
64	5320	14.72	1.44	16.16	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11ax (HE20)_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	19.97	23.98	0.2500	Complies
60	5300	19.78	23.98	0.2500	Complies
64	5320	19.34	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11ax (HE40)_Ant.1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.34	1.45	16.79	23.98	0.2500	Complies
62	5310	12.79	1.45	14.24	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11ax (HE40)_Ant.2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.33	1.45	15.78	23.98	0.2500	Complies
62	5310	12.68	1.45	14.13	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11ax (HE40)_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.32	23.98	0.2500	Complies
62	5310	17.19	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11ax (HE80)_Ant.1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.83	1.51	16.34	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11ax (HE80)_Ant.2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.49	1.51	16.00	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11ax (HE80)_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	19.19	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11a_Ant.1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.81	1.15	16.96	23.98	0.2500	Complies
116	5580	15.31	1.15	16.46	23.98	0.2500	Complies
140	5700	13.47	1.15	14.62	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11a_Ant.2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.42	1.15	17.57	23.98	0.2500	Complies
116	5580	15.62	1.15	16.77	23.98	0.2500	Complies
140	5700	12.86	1.15	14.01	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11a_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.28	23.98	0.2500	Complies
116	5580	19.62	23.98	0.2500	Complies
140	5700	17.33	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11n (HT20)_Ant.1
-----------	--------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.01	1.19	16.20	23.98	0.2500	Complies
116	5580	15.78	1.19	16.97	23.98	0.2500	Complies
140	5700	13.28	1.19	14.47	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11n (HT20)_Ant.2
-----------	--------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.73	1.19	15.92	23.98	0.2500	Complies
116	5580	15.08	1.19	16.27	23.98	0.2500	Complies
140	5700	12.63	1.19	13.82	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11n (HT20)_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.07	23.98	0.2500	Complies
116	5580	19.64	23.98	0.2500	Complies
140	5700	17.17	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11n (HT40)_Ant.1
-----------	--------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.53	1.21	14.74	23.98	0.2500	Complies
110	5550	15.79	1.21	17.00	23.98	0.2500	Complies
134	5670	14.23	1.21	15.44	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11n (HT40)_Ant.2
-----------	--------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.01	1.21	14.22	23.98	0.2500	Complies
110	5550	14.31	1.21	15.52	23.98	0.2500	Complies
134	5670	13.12	1.21	14.33	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11n (HT40)_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.50	23.98	0.2500	Complies
110	5550	19.34	23.98	0.2500	Complies
134	5670	17.93	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11ac (VHT20)_Ant.1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.01	1.22	16.23	23.98	0.2500	Complies
116	5580	15.78	1.22	17.00	23.98	0.2500	Complies
140	5700	13.44	1.22	14.66	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11ac (VHT20)_Ant.2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.16	1.22	16.38	23.98	0.2500	Complies
116	5580	15.53	1.22	16.75	23.98	0.2500	Complies
140	5700	12.61	1.22	13.83	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11ac (VHT20)_Total
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.31	23.98	0.2500	Complies
116	5580	19.88	23.98	0.2500	Complies
140	5700	17.27	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11ac (VHT40)_Ant.1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.62	1.21	14.83	23.98	0.2500	Complies
110	5550	16.14	1.21	17.35	23.98	0.2500	Complies
134	5670	14.98	1.21	16.19	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11ac (VHT40)_Ant.2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.04	1.21	14.25	23.98	0.2500	Complies
110	5550	13.97	1.21	15.18	23.98	0.2500	Complies
134	5670	12.09	1.21	13.30	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11ac (VHT40)_Total
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.56	23.98	0.2500	Complies
110	5550	19.41	23.98	0.2500	Complies
134	5670	17.99	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11ac (VHT80)_Ant.1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.61	1.33	15.94	23.98	0.2500	Complies
122	5610	14.74	1.33	16.07	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11ac (VHT80)_Ant.2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.41	1.33	15.74	23.98	0.2500	Complies
122	5610	14.03	1.33	15.36	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11ac (VHT80)_Total
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	18.86	23.98	0.2500	Complies
122	5610	18.74	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11ax (HE20)_Ant.1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.02	1.44	17.46	23.98	0.2500	Complies
116	5580	15.75	1.44	17.19	23.98	0.2500	Complies
140	5700	12.01	1.44	13.45	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11ax (HE20)_Ant.2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.05	1.44	17.49	23.98	0.2500	Complies
116	5580	15.42	1.44	16.86	23.98	0.2500	Complies
140	5700	11.36	1.44	12.80	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11ax (HE20)_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.48	23.98	0.2500	Complies
116	5580	20.04	23.98	0.2500	Complies
140	5700	16.14	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11ax (HE40)_Ant.1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.44	1.45	14.89	23.98	0.2500	Complies
110	5550	14.57	1.45	16.02	23.98	0.2500	Complies
134	5670	14.08	1.45	15.53	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11ax (HE40)_Ant.2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.11	1.45	14.56	23.98	0.2500	Complies
110	5550	14.10	1.45	15.55	23.98	0.2500	Complies
134	5670	13.78	1.45	15.23	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11ax (HE40)_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.74	23.98	0.2500	Complies
110	5550	18.80	23.98	0.2500	Complies
134	5670	18.39	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11ax (HE80)_Ant.1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.57	1.51	16.08	23.98	0.2500	Complies
122	5610	14.88	1.51	16.39	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11ax (HE80)_Ant.2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.31	1.51	15.82	23.98	0.2500	Complies
122	5610	14.23	1.51	15.74	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11ax (HE80)_Total
-----------	---------------------------------------


Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	18.96	23.98	0.2500	Complies
122	5610	19.09	23.98	0.2500	Complies

Note: Output power = Measure result + Cable loss

APPENDIX F POWER SPECTRAL DENSITY


Test Mode UNII-2A_TX IEEE 802.11a_Ant.1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	2.39	1.15	3.54	10.10	Complies
60	5300	-3.91	1.15	-2.76	10.10	Complies
64	5320	2.16	1.15	3.31	10.10	Complies



Test Mode UNII-2A_TX IEEE 802.11a_Ant.2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	2.75	1.15	3.90	10.10	Complies
60	5300	0.28	1.15	1.43	10.10	Complies
64	5320	2.22	1.15	3.37	10.10	Complies




Test Mode UNII-2A_TX IEEE 802.11a_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.73	10.10	Complies
60	5300	2.83	10.10	Complies
64	5320	6.35	10.10	Complies


Test Mode UNII-2A_TX IEEE 802.11n (HT20)_Ant.1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	2.15	1.22	3.37	10.10	Complies
60	5300	-2.46	1.22	-1.24	10.10	Complies
64	5320	-5.11	1.22	-3.89	10.10	Complies



Test Mode UNII-2A_TX IEEE 802.11n (HT20)_Ant.2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.81	1.22	7.03	10.10	Complies
60	5300	0.26	1.22	1.48	10.10	Complies
64	5320	-1.73	1.22	-0.51	10.10	Complies




Test Mode UNII-2A_TX IEEE 802.11n (HT20)_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	8.58	10.10	Complies
60	5300	3.34	10.10	Complies
64	5320	1.13	10.10	Complies

Test Mode	UNII-2A_TX IEEE 802.11n (HT40)_Ant.1
-----------	--------------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-3.71	1.21	-2.50	10.10	Complies
62	5310	-1.68	1.21	-0.47	10.10	Complies

CH54



Date: 19.SEP.2024 14:34:34

CH62




Date: 19.SEP.2024 14:38:11

Test Mode	UNII-2A_TX IEEE 802.11n (HT40)_Ant.2
-----------	--------------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-0.21	1.21	1.00	10.10	Complies
62	5310	2.06	1.21	3.27	10.10	Complies

CH54



Date: 19.SEP.2024 16:30:30

CH62




Date: 19.SEP.2024 16:32:01

Test Mode	UNII-2A_TX IEEE 802.11n (HT40)_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.60	10.10	Complies
62	5310	4.80	10.10	Complies

Test Mode	UNII-2A_TX IEEE 802.11ac (VHT80)_Ant.1
-----------	--


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-8.33	1.33	-7.00	10.10	Complies



Date: 19-SEP-2024 15:21:49

Test Mode	UNII-2A_TX IEEE 802.11ac (VHT80)_Ant.2
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-6.20	1.33	-4.87	10.10	Complies




Date: 19-SEP-2024 16:51:34

Test Mode	UNII-2A_TX IEEE 802.11ac (VHT80)_Total
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-2.79	10.10	Complies


Test Mode UNII-2A_TX IEEE 802.11ax (HE20)_Ant.1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.68	1.44	3.12	10.10	Complies
60	5300	-1.14	1.44	0.30	10.10	Complies
64	5320	-3.94	1.44	-2.50	10.10	Complies



Test Mode UNII-2A_TX IEEE 802.11ax (HE20)_Ant.2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.35	1.44	4.79	10.10	Complies
60	5300	0.95	1.44	2.39	10.10	Complies
64	5320	-1.83	1.44	-0.39	10.10	Complies




Test Mode UNII-2A_TX IEEE 802.11ax (HE20)_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.04	10.10	Complies
60	5300	4.48	10.10	Complies
64	5320	1.69	10.10	Complies

Test Mode UNII-2A_TX IEEE 802.11ax (HE40)_Ant.1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-1.98	1.45	-0.53	10.10	Complies
62	5310	-2.03	1.45	-0.58	10.10	Complies

CH54



Date: 19.SEP.2024 15:02:15

CH62




Date: 19.SEP.2024 15:04:59

Test Mode UNII-2A_TX IEEE 802.11ax (HE40)_Ant.2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.92	1.45	3.37	10.10	Complies
62	5310	0.73	1.45	2.18	10.10	Complies

CH54



Date: 19.SEP.2024 16:37:19

CH62




Date: 19.SEP.2024 16:38:54

Test Mode UNII-2A_TX IEEE 802.11ax (HE40)_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.85	10.10	Complies
62	5310	4.02	10.10	Complies

Test Mode	UNII-2A_TX IEEE 802.11ax (HE80)_Ant.1
-----------	---------------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-8.67	1.51	-7.16	10.10	Complies



Date: 19-SEP-2024 15:34:02

Test Mode	UNII-2A_TX IEEE 802.11ax (HE80)_Ant.2
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-5.50	1.51	-3.99	10.10	Complies




Date: 19-SEP-2024 16:44:29

Test Mode	UNII-2A_TX IEEE 802.11ax (HE80)_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-2.28	10.10	Complies


Test Mode UNII-2C_TX IEEE 802.11a_Ant.1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-1.85	1.15	-0.70	10.10	Complies
116	5580	4.66	1.15	5.81	10.10	Complies
140	5700	1.74	1.15	2.89	10.10	Complies



Test Mode UNII-2C_TX IEEE 802.11a_Ant.2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-0.67	1.15	0.48	10.10	Complies
116	5580	5.00	1.15	6.15	10.10	Complies
140	5700	-1.40	1.15	-0.25	10.10	Complies




Test Mode UNII-2C_TX IEEE 802.11a_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	2.94	10.10	Complies
116	5580	8.99	10.10	Complies
140	5700	4.60	10.10	Complies


Test Mode UNII-2C_TX IEEE 802.11n (HT20)_Ant.1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.55	1.22	1.77	10.10	Complies
116	5580	4.71	1.22	5.93	10.10	Complies
140	5700	0.19	1.22	1.41	10.10	Complies



Test Mode UNII-2C_TX IEEE 802.11n (HT20)_Ant.2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-1.52	1.22	-0.30	10.10	Complies
116	5580	4.59	1.22	5.81	10.10	Complies
140	5700	-1.26	1.22	-0.04	10.10	Complies




Test Mode UNII-2C_TX IEEE 802.11n (HT20)_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.86	10.10	Complies
116	5580	8.88	10.10	Complies
140	5700	3.75	10.10	Complies


Test Mode UNII-2C_TX IEEE 802.11n (HT40)_Ant.1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.32	1.21	1.53	10.10	Complies
110	5550	0.63	1.21	1.84	10.10	Complies
134	5670	-7.46	1.21	-6.25	10.10	Complies



Test Mode UNII-2C_TX IEEE 802.11n (HT40)_Ant.2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.16	1.21	1.37	10.10	Complies
110	5550	0.84	1.21	2.05	10.10	Complies
134	5670	-7.05	1.21	-5.84	10.10	Complies




Test Mode UNII-2C_TX IEEE 802.11n (HT40)_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	4.46	10.10	Complies
110	5550	4.95	10.10	Complies
134	5670	-3.03	10.10	Complies

Test Mode UNII-2C_TX IEEE 802.11ac (VHT80)_Ant.1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-6.08	1.33	-4.75	10.10	Complies
122	5610	-6.16	1.33	-4.83	10.10	Complies

CH106



Date: 19 SEP, 2024 15:12:122

CH122




Date: 19 SEP, 2024 15:12:453

Test Mode UNII-2C_TX IEEE 802.11ac (VHT80)_Ant.2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-7.28	1.33	-5.95	10.10	Complies
122	5610	-6.44	1.33	-5.11	10.10	Complies

CH106



Date: 19 SEP, 2024 16:52:14

CH122




Date: 19 SEP, 2024 16:53:123

Test Mode UNII-2C_TX IEEE 802.11ac (VHT80)_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-2.29	10.10	Complies
122	5610	-1.95	10.10	Complies


Test Mode UNII-2C_TX IEEE 802.11ax (HE20)_Ant.1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.54	1.44	2.98	10.10	Complies
116	5580	4.50	1.44	5.94	10.10	Complies
140	5700	0.70	1.44	2.14	10.10	Complies



Test Mode UNII-2C_TX IEEE 802.11ax (HE20)_Ant.2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.38	1.44	1.82	10.10	Complies
116	5580	3.78	1.44	5.22	10.10	Complies
140	5700	-0.04	1.44	1.40	10.10	Complies




Test Mode UNII-2C_TX IEEE 802.11ax (HE20)_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.45	10.10	Complies
116	5580	8.60	10.10	Complies
140	5700	4.79	10.10	Complies


Test Mode UNII-2C_TX IEEE 802.11ax (HE40)_Ant.1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.16	1.45	1.61	10.10	Complies
110	5550	0.06	1.45	1.51	10.10	Complies
134	5670	-7.64	1.45	-6.19	10.10	Complies



Test Mode UNII-2C_TX IEEE 802.11ax (HE40)_Ant.2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.22	1.45	1.67	10.10	Complies
110	5550	0.21	1.45	1.66	10.10	Complies
134	5670	-7.63	1.45	-6.18	10.10	Complies




Test Mode UNII-2C_TX IEEE 802.11ax (HE40)_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	4.65	10.10	Complies
110	5550	4.59	10.10	Complies
134	5670	-3.18	10.10	Complies

Test Mode UNII-2C_TX IEEE 802.11ax (HE80)_Ant.1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-5.74	1.51	-4.23	10.10	Complies
122	5610	-5.65	1.51	-4.14	10.10	Complies

CH106



Date: 19 SEP, 2024 15:12:51

CH122




Date: 19 SEP, 2024 15:17:51

Test Mode UNII-2C_TX IEEE 802.11ax (HE80)_Ant.2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-7.08	1.51	-5.57	10.10	Complies
122	5610	-6.56	1.51	-5.05	10.10	Complies

CH106



Date: 19 SEP, 2024 16:45:13

CH122



Date: 19 SEP, 2024 16:49:28

Test Mode UNII-2C_TX IEEE 802.11ax (HE80)_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-1.84	10.10	Complies
122	5610	-1.56	10.10	Complies

End of Test Report