

Antenna Specification

Shenzhen Kenxinda Technology Co., Ltd.
5 Floors, Shenzhen Bay Science and Technology Park, Nanshan District,
Shenzhen 518000, China

Model: A07

1. Antenna Picture





2. Features

- *Stable and reliable in performances
- *Compact size
- *RoHS compliance

3.WIFI Antenna Gain/Efficiency/Radiation Pattern of 3D

Frequency (MHz)	Efficiency (dBi)	Gain (dBi)	Efficiency (%)
2400.0	-3.17	-0.26	48.15
2410.0	-3.06	-0.36	49.42
2420.0	-3.19	-0.04	48.02
2430.0	-3.25	-0.97	47.26
2440.0	-3.24	-0.62	47.38
2650.0	-3.36	0.00	46.14
2460.0	-3.40	-0.30	45.69
2470.0	-3.49	-0.94	44.76
2480.0	-3.50	-1.87	44.71
2490.0	-3.62	-0.81	43.46
2500.0	-3.68	-0.88	42.83
5150.0	-3.97	-2.04	40.12
5350.0	-3.76	-1.49	42.08
5550.0	-3.74	-2.11	42.27
5750.0	-4.04	-1.14	39.49
5850.0	-4.10	-1.90	38.89



4. Antenna position

