

Antenna Specification

Shenzhen Kenxinda Technology Co., Ltd.

5 Floors, Shenzhen Bay Science and Technology Park, Nanshan District,
Shenzhen 518000, China

Model: A09

1. Antenna Picture





2. Features

- *Stable and reliable in performances
- *Compact size
- *RoHS compliance

3.WIFI Antenna Gain/Efficiency/Radiation Pattern of 3D

Frequency (MHz)	Efficiency (dBi)	Gain (dBi)	Efficiency (%)
2400.0	-3.41	-1.35	45.58
2410.0	-3.33	-1.53	46.41
2420.0	-3.41	-1.90	45.58
2430.0	-3.48	-1.90	44.89
2440.0	-3.47	-1.97	44.93
2450.0	-3.55	-1.50	44.16
2460.0	-3.57	-0.24	43.95
2470.0	-3.54	-0.03	44.24
2480.0	-3.45	-1.90	45.19
2490.0	-3.57	-1.51	43.98
2500.0	-3.65	-1.56	43.16
5150.0	-3.76	-2.04	42.04
5280.0	-3.95	-1.08	40.32
5550.0	-4.02	-1.38	39.61
5750.0	-4.03	-1.90	39.53
5850.0	-4.29	-1.18	37.26



4. Antenna position

