





## Restrict Band NVNT ac20 5825MHz Ant1 Peak



## Restrict Band NVNT ac20 5825MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac40 5755MHz Ant1 Peak



## Restrict Band NVNT ac40 5755MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac40 5795MHz Ant1 Peak



## Restrict Band NVNT ac40 5795MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax20 5745MHz Ant1 Peak




## Restrict Band NVNT ax20 5745MHz Ant1 Average






## Restrict Band NVNT ax20 5825MHz Ant1 Peak



## Restrict Band NVNT ax20 5825MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax40 5755MHz Ant1 Peak



## Restrict Band NVNT ax40 5755MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax40 5795MHz Ant1 Peak



## Restrict Band NVNT ax40 5795MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



| Condition | Mode     | Frequency (MHz) | Spur Freq (MHz) | Power (dBm) | Gain (dBi) | EIRP Power (dBm) | Detector | Limit (dBm) | Verdict |
|-----------|----------|-----------------|-----------------|-------------|------------|------------------|----------|-------------|---------|
| NVNT      | a Ant2   | 5745            | 5650            | -55.13      | 5.5        | -49.63           | Peak     | -27         | Pass    |
| NVNT      | a Ant2   | 5745            | 5650            | -62.22      | 5.5        | -56.72           | Average  | -27         | Pass    |
| NVNT      | a Ant2   | 5745            | 5700            | -42.64      | 5.5        | -37.14           | Peak     | 10          | Pass    |
| NVNT      | a Ant2   | 5745            | 5700            | -54.4       | 5.5        | -48.90           | Average  | 10          | Pass    |
| NVNT      | a Ant2   | 5745            | 5720            | -35.3       | 5.5        | -29.80           | Peak     | 15.6        | Pass    |
| NVNT      | a Ant2   | 5745            | 5720            | -44.14      | 5.5        | -38.64           | Average  | 15.6        | Pass    |
| NVNT      | a Ant2   | 5745            | 5725            | -25.64      | 5.5        | -20.14           | Peak     | 27          | Pass    |
| NVNT      | a Ant2   | 5745            | 5725            | -38.07      | 5.5        | -32.57           | Average  | 27          | Pass    |
| NVNT      | a Ant2   | 5825            | 5850            | -30.58      | 5.5        | -25.08           | Peak     | 27          | Pass    |
| NVNT      | a Ant2   | 5825            | 5850            | -44.99      | 5.5        | -39.49           | Average  | 27          | Pass    |
| NVNT      | a Ant2   | 5825            | 5855            | -38.99      | 5.5        | -33.49           | Peak     | 15.6        | Pass    |
| NVNT      | a Ant2   | 5825            | 5855            | -48.71      | 5.5        | -43.21           | Average  | 15.6        | Pass    |
| NVNT      | a Ant2   | 5825            | 5875            | -46.8       | 5.5        | -41.30           | Peak     | 10          | Pass    |
| NVNT      | a Ant2   | 5825            | 5875            | -55.04      | 5.5        | -49.54           | Average  | 10          | Pass    |
| NVNT      | a Ant2   | 5825            | 5925            | -52.83      | 5.5        | -47.33           | Peak     | -27         | Pass    |
| NVNT      | a Ant2   | 5825            | 5925            | -59.31      | 5.5        | -53.81           | Average  | -27         | Pass    |
| NVNT      | n20 MIMO | 5745            | 5650            | -54.65      | 8.51       | -46.14           | Peak     | -27         | Pass    |
| NVNT      | n20 MIMO | 5745            | 5650            | -62.06      | 8.51       | -53.55           | Average  | -27         | Pass    |
| NVNT      | n20 MIMO | 5745            | 5700            | -42.58      | 8.51       | -34.07           | Peak     | 10          | Pass    |
| NVNT      | n20 MIMO | 5745            | 5700            | -54.64      | 8.51       | -46.13           | Average  | 10          | Pass    |
| NVNT      | n20 MIMO | 5745            | 5720            | -31.39      | 8.51       | -22.88           | Peak     | 15.6        | Pass    |
| NVNT      | n20 MIMO | 5745            | 5720            | -43.23      | 8.51       | -34.72           | Average  | 15.6        | Pass    |
| NVNT      | n20 MIMO | 5745            | 5725            | -26.67      | 8.51       | -18.16           | Peak     | 27          | Pass    |
| NVNT      | n20 MIMO | 5745            | 5725            | -38.52      | 8.51       | -30.01           | Average  | 27          | Pass    |
| NVNT      | n20 MIMO | 5825            | 5850            | -31.11      | 8.51       | -22.60           | Peak     | 27          | Pass    |
| NVNT      | n20 MIMO | 5825            | 5850            | -47.24      | 8.51       | -38.73           | Average  | 27          | Pass    |
| NVNT      | n20 MIMO | 5825            | 5855            | -32.92      | 8.51       | -24.41           | Peak     | 15.6        | Pass    |
| NVNT      | n20 MIMO | 5825            | 5855            | -51.26      | 8.51       | -42.75           | Average  | 15.6        | Pass    |
| NVNT      | n20 MIMO | 5825            | 5875            | -46.64      | 8.51       | -38.13           | Peak     | 10          | Pass    |
| NVNT      | n20 MIMO | 5825            | 5875            | -55.87      | 8.51       | -47.36           | Average  | 10          | Pass    |
| NVNT      | n20 MIMO | 5825            | 5925            | -50.99      | 8.51       | -42.48           | Peak     | -27         | Pass    |
| NVNT      | n20 MIMO | 5825            | 5925            | -58.95      | 8.51       | -50.44           | Average  | -27         | Pass    |
| NVNT      | n40 MIMO | 5755            | 5650            | -53.89      | 8.51       | -45.38           | Peak     | -27         | Pass    |
| NVNT      | n40 MIMO | 5755            | 5650            | -59.57      | 8.51       | -51.06           | Average  | -27         | Pass    |
| NVNT      | n40 MIMO | 5755            | 5700            | -37.21      | 8.51       | -28.70           | Peak     | 10          | Pass    |
| NVNT      | n40 MIMO | 5755            | 5700            | -46.11      | 8.51       | -37.60           | Average  | 10          | Pass    |
| NVNT      | n40 MIMO | 5755            | 5720            | -29.07      | 8.51       | -20.56           | Peak     | 15.6        | Pass    |
| NVNT      | n40 MIMO | 5755            | 5720            | -37.25      | 8.51       | -28.74           | Average  | 15.6        | Pass    |





|      |           |      |      |        |      |        |         |      |      |
|------|-----------|------|------|--------|------|--------|---------|------|------|
| NVNT | n40 MIMO  | 5755 | 5725 | -24.36 | 8.51 | -15.85 | Peak    | 27   | Pass |
| NVNT | n40 MIMO  | 5755 | 5725 | -35.42 | 8.51 | -26.91 | Average | 27   | Pass |
| NVNT | n40 MIMO  | 5795 | 5850 | -37.34 | 8.51 | -28.83 | Peak    | 27   | Pass |
| NVNT | n40 MIMO  | 5795 | 5850 | -49.44 | 8.51 | -40.93 | Average | 27   | Pass |
| NVNT | n40 MIMO  | 5795 | 5855 | -39.21 | 8.51 | -30.70 | Peak    | 15.6 | Pass |
| NVNT | n40 MIMO  | 5795 | 5855 | -51.43 | 8.51 | -42.92 | Average | 15.6 | Pass |
| NVNT | n40 MIMO  | 5795 | 5875 | -46.87 | 8.51 | -38.36 | Peak    | 10   | Pass |
| NVNT | n40 MIMO  | 5795 | 5875 | -55.49 | 8.51 | -46.98 | Average | 10   | Pass |
| NVNT | n40 MIMO  | 5795 | 5925 | -52.87 | 8.51 | -44.36 | Peak    | -27  | Pass |
| NVNT | n40 MIMO  | 5795 | 5925 | -59.47 | 8.51 | -50.96 | Average | -27  | Pass |
| NVNT | ac20 MIMO | 5745 | 5650 | -55.82 | 8.51 | -47.31 | Peak    | -27  | Pass |
| NVNT | ac20 MIMO | 5745 | 5650 | -62.13 | 8.51 | -53.62 | Average | -27  | Pass |
| NVNT | ac20 MIMO | 5745 | 5700 | -45.34 | 8.51 | -36.83 | Peak    | 10   | Pass |
| NVNT | ac20 MIMO | 5745 | 5700 | -56.98 | 8.51 | -48.47 | Average | 10   | Pass |
| NVNT | ac20 MIMO | 5745 | 5720 | -32.69 | 8.51 | -24.18 | Peak    | 15.6 | Pass |
| NVNT | ac20 MIMO | 5745 | 5720 | -47.19 | 8.51 | -38.68 | Average | 15.6 | Pass |
| NVNT | ac20 MIMO | 5745 | 5725 | -31.98 | 8.51 | -23.47 | Peak    | 27   | Pass |
| NVNT | ac20 MIMO | 5745 | 5725 | -42.41 | 8.51 | -33.90 | Average | 27   | Pass |
| NVNT | ac20 MIMO | 5825 | 5850 | -36.05 | 8.51 | -27.54 | Peak    | 27   | Pass |
| NVNT | ac20 MIMO | 5825 | 5850 | -46.92 | 8.51 | -38.41 | Average | 27   | Pass |
| NVNT | ac20 MIMO | 5825 | 5855 | -42.75 | 8.51 | -34.24 | Peak    | 15.6 | Pass |
| NVNT | ac20 MIMO | 5825 | 5855 | -50.94 | 8.51 | -42.43 | Average | 15.6 | Pass |
| NVNT | ac20 MIMO | 5825 | 5875 | -47.67 | 8.51 | -39.16 | Peak    | 10   | Pass |
| NVNT | ac20 MIMO | 5825 | 5875 | -55.8  | 8.51 | -47.29 | Average | 10   | Pass |
| NVNT | ac20 MIMO | 5825 | 5925 | -51.91 | 8.51 | -43.40 | Peak    | -27  | Pass |
| NVNT | ac20 MIMO | 5825 | 5925 | -59.09 | 8.51 | -50.58 | Average | -27  | Pass |
| NVNT | ac40 MIMO | 5755 | 5650 | -50.97 | 8.51 | -42.46 | Peak    | -27  | Pass |
| NVNT | ac40 MIMO | 5755 | 5650 | -61.56 | 8.51 | -53.05 | Average | -27  | Pass |
| NVNT | ac40 MIMO | 5755 | 5700 | -44.18 | 8.51 | -35.67 | Peak    | 10   | Pass |
| NVNT | ac40 MIMO | 5755 | 5700 | -52.67 | 8.51 | -44.16 | Average | 10   | Pass |
| NVNT | ac40 MIMO | 5755 | 5720 | -31.27 | 8.51 | -22.76 | Peak    | 15.6 | Pass |
| NVNT | ac40 MIMO | 5755 | 5720 | -40.92 | 8.51 | -32.41 | Average | 15.6 | Pass |
| NVNT | ac40 MIMO | 5755 | 5725 | -26.33 | 8.51 | -17.82 | Peak    | 27   | Pass |
| NVNT | ac40 MIMO | 5755 | 5725 | -38.83 | 8.51 | -30.32 | Average | 27   | Pass |
| NVNT | ac40 MIMO | 5795 | 5850 | -39.58 | 8.51 | -31.07 | Peak    | 27   | Pass |
| NVNT | ac40 MIMO | 5795 | 5850 | -48.78 | 8.51 | -40.27 | Average | 27   | Pass |
| NVNT | ac40 MIMO | 5795 | 5855 | -41.51 | 8.51 | -33.00 | Peak    | 15.6 | Pass |
| NVNT | ac40 MIMO | 5795 | 5855 | -50.06 | 8.51 | -41.55 | Average | 15.6 | Pass |
| NVNT | ac40 MIMO | 5795 | 5875 | -46.67 | 8.51 | -38.16 | Peak    | 10   | Pass |
| NVNT | ac40 MIMO | 5795 | 5875 | -55.24 | 8.51 | -46.73 | Average | 10   | Pass |
| NVNT | ac40 MIMO | 5795 | 5925 | -50.03 | 8.51 | -41.52 | Peak    | -27  | Pass |






|      |           |      |      |        |      |        |         |      |      |
|------|-----------|------|------|--------|------|--------|---------|------|------|
| NVNT | ac40 MIMO | 5795 | 5925 | -59.57 | 8.51 | -51.06 | Average | -27  | Pass |
| NVNT | ax20 MIMO | 5745 | 5650 | -54.64 | 8.51 | -46.13 | Peak    | -27  | Pass |
| NVNT | ax20 MIMO | 5745 | 5650 | -61.93 | 8.51 | -53.42 | Average | -27  | Pass |
| NVNT | ax20 MIMO | 5745 | 5700 | -50.1  | 8.51 | -41.59 | Peak    | 10   | Pass |
| NVNT | ax20 MIMO | 5745 | 5700 | -56.41 | 8.51 | -47.90 | Average | 10   | Pass |
| NVNT | ax20 MIMO | 5745 | 5720 | -34.59 | 8.51 | -26.08 | Peak    | 15.6 | Pass |
| NVNT | ax20 MIMO | 5745 | 5720 | -45.71 | 8.51 | -37.20 | Average | 15.6 | Pass |
| NVNT | ax20 MIMO | 5745 | 5725 | -29.54 | 8.51 | -21.03 | Peak    | 27   | Pass |
| NVNT | ax20 MIMO | 5745 | 5725 | -41.28 | 8.51 | -32.77 | Average | 27   | Pass |
| NVNT | ax20 MIMO | 5825 | 5850 | -40.17 | 8.51 | -31.66 | Peak    | 27   | Pass |
| NVNT | ax20 MIMO | 5825 | 5850 | -46.79 | 8.51 | -38.28 | Average | 27   | Pass |
| NVNT | ax20 MIMO | 5825 | 5855 | -40.47 | 8.51 | -31.96 | Peak    | 15.6 | Pass |
| NVNT | ax20 MIMO | 5825 | 5855 | -50.53 | 8.51 | -42.02 | Average | 15.6 | Pass |
| NVNT | ax20 MIMO | 5825 | 5875 | -49.09 | 8.51 | -40.58 | Peak    | 10   | Pass |
| NVNT | ax20 MIMO | 5825 | 5875 | -55.77 | 8.51 | -47.26 | Average | 10   | Pass |
| NVNT | ax20 MIMO | 5825 | 5925 | -51.07 | 8.51 | -42.56 | Peak    | -27  | Pass |
| NVNT | ax20 MIMO | 5825 | 5925 | -58.95 | 8.51 | -50.44 | Average | -27  | Pass |
| NVNT | ax40 MIMO | 5755 | 5650 | -52.6  | 8.51 | -44.09 | Peak    | -27  | Pass |
| NVNT | ax40 MIMO | 5755 | 5650 | -61.63 | 8.51 | -53.12 | Average | -27  | Pass |
| NVNT | ax40 MIMO | 5755 | 5700 | -45.46 | 8.51 | -36.95 | Peak    | 10   | Pass |
| NVNT | ax40 MIMO | 5755 | 5700 | -52.7  | 8.51 | -44.19 | Average | 10   | Pass |
| NVNT | ax40 MIMO | 5755 | 5720 | -30.15 | 8.51 | -21.64 | Peak    | 15.6 | Pass |
| NVNT | ax40 MIMO | 5755 | 5720 | -41.3  | 8.51 | -32.79 | Average | 15.6 | Pass |
| NVNT | ax40 MIMO | 5755 | 5725 | -28.32 | 8.51 | -19.81 | Peak    | 27   | Pass |
| NVNT | ax40 MIMO | 5755 | 5725 | -39.03 | 8.51 | -30.52 | Average | 27   | Pass |
| NVNT | ax40 MIMO | 5795 | 5850 | -39.68 | 8.51 | -31.17 | Peak    | 27   | Pass |
| NVNT | ax40 MIMO | 5795 | 5850 | -48.36 | 8.51 | -39.85 | Average | 27   | Pass |
| NVNT | ax40 MIMO | 5795 | 5855 | -41.22 | 8.51 | -32.71 | Peak    | 15.6 | Pass |
| NVNT | ax40 MIMO | 5795 | 5855 | -49.9  | 8.51 | -41.39 | Average | 15.6 | Pass |
| NVNT | ax40 MIMO | 5795 | 5875 | -44.85 | 8.51 | -36.34 | Peak    | 10   | Pass |
| NVNT | ax40 MIMO | 5795 | 5875 | -54.88 | 8.51 | -46.37 | Average | 10   | Pass |
| NVNT | ax40 MIMO | 5795 | 5925 | -52.49 | 8.51 | -43.98 | Peak    | -27  | Pass |
| NVNT | ax40 MIMO | 5795 | 5925 | -60.22 | 8.51 | -51.71 | Average | -27  | Pass |






## Test Graphs

## Restrict Band NVNT a 5745MHz Ant1 Peak




## Restrict Band NVNT a 5745MHz Ant1 Average






## Restrict Band NVNT a 5825MHz Ant1 Peak



## Restrict Band NVNT a 5825MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n20 5745MHz MIMO Peak




## Restrict Band NVNT n20 5745MHz MIMO Average






## Restrict Band NVNT n20 5825MHz MIMO Peak



## Restrict Band NVNT n20 5825MHz MIMO Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n40 5755MHz MIMO Peak



## Restrict Band NVNT n40 5755MHz MIMO Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n40 5795MHz MIMO Peak



## Restrict Band NVNT n40 5795MHz MIMO Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac20 5745MHz MIMO Peak



## Restrict Band NVNT ac20 5745MHz MIMO Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac20 5825MHz MIMO Peak



## Restrict Band NVNT ac20 5825MHz MIMO Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac40 5755MHz MIMO Peak



## Restrict Band NVNT ac40 5755MHz MIMO Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac40 5795MHz MIMO Peak



## Restrict Band NVNT ac40 5795MHz MIMO Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax20 5745MHz MIMO Peak




## Restrict Band NVNT ax20 5745MHz MIMO Average






## Restrict Band NVNT ax20 5825MHz MIMO Peak



## Restrict Band NVNT ax20 5825MHz MIMO Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax40 5755MHz MIMO Peak



## Restrict Band NVNT ax40 5755MHz MIMO Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax40 5795MHz MIMO Peak



## Restrict Band NVNT ax40 5795MHz MIMO Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



## E.5 Frequency Stability

| Condition | Mode | Frequency<br>(MHz) | Antenna | Measured Frequency<br>(MHz) | Frequency Error<br>(Hz) | Deviation<br>(ppm) | Limit<br>(ppm) | Verdict |
|-----------|------|--------------------|---------|-----------------------------|-------------------------|--------------------|----------------|---------|
| NVNT      | n40  | 5755               | Ant1    | 5755                        | 0                       | 0                  | 25             | Pass    |
| NVNT      | n40  | 5795               | Ant1    | 5795                        | 0                       | 0                  | 25             | Pass    |
| NVNT      | ac20 | 5745               | Ant1    | 5744.96                     | -40000                  | -6.96              | 25             | Pass    |
| NVNT      | ac20 | 5785               | Ant1    | 5784.98                     | -20000                  | -3.46              | 25             | Pass    |
| NVNT      | ac20 | 5825               | Ant1    | 5824.98                     | -20000                  | -3.43              | 25             | Pass    |
| NVNT      | ac40 | 5755               | Ant1    | 5755                        | 0                       | 0                  | 25             | Pass    |
| NVNT      | ac40 | 5795               | Ant1    | 5794.96                     | -40000                  | -6.9               | 25             | Pass    |




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity




## Test Graphs

## Freq. Stability NVNT n40 5755MHz Ant1



## Freq. Stability NVNT n40 5795MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Freq. Stability NVNT ac20 5745MHz Ant1




## Freq. Stability NVNT ac20 5785MHz Ant1







## Freq. Stability NVNT ac20 5825MHz Ant1



## Freq. Stability NVNT ac40 5755MHz Ant1





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




| Condition | Mode | Frequency<br>(MHz) | Antenna | Measured Frequency<br>(MHz) | Frequency Error<br>(Hz) | Deviation<br>(ppm) | Limit<br>(ppm) | Verdict |
|-----------|------|--------------------|---------|-----------------------------|-------------------------|--------------------|----------------|---------|
| NVNT      | n40  | 5755               | Ant2    | 5755                        | 0                       | 0                  | 25             | Pass    |
| NVNT      | n40  | 5795               | Ant2    | 5795.04                     | 40000                   | 6.9                | 25             | Pass    |
| NVNT      | ac20 | 5745               | Ant2    | 5745                        | 0                       | 0                  | 25             | Pass    |
| NVNT      | ac20 | 5785               | Ant2    | 5784.96                     | -40000                  | -6.91              | 25             | Pass    |
| NVNT      | ac20 | 5825               | Ant2    | 5825                        | 0                       | 0                  | 25             | Pass    |
| NVNT      | ac40 | 5755               | Ant2    | 5755                        | 0                       | 0                  | 25             | Pass    |
| NVNT      | ac40 | 5795               | Ant2    | 5794.96                     | -40000                  | -6.9               | 25             | Pass    |






## Test Graphs

## Freq. Stability NVNT n40 5755MHz Ant2



## Freq. Stability NVNT n40 5795MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Freq. Stability NVNT ac20 5745MHz Ant2



## Freq. Stability NVNT ac20 5785MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity




## Freq. Stability NVNT ac20 5825MHz Ant2



## Freq. Stability NVNT ac40 5755MHz Ant2








| Condition | Mode | Frequency (MHz) | Antenna | Measured Frequency (MHz) | Frequency Error (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
|-----------|------|-----------------|---------|--------------------------|----------------------|-----------------|-------------|---------|
| NVNT      | n40  | 5755            | Ant3    | 5755                     | 0                    | 0               | 25          | Pass    |
| NVNT      | n40  | 5795            | Ant3    | 5794.96                  | -40000               | -6.9            | 25          | Pass    |
| NVNT      | ac20 | 5745            | Ant3    | 5745                     | 0                    | 0               | 25          | Pass    |
| NVNT      | ac20 | 5785            | Ant3    | 5785                     | 0                    | 0               | 25          | Pass    |
| NVNT      | ac20 | 5825            | Ant3    | 5824.98                  | -20000               | -3.43           | 25          | Pass    |
| NVNT      | ac40 | 5755            | Ant3    | 5754.96                  | -40000               | -6.95           | 25          | Pass    |
| NVNT      | ac40 | 5795            | Ant3    | 5795                     | 0                    | 0               | 25          | Pass    |






## Test Graphs

## Freq. Stability NVNT n40 5755MHz Ant3



## Freq. Stability NVNT n40 5795MHz Ant3



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Freq. Stability NVNT ac20 5745MHz Ant3



## Freq. Stability NVNT ac20 5785MHz Ant3



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Freq. Stability NVNT ac20 5825MHz Ant3



## Freq. Stability NVNT ac40 5755MHz Ant3



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity

Report No.: LCSA12013202EE



## E.6 Duty Cycle


| Condition | Mode | Frequency (MHz) | Antenna | Duty Cycle (%) | Correction Factor (dB) | 1/T (kHz) |
|-----------|------|-----------------|---------|----------------|------------------------|-----------|
| NVNT      | a    | 5745            | Ant1    | 96.94          | 0.13                   | 0.72      |
| NVNT      | a    | 5785            | Ant1    | 96.87          | 0.14                   | 0.72      |
| NVNT      | a    | 5825            | Ant1    | 96.94          | 0.13                   | 0.72      |
| NVNT      | n20  | 5745            | Ant1    | 96.7           | 0.15                   | 0.78      |
| NVNT      | n20  | 5785            | Ant1    | 96.62          | 0.15                   | 0.78      |
| NVNT      | n20  | 5825            | Ant1    | 96.7           | 0.15                   | 0.78      |
| NVNT      | n40  | 5755            | Ant1    | 93.53          | 0.29                   | 1.57      |
| NVNT      | n40  | 5795            | Ant1    | 93.53          | 0.29                   | 1.57      |
| NVNT      | ac20 | 5745            | Ant1    | 96.76          | 0.14                   | 0.76      |
| NVNT      | ac20 | 5785            | Ant1    | 96.76          | 0.14                   | 0.76      |
| NVNT      | ac20 | 5825            | Ant1    | 96.68          | 0.15                   | 0.76      |
| NVNT      | ac40 | 5755            | Ant1    | 93.82          | 0.28                   | 1.53      |
| NVNT      | ac40 | 5795            | Ant1    | 93.68          | 0.28                   | 1.53      |
| NVNT      | ax20 | 5745            | Ant1    | 96.68          | 0.15                   | 0.76      |
| NVNT      | ax20 | 5785            | Ant1    | 96.76          | 0.14                   | 0.76      |
| NVNT      | ax20 | 5825            | Ant1    | 96.76          | 0.14                   | 0.76      |
| NVNT      | ax40 | 5755            | Ant1    | 93.68          | 0.28                   | 1.53      |
| NVNT      | ax40 | 5795            | Ant1    | 93.82          | 0.28                   | 1.53      |






## Test Graphs

## Duty Cycle NVNT a 5745MHz Ant1



## Duty Cycle NVNT a 5785MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Duty Cycle NVNT a 5825MHz Ant1




## Duty Cycle NVNT n20 5745MHz Ant1






## Duty Cycle NVNT n20 5785MHz Ant1



## Duty Cycle NVNT n20 5825MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Duty Cycle NVNT n40 5755MHz Ant1




## Duty Cycle NVNT n40 5795MHz Ant1






## Duty Cycle NVNT ac20 5745MHz Ant1



## Duty Cycle NVNT ac20 5785MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Duty Cycle NVNT ac20 5825MHz Ant1



## Duty Cycle NVNT ac40 5755MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity






## Duty Cycle NVNT ax20 5745MHz Ant1




## Duty Cycle NVNT ax20 5785MHz Ant1






## Duty Cycle NVNT ax20 5825MHz Ant1



## Duty Cycle NVNT ax40 5755MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity






| Condition | Mode | Frequency (MHz) | Antenna | Duty Cycle (%) | Correction Factor (dB) | 1/T (kHz) |
|-----------|------|-----------------|---------|----------------|------------------------|-----------|
| NVNT      | a    | 5745            | Ant2    | 96.94          | 0.13                   | 0.72      |
| NVNT      | a    | 5785            | Ant2    | 96.94          | 0.13                   | 0.72      |
| NVNT      | a    | 5825            | Ant2    | 96.94          | 0.13                   | 0.72      |
| NVNT      | n20  | 5745            | Ant2    | 96.7           | 0.15                   | 0.78      |
| NVNT      | n20  | 5785            | Ant2    | 96.7           | 0.15                   | 0.78      |
| NVNT      | n20  | 5825            | Ant2    | 96.62          | 0.15                   | 0.78      |
| NVNT      | n40  | 5755            | Ant2    | 93.53          | 0.29                   | 1.57      |
| NVNT      | n40  | 5795            | Ant2    | 93.53          | 0.29                   | 1.57      |
| NVNT      | ac20 | 5745            | Ant2    | 96.68          | 0.15                   | 0.76      |
| NVNT      | ac20 | 5785            | Ant2    | 96.76          | 0.14                   | 0.76      |
| NVNT      | ac20 | 5825            | Ant2    | 96.76          | 0.14                   | 0.76      |
| NVNT      | ac40 | 5755            | Ant2    | 93.68          | 0.28                   | 1.53      |
| NVNT      | ac40 | 5795            | Ant2    | 93.69          | 0.28                   | 1.53      |
| NVNT      | ax20 | 5745            | Ant2    | 96.68          | 0.15                   | 0.76      |
| NVNT      | ax20 | 5785            | Ant2    | 96.76          | 0.14                   | 0.76      |
| NVNT      | ax20 | 5825            | Ant2    | 96.76          | 0.14                   | 0.76      |
| NVNT      | ax40 | 5755            | Ant2    | 93.68          | 0.28                   | 1.53      |
| NVNT      | ax40 | 5795            | Ant2    | 93.68          | 0.28                   | 1.53      |






## Test Graphs

## Duty Cycle NVNT a 5745MHz Ant2



## Duty Cycle NVNT a 5785MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Duty Cycle NVNT a 5825MHz Ant2




## Duty Cycle NVNT n20 5745MHz Ant2






## Duty Cycle NVNT n20 5785MHz Ant2



## Duty Cycle NVNT n20 5825MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Duty Cycle NVNT n40 5755MHz Ant2




## Duty Cycle NVNT n40 5795MHz Ant2






## Duty Cycle NVNT ac20 5745MHz Ant2




## Duty Cycle NVNT ac20 5785MHz Ant2







## Duty Cycle NVNT ac20 5825MHz Ant2



## Duty Cycle NVNT ac40 5755MHz Ant2





Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Duty Cycle NVNT ax20 5745MHz Ant2



## Duty Cycle NVNT ax20 5785MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Duty Cycle NVNT ax20 5825MHz Ant2



## Duty Cycle NVNT ax40 5755MHz Ant2




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity






| Condition | Mode | Frequency (MHz) | Antenna | Duty Cycle (%) | Correction Factor (dB) | 1/T (kHz) |
|-----------|------|-----------------|---------|----------------|------------------------|-----------|
| NVNT      | a    | 5745            | Ant3    | 96.94          | 0.13                   | 0.72      |
| NVNT      | a    | 5785            | Ant3    | 96.87          | 0.14                   | 0.72      |
| NVNT      | a    | 5825            | Ant3    | 96.94          | 0.13                   | 0.72      |
| NVNT      | n20  | 5745            | Ant3    | 96.7           | 0.15                   | 0.78      |
| NVNT      | n20  | 5785            | Ant3    | 96.7           | 0.15                   | 0.78      |
| NVNT      | n20  | 5825            | Ant3    | 96.7           | 0.15                   | 0.78      |
| NVNT      | n40  | 5755            | Ant3    | 93.68          | 0.28                   | 1.57      |
| NVNT      | n40  | 5795            | Ant3    | 93.68          | 0.28                   | 1.57      |
| NVNT      | ac20 | 5745            | Ant3    | 96.76          | 0.14                   | 0.76      |
| NVNT      | ac20 | 5785            | Ant3    | 96.76          | 0.14                   | 0.76      |
| NVNT      | ac20 | 5825            | Ant3    | 96.76          | 0.14                   | 0.76      |
| NVNT      | ac40 | 5755            | Ant3    | 93.68          | 0.28                   | 1.53      |
| NVNT      | ac40 | 5795            | Ant3    | 93.82          | 0.28                   | 1.53      |
| NVNT      | ax20 | 5745            | Ant3    | 96.68          | 0.15                   | 0.76      |
| NVNT      | ax20 | 5785            | Ant3    | 96.68          | 0.15                   | 0.76      |
| NVNT      | ax20 | 5825            | Ant3    | 96.76          | 0.14                   | 0.76      |
| NVNT      | ax40 | 5755            | Ant3    | 93.68          | 0.28                   | 1.53      |
| NVNT      | ax40 | 5795            | Ant3    | 93.68          | 0.28                   | 1.53      |






## Test Graphs

## Duty Cycle NVNT a 5745MHz Ant3



## Duty Cycle NVNT a 5785MHz Ant3



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Duty Cycle NVNT a 5825MHz Ant3



## Duty Cycle NVNT n20 5745MHz Ant3





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity






## Duty Cycle NVNT n40 5755MHz Ant3



## Duty Cycle NVNT n40 5795MHz Ant3



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Duty Cycle NVNT ac20 5745MHz Ant3



## Duty Cycle NVNT ac20 5785MHz Ant3






Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity








## Duty Cycle NVNT ax20 5745MHz Ant3



## Duty Cycle NVNT ax20 5785MHz Ant3



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Duty Cycle NVNT ax20 5825MHz Ant3



## Duty Cycle NVNT ax40 5755MHz Ant3



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity

