


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band2


1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.96	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.17	-13	Pass	2985
30	1000	0.1	RMS	919.392	-53.97	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.2	-13	Pass	830
1830	1920	1	RMS	1850.25	23.45	60	Pass	601
1920	3000	1	RMS	2409.453	-36.98	-13	Pass	1080
3000	12000	1	RMS	7401.489	-40.31	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.31	-13	Pass	8000




1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.08	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.33	-13	Pass	2985
30	1000	0.1	RMS	977.598	-54.09	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.12	-13	Pass	830
1830	1920	1	RMS	1851.15	23.39	60	Pass	601
1920	3000	1	RMS	2411.455	-37.74	-13	Pass	1080
3000	12000	1	RMS	7404.489	-38.97	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.17	-13	Pass	8000




1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.73	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.35	-13	Pass	2985
30	1000	0.1	RMS	963.096	-53.95	-13	Pass	9700
1000	1830	1	RMS	1814.982	-43.16	-13	Pass	830
1830	1920	1	RMS	1850.25	22.55	60	Pass	601
1920	3000	1	RMS	2669.694	-38.42	-13	Pass	1080
3000	12000	1	RMS	7401.489	-41.54	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.35	-13	Pass	8000




1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.44	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.85	-13	Pass	2985
30	1000	0.1	RMS	894.789	-54.05	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.2	-13	Pass	830
1830	1920	1	RMS	1851.15	22.51	60	Pass	601
1920	3000	1	RMS	2408.452	-35.04	-13	Pass	1080
3000	12000	1	RMS	7404.489	-40.5	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.24	-13	Pass	8000




1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.23	-13	Pass	2985
30	1000	0.1	RMS	906.79	-54.18	-13	Pass	9700
1000	1830	1	RMS	1812.979	-43.21	-13	Pass	830
1830	1920	1	RMS	1879.5	23.77	60	Pass	601
1920	3000	1	RMS	2670.695	-38.4	-13	Pass	1080
3000	12000	1	RMS	5638.293	-39.56	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.24	-13	Pass	8000




1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-47.43	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.83	-13	Pass	2985
30	1000	0.1	RMS	886.488	-54.08	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.18	-13	Pass	830
1830	1920	1	RMS	1880.4	23.85	60	Pass	601
1920	3000	1	RMS	2666.691	-38.42	-13	Pass	1080
3000	12000	1	RMS	5641.293	-37.62	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.18	-13	Pass	8000




1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:7, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.22	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.48	-13	Pass	2985
30	1000	0.1	RMS	995.2	-53.91	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.25	-13	Pass	830
1830	1920	1	RMS	1879.5	22.81	60	Pass	601
1920	3000	1	RMS	2669.694	-38.38	-13	Pass	1080
3000	12000	1	RMS	5638.293	-40.31	-13	Pass	9000
12000	20000	1	RMS	19844.981	-28.32	-13	Pass	8000




1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.35	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.51	-13	Pass	2985
30	1000	0.1	RMS	957.196	-53.67	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.19	-13	Pass	830
1830	1920	1	RMS	1880.4	22.9	60	Pass	601
1920	3000	1	RMS	2671.696	-38.42	-13	Pass	1080
3000	12000	1	RMS	5641.293	-39.04	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.35	-13	Pass	8000




1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.1	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.36	-13	Pass	2985
30	1000	0.1	RMS	989.799	-54.1	-13	Pass	9700
1000	1830	1	RMS	1748.902	-43.15	-13	Pass	830
1830	1920	1	RMS	1908.9	23.45	60	Pass	601
1920	3000	1	RMS	2668.693	-38.35	-13	Pass	1080
3000	12000	1	RMS	5726.303	-34.97	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.36	-13	Pass	8000




1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.93	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.29	-13	Pass	2985
30	1000	0.1	RMS	910.491	-53.94	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.16	-13	Pass	830
1830	1920	1	RMS	1909.8	23.91	60	Pass	601
1920	3000	1	RMS	2409.453	-33.63	-13	Pass	1080
3000	12000	1	RMS	5729.303	-32.52	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.25	-13	Pass	8000




1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.12	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.77	-13	Pass	2985
30	1000	0.1	RMS	917.692	-53.83	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.16	-13	Pass	830
1830	1920	1	RMS	1908.9	22.62	60	Pass	601
1920	3000	1	RMS	2668.693	-38.33	-13	Pass	1080
3000	12000	1	RMS	5726.303	-35.95	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.31	-13	Pass	8000




1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.9	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.08	-13	Pass	2985
30	1000	0.1	RMS	961.696	-54.07	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.17	-13	Pass	830
1830	1920	1	RMS	1909.8	23.08	60	Pass	601
1920	3000	1	RMS	2409.453	-36.41	-13	Pass	1080
3000	12000	1	RMS	5729.303	-33.99	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.39	-13	Pass	8000




1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.78	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.86	-13	Pass	2985
30	1000	0.1	RMS	928.793	-54.08	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.21	-13	Pass	830
1830	1920	1	RMS	1850.25	23.37	60	Pass	601
1920	3000	1	RMS	2668.693	-38.37	-13	Pass	1080
3000	12000	1	RMS	7401.489	-40.01	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.33	-13	Pass	8000




1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.37	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.72	-13	Pass	2985
30	1000	0.1	RMS	893.789	-54.09	-13	Pass	9700
1000	1830	1	RMS	1812.979	-43.23	-13	Pass	830
1830	1920	1	RMS	1852.8	23.19	60	Pass	601
1920	3000	1	RMS	2669.694	-38.4	-13	Pass	1080
3000	12000	1	RMS	7411.49	-40.41	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.31	-13	Pass	8000




1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.63	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.86	-13	Pass	2985
30	1000	0.1	RMS	920.792	-54.03	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.2	-13	Pass	830
1830	1920	1	RMS	1850.25	22.5	60	Pass	601
1920	3000	1	RMS	2672.697	-38.44	-13	Pass	1080
3000	12000	1	RMS	7400.489	-40.57	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.42	-13	Pass	8000




1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.06	-13	Pass	2985
30	1000	0.1	RMS	907.991	-53.8	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.19	-13	Pass	830
1830	1920	1	RMS	1852.8	22.35	60	Pass	601
1920	3000	1	RMS	2631.659	-37.81	-13	Pass	1080
3000	12000	1	RMS	7411.49	-40.84	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.39	-13	Pass	8000




1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39	-13	Pass	2985
30	1000	0.1	RMS	850.785	-53.95	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.19	-13	Pass	830
1830	1920	1	RMS	1878.75	23.55	60	Pass	601
1920	3000	1	RMS	2666.691	-38.38	-13	Pass	1080
3000	12000	1	RMS	5212.246	-36.9	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.31	-13	Pass	8000




1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.36	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.29	-13	Pass	2985
30	1000	0.1	RMS	899.89	-53.98	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.19	-13	Pass	830
1830	1920	1	RMS	1881.3	23.73	60	Pass	601
1920	3000	1	RMS	2669.694	-38.37	-13	Pass	1080
3000	12000	1	RMS	5643.294	-39.25	-13	Pass	9000
12000	20000	1	RMS	19854.982	-28.3	-13	Pass	8000




1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.78	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.68	-13	Pass	2985
30	1000	0.1	RMS	919.992	-53.98	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.19	-13	Pass	830
1830	1920	1	RMS	1878.75	22.61	60	Pass	601
1920	3000	1	RMS	2408.452	-34.91	-13	Pass	1080
3000	12000	1	RMS	5636.293	-40.2	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.3	-13	Pass	8000




1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:20, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-44.91	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.74	-13	Pass	2985
30	1000	0.1	RMS	952.895	-54.07	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.22	-13	Pass	830
1830	1920	1	RMS	1881.3	22.8	60	Pass	601
1920	3000	1	RMS	2668.693	-38.41	-13	Pass	1080
3000	12000	1	RMS	5643.294	-40.85	-13	Pass	9000
12000	20000	1	RMS	19841.98	-28.28	-13	Pass	8000




1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.7	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.71	-13	Pass	2985
30	1000	0.1	RMS	874.687	-53.75	-13	Pass	9700
1000	1830	1	RMS	1805.971	-43.23	-13	Pass	830
1830	1920	1	RMS	1907.25	23.12	60	Pass	601
1920	3000	1	RMS	2409.453	-36.77	-13	Pass	1080
3000	12000	1	RMS	5721.302	-36.78	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.35	-13	Pass	8000




1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.39	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.92	-13	Pass	2985
30	1000	0.1	RMS	986.899	-53.93	-13	Pass	9700
1000	1830	1	RMS	1812.979	-43.16	-13	Pass	830
1830	1920	1	RMS	1909.8	23.74	60	Pass	601
1920	3000	1	RMS	2672.697	-38.36	-13	Pass	1080
3000	12000	1	RMS	5729.303	-33.07	-13	Pass	9000
12000	20000	1	RMS	19854.982	-28.41	-13	Pass	8000




1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.15	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.84	-13	Pass	2985
30	1000	0.1	RMS	997.3	-53.95	-13	Pass	9700
1000	1830	1	RMS	1804.97	-43.18	-13	Pass	830
1830	1920	1	RMS	1907.25	22.24	60	Pass	601
1920	3000	1	RMS	2668.693	-38.34	-13	Pass	1080
3000	12000	1	RMS	5721.302	-37.61	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.39	-13	Pass	8000




1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.15	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.96	-13	Pass	2985
30	1000	0.1	RMS	947.795	-53.93	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.22	-13	Pass	830
1830	1920	1	RMS	1909.8	22.95	60	Pass	601
1920	3000	1	RMS	2669.694	-38.39	-13	Pass	1080
3000	12000	1	RMS	5729.303	-34.42	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.41	-13	Pass	8000




1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.62	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.56	-13	Pass	2985
30	1000	0.1	RMS	972.697	-54.18	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.17	-13	Pass	830
1830	1920	1	RMS	1850.4	23.26	60	Pass	601
1920	3000	1	RMS	2670.695	-38.4	-13	Pass	1080
3000	12000	1	RMS	7401.489	-38.49	-13	Pass	9000
12000	20000	1	RMS	19839.98	-28.32	-13	Pass	8000




1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.13	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.22	-13	Pass	2985
30	1000	0.1	RMS	981.098	-54.05	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.18	-13	Pass	830
1830	1920	1	RMS	1854.6	22.99	60	Pass	601
1920	3000	1	RMS	2670.695	-38.41	-13	Pass	1080
3000	12000	1	RMS	7418.491	-40.34	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.26	-13	Pass	8000




1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.62	-13	Pass	2985
30	1000	0.1	RMS	887.188	-53.83	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.18	-13	Pass	830
1830	1920	1	RMS	1850.4	22.41	60	Pass	601
1920	3000	1	RMS	2667.692	-38.35	-13	Pass	1080
3000	12000	1	RMS	7401.489	-40.11	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.37	-13	Pass	8000




1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.6	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.09	-13	Pass	2985
30	1000	0.1	RMS	976.898	-54.14	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.18	-13	Pass	830
1830	1920	1	RMS	1854.75	22.03	60	Pass	601
1920	3000	1	RMS	2670.695	-38.34	-13	Pass	1080
3000	12000	1	RMS	5218.246	-37.35	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.29	-13	Pass	8000




1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.1	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.28	-13	Pass	2985
30	1000	0.1	RMS	916.091	-54.08	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.21	-13	Pass	830
1830	1920	1	RMS	1877.85	23.56	60	Pass	601
1920	3000	1	RMS	2672.697	-38.38	-13	Pass	1080
3000	12000	1	RMS	5633.293	-39.21	-13	Pass	9000
12000	20000	1	RMS	19843.98	-28.32	-13	Pass	8000




1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.38	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.06	-13	Pass	2985
30	1000	0.1	RMS	972.697	-54.09	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.17	-13	Pass	830
1830	1920	1	RMS	1882.2	23.78	60	Pass	601
1920	3000	1	RMS	2668.693	-38.4	-13	Pass	1080
3000	12000	1	RMS	5646.294	-38.29	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.34	-13	Pass	8000




1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-47.1	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.84	-13	Pass	2985
30	1000	0.1	RMS	898.39	-54	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.22	-13	Pass	830
1830	1920	1	RMS	1877.85	22.77	60	Pass	601
1920	3000	1	RMS	2409.453	-35.33	-13	Pass	1080
3000	12000	1	RMS	5633.293	-40.12	-13	Pass	9000
12000	20000	1	RMS	19856.982	-28.35	-13	Pass	8000




1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.87	-13	Pass	601
0.15	30	0.01	RMS	0.16	-41.89	-13	Pass	2985
30	1000	0.1	RMS	992.799	-54.14	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.21	-13	Pass	830
1830	1920	1	RMS	1882.2	23.02	60	Pass	601
1920	3000	1	RMS	2671.696	-38.43	-13	Pass	1080
3000	12000	1	RMS	5646.294	-39.73	-13	Pass	9000
12000	20000	1	RMS	19840.98	-28.38	-13	Pass	8000




1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.09	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.03	-13	Pass	2985
30	1000	0.1	RMS	906.69	-53.92	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.14	-13	Pass	830
1830	1920	1	RMS	1905.3	22.82	60	Pass	601
1920	3000	1	RMS	2672.697	-38.39	-13	Pass	1080
3000	12000	1	RMS	5716.302	-36.89	-13	Pass	9000
12000	20000	1	RMS	19853.982	-28.22	-13	Pass	8000




1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.18	-13	Pass	601
0.15	30	0.01	RMS	0.16	-41.02	-13	Pass	2985
30	1000	0.1	RMS	903.59	-54.06	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.18	-13	Pass	830
1830	1920	1	RMS	1909.65	23.77	60	Pass	601
1920	3000	1	RMS	2664.69	-38.34	-13	Pass	1080
3000	12000	1	RMS	5729.303	-33.65	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.34	-13	Pass	8000




1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.68	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.78	-13	Pass	2985
30	1000	0.1	RMS	907.49	-54.06	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.24	-13	Pass	830
1830	1920	1	RMS	1905.3	22.02	60	Pass	601
1920	3000	1	RMS	2407.451	-34.91	-13	Pass	1080
3000	12000	1	RMS	5716.302	-37.98	-13	Pass	9000
12000	20000	1	RMS	19843.98	-28.17	-13	Pass	8000




1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.73	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.52	-13	Pass	2985
30	1000	0.1	RMS	875.987	-53.92	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.17	-13	Pass	830
1830	1920	1	RMS	1909.65	23.08	60	Pass	601
1920	3000	1	RMS	2669.694	-38.41	-13	Pass	1080
3000	12000	1	RMS	5729.303	-35.55	-13	Pass	9000
12000	20000	1	RMS	19842.98	-28.31	-13	Pass	8000




1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.84	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.94	-13	Pass	2985
30	1000	0.1	RMS	991.999	-54.1	-13	Pass	9700
1000	1830	1	RMS	1813.981	-43.18	-13	Pass	830
1830	1920	1	RMS	1850.55	23.09	60	Pass	601
1920	3000	1	RMS	2670.695	-38.36	-13	Pass	1080
3000	12000	1	RMS	7402.489	-39.21	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.3	-13	Pass	8000




1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.01	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.8	-13	Pass	2985
30	1000	0.1	RMS	875.687	-54.09	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.15	-13	Pass	830
1830	1920	1	RMS	1859.4	22.68	60	Pass	601
1920	3000	1	RMS	2408.452	-35.72	-13	Pass	1080
3000	12000	1	RMS	7437.493	-40.45	-13	Pass	9000
12000	20000	1	RMS	19842.98	-28.34	-13	Pass	8000




1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.35	-13	Pass	601
0.15	30	0.01	RMS	0.15	-42	-13	Pass	2985
30	1000	0.1	RMS	899.39	-54.14	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.21	-13	Pass	830
1830	1920	1	RMS	1850.55	22.3	60	Pass	601
1920	3000	1	RMS	2668.693	-38.38	-13	Pass	1080
3000	12000	1	RMS	7402.489	-40.01	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.31	-13	Pass	8000




1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.53	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.71	-13	Pass	2985
30	1000	0.1	RMS	930.893	-53.96	-13	Pass	9700
1000	1830	1	RMS	1812.979	-43.18	-13	Pass	830
1830	1920	1	RMS	1859.4	21.89	60	Pass	601
1920	3000	1	RMS	2669.694	-38.41	-13	Pass	1080
3000	12000	1	RMS	5226.247	-34.73	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.23	-13	Pass	8000




1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.28	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.79	-13	Pass	2985
30	1000	0.1	RMS	880.188	-53.92	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.17	-13	Pass	830
1830	1920	1	RMS	1875.6	23.33	60	Pass	601
1920	3000	1	RMS	2671.696	-38.37	-13	Pass	1080
3000	12000	1	RMS	7502.5	-39.64	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.32	-13	Pass	8000




1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.58	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.42	-13	Pass	2985
30	1000	0.1	RMS	968.597	-53.86	-13	Pass	9700
1000	1830	1	RMS	1815.983	-43.2	-13	Pass	830
1830	1920	1	RMS	1884.45	23.66	60	Pass	601
1920	3000	1	RMS	2410.454	-35.87	-13	Pass	1080
3000	12000	1	RMS	5653.295	-38.58	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.3	-13	Pass	8000




1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.16	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.7	-13	Pass	2985
30	1000	0.1	RMS	896.489	-53.96	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.22	-13	Pass	830
1830	1920	1	RMS	1875.6	22.32	60	Pass	601
1920	3000	1	RMS	2667.692	-38.39	-13	Pass	1080
3000	12000	1	RMS	7502.5	-40.68	-13	Pass	9000
12000	20000	1	RMS	19843.98	-28.28	-13	Pass	8000




1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.22	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.57	-13	Pass	2985
30	1000	0.1	RMS	887.888	-54.11	-13	Pass	9700
1000	1830	1	RMS	1805.971	-43.18	-13	Pass	830
1830	1920	1	RMS	1884.45	22.7	60	Pass	601
1920	3000	1	RMS	2665.69	-38.44	-13	Pass	1080
3000	12000	1	RMS	5653.295	-39.89	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.14	-13	Pass	8000




1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.55	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.89	-13	Pass	2985
30	1000	0.1	RMS	886.488	-54.06	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.21	-13	Pass	830
1830	1920	1	RMS	1900.65	22.64	60	Pass	601
1920	3000	1	RMS	2669.694	-38.38	-13	Pass	1080
3000	12000	1	RMS	5701.3	-39.58	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.19	-13	Pass	8000




1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.52	-13	Pass	2985
30	1000	0.1	RMS	894.289	-53.95	-13	Pass	9700
1000	1830	1	RMS	1812.979	-43.19	-13	Pass	830
1830	1920	1	RMS	1909.35	23.2	60	Pass	601
1920	3000	1	RMS	2668.693	-38.34	-13	Pass	1080
3000	12000	1	RMS	5728.303	-34.81	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.32	-13	Pass	8000




1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.95	-13	Pass	2985
30	1000	0.1	RMS	968.897	-53.88	-13	Pass	9700
1000	1830	1	RMS	1804.97	-43.21	-13	Pass	830
1830	1920	1	RMS	1900.65	21.7	60	Pass	601
1920	3000	1	RMS	2666.691	-38.41	-13	Pass	1080
3000	12000	1	RMS	7602.511	-40.19	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.23	-13	Pass	8000




1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.6	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.64	-13	Pass	2985
30	1000	0.1	RMS	977.798	-53.76	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.2	-13	Pass	830
1830	1920	1	RMS	1909.35	22.34	60	Pass	601
1920	3000	1	RMS	2670.695	-38.33	-13	Pass	1080
3000	12000	1	RMS	5728.303	-35.41	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.32	-13	Pass	8000




1.49. LTE Transmitter Spurious Emissions(NTNV)(Subtest:49, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.85	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.17	-13	Pass	2985
30	1000	0.1	RMS	912.391	-53.81	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.19	-13	Pass	830
1830	1920	1	RMS	1850.85	23.23	60	Pass	601
1920	3000	1	RMS	2668.693	-38.36	-13	Pass	1080
3000	12000	1	RMS	7403.489	-39.4	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.31	-13	Pass	8000




1.50. LTE Transmitter Spurious Emissions(NTNV)(Subtest:50, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.54	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.63	-13	Pass	2985
30	1000	0.1	RMS	895.789	-53.72	-13	Pass	9700
1000	1830	1	RMS	1812.979	-43.19	-13	Pass	830
1830	1920	1	RMS	1864.2	22.87	60	Pass	601
1920	3000	1	RMS	2669.694	-38.39	-13	Pass	1080
3000	12000	1	RMS	7456.495	-40.8	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.29	-13	Pass	8000




1.51. LTE Transmitter Spurious Emissions(NTNV)(Subtest:51, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.67	-13	Pass	2985
30	1000	0.1	RMS	962.296	-54.09	-13	Pass	9700
1000	1830	1	RMS	1823.993	-43.03	-13	Pass	830
1830	1920	1	RMS	1850.85	22.47	60	Pass	601
1920	3000	1	RMS	2673.698	-38.42	-13	Pass	1080
3000	12000	1	RMS	7403.489	-40.25	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.38	-13	Pass	8000




1.52. LTE Transmitter Spurious Emissions(NTNV)(Subtest:52, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.15	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.97	-13	Pass	2985
30	1000	0.1	RMS	920.792	-53.97	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.24	-13	Pass	830
1830	1920	1	RMS	1864.2	22.06	60	Pass	601
1920	3000	1	RMS	2670.695	-38.34	-13	Pass	1080
3000	12000	1	RMS	7456.495	-41.8	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.19	-13	Pass	8000




1.53. LTE Transmitter Spurious Emissions(NTNV)(Subtest:53, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.71	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.43	-13	Pass	2985
30	1000	0.1	RMS	918.992	-53.84	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.23	-13	Pass	830
1830	1920	1	RMS	1873.35	23.28	60	Pass	601
1920	3000	1	RMS	2671.696	-38.34	-13	Pass	1080
3000	12000	1	RMS	7493.499	-39.47	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.19	-13	Pass	8000




1.54. LTE Transmitter Spurious Emissions(NTNV)(Subtest:54, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.43	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.73	-13	Pass	2985
30	1000	0.1	RMS	979.898	-54.02	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.1	-13	Pass	830
1830	1920	1	RMS	1886.7	23.74	60	Pass	601
1920	3000	1	RMS	2668.693	-38.32	-13	Pass	1080
3000	12000	1	RMS	7546.505	-39.36	-13	Pass	9000
12000	20000	1	RMS	19844.981	-28.27	-13	Pass	8000




1.55. LTE Transmitter Spurious Emissions(NTNV)(Subtest:55, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.33	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.87	-13	Pass	2985
30	1000	0.1	RMS	972.997	-54.07	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.19	-13	Pass	830
1830	1920	1	RMS	1873.35	22.37	60	Pass	601
1920	3000	1	RMS	2672.697	-38.41	-13	Pass	1080
3000	12000	1	RMS	7493.499	-40.43	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.23	-13	Pass	8000




1.56. LTE Transmitter Spurious Emissions(NTNV)(Subtest:56, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.04	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.49	-13	Pass	2985
30	1000	0.1	RMS	979.698	-53.84	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.16	-13	Pass	830
1830	1920	1	RMS	1886.7	22.85	60	Pass	601
1920	3000	1	RMS	2631.659	-35.84	-13	Pass	1080
3000	12000	1	RMS	7546.505	-41.07	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.25	-13	Pass	8000




1.57. LTE Transmitter Spurious Emissions(NTNV)(Subtest:57, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.21	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.69	-13	Pass	2985
30	1000	0.1	RMS	877.787	-54.22	-13	Pass	9700
1000	1830	1	RMS	1812.979	-43.24	-13	Pass	830
1830	1920	1	RMS	1895.85	22.83	60	Pass	601
1920	3000	1	RMS	2673.698	-38.39	-13	Pass	1080
3000	12000	1	RMS	5687.299	-39.19	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.32	-13	Pass	8000




1.58. LTE Transmitter Spurious Emissions(NTNV)(Subtest:58, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.06	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.27	-13	Pass	2985
30	1000	0.1	RMS	977.098	-54.06	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.22	-13	Pass	830
1830	1920	1	RMS	1909.2	23.29	60	Pass	601
1920	3000	1	RMS	2663.689	-38.4	-13	Pass	1080
3000	12000	1	RMS	5727.303	-34.88	-13	Pass	9000
12000	20000	1	RMS	19858.982	-28.31	-13	Pass	8000




1.59. LTE Transmitter Spurious Emissions(NTNV)(Subtest:59, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.07	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.09	-13	Pass	2985
30	1000	0.1	RMS	889.189	-53.98	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.18	-13	Pass	830
1830	1920	1	RMS	1895.85	22.06	60	Pass	601
1920	3000	1	RMS	2669.694	-38.41	-13	Pass	1080
3000	12000	1	RMS	7583.509	-40.35	-13	Pass	9000
12000	20000	1	RMS	19836.98	-28.37	-13	Pass	8000




1.60. LTE Transmitter Spurious Emissions(NTNV)(Subtest:60, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.81	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.55	-13	Pass	2985
30	1000	0.1	RMS	885.388	-54.08	-13	Pass	9700
1000	1830	1	RMS	1803.969	-43.17	-13	Pass	830
1830	1920	1	RMS	1909.2	22.55	60	Pass	601
1920	3000	1	RMS	2669.694	-38.35	-13	Pass	1080
3000	12000	1	RMS	5727.303	-35.29	-13	Pass	9000
12000	20000	1	RMS	19836.98	-28.33	-13	Pass	8000




1.61. LTE Transmitter Spurious Emissions(NTNV)(Subtest:61, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.03	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.49	-13	Pass	2985
30	1000	0.1	RMS	926.892	-53.37	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.18	-13	Pass	830
1830	1920	1	RMS	1851.15	23.12	60	Pass	601
1920	3000	1	RMS	2670.695	-38.41	-13	Pass	1080
3000	12000	1	RMS	7404.489	-39.54	-13	Pass	9000
12000	20000	1	RMS	19836.98	-28.39	-13	Pass	8000




1.62. LTE Transmitter Spurious Emissions(NTNV)(Subtest:62, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.4	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.67	-13	Pass	2985
30	1000	0.1	RMS	916.491	-53.62	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.18	-13	Pass	830
1830	1920	1	RMS	1868.85	22.94	60	Pass	601
1920	3000	1	RMS	2667.692	-38.39	-13	Pass	1080
3000	12000	1	RMS	7475.497	-40.07	-13	Pass	9000
12000	20000	1	RMS	19853.982	-28.23	-13	Pass	8000




1.63. LTE Transmitter Spurious Emissions(NTNV)(Subtest:63, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.03	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.74	-13	Pass	2985
30	1000	0.1	RMS	949.395	-53.92	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.18	-13	Pass	830
1830	1920	1	RMS	1851.15	22.33	60	Pass	601
1920	3000	1	RMS	2667.692	-38.34	-13	Pass	1080
3000	12000	1	RMS	7404.489	-40.11	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.23	-13	Pass	8000




1.64. LTE Transmitter Spurious Emissions(NTNV)(Subtest:64, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.91	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.42	-13	Pass	2985
30	1000	0.1	RMS	920.692	-53.97	-13	Pass	9700
1000	1830	1	RMS	1804.97	-43.19	-13	Pass	830
1830	1920	1	RMS	1868.85	22.14	60	Pass	601
1920	3000	1	RMS	2668.693	-38.38	-13	Pass	1080
3000	12000	1	RMS	7475.497	-40.61	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.33	-13	Pass	8000




1.65. LTE Transmitter Spurious Emissions(NTNV)(Subtest:65, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.48	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.41	-13	Pass	2985
30	1000	0.1	RMS	919.392	-54.32	-13	Pass	9700
1000	1830	1	RMS	1812.979	-43.17	-13	Pass	830
1830	1920	1	RMS	1871.1	23.11	60	Pass	601
1920	3000	1	RMS	2668.693	-38.43	-13	Pass	1080
3000	12000	1	RMS	7484.498	-39.49	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.23	-13	Pass	8000




1.66. LTE Transmitter Spurious Emissions(NTNV)(Subtest:66, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.71	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.68	-13	Pass	2985
30	1000	0.1	RMS	940.194	-53.99	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.12	-13	Pass	830
1830	1920	1	RMS	1888.95	23.37	60	Pass	601
1920	3000	1	RMS	2669.694	-38.4	-13	Pass	1080
3000	12000	1	RMS	5666.296	-40.53	-13	Pass	9000
12000	20000	1	RMS	19835.979	-28.34	-13	Pass	8000




1.67. LTE Transmitter Spurious Emissions(NTNV)(Subtest:67, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.81	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.86	-13	Pass	2985
30	1000	0.1	RMS	905.89	-54.15	-13	Pass	9700
1000	1830	1	RMS	1814.982	-43.21	-13	Pass	830
1830	1920	1	RMS	1871.1	22.24	60	Pass	601
1920	3000	1	RMS	2672.697	-38.39	-13	Pass	1080
3000	12000	1	RMS	7484.498	-40.13	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.28	-13	Pass	8000




1.68. LTE Transmitter Spurious Emissions(NTNV)(Subtest:68, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.92	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.89	-13	Pass	2985
30	1000	0.1	RMS	907.49	-54.32	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.2	-13	Pass	830
1830	1920	1	RMS	1888.95	22.44	60	Pass	601
1920	3000	1	RMS	2669.694	-38.36	-13	Pass	1080
3000	12000	1	RMS	5666.296	-41.37	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.42	-13	Pass	8000




1.69. LTE Transmitter Spurious Emissions(NTNV)(Subtest:69, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.57	-13	Pass	2985
30	1000	0.1	RMS	986.299	-53.74	-13	Pass	9700
1000	1830	1	RMS	1814.982	-43.21	-13	Pass	830
1830	1920	1	RMS	1891.05	23.04	60	Pass	601
1920	3000	1	RMS	2669.694	-38.39	-13	Pass	1080
3000	12000	1	RMS	5673.297	-38.6	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.31	-13	Pass	8000




1.70. LTE Transmitter Spurious Emissions(NTNV)(Subtest:70, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.24	-13	Pass	601
0.15	30	0.01	RMS	0.15	-42.33	-13	Pass	2985
30	1000	0.1	RMS	956.396	-54.04	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.2	-13	Pass	830
1830	1920	1	RMS	1908.9	23.18	60	Pass	601
1920	3000	1	RMS	2665.69	-38.39	-13	Pass	1080
3000	12000	1	RMS	5726.303	-36.11	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.29	-13	Pass	8000




1.71. LTE Transmitter Spurious Emissions(NTNV)(Subtest:71, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.32	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.94	-13	Pass	2985
30	1000	0.1	RMS	990.199	-54.15	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.21	-13	Pass	830
1830	1920	1	RMS	1891.05	22.12	60	Pass	601
1920	3000	1	RMS	2665.69	-38.37	-13	Pass	1080
3000	12000	1	RMS	5673.297	-40.15	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.33	-13	Pass	8000



1.72. LTE Transmitter Spurious Emissions(NTNV)(Subtest:72, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.4	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.24	-13	Pass	2985
30	1000	0.1	RMS	929.993	-54.1	-13	Pass	9700
1000	1830	1	RMS	1827.998	-43.2	-13	Pass	830
1830	1920	1	RMS	1908.9	22.29	60	Pass	601
1920	3000	1	RMS	2669.694	-38.4	-13	Pass	1080
3000	12000	1	RMS	5726.303	-36.96	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.38	-13	Pass	8000



END