





11AX20MIMO_Ant5_5260_52Tone_RU37




Date: 9.APR.2024 04:25:45

11AX20MIMO_Ant5_5260_106Tone_RU53




Date: 9.APR.2024 04:26:46






11AX20MIMO_Ant7_5300_106Tone_RU53



Date: 9.APR.2024 04:30:27


11AX20MIMO_Ant5_5300_26Tone_RU0



Date: 9.APR.2024 04:28:29




11AX20MIMO_Ant5_5300_52Tone_RU37



Date: 9.APR.2024 04:29:41


11AX20MIMO_Ant5_5300_106Tone_RU53



Date: 9.APR.2024 04:30:46




11AX20MIMO_Ant7_5320_26Tone_RU8



Date: 9.APR.2024 04:48:46


11AX20MIMO_Ant7_5320_52Tone_RU40




Date: 9.APR.2024 04:49:53



11AX20MIMO_Ant7_5320_106Tone_RU54




11AX20MIMO_Ant5_5320_26Tone_RU8






11AX20MIMO_Ant5_5320_52Tone_RU40




11AX20MIMO_Ant5_5320_106Tone_RU54






11AX20MIMO_Ant7_5500_26Tone_RU0



Date: 9.APR.2024 04:52:28


11AX20MIMO_Ant7_5500_52Tone_RU37




Date: 9.APR.2024 04:55:19



11AX20MIMO_Ant7_5500_106Tone_RU53




11AX20MIMO_Ant5_5500_26Tone_RU0






11AX20MIMO_Ant5_5500_52Tone_RU37



Date: 9.APR.2024 04:55:36


11AX20MIMO_Ant5_5500_106Tone_RU53



Date: 9.APR.2024 04:57:56




11AX20MIMO_Ant7_5580_26Tone_RU0



Date: 9.APR.2024 05:01:36


11AX20MIMO_Ant7_5580_52Tone_RU37




Date: 9.APR.2024 05:03:43



11AX20MIMO_Ant7_5580_106Tone_RU53




11AX20MIMO_Ant5_5580_26Tone_RU0






11AX20MIMO_Ant5_5580_52Tone_RU37



Date: 9.APR.2024 05:04:11


11AX20MIMO_Ant5_5580_106Tone_RU53




Date: 9.APR.2024 05:05:37



11AX20MIMO_Ant7_5700_26Tone_RU8




11AX20MIMO_Ant7_5700_52Tone_RU40







11AX20MIMO_Ant7_5700_106Tone_RU54




11AX20MIMO_Ant5_5700_26Tone_RU8








11AX20MIMO_Ant7_5720_26Tone_RU8



Date: 9.APR.2024 05:26:34


11AX20MIMO_Ant7_5720_52Tone_RU40



Date: 9.APR.2024 05:27:36




11AX20MIMO_Ant7_5720_106Tone_RU54



Date: 9.APR.2024 05:28:30


11AX20MIMO_Ant5_5720_26Tone_RU8



Date: 9.APR.2024 05:26:51




11AX20MIMO_Ant5_5720_52Tone_RU40



Date: 9.APR.2024 05:27:56


11AX20MIMO_Ant5_5720_106Tone_RU54




Date: 9.APR.2024 05:28:52



11AX20MIMO_Ant7_5745_26Tone_RU0




11AX20MIMO_Ant7_5745_52Tone_RU37






11AX20MIMO_Ant7_5745_106Tone_RU53




11AX20MIMO_Ant5_5745_26Tone_RU0






11AX20MIMO_Ant5_5745_52Tone_RU37




Date: 9.APR.2024 05:33:18

11AX20MIMO_Ant5_5745_106Tone_RU53




Date: 9.APR.2024 05:34:06






11AX20MIMO_Ant7_5785_106Tone_RU53



Date: 9.APR.2024 05:40:24


11AX20MIMO_Ant5_5785_26Tone_RU0



Date: 9.APR.2024 05:37:44




11AX20MIMO_Ant5_5785_52Tone_RU37



Date: 9.APR.2024 05:38:38


11AX20MIMO_Ant5_5785_106Tone_RU53



Date: 9.APR.2024 05:41:12




11AX20MIMO_Ant7_5825_26Tone_RU8





Date: 9.APR.2024 05:44:28

11AX20MIMO_Ant7_5825_52Tone_RU40




Date: 9.APR.2024 05:46:13






11AX20MIMO_Ant5_5825_52Tone_RU40




11AX20MIMO_Ant5_5825_106Tone_RU54





Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
 Condition : 15E RSS247-QP LISN-060105-L 2023 LINE

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.153	44.07	-21.75	65.82	33.60	0.05	10.42	QP
2	0.153	34.77	-21.05	55.82	24.30	0.05	10.42	Average
3	0.174	38.85	-25.92	64.77	28.40	0.04	10.41	QP
4	0.174	26.85	-27.92	54.77	16.40	0.04	10.41	Average
5	0.199	41.34	-22.33	63.67	30.90	0.03	10.41	QP
6 *	0.199	33.24	-20.43	53.67	22.80	0.03	10.41	Average
7	0.215	34.03	-28.98	63.01	23.60	0.03	10.40	QP
8	0.215	23.63	-29.38	53.01	13.20	0.03	10.40	Average
9	7.329	31.77	-28.23	60.00	21.60	-0.14	10.31	QP
10	7.329	25.47	-24.53	50.00	15.30	-0.14	10.31	Average
11	7.566	32.10	-27.90	60.00	21.90	-0.14	10.34	QP
12	7.566	25.80	-24.20	50.00	15.60	-0.14	10.34	Average



Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
 Condition : 15E RSS247-QP LISN-060105-N 2023 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.152	46.06	-19.85	65.91	35.60	0.04	10.42	QP
2 *	0.152	38.26	-17.65	55.91	27.80	0.04	10.42	Average
3	0.165	40.76	-24.45	65.21	30.30	0.04	10.42	QP
4	0.165	29.76	-25.45	55.21	19.30	0.04	10.42	Average
5	0.194	39.76	-24.08	63.84	29.30	0.05	10.41	QP
6	0.194	31.76	-22.08	53.84	21.30	0.05	10.41	Average
7	0.246	32.97	-28.94	61.91	22.60	0.00	10.37	QP
8	0.246	25.57	-26.34	51.91	15.20	0.00	10.37	Average
9	0.283	30.12	-30.60	60.72	19.81	-0.03	10.34	QP
10	0.283	22.02	-28.70	50.72	11.71	-0.03	10.34	Average
11	8.020	29.87	-30.13	60.00	19.60	-0.14	10.41	QP
12	8.020	24.57	-25.43	50.00	14.30	-0.14	10.41	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Koi Ji	Relative Humidity :	41~42 %
		Temperature :	22~23 °C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	CDD 7+5	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	CDD 7+5	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	CDD 7+5	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-1	5.15-5.25	CDD 7+5	802.11ax HE20	36	5180	MCS0	Full RU	-
Mode 5	U-NII-1	5.15-5.25	CDD 7+5	802.11ax HE20	44	5220	MCS0	Full RU	-
Mode 6	U-NII-1	5.15-5.25	CDD 7+5	802.11ax HE20	48	5240	MCS0	Full RU	-
Mode 7	U-NII-1	5.15-5.25	CDD 7+5	802.11ax HE40	38	5190	MCS0	Full RU	-
Mode 8	U-NII-1	5.15-5.25	CDD 7+5	802.11ax HE40	46	5230	MCS0	Full RU	-
Mode 9	U-NII-1	5.15-5.25	CDD 7+5	802.11ax HE80	42	5210	MCS0	Full RU	-
Mode 10	U-NII-1	5.15-5.25	CDD 7+5	802.11ax HE20	36	5180	MCS0	Partial_26/0RU	-
Mode 11	U-NII-1	5.15-5.25	CDD 7+5	802.11ax HE20	36	5180	MCS0	Partial_52/37RU	-
Mode 12	U-NII-1	5.15-5.25	CDD 7+5	802.11ax HE20	36	5180	MCS0	Partial_106/53RU	-
Mode 13	U-NII-2A	5.25-5.35	CDD 7+5	802.11a	52	5260	6Mbps	-	-
Mode 14	U-NII-2A	5.25-5.35	CDD 7+5	802.11a	60	5300	6Mbps	-	-
Mode 15	U-NII-2A	5.25-5.35	CDD 7+5	802.11a	64	5320	6Mbps	-	-
Mode 16	U-NII-2A	5.25-5.35	CDD 7+5	802.11ax HE20	52	5260	MCS0	Full RU	-
Mode 17	U-NII-2A	5.25-5.35	CDD 7+5	802.11ax HE20	60	5300	MCS0	Full RU	-
Mode 18	U-NII-2A	5.25-5.35	CDD 7+5	802.11ax HE20	64	5320	MCS0	Full RU	-
Mode 19	U-NII-2A	5.25-5.35	CDD 7+5	802.11ax HE40	54	5270	MCS0	Full RU	-
Mode 20	U-NII-2A	5.25-5.35	CDD 7+5	802.11ax HE40	62	5310	MCS0	Full RU	-
Mode 21	U-NII-2A	5.25-5.35	CDD 7+5	802.11ax HE80	58	5290	MCS0	Full RU	-
Mode 22	U-NII-2A	5.25-5.35	CDD 7+5	802.11ax HE160	50	5250	MCS0	Full RU	-
Mode 23	U-NII-2A	5.25-5.35	CDD 7+5	802.11ax HE20	64	5320	MCS0	Partial_26/8RU	-
Mode 24	U-NII-2A	5.25-5.35	CDD 7+5	802.11ax HE20	64	5320	MCS0	Partial_52/40RU	-
Mode 25	U-NII-2A	5.25-5.35	CDD 7+5	802.11ax HE20	64	5320	MCS0	Partial_106/54RU	-
Mode 26	U-NII-2C	5.47-5.725	CDD 7+5	802.11a	100	5500	6Mbps	-	-
Mode 27	U-NII-2C	5.47-5.725	CDD 7+5	802.11a	116	5580	6Mbps	-	-
Mode 28	U-NII-2C	5.47-5.725	CDD 7+5	802.11a	140	5700	6Mbps	-	-
Mode 29	U-NII-2C	5.47-5.725	CDD 7+5	802.11ax HE20	100	5500	MCS0	Full RU	-
Mode 30	U-NII-2C	5.47-5.725	CDD 7+5	802.11ax HE20	116	5580	MCS0	Full RU	-
Mode 31	U-NII-2C	5.47-5.725	CDD 7+5	802.11ax HE20	140	5700	MCS0	Full RU	-
Mode 32	U-NII-2C	5.47-5.725	CDD 7+5	802.11ax HE40	102	5510	MCS0	Full RU	-
Mode 33	U-NII-2C	5.47-5.725	CDD 7+5	802.11ax HE40	110	5550	MCS0	Full RU	-
Mode 34	U-NII-2C	5.47-5.725	CDD 7+5	802.11ax HE40	134	5670	MCS0	Full RU	-
Mode 35	U-NII-2C	5.47-5.725	CDD 7+5	802.11ax HE80	106	5530	MCS0	Full RU	-
Mode 36	U-NII-2C	5.47-5.725	CDD 7+5	802.11ax HE80	122	5610	MCS0	Full RU	-
Mode 37	U-NII-2C	5.47-5.725	CDD 7+5	802.11ax HE160	114	5570	MCS0	Full RU	-
Mode 38	U-NII-2C	5.47-5.725	CDD 7+5	802.11ax HE20	100	5500	MCS0	Partial_26/0RU	-



Mode 39	U-NII-2C	5.47-5.725	CDD 7+5	802.11ax HE20	140	5700	MCS0	Partial_26/8RU	-
Mode 40	U-NII-2C	5.47-5.725	CDD 7+5	802.11ax HE20	100	5500	MCS0	Partial_52/37RU	-
Mode 41	U-NII-2C	5.47-5.725	CDD 7+5	802.11ax HE20	140	5700	MCS0	Partial_52/40RU	-
Mode 42	U-NII-2C	5.47-5.725	CDD 7+5	802.11ax HE20	100	5500	MCS0	Partial_106/53RU	-
Mode 43	U-NII-2C	5.47-5.725	CDD 7+5	802.11ax HE20	140	5700	MCS0	Partial_106/54RU	-
Mode 44	U-NII-2C	5.47-5.725	CDD 7+5	802.11a	144	5720	6Mbps	-	-
Mode 45	U-NII-2C	5.47-5.725	CDD 7+5	802.11ax HE20	144	5720	MCS0	Full RU	-
Mode 46	U-NII-2C	5.47-5.725	CDD 7+5	802.11ax HE40	142	5710	MCS0	Full RU	-
Mode 47	U-NII-2C	5.47-5.725	CDD 7+5	802.11ax HE80	138	5690	MCS0	Full RU	-
Mode 48	U-NII-3	5.725-5.85	CDD 7+5	802.11a	149	5745	6Mbps	-	-
Mode 49	U-NII-3	5.725-5.85	CDD 7+5	802.11a	157	5785	6Mbps	-	-
Mode 50	U-NII-3	5.725-5.85	CDD 7+5	802.11a	165	5825	6Mbps	-	-
Mode 51	U-NII-3	5.725-5.85	CDD 7+5	802.11ax HE20	149	5745	MCS0	Full RU	-
Mode 52	U-NII-3	5.725-5.85	CDD 7+5	802.11ax HE20	157	5785	MCS0	Full RU	-
Mode 53	U-NII-3	5.725-5.85	CDD 7+5	802.11ax HE20	165	5825	MCS0	Full RU	-
Mode 54	U-NII-3	5.725-5.85	CDD 7+5	802.11ax HE40	151	5755	MCS0	Full RU	-
Mode 55	U-NII-3	5.725-5.85	CDD 7+5	802.11ax HE40	159	5795	MCS0	Full RU	-
Mode 56	U-NII-3	5.725-5.85	CDD 7+5	802.11ax HE80	155	5775	MCS0	Full RU	-
Mode 57	U-NII-3	5.725-5.85	CDD 7+5	802.11ax HE20	149	5745	MCS0	Partial_26/0RU	-
Mode 58	U-NII-3	5.725-5.85	CDD 7+5	802.11ax HE20	165	5825	MCS0	Partial_26/8RU	-
Mode 59	U-NII-3	5.725-5.85	CDD 7+5	802.11ax HE20	149	5745	MCS0	Partial_52/37RU	-
Mode 60	U-NII-3	5.725-5.85	CDD 7+5	802.11ax HE20	165	5825	MCS0	Partial_52/40RU	-
Mode 61	U-NII-3	5.725-5.85	CDD 7+5	802.11ax HE20	149	5745	MCS0	Partial_106/53RU	-
Mode 62	U-NII-3	5.725-5.85	CDD 7+5	802.11ax HE20	165	5825	MCS0	Partial_106/54RU	-
Mode 63	2.4G	2400-2483.5	6	Bluetooth-LE	39	2480	2Mbps	-	-
	U-NII-1	5250-5350	CDD 7+5	802.11ax HE160	50	5250	MCS0	Full RU -	-
	Part 22H GSM850 Link								-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5149.13	50.38	54.00	-3.62	H	AVERAGE	Pass	Band Edge
1	802.11a	36	10360.00	46.67	68.20	-21.53	V	PEAK	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	10440.80	50.46	68.20	-17.74	V	Peak	Pass	Harmonic
3	802.11a	48	5459.46	45.57	54.00	-8.43	H	AVERAGE	Pass	Band Edge
3	802.11a	48	10480.00	56.36	68.20	-11.84	V	PEAK	Pass	Harmonic
4	802.11ax HE20	36	5149.34	49.98	54.00	-4.02	H	AVERAGE	Pass	Band Edge
4	802.11ax HE20	36	10360.00	46.44	68.20	-21.76	H	PEAK	Pass	Harmonic
5	802.11ax HE20	44	-	-	-	-	-	-	-	Band Edge
5	802.11ax HE20	44	10440.00	53.20	68.20	-15.00	V	PEAK	Pass	Harmonic
6	802.11ax HE20	48	5458.34	45.57	54.00	-8.43	V	AVERAGE	Pass	Band Edge
6	802.11ax HE20	48	10480.00	56.09	68.20	-12.11	V	PEAK	Pass	Harmonic
7	802.11ax HE40	38	5148.70	50.43	54.00	-3.57	H	AVERAGE	Pass	Band Edge
7	802.11ax HE40	38	10380.00	45.59	68.20	-22.61	V	PEAK	Pass	Harmonic
8	802.11ax HE40	46	5149.18	50.50	54.00	-3.50	H	AVERAGE	Pass	Band Edge
8	802.11ax HE40	46	10460.00	46.99	68.20	-21.21	H	PEAK	Pass	Harmonic
9	802.11ax HE80	42	5148.20	50.18	54.00	-3.82	H	AVERAGE	Pass	Band Edge
9	802.11ax HE80	42	10420.00	45.23	68.20	-22.97	V	PEAK	Pass	Harmonic
10	802.11ax HE20	36	5101.34	45.79	54.00	-8.21	H	AVERAGE	Pass	Band Edge
10	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
11	802.11ax HE20	36	5101.14	45.79	54.00	-8.21	H	AVERAGE	Pass	Band Edge
11	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
12	802.11ax HE20	36	5101.47	45.83	54.00	-8.17	H	AVERAGE	Pass	Band Edge
12	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
13	802.11a	52	-	-	-	-	-	-	-	Band Edge
13	802.11a	52	10520.00	55.91	68.20	-12.29	V	PEAK	Pass	Harmonic
14	802.11a	60	-	-	-	-	-	-	-	Band Edge
14	802.11a	60	10600.00	44.52	54.00	-9.48	V	AVERAGE	Pass	Harmonic
15	802.11a	64	5350.00	50.57	54.00	-3.43	V	AVERAGE	Pass	Band Edge
15	802.11a	64	10640.00	40.62	54.00	-13.38	V	AVERAGE	Pass	Harmonic
16	802.11ax HE20	52	-	-	-	-	-	-	-	Band Edge
16	802.11ax HE20	52	15780.00	42.33	54.00	-11.67	V	AVERAGE	Pass	Harmonic
17	802.11ax HE20	60	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE20	60	10600.00	44.02	54.00	-9.98	V	AVERAGE	Pass	Harmonic
18	802.11ax HE20	64	5350.00	49.43	54.00	-4.57	V	AVERAGE	Pass	Band Edge
18	802.11ax HE20	64	10640.00	39.00	54.00	-15.00	V	AVERAGE	Pass	Harmonic
19	802.11ax HE40	54	5350.27	50.40	54.00	-3.60	H	AVERAGE	Pass	Band Edge
19	802.11ax HE40	54	15810.00	37.15	54.00	-16.85	V	AVERAGE	Pass	Harmonic
20	802.11ax HE40	62	5350.15	50.54	54.00	-3.46	H	AVERAGE	Pass	Band Edge
20	802.11ax HE40	62	10620.00	46.52	74.00	-27.48	H	PEAK	Pass	Harmonic
21	802.11ax HE80	58	5350.65	50.34	54.00	-3.66	H	AVERAGE	Pass	Band Edge
21	802.11ax HE80	58	10580.00	45.80	68.20	-22.40	V	PEAK	Pass	Harmonic
22	802.11ax HE160	50	5390.28	50.79	54.00	-3.21	V	AVERAGE	Pass	Band Edge
22	802.11ax HE160	50	10500.00	46.55	68.20	-21.65	V	PEAK	Pass	Harmonic



23	802.11ax HE20	64	5399.15	45.24	54.00	-8.76	V	AVERAGE	Pass	Band Edge
23	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
24	802.11ax HE20	64	5398.84	45.36	54.00	-8.64	H	AVERAGE	Pass	Band Edge
24	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
25	802.11ax HE20	64	5350.00	45.48	54.00	-8.52	V	AVERAGE	Pass	Band Edge
25	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
26	802.11a	100	5459.83	47.45	54.00	-6.55	V	AVERAGE	Pass	Band Edge
26	802.11a	100	11000.00	37.14	54.00	-16.86	V	AVERAGE	Pass	Harmonic
27	802.11a	116	-	-	-	-	-	-	-	Band Edge
27	802.11a	116	11160.00	40.87	54.00	-13.13	V	AVERAGE	Pass	Harmonic
28	802.11a	140	5727.12	64.33	68.20	-3.87	H	PEAK	Pass	Band Edge
28	802.11a	140	17100.00	48.77	68.20	-19.43	V	PEAK	Pass	Harmonic
29	802.11ax HE20	100	5459.86	48.69	54.00	-5.31	V	AVERAGE	Pass	Band Edge
29	802.11ax HE20	100	11000.00	40.92	54.00	-13.08	V	AVERAGE	Pass	Harmonic
30	802.11ax HE20	116	-	-	-	-	-	-	-	Band Edge
30	802.11ax HE20	116	11160.00	38.04	54.00	-15.96	V	AVERAGE	Pass	Harmonic
31	802.11ax HE20	140	5726.32	64.78	68.20	-3.42	V	PEAK	Pass	Band Edge
31	802.11ax HE20	140	17100.00	48.71	68.20	-19.49	H	PEAK	Pass	Harmonic
32	802.11ax HE40	102	5469.77	64.65	68.20	-3.55	H	PEAK	Pass	Band Edge
32	802.11ax HE40	102	16530.00	49.91	68.20	-18.29	H	PEAK	Pass	Harmonic
33	802.11ax HE40	110	5459.69	48.89	54.00	-5.11	V	AVERAGE	Pass	Band Edge
33	802.11ax HE40	110	16650.00	49.47	68.20	-18.73	H	PEAK	Pass	Harmonic
34	802.11ax HE40	134	5742.16	63.45	68.20	-4.75	V	PEAK	Pass	Band Edge
34	802.11ax HE40	134	17010.00	48.67	68.20	-19.53	H	PEAK	Pass	Harmonic
35	802.11ax HE80	106	5452.25	50.58	54.00	-3.42	H	AVERAGE	Pass	Band Edge
35	802.11ax HE80	106	8848.00	51.46	68.20	-16.74	V	Peak	Pass	Harmonic
36	802.11ax HE80	122	5459.98	46.82	54.00	-7.18	H	AVERAGE	Pass	Band Edge
36	802.11ax HE80	122	11220.00	47.36	74.00	-26.64	V	PEAK	Pass	Harmonic
37	802.11ax HE160	114	5401.33	50.18	54.00	-3.82	H	AVERAGE	Pass	Band Edge
37	802.11ax HE160	114	11140.00	46.79	74.00	-27.21	V	PEAK	Pass	Harmonic
38	802.11ax HE20	100	5458.72	45.61	54.00	-8.39	H	AVERAGE	Pass	Band Edge
38	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
39	802.11ax HE20	140	5736.40	57.46	68.20	-10.74	H	PEAK	Pass	Band Edge
39	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
40	802.11ax HE20	100	5458.63	45.60	54.00	-8.40	V	AVERAGE	Pass	Band Edge
40	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
41	802.11ax HE20	140	5727.36	59.13	68.20	-9.07	V	PEAK	Pass	Band Edge
41	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
42	802.11ax HE20	100	5459.82	45.61	54.00	-8.39	V	AVERAGE	Pass	Band Edge
42	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
43	802.11ax HE20	140	5726.40	62.91	68.20	-5.29	H	PEAK	Pass	Band Edge
43	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
44	802.11a	144	-	-	-	-	-	-	-	Band Edge
44	802.11a	144	11440.00	47.47	74.00	-26.53	H	PEAK	Pass	Harmonic
45	802.11ax HE20	144	-	-	-	-	-	-	-	Band Edge
45	802.11ax HE20	144	11440.00	46.46	74.00	-27.54	H	PEAK	Pass	Harmonic







46	802.11ax HE40	142	-	-	-	-	-	-	-	Band Edge
46	802.11ax HE40	142	11420.00	47.16	74.00	-26.84	V	PEAK	Pass	Harmonic
47	802.11ax HE80	138	-	-	-	-	-	-	-	Band Edge
47	802.11ax HE80	138	11380.00	46.57	74.00	-27.43	H	PEAK	Pass	Harmonic
48	802.11a	149	5640.80	57.52	68.20	-10.68	V	PEAK	Pass	Band Edge
48	802.11a	149	11490.00	36.84	54.00	-17.16	H	AVERAGE	Pass	Harmonic
49	802.11a	157	5964.21	57.70	68.20	-10.50	V	PEAK	Pass	Band Edge
49	802.11a	157	11570.00	46.63	74.00	-27.37	H	PEAK	Pass	Harmonic
50	802.11a	165	5970.40	58.34	68.20	-9.86	V	PEAK	Pass	Band Edge
50	802.11a	165	11650.00	46.81	74.00	-27.19	V	PEAK	Pass	Harmonic
51	802.11ax HE20	149	5631.20	57.25	68.20	-10.95	H	PEAK	Pass	Band Edge
51	802.11ax HE20	149	11490.00	47.19	74.00	-26.81	V	PEAK	Pass	Harmonic
52	802.11ax HE20	157	5950.80	58.81	68.20	-9.39	H	PEAK	Pass	Band Edge
52	802.11ax HE20	157	11570.00	47.09	74.00	-26.91	V	PEAK	Pass	Harmonic
53	802.11ax HE20	165	5938.80	57.70	68.20	-10.50	H	PEAK	Pass	Band Edge
53	802.11ax HE20	165	11650.00	47.23	74.00	-26.77	H	PEAK	Pass	Harmonic
54	802.11ax HE40	151	5936.55	58.65	68.20	-9.55	H	PEAK	Pass	Band Edge
54	802.11ax HE40	151	9207.33	53.74	68.20	-14.46	V	Peak	Pass	Harmonic
55	802.11ax HE40	159	5602.80	58.29	68.20	-9.91	H	PEAK	Pass	Band Edge
55	802.11ax HE40	159	11590.00	46.47	74.00	-27.53	H	PEAK	Pass	Harmonic
56	802.11ax HE80	155	5645.60	61.51	68.20	-6.69	V	PEAK	Pass	Band Edge
56	802.11ax HE80	155	11550.00	46.93	74.00	-27.07	V	PEAK	Pass	Harmonic
57	802.11ax HE20	149	5630.40	57.24	68.20	-10.96	H	PEAK	Pass	Band Edge
57	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
58	802.11ax HE20	165	5989.60	58.20	68.20	-10.00	H	PEAK	Pass	Band Edge
58	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
59	802.11ax HE20	149	5636.80	57.53	68.20	-10.67	V	PEAK	Pass	Band Edge
59	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
60	802.11ax HE20	165	5953.60	57.85	68.20	-10.35	H	PEAK	Pass	Band Edge
60	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
61	802.11ax HE20	149	5635.20	57.87	68.20	-10.33	V	PEAK	Pass	Band Edge
61	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
62	802.11ax HE20	165	5984.00	57.68	68.20	-10.52	H	PEAK	Pass	Band Edge
62	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
63	Bluetooth-LE	39	2492.62	45.40	54.00	-8.60	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE	39	7440.00	45.45	74.00	-28.55	V	PEAK	Pass	Harmonic
	802.11ax HE160	50	5401.10	47.60	54.00	-6.40	V	AVERAGE	Pass	Band Edge
	802.11ax HE160	50	10500.00	46.23	68.20	-21.97	H	PEAK	Pass	Harmonic



		1																																																																		
Mode	Band Edge																																																																			
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																			
ANT	CDD 7+5																																																																			
Pol.	Horizontal	Fundamental																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.15</td> <td>62.61</td> <td>74.00</td> <td>-11.39</td> <td>46.02</td> <td>34.20</td> <td>12.45</td> <td>30.06</td> <td>0.00</td> <td>103</td> <td>310</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg	1	5148.15	62.61	74.00	-11.39	46.02	34.20	12.45	30.06	0.00	103	310	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>108.51</td> <td>-----</td> <td>-----</td> <td>91.87</td> <td>34.15</td> <td>12.51</td> <td>30.02</td> <td>0.00</td> <td>103</td> <td>310</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg	1	5180.00	108.51	-----	-----	91.87	34.15	12.51	30.02	0.00	103	310	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																											
1	5148.15	62.61	74.00	-11.39	46.02	34.20	12.45	30.06	0.00	103	310	PEAK																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																											
1	5180.00	108.51	-----	-----	91.87	34.15	12.51	30.02	0.00	103	310	PEAK																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.13</td> <td>50.38</td> <td>54.00</td> <td>-3.62</td> <td>33.79</td> <td>34.20</td> <td>12.45</td> <td>30.06</td> <td>0.00</td> <td>103</td> <td>310</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg	1	5149.13	50.38	54.00	-3.62	33.79	34.20	12.45	30.06	0.00	103	310	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>100.36</td> <td>-----</td> <td>-----</td> <td>83.71</td> <td>34.14</td> <td>12.52</td> <td>30.01</td> <td>0.00</td> <td>103</td> <td>310</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg	1	5180.00	100.36	-----	-----	83.71	34.14	12.52	30.01	0.00	103	310	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																											
1	5149.13	50.38	54.00	-3.62	33.79	34.20	12.45	30.06	0.00	103	310	AVERAGE																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																											
1	5180.00	100.36	-----	-----	83.71	34.14	12.52	30.01	0.00	103	310	AVERAGE																																																								



Mode	1																																																																			
	Band Edge																																																																			
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																			
ANT	CDD 7+5																																																																			
Pol.	Vertical	Fundamental																																																																		
Peak	 <table border="1" data-bbox="268 1124 794 1249"> <thead> <tr> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5149.05</td> <td>60.92</td> <td>74.00</td> <td>-13.08</td> <td>44.33</td> <td>34.20</td> <td>12.45</td> <td>30.06</td> <td>0.00</td> <td>103</td> <td>239 PEAK</td> </tr> </tbody> </table>	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5149.05	60.92	74.00	-13.08	44.33	34.20	12.45	30.06	0.00	103	239 PEAK	 <table border="1" data-bbox="906 1124 1433 1249"> <thead> <tr> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5180.00</td> <td>105.64</td> <td>-----</td> <td>88.98</td> <td>34.13</td> <td>12.53</td> <td>30.00</td> <td>0.00</td> <td>103</td> <td>239</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5180.00	105.64	-----	88.98	34.13	12.53	30.00	0.00	103	239	PEAK
	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	Aux	APos	TPos	Remark																																																									
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1 5149.05	60.92	74.00	-13.08	44.33	34.20	12.45	30.06	0.00	103	239 PEAK																																																										
Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	Aux	APos	TPos	Remark																																																										
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1 5180.00	105.64	-----	88.98	34.13	12.53	30.00	0.00	103	239	PEAK																																																										
Avg	 <table border="1" data-bbox="268 1805 794 1930"> <thead> <tr> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5150.00</td> <td>49.29</td> <td>54.00</td> <td>-4.71</td> <td>32.69</td> <td>34.20</td> <td>12.45</td> <td>30.05</td> <td>0.00</td> <td>103</td> <td>239 AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5150.00	49.29	54.00	-4.71	32.69	34.20	12.45	30.05	0.00	103	239 AVERAGE	 <table border="1" data-bbox="906 1805 1433 1930"> <thead> <tr> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5180.00</td> <td>98.20</td> <td>-----</td> <td>81.54</td> <td>34.13</td> <td>12.53</td> <td>30.00</td> <td>0.00</td> <td>103</td> <td>239</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5180.00	98.20	-----	81.54	34.13	12.53	30.00	0.00	103	239	AVERAGE
Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	Aux	APos	TPos	Remark																																																										
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1 5150.00	49.29	54.00	-4.71	32.69	34.20	12.45	30.05	0.00	103	239 AVERAGE																																																										
Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	Aux	APos	TPos	Remark																																																										
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1 5180.00	98.20	-----	81.54	34.13	12.53	30.00	0.00	103	239	AVERAGE																																																										



Mode	1																																																																							
	Harmonic																																																																							
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																							
ANT	CDD 7+5																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10360.00</td> <td>46.33</td> <td>68.20</td> <td>-21.87</td> <td>55.77</td> <td>37.64</td> <td>18.11</td> <td>65.19</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 10360.00	46.33	68.20	-21.87	55.77	37.64	18.11	65.19	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10360.00</td> <td>46.67</td> <td>68.20</td> <td>-21.53</td> <td>56.09</td> <td>37.64</td> <td>18.12</td> <td>65.18</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 10360.00	46.67	68.20	-21.53	56.09	37.64	18.12	65.18	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 10360.00	46.33	68.20	-21.87	55.77	37.64	18.11	65.19	0.00	--	PEAK																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 10360.00	46.67	68.20	-21.53	56.09	37.64	18.12	65.18	0.00	--	PEAK																																																														



Mode	2																																																																															
	Harmonic																																																																															
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																															
ANT	CDD 7+5																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10441.53</td> <td>48.16</td> <td>68.20</td> <td>-20.04</td> <td>57.25</td> <td>37.70</td> <td>18.31</td> <td>65.10</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10441.53	48.16	68.20	-20.04	57.25	37.70	18.31	65.10	0.00	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10440.80</td> <td>50.46</td> <td>68.20</td> <td>-17.74</td> <td>59.55</td> <td>37.70</td> <td>18.31</td> <td>65.10</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10440.80	50.46	68.20	-17.74	59.55	37.70	18.31	65.10	0.00	--	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10441.53	48.16	68.20	-20.04	57.25	37.70	18.31	65.10	0.00	--	Peak																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10440.80	50.46	68.20	-17.74	59.55	37.70	18.31	65.10	0.00	--	Peak																																																																						



Mode	3																																																																															
	Band Edge																																																																															
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																															
ANT	CDD 7+5																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5370.00</td> <td>56.01</td> <td>74.00</td> <td>-17.99</td> <td>38.36</td> <td>34.60</td> <td>12.76</td> <td>29.71</td> <td>0.00</td> <td>100</td> <td>337 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5370.00	56.01	74.00	-17.99	38.36	34.60	12.76	29.71	0.00	100	337 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5240.00</td> <td>109.39</td> <td>-----</td> <td>-----</td> <td>92.60</td> <td>34.17</td> <td>12.54</td> <td>29.92</td> <td>0.00</td> <td>100</td> <td>337 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5240.00	109.39	-----	-----	92.60	34.17	12.54	29.92	0.00	100	337 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5370.00	56.01	74.00	-17.99	38.36	34.60	12.76	29.71	0.00	100	337 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5240.00	109.39	-----	-----	92.60	34.17	12.54	29.92	0.00	100	337 PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5459.46</td> <td>45.57</td> <td>54.00</td> <td>-8.43</td> <td>27.70</td> <td>34.60</td> <td>12.84</td> <td>29.57</td> <td>0.00</td> <td>100</td> <td>337 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5459.46	45.57	54.00	-8.43	27.70	34.60	12.84	29.57	0.00	100	337 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5240.00</td> <td>102.35</td> <td>-----</td> <td>-----</td> <td>85.56</td> <td>34.18</td> <td>12.53</td> <td>29.92</td> <td>0.00</td> <td>100</td> <td>337 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5240.00	102.35	-----	-----	85.56	34.18	12.53	29.92	0.00	100	337 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5459.46	45.57	54.00	-8.43	27.70	34.60	12.84	29.57	0.00	100	337 AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5240.00	102.35	-----	-----	85.56	34.18	12.53	29.92	0.00	100	337 AVERAGE																																																																						



Mode	3																																																																																	
	Band Edge																																																																																	
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																	
ANT	CDD 7+5																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5453.08</td> <td>56.23</td> <td>74.00</td> <td>-17.77</td> <td>38.40</td> <td>34.60</td> <td>12.81</td> <td>29.58</td> <td>0.00</td> <td>100</td> <td>255</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5453.08	56.23	74.00	-17.77	38.40	34.60	12.81	29.58	0.00	100	255	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5240.00</td> <td>108.45</td> <td>-----</td> <td>-----</td> <td>91.66</td> <td>34.17</td> <td>12.54</td> <td>29.92</td> <td>0.00</td> <td>100</td> <td>255</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5240.00	108.45	-----	-----	91.66	34.17	12.54	29.92	0.00	100	255	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5453.08	56.23	74.00	-17.77	38.40	34.60	12.81	29.58	0.00	100	255	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5240.00	108.45	-----	-----	91.66	34.17	12.54	29.92	0.00	100	255	PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.66</td> <td>45.56</td> <td>54.00</td> <td>-8.44</td> <td>27.68</td> <td>34.60</td> <td>12.85</td> <td>29.57</td> <td>0.00</td> <td>100</td> <td>255</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5459.66	45.56	54.00	-8.44	27.68	34.60	12.85	29.57	0.00	100	255	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5240.00</td> <td>100.52</td> <td>-----</td> <td>-----</td> <td>83.73</td> <td>34.18</td> <td>12.53</td> <td>29.92</td> <td>0.00</td> <td>100</td> <td>255</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5240.00	100.52	-----	-----	83.73	34.18	12.53	29.92	0.00	100	255	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5459.66	45.56	54.00	-8.44	27.68	34.60	12.85	29.57	0.00	100	255	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5240.00	100.52	-----	-----	83.73	34.18	12.53	29.92	0.00	100	255	AVERAGE																																																																						



Mode	3																																																																																											
	Harmonic																																																																																											
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																											
ANT	CDD 7+5																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10400.00</td> <td>48.71</td> <td>68.20</td> <td>-19.49</td> <td>57.83</td> <td>37.70</td> <td>18.23</td> <td>65.05</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10400.00	48.71	68.20	-19.49	57.83	37.70	18.23	65.05	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 8383.00</td> <td>46.26</td> <td>74.00</td> <td>-27.74</td> <td>60.81</td> <td>35.93</td> <td>15.96</td> <td>66.44</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2 10400.00</td> <td>56.36</td> <td>68.20</td> <td>-11.84</td> <td>65.48</td> <td>37.70</td> <td>18.24</td> <td>65.06</td> <td>0.00</td> <td>204</td> <td>164</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 8383.00	46.26	74.00	-27.74	60.81	35.93	15.96	66.44	0.00	--	Peak	2 10400.00	56.36	68.20	-11.84	65.48	37.70	18.24	65.06	0.00	204	164	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 10400.00	48.71	68.20	-19.49	57.83	37.70	18.23	65.05	0.00	--	PEAK																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 8383.00	46.26	74.00	-27.74	60.81	35.93	15.96	66.44	0.00	--	Peak																																																																																		
2 10400.00	56.36	68.20	-11.84	65.48	37.70	18.24	65.06	0.00	204	164	PEAK																																																																																	



Mode	4																																																																																			
	Band Edge																																																																																			
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full RU_5180MHz																																																																																			
ANT	CDD 7+5																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5146.85</td> <td>61.82</td> <td>74.00</td> <td>-12.18</td> <td>45.22</td> <td>34.21</td> <td>12.45</td> <td>30.06</td> <td>0.00</td> <td>100</td> <td>311</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.85	61.82	74.00	-12.18	45.22	34.21	12.45	30.06	0.00	100	311	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>106.76</td> <td>-----</td> <td>-----</td> <td>90.12</td> <td>34.15</td> <td>12.51</td> <td>30.02</td> <td>0.00</td> <td>100</td> <td>311</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	106.76	-----	-----	90.12	34.15	12.51	30.02	0.00	100	311	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5146.85	61.82	74.00	-12.18	45.22	34.21	12.45	30.06	0.00	100	311	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5180.00	106.76	-----	-----	90.12	34.15	12.51	30.02	0.00	100	311	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.34</td> <td>49.98</td> <td>54.00</td> <td>-4.02</td> <td>33.39</td> <td>34.20</td> <td>12.45</td> <td>30.06</td> <td>0.00</td> <td>100</td> <td>311</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.34	49.98	54.00	-4.02	33.39	34.20	12.45	30.06	0.00	100	311	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>98.21</td> <td>-----</td> <td>-----</td> <td>81.57</td> <td>34.15</td> <td>12.51</td> <td>30.02</td> <td>0.00</td> <td>100</td> <td>311</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	98.21	-----	-----	81.57	34.15	12.51	30.02	0.00	100	311	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5149.34	49.98	54.00	-4.02	33.39	34.20	12.45	30.06	0.00	100	311	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5180.00	98.21	-----	-----	81.57	34.15	12.51	30.02	0.00	100	311	AVERAGE																																																																								



Mode	4																																																																											
	Band Edge																																																																											
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full RU_5180MHz																																																																											
ANT	CDD 7+5																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.65</td> <td>60.62</td> <td>74.00</td> <td>-13.38</td> <td>44.03</td> <td>34.20</td> <td>12.45</td> <td>30.06</td> <td>0.00</td> <td>100</td> <td>239</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5148.65	60.62	74.00	-13.38	44.03	34.20	12.45	30.06	0.00	100	239	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>104.65</td> <td>-----</td> <td>-----</td> <td>88.00</td> <td>34.14</td> <td>12.52</td> <td>30.01</td> <td>0.00</td> <td>100</td> <td>239</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5180.00	104.65	-----	-----	88.00	34.14	12.52	30.01	0.00	100	239	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5148.65	60.62	74.00	-13.38	44.03	34.20	12.45	30.06	0.00	100	239	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5180.00	104.65	-----	-----	88.00	34.14	12.52	30.01	0.00	100	239	PEAK																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5150.00</td> <td>49.26</td> <td>54.00</td> <td>-4.74</td> <td>32.66</td> <td>34.20</td> <td>12.45</td> <td>30.05</td> <td>0.00</td> <td>100</td> <td>239</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5150.00	49.26	54.00	-4.74	32.66	34.20	12.45	30.05	0.00	100	239	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>96.81</td> <td>-----</td> <td>-----</td> <td>80.16</td> <td>34.14</td> <td>12.52</td> <td>30.01</td> <td>0.00</td> <td>100</td> <td>239</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5180.00	96.81	-----	-----	80.16	34.14	12.52	30.01	0.00	100	239	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5150.00	49.26	54.00	-4.74	32.66	34.20	12.45	30.05	0.00	100	239	AVERAGE																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5180.00	96.81	-----	-----	80.16	34.14	12.52	30.01	0.00	100	239	AVERAGE																																																																



Mode	4																																																																															
	Harmonic																																																																															
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full RU_5180MHz																																																																															
ANT	CDD 7+5																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10360.00</td> <td>46.44</td> <td>68.20</td> <td>-21.76</td> <td>55.88</td> <td>37.64</td> <td>18.11</td> <td>65.19</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10360.00	46.44	68.20	-21.76	55.88	37.64	18.11	65.19	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10360.00</td> <td>46.18</td> <td>68.20</td> <td>-22.02</td> <td>55.67</td> <td>37.63</td> <td>18.07</td> <td>65.19</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10360.00	46.18	68.20	-22.02	55.67	37.63	18.07	65.19	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10360.00	46.44	68.20	-21.76	55.88	37.64	18.11	65.19	0.00	--	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10360.00	46.18	68.20	-22.02	55.67	37.63	18.07	65.19	0.00	--	PEAK																																																																						







Mode	5																																																																							
	Harmonic																																																																							
	U-NII-1_5.15-5.25_802.11ax HE20_CH44_Full RU_5220MHz																																																																							
ANT	CDD 7+5																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10440.00</td> <td>46.78</td> <td>68.20</td> <td>-21.42</td> <td>55.87</td> <td>37.70</td> <td>18.31</td> <td>65.10</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 10440.00	46.78	68.20	-21.42	55.87	37.70	18.31	65.10	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10440.00</td> <td>53.20</td> <td>68.20</td> <td>-15.00</td> <td>62.29</td> <td>37.70</td> <td>18.32</td> <td>65.11</td> <td>0.00</td> <td>109</td> <td>153 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 10440.00	53.20	68.20	-15.00	62.29	37.70	18.32	65.11	0.00	109	153 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 10440.00	46.78	68.20	-21.42	55.87	37.70	18.31	65.10	0.00	--	PEAK																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 10440.00	53.20	68.20	-15.00	62.29	37.70	18.32	65.11	0.00	109	153 PEAK																																																														



Mode	6																																																																																	
	Band Edge																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_Full RU_5240MHz																																																																																	
ANT	CDD 7+5																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5425.58</td> <td>56.89</td> <td>74.00</td> <td>-17.11</td> <td>39.00</td> <td>34.60</td> <td>12.91</td> <td>29.62</td> <td>0.00</td> <td>101</td> <td>310</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5425.58	56.89	74.00	-17.11	39.00	34.60	12.91	29.62	0.00	101	310	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5240.00</td> <td>110.43</td> <td>-----</td> <td>-----</td> <td>93.64</td> <td>34.17</td> <td>12.54</td> <td>29.92</td> <td>0.00</td> <td>101</td> <td>310</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5240.00	110.43	-----	-----	93.64	34.17	12.54	29.92	0.00	101	310	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5425.58	56.89	74.00	-17.11	39.00	34.60	12.91	29.62	0.00	101	310	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5240.00	110.43	-----	-----	93.64	34.17	12.54	29.92	0.00	101	310	PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.56</td> <td>45.57</td> <td>54.00</td> <td>-8.43</td> <td>27.70</td> <td>34.60</td> <td>12.84</td> <td>29.57</td> <td>0.00</td> <td>101</td> <td>310</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5458.56	45.57	54.00	-8.43	27.70	34.60	12.84	29.57	0.00	101	310	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5240.00</td> <td>100.74</td> <td>-----</td> <td>-----</td> <td>83.95</td> <td>34.17</td> <td>12.54</td> <td>29.92</td> <td>0.00</td> <td>101</td> <td>310</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5240.00	100.74	-----	-----	83.95	34.17	12.54	29.92	0.00	101	310	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5458.56	45.57	54.00	-8.43	27.70	34.60	12.84	29.57	0.00	101	310	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5240.00	100.74	-----	-----	83.95	34.17	12.54	29.92	0.00	101	310	AVERAGE																																																																						



Mode	6																																																																																			
	Band Edge																																																																																			
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_Full RU_5240MHz																																																																																			
ANT	CDD 7+5																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	 <table border="1" data-bbox="255 1120 798 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5425.80</td> <td>56.30</td> <td>74.00</td> <td>-17.70</td> <td>38.41</td> <td>34.60</td> <td>12.91</td> <td>29.62</td> <td>0.00</td> <td>100</td> <td>259</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5425.80	56.30	74.00	-17.70	38.41	34.60	12.91	29.62	0.00	100	259	PEAK	 <table border="1" data-bbox="877 1120 1420 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5240.00</td> <td>107.50</td> <td>-----</td> <td>-----</td> <td>90.71</td> <td>34.18</td> <td>12.53</td> <td>29.92</td> <td>0.00</td> <td>100</td> <td>259</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	107.50	-----	-----	90.71	34.18	12.53	29.92	0.00	100	259	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5425.80	56.30	74.00	-17.70	38.41	34.60	12.91	29.62	0.00	100	259	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5240.00	107.50	-----	-----	90.71	34.18	12.53	29.92	0.00	100	259	PEAK																																																																								
Avg	 <table border="1" data-bbox="255 1792 798 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.34</td> <td>45.57</td> <td>54.00</td> <td>-8.43</td> <td>27.70</td> <td>34.60</td> <td>12.84</td> <td>29.57</td> <td>0.00</td> <td>100</td> <td>259</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.34	45.57	54.00	-8.43	27.70	34.60	12.84	29.57	0.00	100	259	AVERAGE	 <table border="1" data-bbox="877 1792 1420 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5240.00</td> <td>99.68</td> <td>-----</td> <td>-----</td> <td>82.89</td> <td>34.18</td> <td>12.53</td> <td>29.92</td> <td>0.00</td> <td>100</td> <td>259</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	99.68	-----	-----	82.89	34.18	12.53	29.92	0.00	100	259	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5458.34	45.57	54.00	-8.43	27.70	34.60	12.84	29.57	0.00	100	259	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5240.00	99.68	-----	-----	82.89	34.18	12.53	29.92	0.00	100	259	AVERAGE																																																																								



Mode	6																																																																																										
	Harmonic																																																																																										
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_Full RU_5240MHz																																																																																										
ANT	CDD 7+5																																																																																										
Pol.	Horizontal	Vertical																																																																																									
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10400.00</td> <td>50.13</td> <td>68.20</td> <td>-18.07</td> <td>59.25</td> <td>37.70</td> <td>18.23</td> <td>65.05</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10400.00	50.13	68.20	-18.07	59.25	37.70	18.23	65.05	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 8383.00</td> <td>46.98</td> <td>74.00</td> <td>-27.02</td> <td>61.53</td> <td>35.93</td> <td>15.96</td> <td>66.44</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2 10400.00</td> <td>56.09</td> <td>68.20</td> <td>-12.11</td> <td>65.21</td> <td>37.70</td> <td>18.24</td> <td>65.06</td> <td>0.00</td> <td>300</td> <td>148 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 8383.00	46.98	74.00	-27.02	61.53	35.93	15.96	66.44	0.00	--	Peak	2 10400.00	56.09	68.20	-12.11	65.21	37.70	18.24	65.06	0.00	300	148 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 10400.00	50.13	68.20	-18.07	59.25	37.70	18.23	65.05	0.00	--	PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 8383.00	46.98	74.00	-27.02	61.53	35.93	15.96	66.44	0.00	--	Peak																																																																																	
2 10400.00	56.09	68.20	-12.11	65.21	37.70	18.24	65.06	0.00	300	148 PEAK																																																																																	







Mode	7																																																																																			
	Band Edge - L																																																																																			
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full RU_5190MHz																																																																																			
ANT	CDD 7+5																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.89</td> <td>60.90</td> <td>74.00</td> <td>-13.10</td> <td>44.31</td> <td>34.20</td> <td>12.45</td> <td>30.06</td> <td>0.00</td> <td>100</td> <td>304</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.89	60.90	74.00	-13.10	44.31	34.20	12.45	30.06	0.00	100	304	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>101.33</td> <td>-----</td> <td>-----</td> <td>84.67</td> <td>34.13</td> <td>12.53</td> <td>30.00</td> <td>0.00</td> <td>100</td> <td>304</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	101.33	-----	-----	84.67	34.13	12.53	30.00	0.00	100	304	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5148.89	60.90	74.00	-13.10	44.31	34.20	12.45	30.06	0.00	100	304	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5190.00	101.33	-----	-----	84.67	34.13	12.53	30.00	0.00	100	304	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.70</td> <td>50.43</td> <td>54.00</td> <td>-3.57</td> <td>33.84</td> <td>34.20</td> <td>12.45</td> <td>30.06</td> <td>0.00</td> <td>100</td> <td>304</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.70	50.43	54.00	-3.57	33.84	34.20	12.45	30.06	0.00	100	304	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>92.35</td> <td>-----</td> <td>-----</td> <td>75.69</td> <td>34.13</td> <td>12.53</td> <td>30.00</td> <td>0.00</td> <td>100</td> <td>304</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	92.35	-----	-----	75.69	34.13	12.53	30.00	0.00	100	304	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5148.70	50.43	54.00	-3.57	33.84	34.20	12.45	30.06	0.00	100	304	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5190.00	92.35	-----	-----	75.69	34.13	12.53	30.00	0.00	100	304	AVERAGE																																																																								



Mode	7																																								
	Band Edge - R																																								
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full RU_5190MHz																																								
ANT	CDD 7+5																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5385.62</td> <td>56.40</td> <td>74.00</td> <td>-17.60</td> <td>38.60</td> <td>34.60</td> <td>12.89</td> <td>29.69</td> <td>0.00</td> <td>100</td> <td>304 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5385.62	56.40	74.00	-17.60	38.60	34.60	12.89	29.69	0.00	100	304 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5385.62	56.40	74.00	-17.60	38.60	34.60	12.89	29.69	0.00	100	304 PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5459.01</td> <td>45.55</td> <td>54.00</td> <td>-8.45</td> <td>27.68</td> <td>34.60</td> <td>12.84</td> <td>29.57</td> <td>0.00</td> <td>100</td> <td>304 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5459.01	45.55	54.00	-8.45	27.68	34.60	12.84	29.57	0.00	100	304 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5459.01	45.55	54.00	-8.45	27.68	34.60	12.84	29.57	0.00	100	304 AVERAGE																															



Mode	7																																																																																							
	Band Edge - L																																																																																							
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full RU_5190MHz																																																																																							
ANT	CDD 7+5																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	 <table border="1" data-bbox="263 1120 798 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5150.00</td> <td>59.60</td> <td>74.00</td> <td>-14.40</td> <td>43.00</td> <td>34.20</td> <td>12.45</td> <td>30.05</td> <td>0.00</td> <td>102</td> <td>240</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	59.60	74.00	-14.40	43.00	34.20	12.45	30.05	0.00	102	240	PEAK	 <table border="1" data-bbox="901 1120 1436 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>100.36</td> <td>-----</td> <td>-----</td> <td>83.68</td> <td>34.12</td> <td>12.55</td> <td>29.99</td> <td>0.00</td> <td>102</td> <td>240</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	100.36	-----	-----	83.68	34.12	12.55	29.99	0.00	102	240	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5150.00	59.60	74.00	-14.40	43.00	34.20	12.45	30.05	0.00	102	240	PEAK																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5190.00	100.36	-----	-----	83.68	34.12	12.55	29.99	0.00	102	240	PEAK																																																																												
Avg	 <table border="1" data-bbox="263 1792 798 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5150.00</td> <td>50.11</td> <td>54.00</td> <td>-3.89</td> <td>33.51</td> <td>34.20</td> <td>12.45</td> <td>30.05</td> <td>0.00</td> <td>102</td> <td>240</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	50.11	54.00	-3.89	33.51	34.20	12.45	30.05	0.00	102	240	AVERAGE	 <table border="1" data-bbox="901 1792 1436 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>91.68</td> <td>-----</td> <td>-----</td> <td>75.00</td> <td>34.12</td> <td>12.55</td> <td>29.99</td> <td>0.00</td> <td>102</td> <td>240</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	91.68	-----	-----	75.00	34.12	12.55	29.99	0.00	102	240	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5150.00	50.11	54.00	-3.89	33.51	34.20	12.45	30.05	0.00	102	240	AVERAGE																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5190.00	91.68	-----	-----	75.00	34.12	12.55	29.99	0.00	102	240	AVERAGE																																																																												



Mode	7																																									
	Band Edge - R																																									
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full RU_5190MHz																																									
ANT	CDD 7+5																																									
Pol.	Vertical	Fundamental																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5304.81</td> <td>56.02</td> <td>74.00</td> <td>-17.98</td> <td>38.22</td> <td>34.60</td> <td>12.89</td> <td>29.69</td> <td>0.00</td> <td>102</td> <td>240</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5304.81	56.02	74.00	-17.98	38.22	34.60	12.89	29.69	0.00	102	240	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5304.81	56.02	74.00	-17.98	38.22	34.60	12.89	29.69	0.00	102	240	PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5459.59</td> <td>45.58</td> <td>54.00</td> <td>-8.42</td> <td>27.70</td> <td>34.60</td> <td>12.85</td> <td>29.57</td> <td>0.00</td> <td>102</td> <td>240</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5459.59	45.58	54.00	-8.42	27.70	34.60	12.85	29.57	0.00	102	240	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5459.59	45.58	54.00	-8.42	27.70	34.60	12.85	29.57	0.00	102	240	AVERAGE																															





Mode	7																																																																													
	Harmonic																																																																													
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full RU_5190MHz																																																																													
ANT	CDD 7+5																																																																													
Pol.	Horizontal	Vertical																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10300.00</td> <td>45.16</td> <td>68.20</td> <td>-23.04</td> <td>54.68</td> <td>37.62</td> <td>18.05</td> <td>65.19</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10300.00	45.16	68.20	-23.04	54.68	37.62	18.05	65.19	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10300.00</td> <td>45.59</td> <td>68.20</td> <td>-22.61</td> <td>54.75</td> <td>37.69</td> <td>18.31</td> <td>65.16</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10300.00	45.59	68.20	-22.61	54.75	37.69	18.31	65.16	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																						
1 10300.00	45.16	68.20	-23.04	54.68	37.62	18.05	65.19	0.00	--	PEAK																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																						
1 10300.00	45.59	68.20	-22.61	54.75	37.69	18.31	65.16	0.00	--	PEAK																																																																				







Mode	8																																																																																			
	Band Edge - L																																																																																			
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full RU_5230MHz																																																																																			
ANT	CDD 7+5																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.57</td> <td>60.93</td> <td>74.00</td> <td>-13.07</td> <td>44.34</td> <td>34.20</td> <td>12.45</td> <td>30.06</td> <td>0.00</td> <td>100</td> <td>334</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.57	60.93	74.00	-13.07	44.34	34.20	12.45	30.06	0.00	100	334	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>109.18</td> <td>-----</td> <td>-----</td> <td>92.45</td> <td>34.13</td> <td>12.55</td> <td>29.95</td> <td>0.00</td> <td>100</td> <td>334</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	109.18	-----	-----	92.45	34.13	12.55	29.95	0.00	100	334	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5148.57	60.93	74.00	-13.07	44.34	34.20	12.45	30.06	0.00	100	334	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5230.00	109.18	-----	-----	92.45	34.13	12.55	29.95	0.00	100	334	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.18</td> <td>50.50</td> <td>54.00</td> <td>-3.50</td> <td>33.91</td> <td>34.20</td> <td>12.45</td> <td>30.06</td> <td>0.00</td> <td>100</td> <td>334</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.18	50.50	54.00	-3.50	33.91	34.20	12.45	30.06	0.00	100	334	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>98.15</td> <td>-----</td> <td>-----</td> <td>81.36</td> <td>34.18</td> <td>12.53</td> <td>29.92</td> <td>0.00</td> <td>100</td> <td>334</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	98.15	-----	-----	81.36	34.18	12.53	29.92	0.00	100	334	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5149.18	50.50	54.00	-3.50	33.91	34.20	12.45	30.06	0.00	100	334	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5230.00	98.15	-----	-----	81.36	34.18	12.53	29.92	0.00	100	334	AVERAGE																																																																								



	8																																												
Mode	Band Edge - R																																												
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full RU_5230MHz																																												
ANT	CDD 7+5																																												
Pol.	Horizontal	Fundamental																																											
Peak	 <table border="1" data-bbox="263 1120 790 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5362.66</td> <td>62.07</td> <td>74.00</td> <td>-11.93</td> <td>44.51</td> <td>34.60</td> <td>12.68</td> <td>29.72</td> <td>0.00</td> <td>100</td> <td>334</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5362.66	62.07	74.00	-11.93	44.51	34.60	12.68	29.72	0.00	100	334	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5362.66	62.07	74.00	-11.93	44.51	34.60	12.68	29.72	0.00	100	334	PEAK																																		
Avg	 <table border="1" data-bbox="263 1800 790 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.01</td> <td>48.67</td> <td>54.00</td> <td>-5.33</td> <td>31.25</td> <td>34.60</td> <td>12.56</td> <td>29.74</td> <td>0.00</td> <td>100</td> <td>334</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5350.01	48.67	54.00	-5.33	31.25	34.60	12.56	29.74	0.00	100	334	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5350.01	48.67	54.00	-5.33	31.25	34.60	12.56	29.74	0.00	100	334	AVERAGE																																		



Mode	8																																																																			
	Band Edge - L																																																																			
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full RU_5230MHz																																																																			
ANT	CDD 7+5																																																																			
Pol.	Vertical	Fundamental																																																																		
Peak	 <table border="1" data-bbox="263 1120 798 1254"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5145.37</td> <td>60.35</td> <td>74.00</td> <td>-13.65</td> <td>43.75</td> <td>34.21</td> <td>12.45</td> <td>30.06</td> <td>0.00</td> <td>101</td> <td>254 PEAK</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 5145.37	60.35	74.00	-13.65	43.75	34.21	12.45	30.06	0.00	101	254 PEAK	 <table border="1" data-bbox="861 1120 1396 1254"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5230.00</td> <td>104.95</td> <td>88.20</td> <td>-----</td> <td>34.14</td> <td>12.53</td> <td>29.94</td> <td>0.00</td> <td>101</td> <td>254</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 5230.00	104.95	88.20	-----	34.14	12.53	29.94	0.00	101	254	PEAK
	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Loss	APos	TPos	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 5145.37	60.35	74.00	-13.65	43.75	34.21	12.45	30.06	0.00	101	254 PEAK																																																										
Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Loss	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 5230.00	104.95	88.20	-----	34.14	12.53	29.94	0.00	101	254	PEAK																																																										
Avg	 <table border="1" data-bbox="263 1792 798 1926"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5149.97</td> <td>49.75</td> <td>54.00</td> <td>-4.25</td> <td>33.15</td> <td>34.20</td> <td>12.45</td> <td>30.05</td> <td>0.00</td> <td>101</td> <td>254 AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 5149.97	49.75	54.00	-4.25	33.15	34.20	12.45	30.05	0.00	101	254 AVERAGE	 <table border="1" data-bbox="861 1792 1396 1926"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5230.00</td> <td>96.16</td> <td>79.37</td> <td>-----</td> <td>34.18</td> <td>12.53</td> <td>29.92</td> <td>0.00</td> <td>101</td> <td>254</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 5230.00	96.16	79.37	-----	34.18	12.53	29.92	0.00	101	254	AVERAGE
Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Loss	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 5149.97	49.75	54.00	-4.25	33.15	34.20	12.45	30.05	0.00	101	254 AVERAGE																																																										
Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Loss	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 5230.00	96.16	79.37	-----	34.18	12.53	29.92	0.00	101	254	AVERAGE																																																										



Mode	8																																							
	Band Edge - R																																							
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full RU_5230MHz																																							
ANT	CDD 7+5																																							
Pol.	Vertical	Fundamental																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.06</td> <td>62.86</td> <td>74.00</td> <td>-11.14</td> <td>45.44</td> <td>34.60</td> <td>12.56</td> <td>29.74</td> <td>0.00</td> <td>101 254 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5350.06	62.86	74.00	-11.14	45.44	34.60	12.56	29.74	0.00	101 254 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5350.06	62.86	74.00	-11.14	45.44	34.60	12.56	29.74	0.00	101 254 PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.01</td> <td>48.62</td> <td>54.00</td> <td>-5.38</td> <td>31.20</td> <td>34.60</td> <td>12.56</td> <td>29.74</td> <td>0.00</td> <td>101 254 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5350.01	48.62	54.00	-5.38	31.20	34.60	12.56	29.74	0.00	101 254 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5350.01	48.62	54.00	-5.38	31.20	34.60	12.56	29.74	0.00	101 254 AVERAGE																															



Mode	8																																																																							
	Harmonic																																																																							
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full RU_5230MHz																																																																							
ANT	CDD 7+5																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10460.00</td> <td>46.99</td> <td>68.20</td> <td>-21.21</td> <td>56.10</td> <td>37.70</td> <td>18.25</td> <td>65.06</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 10460.00	46.99	68.20	-21.21	56.10	37.70	18.25	65.06	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10460.00</td> <td>46.42</td> <td>68.20</td> <td>-21.78</td> <td>55.53</td> <td>37.70</td> <td>18.25</td> <td>65.06</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 10460.00	46.42	68.20	-21.78	55.53	37.70	18.25	65.06	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 10460.00	46.99	68.20	-21.21	56.10	37.70	18.25	65.06	0.00	--	PEAK																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 10460.00	46.42	68.20	-21.78	55.53	37.70	18.25	65.06	0.00	--	PEAK																																																														







Mode	9																																																															
	Band Edge - L																																																															
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																																															
ANT	CDD 7+5																																																															
Pol.	Horizontal	Fundamental																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5147.93</td> <td>60.92</td> <td>74.00</td> <td>-13.08</td> <td>44.33</td> <td>34.20</td> <td>12.45</td> <td>30.06</td> <td>0.00</td> <td>102</td> <td>335</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg	1	5147.93	60.92	74.00	-13.08	44.33	34.20	12.45	30.06	0.00	102	335	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>99.35</td> <td>-----</td> <td>-----</td> <td>82.66</td> <td>34.11</td> <td>12.56</td> <td>29.98</td> <td>0.00</td> <td>102</td> <td>335</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg	1	5210.00	99.35	-----	-----	82.66	34.11	12.56	29.98	0.00	102	335	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																								
1	5147.93	60.92	74.00	-13.08	44.33	34.20	12.45	30.06	0.00	102	335	PEAK																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																								
1	5210.00	99.35	-----	-----	82.66	34.11	12.56	29.98	0.00	102	335	PEAK																																																				
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.20</td> <td>50.18</td> <td>54.00</td> <td>-3.82</td> <td>33.59</td> <td>34.20</td> <td>12.45</td> <td>30.06</td> <td>0.00</td> <td>102</td> <td>335</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg	1	5148.20	50.18	54.00	-3.82	33.59	34.20	12.45	30.06	0.00	102	335	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>89.95</td> <td>-----</td> <td>-----</td> <td>73.22</td> <td>34.13</td> <td>12.55</td> <td>29.95</td> <td>0.00</td> <td>102</td> <td>335</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg	1	5210.00	89.95	-----	-----	73.22	34.13	12.55	29.95	0.00	102	335	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																								
1	5148.20	50.18	54.00	-3.82	33.59	34.20	12.45	30.06	0.00	102	335	AVERAGE																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																								
1	5210.00	89.95	-----	-----	73.22	34.13	12.55	29.95	0.00	102	335	AVERAGE																																																				



Mode	9																																								
	Band Edge - R																																								
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																								
ANT	CDD 7+5																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5357.62</td> <td>57.65</td> <td>74.00</td> <td>-16.35</td> <td>40.15</td> <td>34.60</td> <td>12.63</td> <td>29.73</td> <td>0.00</td> <td>102</td> <td>335 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5357.62	57.65	74.00	-16.35	40.15	34.60	12.63	29.73	0.00	102	335 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5357.62	57.65	74.00	-16.35	40.15	34.60	12.63	29.73	0.00	102	335 PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5399.52</td> <td>45.42</td> <td>54.00</td> <td>-8.58</td> <td>27.46</td> <td>34.60</td> <td>13.03</td> <td>29.67</td> <td>0.00</td> <td>102</td> <td>335 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5399.52	45.42	54.00	-8.58	27.46	34.60	13.03	29.67	0.00	102	335 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5399.52	45.42	54.00	-8.58	27.46	34.60	13.03	29.67	0.00	102	335 AVERAGE																															



Mode	9																																																																																			
	Band Edge - L																																																																																			
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																																																																			
ANT	CDD 7+5																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	 <table border="1" data-bbox="263 1120 798 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.69</td> <td>60.43</td> <td>74.00</td> <td>-13.57</td> <td>43.84</td> <td>34.20</td> <td>12.45</td> <td>30.06</td> <td>0.00</td> <td>102</td> <td>241</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.69	60.43	74.00	-13.57	43.84	34.20	12.45	30.06	0.00	102	241	PEAK	 <table border="1" data-bbox="901 1120 1436 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>97.86</td> <td>-----</td> <td>-----</td> <td>81.07</td> <td>34.18</td> <td>12.53</td> <td>29.92</td> <td>0.00</td> <td>102</td> <td>241</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	97.86	-----	-----	81.07	34.18	12.53	29.92	0.00	102	241	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5149.69	60.43	74.00	-13.57	43.84	34.20	12.45	30.06	0.00	102	241	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5210.00	97.86	-----	-----	81.07	34.18	12.53	29.92	0.00	102	241	PEAK																																																																								
Avg	 <table border="1" data-bbox="263 1792 798 1915"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5150.00</td> <td>50.16</td> <td>54.00</td> <td>-3.84</td> <td>33.56</td> <td>34.20</td> <td>12.45</td> <td>30.05</td> <td>0.00</td> <td>102</td> <td>241</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	50.16	54.00	-3.84	33.56	34.20	12.45	30.05	0.00	102	241	AVERAGE	 <table border="1" data-bbox="901 1792 1436 1915"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>88.85</td> <td>-----</td> <td>-----</td> <td>72.10</td> <td>34.14</td> <td>12.55</td> <td>29.94</td> <td>0.00</td> <td>102</td> <td>241</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	88.85	-----	-----	72.10	34.14	12.55	29.94	0.00	102	241	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5150.00	50.16	54.00	-3.84	33.56	34.20	12.45	30.05	0.00	102	241	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5210.00	88.85	-----	-----	72.10	34.14	12.55	29.94	0.00	102	241	AVERAGE																																																																								



Mode	9																																													
	Band Edge - R																																													
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																													
ANT	CDD 7+5																																													
Pol.	Vertical	Fundamental																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5362.48</td> <td>56.37</td> <td>74.00</td> <td>-17.63</td> <td>38.81</td> <td>34.60</td> <td>12.68</td> <td>29.72</td> <td>0.00</td> <td>102</td> <td>241</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5362.48	56.37	74.00	-17.63	38.81	34.60	12.68	29.72	0.00	102	241	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5362.48	56.37	74.00	-17.63	38.81	34.60	12.68	29.72	0.00	102	241	PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5398.99</td> <td>45.43</td> <td>54.00</td> <td>-8.57</td> <td>27.48</td> <td>34.60</td> <td>13.02</td> <td>29.67</td> <td>0.00</td> <td>102</td> <td>241</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5398.99	45.43	54.00	-8.57	27.48	34.60	13.02	29.67	0.00	102	241	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5398.99	45.43	54.00	-8.57	27.48	34.60	13.02	29.67	0.00	102	241	AVERAGE																																		



Mode	9																																																																													
	Harmonic																																																																													
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																																																													
ANT	CDD 7+5																																																																													
Pol.	Horizontal	Vertical																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10420.00</td> <td>44.85</td> <td>68.20</td> <td>-23.35</td> <td>54.14</td> <td>37.66</td> <td>18.22</td> <td>65.17</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10420.00	44.85	68.20	-23.35	54.14	37.66	18.22	65.17	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10420.00</td> <td>45.23</td> <td>68.20</td> <td>-22.97</td> <td>54.31</td> <td>37.70</td> <td>18.36</td> <td>65.14</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10420.00	45.23	68.20	-22.97	54.31	37.70	18.36	65.14	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																						
1 10420.00	44.85	68.20	-23.35	54.14	37.66	18.22	65.17	0.00	--	PEAK																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																						
1 10420.00	45.23	68.20	-22.97	54.31	37.70	18.36	65.14	0.00	--	PEAK																																																																				



Mode	10																																																																																	
	Band Edge																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial_26/0RU_5180MHz																																																																																	
ANT	CDD 7+5																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5118.75</td> <td>58.57</td> <td>74.00</td> <td>-15.43</td> <td>41.97</td> <td>34.26</td> <td>12.44</td> <td>30.10</td> <td>0.00</td> <td>239</td> <td>193</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5118.75	58.57	74.00	-15.43	41.97	34.26	12.44	30.10	0.00	239	193	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>106.10</td> <td>-----</td> <td>-----</td> <td>89.47</td> <td>34.17</td> <td>12.49</td> <td>30.03</td> <td>0.00</td> <td>239</td> <td>193</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5180.00	106.10	-----	-----	89.47	34.17	12.49	30.03	0.00	239	193	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5118.75	58.57	74.00	-15.43	41.97	34.26	12.44	30.10	0.00	239	193	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5180.00	106.10	-----	-----	89.47	34.17	12.49	30.03	0.00	239	193	PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5101.34</td> <td>45.79</td> <td>54.00</td> <td>-8.21</td> <td>29.18</td> <td>34.30</td> <td>12.44</td> <td>30.13</td> <td>0.00</td> <td>239</td> <td>193</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5101.34	45.79	54.00	-8.21	29.18	34.30	12.44	30.13	0.00	239	193	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>99.77</td> <td>-----</td> <td>-----</td> <td>83.14</td> <td>34.17</td> <td>12.49</td> <td>30.03</td> <td>0.00</td> <td>239</td> <td>193</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5180.00	99.77	-----	-----	83.14	34.17	12.49	30.03	0.00	239	193	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5101.34	45.79	54.00	-8.21	29.18	34.30	12.44	30.13	0.00	239	193	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5180.00	99.77	-----	-----	83.14	34.17	12.49	30.03	0.00	239	193	AVERAGE																																																																						



Mode	10																																																																																	
	Band Edge																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial_26/0RU_5180MHz																																																																																	
ANT	CDD 7+5																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5107.15</td> <td>57.03</td> <td>74.00</td> <td>-16.97</td> <td>40.42</td> <td>34.29</td> <td>12.44</td> <td>30.12</td> <td>0.00</td> <td>300</td> <td>272</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5107.15	57.03	74.00	-16.97	40.42	34.29	12.44	30.12	0.00	300	272	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>105.16</td> <td>-----</td> <td>-----</td> <td>88.53</td> <td>34.17</td> <td>12.49</td> <td>30.03</td> <td>0.00</td> <td>300</td> <td>272</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5180.00	105.16	-----	-----	88.53	34.17	12.49	30.03	0.00	300	272	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5107.15	57.03	74.00	-16.97	40.42	34.29	12.44	30.12	0.00	300	272	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5180.00	105.16	-----	-----	88.53	34.17	12.49	30.03	0.00	300	272	PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5100.00</td> <td>45.78</td> <td>54.00</td> <td>-8.22</td> <td>29.17</td> <td>34.30</td> <td>12.44</td> <td>30.13</td> <td>0.00</td> <td>300</td> <td>272</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5100.00	45.78	54.00	-8.22	29.17	34.30	12.44	30.13	0.00	300	272	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>97.61</td> <td>-----</td> <td>-----</td> <td>80.98</td> <td>34.17</td> <td>12.49</td> <td>30.03</td> <td>0.00</td> <td>300</td> <td>272</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5180.00	97.61	-----	-----	80.98	34.17	12.49	30.03	0.00	300	272	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5100.00	45.78	54.00	-8.22	29.17	34.30	12.44	30.13	0.00	300	272	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5180.00	97.61	-----	-----	80.98	34.17	12.49	30.03	0.00	300	272	AVERAGE																																																																						



	11																																																																																	
Mode	Band Edge																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial_52/37RU_5180MHZ																																																																																	
ANT	CDD 7+5																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5140.55</td> <td>57.77</td> <td>74.00</td> <td>-16.23</td> <td>41.17</td> <td>34.22</td> <td>12.45</td> <td>30.07</td> <td>0.00</td> <td>240</td> <td>191</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5140.55	57.77	74.00	-16.23	41.17	34.22	12.45	30.07	0.00	240	191	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>106.58</td> <td>-----</td> <td>-----</td> <td>89.95</td> <td>34.17</td> <td>12.49</td> <td>30.03</td> <td>0.00</td> <td>240</td> <td>191</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5180.00	106.58	-----	-----	89.95	34.17	12.49	30.03	0.00	240	191	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5140.55	57.77	74.00	-16.23	41.17	34.22	12.45	30.07	0.00	240	191	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5180.00	106.58	-----	-----	89.95	34.17	12.49	30.03	0.00	240	191	PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5101.14</td> <td>45.79</td> <td>54.00</td> <td>-8.21</td> <td>29.18</td> <td>34.30</td> <td>12.44</td> <td>30.13</td> <td>0.00</td> <td>240</td> <td>191</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5101.14	45.79	54.00	-8.21	29.18	34.30	12.44	30.13	0.00	240	191	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>99.65</td> <td>-----</td> <td>-----</td> <td>83.02</td> <td>34.17</td> <td>12.49</td> <td>30.03</td> <td>0.00</td> <td>240</td> <td>191</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5180.00	99.65	-----	-----	83.02	34.17	12.49	30.03	0.00	240	191	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5101.14	45.79	54.00	-8.21	29.18	34.30	12.44	30.13	0.00	240	191	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5180.00	99.65	-----	-----	83.02	34.17	12.49	30.03	0.00	240	191	AVERAGE																																																																						







Mode	11																																																																																	
	Band Edge																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial_52/37RU_5180MHZ																																																																																	
ANT	CDD 7+5																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5107.05</td> <td>56.78</td> <td>74.00</td> <td>-17.22</td> <td>40.17</td> <td>34.29</td> <td>12.44</td> <td>30.12</td> <td>0.00</td> <td>226</td> <td>272</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5107.05	56.78	74.00	-17.22	40.17	34.29	12.44	30.12	0.00	226	272	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>106.17</td> <td>-----</td> <td>-----</td> <td>89.54</td> <td>34.17</td> <td>12.49</td> <td>30.03</td> <td>0.00</td> <td>226</td> <td>272</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5180.00	106.17	-----	-----	89.54	34.17	12.49	30.03	0.00	226	272	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5107.05	56.78	74.00	-17.22	40.17	34.29	12.44	30.12	0.00	226	272	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5180.00	106.17	-----	-----	89.54	34.17	12.49	30.03	0.00	226	272	PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5100.00</td> <td>45.77</td> <td>54.00</td> <td>-8.23</td> <td>29.16</td> <td>34.30</td> <td>12.44</td> <td>30.13</td> <td>0.00</td> <td>226</td> <td>272</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5100.00	45.77	54.00	-8.23	29.16	34.30	12.44	30.13	0.00	226	272	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>98.71</td> <td>-----</td> <td>-----</td> <td>82.08</td> <td>34.17</td> <td>12.49</td> <td>30.03</td> <td>0.00</td> <td>226</td> <td>272</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5180.00	98.71	-----	-----	82.08	34.17	12.49	30.03	0.00	226	272	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5100.00	45.77	54.00	-8.23	29.16	34.30	12.44	30.13	0.00	226	272	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5180.00	98.71	-----	-----	82.08	34.17	12.49	30.03	0.00	226	272	AVERAGE																																																																						



Mode	12																																																																																	
	Band Edge																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial_106/53RU_5180MHz																																																																																	
ANT	CDD 7+5																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5117.15</td> <td>57.09</td> <td>74.00</td> <td>-16.91</td> <td>40.49</td> <td>34.27</td> <td>12.44</td> <td>30.11</td> <td>0.00</td> <td>201</td> <td>189</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5117.15	57.09	74.00	-16.91	40.49	34.27	12.44	30.11	0.00	201	189	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>107.57</td> <td>-----</td> <td>-----</td> <td>90.94</td> <td>34.17</td> <td>12.49</td> <td>30.03</td> <td>0.00</td> <td>201</td> <td>189</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5180.00	107.57	-----	-----	90.94	34.17	12.49	30.03	0.00	201	189	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5117.15	57.09	74.00	-16.91	40.49	34.27	12.44	30.11	0.00	201	189	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5180.00	107.57	-----	-----	90.94	34.17	12.49	30.03	0.00	201	189	PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5101.47</td> <td>45.83</td> <td>54.00</td> <td>-8.17</td> <td>29.22</td> <td>34.30</td> <td>12.44</td> <td>30.13</td> <td>0.00</td> <td>201</td> <td>189</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5101.47	45.83	54.00	-8.17	29.22	34.30	12.44	30.13	0.00	201	189	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>99.97</td> <td>-----</td> <td>-----</td> <td>83.34</td> <td>34.17</td> <td>12.49</td> <td>30.03</td> <td>0.00</td> <td>201</td> <td>189</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5180.00	99.97	-----	-----	83.34	34.17	12.49	30.03	0.00	201	189	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5101.47	45.83	54.00	-8.17	29.22	34.30	12.44	30.13	0.00	201	189	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5180.00	99.97	-----	-----	83.34	34.17	12.49	30.03	0.00	201	189	AVERAGE																																																																						



Mode	12																																																																																			
	Band Edge																																																																																			
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial_106/53RU_5180MHz																																																																																			
ANT	CDD 7+5																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical. Peak at 5180.00 MHz, Level 105.95 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>105.95</td> <td>-----</td> <td>-----</td> <td>89.32</td> <td>34.17</td> <td>12.49</td> <td>30.03</td> <td>0.00</td> <td>300</td> <td>280</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	105.95	-----	-----	89.32	34.17	12.49	30.03	0.00	300	280	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental. Peak at 5180.00 MHz, Level 105.95 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>105.95</td> <td>-----</td> <td>-----</td> <td>89.32</td> <td>34.17</td> <td>12.49</td> <td>30.03</td> <td>0.00</td> <td>300</td> <td>280</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	105.95	-----	-----	89.32	34.17	12.49	30.03	0.00	300	280	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5180.00	105.95	-----	-----	89.32	34.17	12.49	30.03	0.00	300	280	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5180.00	105.95	-----	-----	89.32	34.17	12.49	30.03	0.00	300	280	PEAK																																																																								
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical. Average level at 5180.00 MHz, Level 97.47 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>97.47</td> <td>-----</td> <td>-----</td> <td>80.84</td> <td>34.17</td> <td>12.49</td> <td>30.03</td> <td>0.00</td> <td>300</td> <td>280</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	97.47	-----	-----	80.84	34.17	12.49	30.03	0.00	300	280	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental. Average level at 5180.00 MHz, Level 97.47 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>97.47</td> <td>-----</td> <td>-----</td> <td>80.84</td> <td>34.17</td> <td>12.49</td> <td>30.03</td> <td>0.00</td> <td>300</td> <td>280</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	97.47	-----	-----	80.84	34.17	12.49	30.03	0.00	300	280	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5180.00	97.47	-----	-----	80.84	34.17	12.49	30.03	0.00	300	280	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5180.00	97.47	-----	-----	80.84	34.17	12.49	30.03	0.00	300	280	AVERAGE																																																																								



Mode	13																																																											
	Harmonic																																																											
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																											
ANT	CDD 7+5																																																											
Pol.	Horizontal	Vertical																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10520.00</td> <td>48.44</td> <td>68.20</td> <td>-19.76</td> <td>57.62</td> <td>37.70</td> <td>18.12</td> <td>65.00</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	1 10520.00	48.44	68.20	-19.76	57.62	37.70	18.12	65.00	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10520.00</td> <td>55.91</td> <td>68.20</td> <td>-12.29</td> <td>65.09</td> <td>37.70</td> <td>18.13</td> <td>65.01</td> <td>0.00</td> <td>109</td> <td>151 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	1 10520.00	55.91	68.20	-12.29	65.09	37.70	18.13	65.01	0.00	109	151 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																				
1 10520.00	48.44	68.20	-19.76	57.62	37.70	18.12	65.00	0.00	--	PEAK																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																				
1 10520.00	55.91	68.20	-12.29	65.09	37.70	18.13	65.01	0.00	109	151 PEAK																																																		



Mode	14																																																																																																																																																																	
	Harmonic																																																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																																																																																	
ANT	CDD 7+5																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>52.75</td> <td>74.00</td> <td>-21.25</td> <td>62.14</td> <td>37.70</td> <td>17.83</td> <td>64.92</td> <td>0.00</td> <td>100</td> <td>189</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10600.00</td> <td>41.90</td> <td>54.00</td> <td>-12.10</td> <td>51.29</td> <td>37.70</td> <td>17.83</td> <td>64.92</td> <td>0.00</td> <td>100</td> <td>189</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>15900.00</td> <td>52.04</td> <td>74.00</td> <td>-21.96</td> <td>53.40</td> <td>40.70</td> <td>22.43</td> <td>64.49</td> <td>0.00</td> <td>307</td> <td>338</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15900.00</td> <td>41.77</td> <td>54.00</td> <td>-12.23</td> <td>43.13</td> <td>40.70</td> <td>22.43</td> <td>64.49</td> <td>0.00</td> <td>307</td> <td>338</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	52.75	74.00	-21.25	62.14	37.70	17.83	64.92	0.00	100	189	PEAK	2	10600.00	41.90	54.00	-12.10	51.29	37.70	17.83	64.92	0.00	100	189	AVERAGE	3	15900.00	52.04	74.00	-21.96	53.40	40.70	22.43	64.49	0.00	307	338	PEAK	4	15900.00	41.77	54.00	-12.23	43.13	40.70	22.43	64.49	0.00	307	338	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>57.20</td> <td>74.00</td> <td>-16.80</td> <td>66.59</td> <td>37.70</td> <td>17.83</td> <td>64.92</td> <td>0.00</td> <td>100</td> <td>262</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10600.00</td> <td>44.52</td> <td>54.00</td> <td>-9.48</td> <td>53.91</td> <td>37.70</td> <td>17.83</td> <td>64.92</td> <td>0.00</td> <td>100</td> <td>262</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>15900.00</td> <td>54.08</td> <td>74.00</td> <td>-19.92</td> <td>55.44</td> <td>40.70</td> <td>22.43</td> <td>64.49</td> <td>0.00</td> <td>169</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15900.00</td> <td>43.94</td> <td>54.00</td> <td>-10.06</td> <td>45.30</td> <td>40.70</td> <td>22.43</td> <td>64.49</td> <td>0.00</td> <td>169</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	57.20	74.00	-16.80	66.59	37.70	17.83	64.92	0.00	100	262	PEAK	2	10600.00	44.52	54.00	-9.48	53.91	37.70	17.83	64.92	0.00	100	262	AVERAGE	3	15900.00	54.08	74.00	-19.92	55.44	40.70	22.43	64.49	0.00	169	0	PEAK	4	15900.00	43.94	54.00	-10.06	45.30	40.70	22.43	64.49	0.00	169	0	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	10600.00	52.75	74.00	-21.25	62.14	37.70	17.83	64.92	0.00	100	189	PEAK																																																																																																																																																						
2	10600.00	41.90	54.00	-12.10	51.29	37.70	17.83	64.92	0.00	100	189	AVERAGE																																																																																																																																																						
3	15900.00	52.04	74.00	-21.96	53.40	40.70	22.43	64.49	0.00	307	338	PEAK																																																																																																																																																						
4	15900.00	41.77	54.00	-12.23	43.13	40.70	22.43	64.49	0.00	307	338	AVERAGE																																																																																																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	10600.00	57.20	74.00	-16.80	66.59	37.70	17.83	64.92	0.00	100	262	PEAK																																																																																																																																																						
2	10600.00	44.52	54.00	-9.48	53.91	37.70	17.83	64.92	0.00	100	262	AVERAGE																																																																																																																																																						
3	15900.00	54.08	74.00	-19.92	55.44	40.70	22.43	64.49	0.00	169	0	PEAK																																																																																																																																																						
4	15900.00	43.94	54.00	-10.06	45.30	40.70	22.43	64.49	0.00	169	0	AVERAGE																																																																																																																																																						



Mode	15																																																																																	
	Band Edge																																																																																	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																	
ANT	CDD 7+5																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.15</td> <td>60.25</td> <td>74.00</td> <td>-13.75</td> <td>42.83</td> <td>34.60</td> <td>12.56</td> <td>29.74</td> <td>0.00</td> <td>101</td> <td>333</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5350.15	60.25	74.00	-13.75	42.83	34.60	12.56	29.74	0.00	101	333	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>108.20</td> <td>-----</td> <td>-----</td> <td>90.96</td> <td>34.44</td> <td>12.60</td> <td>29.80</td> <td>0.00</td> <td>101</td> <td>333</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5320.00	108.20	-----	-----	90.96	34.44	12.60	29.80	0.00	101	333	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5350.15	60.25	74.00	-13.75	42.83	34.60	12.56	29.74	0.00	101	333	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5320.00	108.20	-----	-----	90.96	34.44	12.60	29.80	0.00	101	333	PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.00</td> <td>50.29</td> <td>54.00</td> <td>-3.71</td> <td>32.87</td> <td>34.60</td> <td>12.56</td> <td>29.74</td> <td>0.00</td> <td>101</td> <td>333</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5350.00	50.29	54.00	-3.71	32.87	34.60	12.56	29.74	0.00	101	333	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>99.07</td> <td>-----</td> <td>-----</td> <td>81.83</td> <td>34.44</td> <td>12.60</td> <td>29.80</td> <td>0.00</td> <td>101</td> <td>333</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5320.00	99.07	-----	-----	81.83	34.44	12.60	29.80	0.00	101	333	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5350.00	50.29	54.00	-3.71	32.87	34.60	12.56	29.74	0.00	101	333	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5320.00	99.07	-----	-----	81.83	34.44	12.60	29.80	0.00	101	333	AVERAGE																																																																						



Mode	15																																																																																	
	Band Edge																																																																																	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																	
ANT	CDD 7+5																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.15</td> <td>60.03</td> <td>74.00</td> <td>-13.97</td> <td>42.61</td> <td>34.60</td> <td>12.56</td> <td>29.74</td> <td>0.00</td> <td>100</td> <td>264</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5350.15	60.03	74.00	-13.97	42.61	34.60	12.56	29.74	0.00	100	264	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>107.57</td> <td>-----</td> <td>-----</td> <td>90.33</td> <td>34.44</td> <td>12.60</td> <td>29.80</td> <td>0.00</td> <td>100</td> <td>264</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5320.00	107.57	-----	-----	90.33	34.44	12.60	29.80	0.00	100	264	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5350.15	60.03	74.00	-13.97	42.61	34.60	12.56	29.74	0.00	100	264	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5320.00	107.57	-----	-----	90.33	34.44	12.60	29.80	0.00	100	264	PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.00</td> <td>50.57</td> <td>54.00</td> <td>-3.43</td> <td>33.15</td> <td>34.60</td> <td>12.56</td> <td>29.74</td> <td>0.00</td> <td>100</td> <td>264</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5350.00	50.57	54.00	-3.43	33.15	34.60	12.56	29.74	0.00	100	264	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>98.40</td> <td>-----</td> <td>-----</td> <td>81.16</td> <td>34.44</td> <td>12.60</td> <td>29.80</td> <td>0.00</td> <td>100</td> <td>264</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5320.00	98.40	-----	-----	81.16	34.44	12.60	29.80	0.00	100	264	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5350.00	50.57	54.00	-3.43	33.15	34.60	12.56	29.74	0.00	100	264	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5320.00	98.40	-----	-----	81.16	34.44	12.60	29.80	0.00	100	264	AVERAGE																																																																						



Mode	15																																																																																																																																																		
	Harmonic																																																																																																																																																		
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																																																		
ANT	CDD 7+5																																																																																																																																																		
Pol.	Horizontal	Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>46.84</td> <td>74.00</td> <td>-27.16</td> <td>56.08</td> <td>37.74</td> <td>17.89</td> <td>64.87</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15960.00</td> <td>48.34</td> <td>74.00</td> <td>-25.66</td> <td>49.81</td> <td>40.82</td> <td>22.24</td> <td>64.53</td> <td>0.00</td> <td>300</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15960.00</td> <td>37.31</td> <td>54.00</td> <td>-16.69</td> <td>38.80</td> <td>40.83</td> <td>22.21</td> <td>64.53</td> <td>0.00</td> <td>300</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	10640.00	46.84	74.00	-27.16	56.08	37.74	17.89	64.87	0.00	--	--	PEAK	2	15960.00	48.34	74.00	-25.66	49.81	40.82	22.24	64.53	0.00	300	0	PEAK	3	15960.00	37.31	54.00	-16.69	38.80	40.83	22.21	64.53	0.00	300	0	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>53.61</td> <td>74.00</td> <td>-20.39</td> <td>62.85</td> <td>37.74</td> <td>17.89</td> <td>64.87</td> <td>0.00</td> <td>100</td> <td>256</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10640.00</td> <td>40.62</td> <td>54.00</td> <td>-13.38</td> <td>49.86</td> <td>37.74</td> <td>17.89</td> <td>64.87</td> <td>0.00</td> <td>100</td> <td>256</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>15960.00</td> <td>51.71</td> <td>74.00</td> <td>-22.29</td> <td>53.18</td> <td>40.82</td> <td>22.24</td> <td>64.53</td> <td>0.00</td> <td>205</td> <td>7</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15960.00</td> <td>39.37</td> <td>54.00</td> <td>-14.63</td> <td>40.83</td> <td>40.82</td> <td>22.25</td> <td>64.53</td> <td>0.00</td> <td>205</td> <td>7</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	10640.00	53.61	74.00	-20.39	62.85	37.74	17.89	64.87	0.00	100	256	PEAK	2	10640.00	40.62	54.00	-13.38	49.86	37.74	17.89	64.87	0.00	100	256	AVERAGE	3	15960.00	51.71	74.00	-22.29	53.18	40.82	22.24	64.53	0.00	205	7	PEAK	4	15960.00	39.37	54.00	-14.63	40.83	40.82	22.25	64.53	0.00	205	7	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																											
1	10640.00	46.84	74.00	-27.16	56.08	37.74	17.89	64.87	0.00	--	--	PEAK																																																																																																																																							
2	15960.00	48.34	74.00	-25.66	49.81	40.82	22.24	64.53	0.00	300	0	PEAK																																																																																																																																							
3	15960.00	37.31	54.00	-16.69	38.80	40.83	22.21	64.53	0.00	300	0	AVERAGE																																																																																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																											
1	10640.00	53.61	74.00	-20.39	62.85	37.74	17.89	64.87	0.00	100	256	PEAK																																																																																																																																							
2	10640.00	40.62	54.00	-13.38	49.86	37.74	17.89	64.87	0.00	100	256	AVERAGE																																																																																																																																							
3	15960.00	51.71	74.00	-22.29	53.18	40.82	22.24	64.53	0.00	205	7	PEAK																																																																																																																																							
4	15960.00	39.37	54.00	-14.63	40.83	40.82	22.25	64.53	0.00	205	7	AVERAGE																																																																																																																																							







Mode	16																																																																																																																																
	Harmonic																																																																																																																																
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_Full RU_5260MHz																																																																																																																																
ANT	CDD 7+5																																																																																																																																
Pol.	Horizontal	Vertical																																																																																																																															
Peak Avg																																																																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>50.02</td> <td>68.20</td> <td>-18.18</td> <td>59.19</td> <td>37.70</td> <td>18.14</td> <td>65.01</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>51.57</td> <td>74.00</td> <td>-22.43</td> <td>53.21</td> <td>40.48</td> <td>22.28</td> <td>64.40</td> <td>0.00</td> <td>163</td> <td>0 PEAK</td> </tr> <tr> <td>3</td> <td>15780.00</td> <td>40.60</td> <td>54.00</td> <td>-13.40</td> <td>42.24</td> <td>40.48</td> <td>22.28</td> <td>64.40</td> <td>0.00</td> <td>163</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	50.02	68.20	-18.18	59.19	37.70	18.14	65.01	0.00	--	PEAK	2	15780.00	51.57	74.00	-22.43	53.21	40.48	22.28	64.40	0.00	163	0 PEAK	3	15780.00	40.60	54.00	-13.40	42.24	40.48	22.28	64.40	0.00	163	0 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>56.39</td> <td>68.20</td> <td>-11.81</td> <td>65.56</td> <td>37.70</td> <td>18.14</td> <td>65.01</td> <td>0.00</td> <td>128</td> <td>20 PEAK</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>54.97</td> <td>74.00</td> <td>-19.03</td> <td>56.61</td> <td>40.48</td> <td>22.28</td> <td>64.40</td> <td>0.00</td> <td>194</td> <td>360 PEAK</td> </tr> <tr> <td>3</td> <td>15780.00</td> <td>42.33</td> <td>54.00</td> <td>-11.67</td> <td>43.97</td> <td>40.48</td> <td>22.28</td> <td>64.40</td> <td>0.00</td> <td>194</td> <td>360 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	56.39	68.20	-11.81	65.56	37.70	18.14	65.01	0.00	128	20 PEAK	2	15780.00	54.97	74.00	-19.03	56.61	40.48	22.28	64.40	0.00	194	360 PEAK	3	15780.00	42.33	54.00	-11.67	43.97	40.48	22.28	64.40	0.00	194
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	10520.00	50.02	68.20	-18.18	59.19	37.70	18.14	65.01	0.00	--	PEAK																																																																																																																						
2	15780.00	51.57	74.00	-22.43	53.21	40.48	22.28	64.40	0.00	163	0 PEAK																																																																																																																						
3	15780.00	40.60	54.00	-13.40	42.24	40.48	22.28	64.40	0.00	163	0 AVERAGE																																																																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	10520.00	56.39	68.20	-11.81	65.56	37.70	18.14	65.01	0.00	128	20 PEAK																																																																																																																						
2	15780.00	54.97	74.00	-19.03	56.61	40.48	22.28	64.40	0.00	194	360 PEAK																																																																																																																						
3	15780.00	42.33	54.00	-11.67	43.97	40.48	22.28	64.40	0.00	194	360 AVERAGE																																																																																																																						







Mode	17																																																																																																																																																				
	Harmonic																																																																																																																																																				
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_Full RU_5300MHz																																																																																																																																																				
ANT	CDD 7+5																																																																																																																																																				
Pol.	Horizontal	Vertical																																																																																																																																																			
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>53.79</td> <td>74.00</td> <td>-20.21</td> <td>63.18</td> <td>37.70</td> <td>17.83</td> <td>64.92</td> <td>0.00</td> <td>100</td> <td>176</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10600.00</td> <td>41.29</td> <td>54.00</td> <td>-12.71</td> <td>50.68</td> <td>37.70</td> <td>17.83</td> <td>64.92</td> <td>0.00</td> <td>100</td> <td>176</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>15900.00</td> <td>46.32</td> <td>74.00</td> <td>-27.68</td> <td>47.68</td> <td>40.70</td> <td>22.43</td> <td>64.49</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	53.79	74.00	-20.21	63.18	37.70	17.83	64.92	0.00	100	176	PEAK	2	10600.00	41.29	54.00	-12.71	50.68	37.70	17.83	64.92	0.00	100	176	AVERAGE	3	15900.00	46.32	74.00	-27.68	47.68	40.70	22.43	64.49	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>56.16</td> <td>74.00</td> <td>-17.84</td> <td>65.55</td> <td>37.70</td> <td>17.83</td> <td>64.92</td> <td>0.00</td> <td>100</td> <td>2</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10600.00</td> <td>44.02</td> <td>54.00</td> <td>-9.98</td> <td>53.41</td> <td>37.70</td> <td>17.83</td> <td>64.92</td> <td>0.00</td> <td>100</td> <td>2</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>15900.00</td> <td>53.74</td> <td>74.00</td> <td>-20.26</td> <td>55.10</td> <td>40.70</td> <td>22.43</td> <td>64.49</td> <td>0.00</td> <td>164</td> <td>6</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15900.00</td> <td>42.50</td> <td>54.00</td> <td>-11.50</td> <td>43.86</td> <td>40.70</td> <td>22.43</td> <td>64.49</td> <td>0.00</td> <td>164</td> <td>6</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	56.16	74.00	-17.84	65.55	37.70	17.83	64.92	0.00	100	2	PEAK	2	10600.00	44.02	54.00	-9.98	53.41	37.70	17.83	64.92	0.00	100	2	AVERAGE	3	15900.00	53.74	74.00	-20.26	55.10	40.70	22.43	64.49	0.00	164	6	PEAK	4	15900.00	42.50	54.00	-11.50	43.86	40.70	22.43	64.49	0.00	164	6	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																												
1	10600.00	53.79	74.00	-20.21	63.18	37.70	17.83	64.92	0.00	100	176	PEAK																																																																																																																																									
2	10600.00	41.29	54.00	-12.71	50.68	37.70	17.83	64.92	0.00	100	176	AVERAGE																																																																																																																																									
3	15900.00	46.32	74.00	-27.68	47.68	40.70	22.43	64.49	0.00	--	--	PEAK																																																																																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																												
1	10600.00	56.16	74.00	-17.84	65.55	37.70	17.83	64.92	0.00	100	2	PEAK																																																																																																																																									
2	10600.00	44.02	54.00	-9.98	53.41	37.70	17.83	64.92	0.00	100	2	AVERAGE																																																																																																																																									
3	15900.00	53.74	74.00	-20.26	55.10	40.70	22.43	64.49	0.00	164	6	PEAK																																																																																																																																									
4	15900.00	42.50	54.00	-11.50	43.86	40.70	22.43	64.49	0.00	164	6	AVERAGE																																																																																																																																									



Mode	18																																																															
	Band Edge																																																															
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full RU_5320MHz																																																															
ANT	CDD 7+5																																																															
Pol.	Horizontal	Fundamental																																																														
Peak	 <table border="1" data-bbox="263 1120 798 1254"> <thead> <tr> <th rowspan="2">Limit</th> <th rowspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">Aux</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.25</td> <td>59.63</td> <td>74.00</td> <td>-14.37</td> <td>42.21</td> <td>34.60</td> <td>12.56</td> <td>29.74</td> <td>0.00</td> <td>100</td> <td>310</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg	1	5350.25	59.63	74.00	-14.37	42.21	34.60	12.56	29.74	0.00	100	310	PEAK	 <table border="1" data-bbox="901 1120 1436 1254"> <thead> <tr> <th rowspan="2">Limit</th> <th rowspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">Aux</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>107.24</td> <td>-----</td> <td>-----</td> <td>89.97</td> <td>34.47</td> <td>12.59</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>310</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg	1	5320.00	107.24	-----	-----	89.97	34.47	12.59	29.79	0.00	100	310	PEAK
	Limit										Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq		Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg																																																							
1	5350.25	59.63	74.00	-14.37	42.21	34.60	12.56	29.74	0.00	100	310	PEAK																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
									Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg																																															
1	5320.00	107.24	-----	-----	89.97	34.47	12.59	29.79	0.00	100	310	PEAK																																																				
Avg	 <table border="1" data-bbox="263 1792 798 1926"> <thead> <tr> <th rowspan="2">Limit</th> <th rowspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">Aux</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.00</td> <td>49.15</td> <td>54.00</td> <td>-4.85</td> <td>31.73</td> <td>34.60</td> <td>12.56</td> <td>29.74</td> <td>0.00</td> <td>100</td> <td>310</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg	1	5350.00	49.15	54.00	-4.85	31.73	34.60	12.56	29.74	0.00	100	310	AVERAGE	 <table border="1" data-bbox="901 1792 1436 1926"> <thead> <tr> <th rowspan="2">Limit</th> <th rowspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">Aux</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>98.17</td> <td>-----</td> <td>-----</td> <td>80.90</td> <td>34.47</td> <td>12.59</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>310</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg	1	5320.00	98.17	-----	-----	80.90	34.47	12.59	29.79	0.00	100	310	AVERAGE
Limit	Read										Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg																																																						
1	5350.00	49.15	54.00	-4.85	31.73	34.60	12.56	29.74	0.00	100	310	AVERAGE																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
									Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg																																															
1	5320.00	98.17	-----	-----	80.90	34.47	12.59	29.79	0.00	100	310	AVERAGE																																																				



Mode	18																																																																			
	Band Edge																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full RU_5320MHz																																																																			
ANT	CDD 7+5																																																																			
Pol.	Vertical	Fundamental																																																																		
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical. Peak at 5320.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5350.55</td> <td>59.90</td> <td>74.00</td> <td>-14.10</td> <td>42.47</td> <td>34.60</td> <td>12.57</td> <td>29.74</td> <td>0.00</td> <td>100</td> <td>261 PEAK</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 5350.55	59.90	74.00	-14.10	42.47	34.60	12.57	29.74	0.00	100	261 PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental. Peak at 5320.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>107.56</td> <td>90.29</td> <td>34.47</td> <td>12.59</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>261</td> <td>PEAK</td> <td></td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 5320.00	107.56	90.29	34.47	12.59	29.79	0.00	100	261	PEAK	
	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 5350.55	59.90	74.00	-14.10	42.47	34.60	12.57	29.74	0.00	100	261 PEAK																																																										
Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 5320.00	107.56	90.29	34.47	12.59	29.79	0.00	100	261	PEAK																																																											
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical. Average at 5320.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5350.00</td> <td>49.43</td> <td>54.00</td> <td>-4.57</td> <td>32.01</td> <td>34.60</td> <td>12.56</td> <td>29.74</td> <td>0.00</td> <td>100</td> <td>261 AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 5350.00	49.43	54.00	-4.57	32.01	34.60	12.56	29.74	0.00	100	261 AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental. Average at 5320.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>97.17</td> <td>79.90</td> <td>34.47</td> <td>12.59</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>261</td> <td>AVERAGE</td> <td></td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 5320.00	97.17	79.90	34.47	12.59	29.79	0.00	100	261	AVERAGE	
Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 5350.00	49.43	54.00	-4.57	32.01	34.60	12.56	29.74	0.00	100	261 AVERAGE																																																										
Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 5320.00	97.17	79.90	34.47	12.59	29.79	0.00	100	261	AVERAGE																																																											



Mode	18																																																																																																																					
	Harmonic																																																																																																																					
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full RU_5320MHz																																																																																																																					
ANT	CDD 7+5																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10640.00</td> <td>46.74</td> <td>74.00</td> <td>-27.26</td> <td>55.98</td> <td>37.74</td> <td>17.89</td> <td>64.87</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> <tr> <td>2 15960.00</td> <td>47.97</td> <td>74.00</td> <td>-26.03</td> <td>49.44</td> <td>40.82</td> <td>22.24</td> <td>64.53</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10640.00	46.74	74.00	-27.26	55.98	37.74	17.89	64.87	0.00	-- -- PEAK	2 15960.00	47.97	74.00	-26.03	49.44	40.82	22.24	64.53	0.00	-- -- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10640.00</td> <td>54.10</td> <td>74.00</td> <td>-19.90</td> <td>63.34</td> <td>37.74</td> <td>17.89</td> <td>64.87</td> <td>0.00</td> <td>100 266 PEAK</td> </tr> <tr> <td>2 10640.00</td> <td>39.00</td> <td>54.00</td> <td>-15.00</td> <td>48.24</td> <td>37.74</td> <td>17.89</td> <td>64.87</td> <td>0.00</td> <td>100 266 AVERAGE</td> </tr> <tr> <td>3 15960.00</td> <td>50.59</td> <td>74.00</td> <td>-23.41</td> <td>52.06</td> <td>40.82</td> <td>22.24</td> <td>64.53</td> <td>0.00</td> <td>192 1 PEAK</td> </tr> <tr> <td>4 15960.00</td> <td>38.28</td> <td>54.00</td> <td>-15.72</td> <td>39.74</td> <td>40.82</td> <td>22.25</td> <td>64.53</td> <td>0.00</td> <td>192 1 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10640.00	54.10	74.00	-19.90	63.34	37.74	17.89	64.87	0.00	100 266 PEAK	2 10640.00	39.00	54.00	-15.00	48.24	37.74	17.89	64.87	0.00	100 266 AVERAGE	3 15960.00	50.59	74.00	-23.41	52.06	40.82	22.24	64.53	0.00	192 1 PEAK	4 15960.00	38.28	54.00	-15.72	39.74	40.82	22.25	64.53	0.00	192 1 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1 10640.00	46.74	74.00	-27.26	55.98	37.74	17.89	64.87	0.00	-- -- PEAK																																																																																																													
2 15960.00	47.97	74.00	-26.03	49.44	40.82	22.24	64.53	0.00	-- -- PEAK																																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1 10640.00	54.10	74.00	-19.90	63.34	37.74	17.89	64.87	0.00	100 266 PEAK																																																																																																													
2 10640.00	39.00	54.00	-15.00	48.24	37.74	17.89	64.87	0.00	100 266 AVERAGE																																																																																																													
3 15960.00	50.59	74.00	-23.41	52.06	40.82	22.24	64.53	0.00	192 1 PEAK																																																																																																													
4 15960.00	38.28	54.00	-15.72	39.74	40.82	22.25	64.53	0.00	192 1 AVERAGE																																																																																																													



		19																																																																																								
Mode	Band Edge - L																																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz																																																																																									
ANT	CDD 7+5																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5147.83</td> <td>57.56</td> <td>74.00</td> <td>-16.44</td> <td>40.97</td> <td>34.20</td> <td>12.45</td> <td>30.06</td> <td>0.00</td> <td>211</td> <td>198</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5147.83	57.56	74.00	-16.44	40.97	34.20	12.45	30.06	0.00	211	198	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>107.82</td> <td>-----</td> <td>-----</td> <td>90.81</td> <td>34.30</td> <td>12.57</td> <td>29.86</td> <td>0.00</td> <td>211</td> <td>198</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5270.00	107.82	-----	-----	90.81	34.30	12.57	29.86	0.00	211	198	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5147.83	57.56	74.00	-16.44	40.97	34.20	12.45	30.06	0.00	211	198	PEAK																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5270.00	107.82	-----	-----	90.81	34.30	12.57	29.86	0.00	211	198	PEAK																																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5138.62</td> <td>46.21</td> <td>54.00</td> <td>-7.79</td> <td>29.61</td> <td>34.22</td> <td>12.45</td> <td>30.07</td> <td>0.00</td> <td>211</td> <td>198</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5138.62	46.21	54.00	-7.79	29.61	34.22	12.45	30.07	0.00	211	198	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>98.83</td> <td>-----</td> <td>-----</td> <td>81.82</td> <td>34.30</td> <td>12.57</td> <td>29.86</td> <td>0.00</td> <td>211</td> <td>198</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5270.00	98.83	-----	-----	81.82	34.30	12.57	29.86	0.00	211	198	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5138.62	46.21	54.00	-7.79	29.61	34.22	12.45	30.07	0.00	211	198	AVERAGE																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5270.00	98.83	-----	-----	81.82	34.30	12.57	29.86	0.00	211	198	AVERAGE																																																																														



Mode	19																																							
	Band Edge - R																																							
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz																																							
ANT	CDD 7+5																																							
Pol.	Horizontal	Fundamental																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.09</td> <td>63.74</td> <td>74.00</td> <td>-10.26</td> <td>46.32</td> <td>34.60</td> <td>12.56</td> <td>29.74</td> <td>0.00</td> <td>211 198 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5350.09	63.74	74.00	-10.26	46.32	34.60	12.56	29.74	0.00	211 198 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5350.09	63.74	74.00	-10.26	46.32	34.60	12.56	29.74	0.00	211 198 PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.27</td> <td>50.40</td> <td>54.00</td> <td>-3.60</td> <td>32.98</td> <td>34.60</td> <td>12.56</td> <td>29.74</td> <td>0.00</td> <td>211 198 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5350.27	50.40	54.00	-3.60	32.98	34.60	12.56	29.74	0.00	211 198 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5350.27	50.40	54.00	-3.60	32.98	34.60	12.56	29.74	0.00	211 198 AVERAGE																															



Mode	19																																																																																			
	Band Edge - L																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz																																																																																			
ANT	CDD 7+5																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5068.45</td> <td>57.28</td> <td>74.00</td> <td>-16.72</td> <td>40.85</td> <td>34.30</td> <td>12.31</td> <td>30.18</td> <td>0.00</td> <td>300</td> <td>267</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5068.45	57.28	74.00	-16.72	40.85	34.30	12.31	30.18	0.00	300	267	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>106.04</td> <td>-----</td> <td>-----</td> <td>89.08</td> <td>34.28</td> <td>12.55</td> <td>29.87</td> <td>0.00</td> <td>300</td> <td>267</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	106.04	-----	-----	89.08	34.28	12.55	29.87	0.00	300	267	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5068.45	57.28	74.00	-16.72	40.85	34.30	12.31	30.18	0.00	300	267	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5270.00	106.04	-----	-----	89.08	34.28	12.55	29.87	0.00	300	267	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5102.47</td> <td>46.02</td> <td>54.00</td> <td>-7.98</td> <td>29.41</td> <td>34.30</td> <td>12.44</td> <td>30.13</td> <td>0.00</td> <td>300</td> <td>267</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5102.47	46.02	54.00	-7.98	29.41	34.30	12.44	30.13	0.00	300	267	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>95.86</td> <td>-----</td> <td>-----</td> <td>78.81</td> <td>34.32</td> <td>12.58</td> <td>29.85</td> <td>0.00</td> <td>300</td> <td>267</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	95.86	-----	-----	78.81	34.32	12.58	29.85	0.00	300	267	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5102.47	46.02	54.00	-7.98	29.41	34.30	12.44	30.13	0.00	300	267	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5270.00	95.86	-----	-----	78.81	34.32	12.58	29.85	0.00	300	267	AVERAGE																																																																								



Mode	19																																					
	Band Edge - R																																					
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz																																					
ANT	CDD 7+5																																					
Pol.	Vertical	Fundamental																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5352.56</td> <td>64.70</td> <td>74.00</td> <td>-9.30</td> <td>47.26</td> <td>34.60</td> <td>12.58</td> <td>29.74</td> <td>0.00 300 267 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5352.56	64.70	74.00	-9.30	47.26	34.60	12.58	29.74	0.00 300 267 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																														
1 5352.56	64.70	74.00	-9.30	47.26	34.60	12.58	29.74	0.00 300 267 PEAK																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5351.02</td> <td>49.61</td> <td>54.00</td> <td>-4.39</td> <td>32.18</td> <td>34.60</td> <td>12.57</td> <td>29.74</td> <td>0.00 300 267 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5351.02	49.61	54.00	-4.39	32.18	34.60	12.57	29.74	0.00 300 267 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																														
1 5351.02	49.61	54.00	-4.39	32.18	34.60	12.57	29.74	0.00 300 267 AVERAGE																														



Mode	19																																																																																																										
	Harmonic																																																																																																										
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz																																																																																																										
ANT	CDD 7+5																																																																																																										
Pol.	Horizontal	Vertical																																																																																																									
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10540.00</td> <td>45.88</td> <td>68.20</td> <td>-22.32</td> <td>55.10</td> <td>37.70</td> <td>18.07</td> <td>64.99</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15810.00</td> <td>47.02</td> <td>74.00</td> <td>-26.98</td> <td>48.57</td> <td>40.52</td> <td>22.35</td> <td>64.42</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg	Remark	1	10540.00	45.88	68.20	-22.32	55.10	37.70	18.07	64.99	0.00	--	--	PEAK	2	15810.00	47.02	74.00	-26.98	48.57	40.52	22.35	64.42	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10540.00</td> <td>50.28</td> <td>68.20</td> <td>-17.92</td> <td>59.50</td> <td>37.70</td> <td>18.07</td> <td>64.99</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15810.00</td> <td>48.14</td> <td>74.00</td> <td>-25.86</td> <td>49.69</td> <td>40.52</td> <td>22.35</td> <td>64.42</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15810.00</td> <td>37.15</td> <td>54.00</td> <td>-16.85</td> <td>38.69</td> <td>40.54</td> <td>22.35</td> <td>64.43</td> <td>0.00</td> <td>100</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg	Remark	1	10540.00	50.28	68.20	-17.92	59.50	37.70	18.07	64.99	0.00	--	--	PEAK	2	15810.00	48.14	74.00	-25.86	49.69	40.52	22.35	64.42	0.00	100	0	PEAK	3	15810.00	37.15	54.00	-16.85	38.69	40.54	22.35	64.43	0.00	100	0	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg	Remark																																																																																																		
1	10540.00	45.88	68.20	-22.32	55.10	37.70	18.07	64.99	0.00	--	--	PEAK																																																																																															
2	15810.00	47.02	74.00	-26.98	48.57	40.52	22.35	64.42	0.00	--	--	PEAK																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg	Remark																																																																																																		
1	10540.00	50.28	68.20	-17.92	59.50	37.70	18.07	64.99	0.00	--	--	PEAK																																																																																															
2	15810.00	48.14	74.00	-25.86	49.69	40.52	22.35	64.42	0.00	100	0	PEAK																																																																																															
3	15810.00	37.15	54.00	-16.85	38.69	40.54	22.35	64.43	0.00	100	0	AVERAGE																																																																																															



Mode	20																																																																																			
	Band Edge - L																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz																																																																																			
ANT	CDD 7+5																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a blue signal line fluctuating around a red limit line. A peak is marked at 5138.17 MHz with a level of 56.79 dBuV/m. The limit line is at 65.0 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5138.17</td> <td>56.79</td> <td>74.00</td> <td>-17.21</td> <td>40.19</td> <td>34.22</td> <td>12.45</td> <td>30.07</td> <td>0.00</td> <td>240</td> <td>193</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5138.17	56.79	74.00	-17.21	40.19	34.22	12.45	30.07	0.00	240	193	PEAK	<p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a blue signal line with a sharp peak at 5310.00 MHz. The limit line is at 65.0 dBuV/m. The peak level is 101.93 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>101.93</td> <td>-----</td> <td>-----</td> <td>84.72</td> <td>34.42</td> <td>12.60</td> <td>29.81</td> <td>0.00</td> <td>240</td> <td>193</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	101.93	-----	-----	84.72	34.42	12.60	29.81	0.00	240	193	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5138.17	56.79	74.00	-17.21	40.19	34.22	12.45	30.07	0.00	240	193	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5310.00	101.93	-----	-----	84.72	34.42	12.60	29.81	0.00	240	193	PEAK																																																																								
Avg	<p>Level (dBuV/m) vs Frequency (MHz) plot for Average Horizontal polarization. The plot shows a blue signal line fluctuating around a red limit line. The limit line is at 48.0 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5100.00</td> <td>45.99</td> <td>54.00</td> <td>-8.01</td> <td>29.38</td> <td>34.30</td> <td>12.44</td> <td>30.13</td> <td>0.00</td> <td>240</td> <td>193</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5100.00	45.99	54.00	-8.01	29.38	34.30	12.44	30.13	0.00	240	193	AVERAGE	<p>Level (dBuV/m) vs Frequency (MHz) plot for Average Fundamental polarization. The plot shows a blue signal line with a sharp peak at 5310.00 MHz. The limit line is at 48.0 dBuV/m. The peak level is 93.16 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>93.16</td> <td>-----</td> <td>-----</td> <td>75.95</td> <td>34.42</td> <td>12.60</td> <td>29.81</td> <td>0.00</td> <td>240</td> <td>193</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	93.16	-----	-----	75.95	34.42	12.60	29.81	0.00	240	193	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5100.00	45.99	54.00	-8.01	29.38	34.30	12.44	30.13	0.00	240	193	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5310.00	93.16	-----	-----	75.95	34.42	12.60	29.81	0.00	240	193	AVERAGE																																																																								



Mode	20																																							
	Band Edge - R																																							
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz																																							
ANT	CDD 7+5																																							
Pol.	Horizontal	Fundamental																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5351.35</td> <td>61.42</td> <td>74.00</td> <td>-12.58</td> <td>43.99</td> <td>34.60</td> <td>12.57</td> <td>29.74</td> <td>0.00</td> <td>240 193 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5351.35	61.42	74.00	-12.58	43.99	34.60	12.57	29.74	0.00	240 193 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5351.35	61.42	74.00	-12.58	43.99	34.60	12.57	29.74	0.00	240 193 PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.15</td> <td>50.54</td> <td>54.00</td> <td>-3.46</td> <td>33.12</td> <td>34.60</td> <td>12.56</td> <td>29.74</td> <td>0.00</td> <td>240 193 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5350.15	50.54	54.00	-3.46	33.12	34.60	12.56	29.74	0.00	240 193 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5350.15	50.54	54.00	-3.46	33.12	34.60	12.56	29.74	0.00	240 193 AVERAGE																															