



Mode	20																																																																																	
	Band Edge - L																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz																																																																																	
ANT	CDD 7+5																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5137.69</td> <td>58.05</td> <td>74.00</td> <td>-15.95</td> <td>41.45</td> <td>34.22</td> <td>12.45</td> <td>30.07</td> <td>0.00</td> <td>272</td> <td>268</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5137.69	58.05	74.00	-15.95	41.45	34.22	12.45	30.07	0.00	272	268	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>102.16</td> <td>-----</td> <td>-----</td> <td>84.92</td> <td>34.44</td> <td>12.60</td> <td>29.80</td> <td>0.00</td> <td>272</td> <td>268</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5310.00	102.16	-----	-----	84.92	34.44	12.60	29.80	0.00	272	268	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5137.69	58.05	74.00	-15.95	41.45	34.22	12.45	30.07	0.00	272	268	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5310.00	102.16	-----	-----	84.92	34.44	12.60	29.80	0.00	272	268	PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5101.02</td> <td>45.99</td> <td>54.00</td> <td>-8.01</td> <td>29.38</td> <td>34.30</td> <td>12.44</td> <td>30.13</td> <td>0.00</td> <td>272</td> <td>268</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5101.02	45.99	54.00	-8.01	29.38	34.30	12.44	30.13	0.00	272	268	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>92.51</td> <td>-----</td> <td>-----</td> <td>75.27</td> <td>34.44</td> <td>12.60</td> <td>29.80</td> <td>0.00</td> <td>272</td> <td>268</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5310.00	92.51	-----	-----	75.27	34.44	12.60	29.80	0.00	272	268	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5101.02	45.99	54.00	-8.01	29.38	34.30	12.44	30.13	0.00	272	268	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5310.00	92.51	-----	-----	75.27	34.44	12.60	29.80	0.00	272	268	AVERAGE																																																																						



Mode	20																																						
	Band Edge - R																																						
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz																																						
ANT	CDD 7+5																																						
Pol.	Vertical	Fundamental																																					
Peak																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.75</td> <td>60.56</td> <td>74.00</td> <td>-13.44</td> <td>43.13</td> <td>34.60</td> <td>12.57</td> <td>29.74</td> <td>0.00</td> <td>272 268 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5350.75	60.56	74.00	-13.44	43.13	34.60	12.57	29.74	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																														
1 5350.75	60.56	74.00	-13.44	43.13	34.60	12.57	29.74	0.00	272 268 PEAK																														
Avg																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.54</td> <td>50.10</td> <td>54.00</td> <td>-3.90</td> <td>32.67</td> <td>34.60</td> <td>12.57</td> <td>29.74</td> <td>0.00</td> <td>272 268 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5350.54	50.10	54.00	-3.90	32.67	34.60	12.57	29.74	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																														
1 5350.54	50.10	54.00	-3.90	32.67	34.60	12.57	29.74	0.00	272 268 AVERAGE																														



Mode	20																																																																																																					
	Harmonic																																																																																																					
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz																																																																																																					
ANT	CDD 7+5																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10620.00</td> <td>46.52</td> <td>74.00</td> <td>-27.48</td> <td>55.83</td> <td>37.72</td> <td>17.86</td> <td>64.89</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15930.00</td> <td>45.85</td> <td>74.00</td> <td>-28.15</td> <td>47.24</td> <td>40.76</td> <td>22.36</td> <td>64.51</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10620.00	46.52	74.00	-27.48	55.83	37.72	17.86	64.89	0.00	--	--	PEAK	2	15930.00	45.85	74.00	-28.15	47.24	40.76	22.36	64.51	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10620.00</td> <td>45.43</td> <td>74.00</td> <td>-28.57</td> <td>54.74</td> <td>37.72</td> <td>17.86</td> <td>64.89</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15930.00</td> <td>46.08</td> <td>74.00</td> <td>-27.92</td> <td>47.47</td> <td>40.76</td> <td>22.36</td> <td>64.51</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10620.00	45.43	74.00	-28.57	54.74	37.72	17.86	64.89	0.00	--	--	PEAK	2	15930.00	46.08	74.00	-27.92	47.47	40.76	22.36	64.51	0.00	--	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1	10620.00	46.52	74.00	-27.48	55.83	37.72	17.86	64.89	0.00	--	--	PEAK																																																																																										
2	15930.00	45.85	74.00	-28.15	47.24	40.76	22.36	64.51	0.00	--	--	PEAK																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1	10620.00	45.43	74.00	-28.57	54.74	37.72	17.86	64.89	0.00	--	--	PEAK																																																																																										
2	15930.00	46.08	74.00	-27.92	47.47	40.76	22.36	64.51	0.00	--	--	PEAK																																																																																										







Mode	21																																																																																	
	Band Edge - L																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																																																	
ANT	CDD 7+5																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5124.09</td> <td>58.01</td> <td>74.00</td> <td>-15.99</td> <td>41.42</td> <td>34.25</td> <td>12.44</td> <td>30.10</td> <td>0.00</td> <td>241</td> <td>203</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5124.09	58.01	74.00	-15.99	41.42	34.25	12.44	30.10	0.00	241	203	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>99.16</td> <td>-----</td> <td>-----</td> <td>81.97</td> <td>34.40</td> <td>12.61</td> <td>29.82</td> <td>0.00</td> <td>241</td> <td>203</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5290.00	99.16	-----	-----	81.97	34.40	12.61	29.82	0.00	241	203	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5124.09	58.01	74.00	-15.99	41.42	34.25	12.44	30.10	0.00	241	203	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5290.00	99.16	-----	-----	81.97	34.40	12.61	29.82	0.00	241	203	PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5100.53</td> <td>46.03</td> <td>54.00</td> <td>-7.97</td> <td>29.42</td> <td>34.30</td> <td>12.44</td> <td>30.13</td> <td>0.00</td> <td>241</td> <td>203</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5100.53	46.03	54.00	-7.97	29.42	34.30	12.44	30.13	0.00	241	203	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>90.09</td> <td>-----</td> <td>-----</td> <td>72.90</td> <td>34.40</td> <td>12.61</td> <td>29.82</td> <td>0.00</td> <td>241</td> <td>203</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5290.00	90.09	-----	-----	72.90	34.40	12.61	29.82	0.00	241	203	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5100.53	46.03	54.00	-7.97	29.42	34.30	12.44	30.13	0.00	241	203	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5290.00	90.09	-----	-----	72.90	34.40	12.61	29.82	0.00	241	203	AVERAGE																																																																						



Mode	21																																							
	Band Edge - R																																							
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																							
ANT	CDD 7+5																																							
Pol.	Horizontal	Fundamental																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.15</td> <td>60.72</td> <td>74.00</td> <td>-13.28</td> <td>43.30</td> <td>34.60</td> <td>12.56</td> <td>29.74</td> <td>0.00</td> <td>241 203 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5350.15	60.72	74.00	-13.28	43.30	34.60	12.56	29.74	0.00	241 203 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5350.15	60.72	74.00	-13.28	43.30	34.60	12.56	29.74	0.00	241 203 PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.65</td> <td>50.34</td> <td>54.00</td> <td>-3.66</td> <td>32.91</td> <td>34.60</td> <td>12.57</td> <td>29.74</td> <td>0.00</td> <td>241 203 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5350.65	50.34	54.00	-3.66	32.91	34.60	12.57	29.74	0.00	241 203 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5350.65	50.34	54.00	-3.66	32.91	34.60	12.57	29.74	0.00	241 203 AVERAGE																															



		21																																																																																								
Mode	Band Edge - L																																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																																																									
ANT	CDD 7+5																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical Peak. The plot shows a blue signal line with a red limit line labeled 'U-NII-1-U-NII-2A-U-NII-2C'. A peak is visible at approximately 5290 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5101.85</td> <td>58.12</td> <td>74.00</td> <td>-15.88</td> <td>41.51</td> <td>34.30</td> <td>12.44</td> <td>30.13</td> <td>0.00</td> <td>100</td> <td>233</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5101.85	58.12	74.00	-15.88	41.51	34.30	12.44	30.13	0.00	100	233	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental Peak. The plot shows a blue signal line with a red limit line labeled 'U-NII-1-U-NII-2A-U-NII-2C'. A sharp peak is visible at 5290 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>97.06</td> <td>-----</td> <td>-----</td> <td>80.10</td> <td>34.28</td> <td>12.55</td> <td>29.87</td> <td>0.00</td> <td>100</td> <td>233</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5290.00	97.06	-----	-----	80.10	34.28	12.55	29.87	0.00	100	233	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5101.85	58.12	74.00	-15.88	41.51	34.30	12.44	30.13	0.00	100	233	PEAK																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5290.00	97.06	-----	-----	80.10	34.28	12.55	29.87	0.00	100	233	PEAK																																																																														
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical Average. The plot shows a blue signal line with a red limit line labeled 'U-NII-1-U-NII-2A-U-NII-2C(AVG)'. A peak is visible at approximately 5290 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5101.52</td> <td>45.88</td> <td>54.00</td> <td>-8.12</td> <td>29.27</td> <td>34.30</td> <td>12.44</td> <td>30.13</td> <td>0.00</td> <td>100</td> <td>233</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5101.52	45.88	54.00	-8.12	29.27	34.30	12.44	30.13	0.00	100	233	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental Average. The plot shows a blue signal line with a red limit line labeled 'U-NII-1-U-NII-2A-U-NII-2C(AVG)'. A sharp peak is visible at 5290 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>88.03</td> <td>-----</td> <td>-----</td> <td>70.93</td> <td>34.35</td> <td>12.59</td> <td>29.84</td> <td>0.00</td> <td>100</td> <td>233</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5290.00	88.03	-----	-----	70.93	34.35	12.59	29.84	0.00	100	233	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5101.52	45.88	54.00	-8.12	29.27	34.30	12.44	30.13	0.00	100	233	AVERAGE																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5290.00	88.03	-----	-----	70.93	34.35	12.59	29.84	0.00	100	233	AVERAGE																																																																														



Mode	21																																								
	Band Edge - R																																								
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																								
ANT	CDD 7+5																																								
Pol.	Vertical	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5351.85</td> <td>59.06</td> <td>74.00</td> <td>-14.94</td> <td>41.62</td> <td>34.60</td> <td>12.58</td> <td>29.74</td> <td>0.00</td> <td>100</td> <td>233 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5351.85	59.06	74.00	-14.94	41.62	34.60	12.58	29.74	0.00	100	233 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5351.85	59.06	74.00	-14.94	41.62	34.60	12.58	29.74	0.00	100	233 PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5351.45</td> <td>49.03</td> <td>54.00</td> <td>-4.97</td> <td>31.60</td> <td>34.60</td> <td>12.57</td> <td>29.74</td> <td>0.00</td> <td>100</td> <td>233 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5351.45	49.03	54.00	-4.97	31.60	34.60	12.57	29.74	0.00	100	233 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5351.45	49.03	54.00	-4.97	31.60	34.60	12.57	29.74	0.00	100	233 AVERAGE																															



Mode	21																																																																																																	
	Harmonic																																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																																																																	
ANT	CDD 7+5																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10580.00</td> <td>44.89</td> <td>68.20</td> <td>-23.31</td> <td>54.22</td> <td>37.70</td> <td>17.91</td> <td>64.94</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2 15870.00</td> <td>44.72</td> <td>74.00</td> <td>-29.28</td> <td>46.16</td> <td>40.64</td> <td>22.39</td> <td>64.47</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 10580.00	44.89	68.20	-23.31	54.22	37.70	17.91	64.94	0.00	--	--	PEAK	2 15870.00	44.72	74.00	-29.28	46.16	40.64	22.39	64.47	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10580.00</td> <td>45.80</td> <td>68.20</td> <td>-22.40</td> <td>55.13</td> <td>37.70</td> <td>17.91</td> <td>64.94</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2 15870.00</td> <td>44.42</td> <td>74.00</td> <td>-29.58</td> <td>45.86</td> <td>40.64</td> <td>22.39</td> <td>64.47</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 10580.00	45.80	68.20	-22.40	55.13	37.70	17.91	64.94	0.00	--	--	PEAK	2 15870.00	44.42	74.00	-29.58	45.86	40.64	22.39	64.47	0.00	--	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 10580.00	44.89	68.20	-23.31	54.22	37.70	17.91	64.94	0.00	--	--	PEAK																																																																																							
2 15870.00	44.72	74.00	-29.28	46.16	40.64	22.39	64.47	0.00	--	--	PEAK																																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 10580.00	45.80	68.20	-22.40	55.13	37.70	17.91	64.94	0.00	--	--	PEAK																																																																																							
2 15870.00	44.42	74.00	-29.58	45.86	40.64	22.39	64.47	0.00	--	--	PEAK																																																																																							







Mode	22																																																																																			
	Band Edge - L																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full RU_5250MHz																																																																																			
ANT	CDD 7+5																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5117.88</td> <td>58.23</td> <td>74.00</td> <td>-15.77</td> <td>41.63</td> <td>34.26</td> <td>12.44</td> <td>30.10</td> <td>0.00</td> <td>149</td> <td>334</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5117.88	58.23	74.00	-15.77	41.63	34.26	12.44	30.10	0.00	149	334	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>95.40</td> <td>-----</td> <td>-----</td> <td>78.35</td> <td>34.32</td> <td>12.58</td> <td>29.85</td> <td>0.00</td> <td>149</td> <td>334</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	95.40	-----	-----	78.35	34.32	12.58	29.85	0.00	149	334	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5117.88	58.23	74.00	-15.77	41.63	34.26	12.44	30.10	0.00	149	334	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5250.00	95.40	-----	-----	78.35	34.32	12.58	29.85	0.00	149	334	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5107.12</td> <td>47.37</td> <td>54.00</td> <td>-6.63</td> <td>30.76</td> <td>34.29</td> <td>12.44</td> <td>30.12</td> <td>0.00</td> <td>149</td> <td>334</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5107.12	47.37	54.00	-6.63	30.76	34.29	12.44	30.12	0.00	149	334	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>86.83</td> <td>-----</td> <td>-----</td> <td>69.82</td> <td>34.30</td> <td>12.57</td> <td>29.86</td> <td>0.00</td> <td>149</td> <td>334</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	86.83	-----	-----	69.82	34.30	12.57	29.86	0.00	149	334	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5107.12	47.37	54.00	-6.63	30.76	34.29	12.44	30.12	0.00	149	334	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5250.00	86.83	-----	-----	69.82	34.30	12.57	29.86	0.00	149	334	AVERAGE																																																																								



Mode	22																																										
	Band Edge - R																																										
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full RU_5250MHz																																										
ANT	CDD 7+5																																										
Pol.	Horizontal	Fundamental																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5369.39</td> <td>61.68</td> <td>74.00</td> <td>-12.32</td> <td>44.05</td> <td>34.60</td> <td>12.74</td> <td>29.71</td> <td>0.00</td> <td>149</td> <td>334</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5369.39	61.68	74.00	-12.32	44.05	34.60	12.74	29.71	0.00	149	334	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5369.39	61.68	74.00	-12.32	44.05	34.60	12.74	29.71	0.00	149	334	PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5399.86</td> <td>50.18</td> <td>54.00</td> <td>-3.82</td> <td>32.21</td> <td>34.60</td> <td>13.03</td> <td>29.66</td> <td>0.00</td> <td>149</td> <td>334</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5399.86	50.18	54.00	-3.82	32.21	34.60	13.03	29.66	0.00	149	334	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5399.86	50.18	54.00	-3.82	32.21	34.60	13.03	29.66	0.00	149	334	AVERAGE																															



Mode	22																																																																																							
	Band Edge - L																																																																																							
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full RU_5250MHz																																																																																							
ANT	CDD 7+5																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5097.63</td> <td>58.16</td> <td>74.00</td> <td>-15.84</td> <td>41.57</td> <td>34.30</td> <td>12.43</td> <td>30.14</td> <td>0.00</td> <td>101</td> <td>232</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB			1	5097.63	58.16	74.00	-15.84	41.57	34.30	12.43	30.14	0.00	101	232	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>96.06</td> <td>-----</td> <td>-----</td> <td>79.19</td> <td>34.23</td> <td>12.53</td> <td>29.89</td> <td>0.00</td> <td>101</td> <td>232</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB			1	5250.00	96.06	-----	-----	79.19	34.23	12.53	29.89	0.00	101	232	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																	
1	5097.63	58.16	74.00	-15.84	41.57	34.30	12.43	30.14	0.00	101	232	PEAK																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																	
1	5250.00	96.06	-----	-----	79.19	34.23	12.53	29.89	0.00	101	232	PEAK																																																																												
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5110.10</td> <td>46.97</td> <td>54.00</td> <td>-7.03</td> <td>30.37</td> <td>34.28</td> <td>12.44</td> <td>30.12</td> <td>0.00</td> <td>101</td> <td>232</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB			1	5110.10	46.97	54.00	-7.03	30.37	34.28	12.44	30.12	0.00	101	232	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>85.14</td> <td>-----</td> <td>-----</td> <td>68.04</td> <td>34.35</td> <td>12.59</td> <td>29.84</td> <td>0.00</td> <td>101</td> <td>232</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB			1	5250.00	85.14	-----	-----	68.04	34.35	12.59	29.84	0.00	101	232	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																	
1	5110.10	46.97	54.00	-7.03	30.37	34.28	12.44	30.12	0.00	101	232	AVERAGE																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																	
1	5250.00	85.14	-----	-----	68.04	34.35	12.59	29.84	0.00	101	232	AVERAGE																																																																												



Mode	22																																																																
	Band Edge - R																																																																
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full RU_5250MHz																																																																
ANT	CDD 7+5																																																																
Pol.	Vertical	Fundamental																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5368.76</td> <td>61.09</td> <td>74.00</td> <td>-12.91</td> <td>43.46</td> <td>34.60</td> <td>12.74</td> <td>29.71</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>101</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>232</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5368.76	61.09	74.00	-12.91	43.46	34.60	12.74	29.71	0.00									101									232									PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																									
1 5368.76	61.09	74.00	-12.91	43.46	34.60	12.74	29.71	0.00																																																									
								101																																																									
								232																																																									
								PEAK																																																									
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5390.28</td> <td>50.79</td> <td>54.00</td> <td>-3.21</td> <td>32.93</td> <td>34.60</td> <td>12.94</td> <td>29.68</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>101</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>232</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5390.28	50.79	54.00	-3.21	32.93	34.60	12.94	29.68	0.00									101									232									AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																									
1 5390.28	50.79	54.00	-3.21	32.93	34.60	12.94	29.68	0.00																																																									
								101																																																									
								232																																																									
								AVERAGE																																																									



Mode	22																																																																																																													
	Harmonic																																																																																																													
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full RU_5250MHz																																																																																																													
ANT	CDD 7+5																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10500.00</td> <td>46.55</td> <td>68.20</td> <td>-21.65</td> <td>55.68</td> <td>37.70</td> <td>18.20</td> <td>65.03</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15750.00</td> <td>47.35</td> <td>74.00</td> <td>-26.65</td> <td>49.00</td> <td>40.45</td> <td>22.20</td> <td>64.38</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10500.00	46.55	68.20	-21.65	55.68	37.70	18.20	65.03	0.00	--	--	PEAK	2	15750.00	47.35	74.00	-26.65	49.00	40.45	22.20	64.38	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10500.00</td> <td>46.55</td> <td>68.20</td> <td>-21.65</td> <td>55.68</td> <td>37.70</td> <td>18.20</td> <td>65.03</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15750.00</td> <td>47.05</td> <td>74.00</td> <td>-26.95</td> <td>48.78</td> <td>40.45</td> <td>22.20</td> <td>64.38</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10500.00	46.55	68.20	-21.65	55.68	37.70	18.20	65.03	0.00	--	--	PEAK	2	15750.00	47.05	74.00	-26.95	48.78	40.45	22.20	64.38	0.00	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	10500.00	46.55	68.20	-21.65	55.68	37.70	18.20	65.03	0.00	--	--	PEAK																																																																																																		
2	15750.00	47.35	74.00	-26.65	49.00	40.45	22.20	64.38	0.00	--	--	PEAK																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	10500.00	46.55	68.20	-21.65	55.68	37.70	18.20	65.03	0.00	--	--	PEAK																																																																																																		
2	15750.00	47.05	74.00	-26.95	48.78	40.45	22.20	64.38	0.00	--	--	PEAK																																																																																																		
Peak Avg																																																																																																														



Mode	22																																																																																																																																																																																													
	LF																																																																																																																																																																																													
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full RU_5250MHz																																																																																																																																																																																													
ANT	CDD 7+5																																																																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>31.94</td><td>31.75</td><td>40.00</td><td>-8.25</td><td>39.40</td><td>24.03</td><td>0.52</td><td>32.20</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>149.31</td><td>20.08</td><td>43.50</td><td>-23.42</td><td>33.37</td><td>17.05</td><td>1.76</td><td>32.10</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>322.94</td><td>21.72</td><td>46.00</td><td>-24.28</td><td>31.56</td><td>19.68</td><td>2.63</td><td>32.15</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>471.35</td><td>23.72</td><td>46.00</td><td>-22.28</td><td>29.62</td><td>23.22</td><td>3.16</td><td>32.28</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>727.43</td><td>27.24</td><td>46.00</td><td>-18.76</td><td>28.24</td><td>27.31</td><td>3.94</td><td>32.25</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>988.36</td><td>31.49</td><td>54.00</td><td>-22.51</td><td>28.88</td><td>30.16</td><td>4.57</td><td>32.12</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	31.94	31.75	40.00	-8.25	39.40	24.03	0.52	32.20	---	---	Peak	2	149.31	20.08	43.50	-23.42	33.37	17.05	1.76	32.10	---	---	Peak	3	322.94	21.72	46.00	-24.28	31.56	19.68	2.63	32.15	---	---	Peak	4	471.35	23.72	46.00	-22.28	29.62	23.22	3.16	32.28	---	---	Peak	5	727.43	27.24	46.00	-18.76	28.24	27.31	3.94	32.25	---	---	Peak	6	988.36	31.49	54.00	-22.51	28.88	30.16	4.57	32.12	---	---	Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>30.00</td><td>20.82</td><td>40.00</td><td>-19.18</td><td>27.44</td><td>25.08</td><td>0.50</td><td>32.20</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>209.45</td><td>20.94</td><td>43.50</td><td>-22.56</td><td>36.01</td><td>14.94</td><td>2.11</td><td>32.12</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>321.00</td><td>25.61</td><td>46.00</td><td>-20.39</td><td>35.50</td><td>19.63</td><td>2.62</td><td>32.14</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>554.77</td><td>24.48</td><td>46.00</td><td>-21.52</td><td>27.95</td><td>25.40</td><td>3.43</td><td>32.30</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>747.00</td><td>27.72</td><td>46.00</td><td>-18.28</td><td>27.99</td><td>28.04</td><td>3.99</td><td>32.30</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>955.38</td><td>30.83</td><td>46.00</td><td>-15.17</td><td>28.76</td><td>29.77</td><td>4.49</td><td>32.19</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	30.00	20.82	40.00	-19.18	27.44	25.08	0.50	32.20	---	---	Peak	2	209.45	20.94	43.50	-22.56	36.01	14.94	2.11	32.12	---	---	Peak	3	321.00	25.61	46.00	-20.39	35.50	19.63	2.62	32.14	---	---	Peak	4	554.77	24.48	46.00	-21.52	27.95	25.40	3.43	32.30	---	---	Peak	5	747.00	27.72	46.00	-18.28	27.99	28.04	3.99	32.30	---	---	Peak	6	955.38	30.83	46.00	-15.17	28.76	29.77	4.49	32.19	---	---	Peak
Peak	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																				
1	31.94	31.75	40.00	-8.25	39.40	24.03	0.52	32.20	---	---	Peak																																																																																																																																																																																			
2	149.31	20.08	43.50	-23.42	33.37	17.05	1.76	32.10	---	---	Peak																																																																																																																																																																																			
3	322.94	21.72	46.00	-24.28	31.56	19.68	2.63	32.15	---	---	Peak																																																																																																																																																																																			
4	471.35	23.72	46.00	-22.28	29.62	23.22	3.16	32.28	---	---	Peak																																																																																																																																																																																			
5	727.43	27.24	46.00	-18.76	28.24	27.31	3.94	32.25	---	---	Peak																																																																																																																																																																																			
6	988.36	31.49	54.00	-22.51	28.88	30.16	4.57	32.12	---	---	Peak																																																																																																																																																																																			
Peak	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																				
1	30.00	20.82	40.00	-19.18	27.44	25.08	0.50	32.20	---	---	Peak																																																																																																																																																																																			
2	209.45	20.94	43.50	-22.56	36.01	14.94	2.11	32.12	---	---	Peak																																																																																																																																																																																			
3	321.00	25.61	46.00	-20.39	35.50	19.63	2.62	32.14	---	---	Peak																																																																																																																																																																																			
4	554.77	24.48	46.00	-21.52	27.95	25.40	3.43	32.30	---	---	Peak																																																																																																																																																																																			
5	747.00	27.72	46.00	-18.28	27.99	28.04	3.99	32.30	---	---	Peak																																																																																																																																																																																			
6	955.38	30.83	46.00	-15.17	28.76	29.77	4.49	32.19	---	---	Peak																																																																																																																																																																																			



Mode	23																																																																																											
	Band Edge																																																																																											
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial_26/8RU_5320MHz																																																																																											
ANT	CDD 7+5																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5376.25</td> <td>56.62</td> <td>74.00</td> <td>-17.38</td> <td>38.91</td> <td>34.60</td> <td>12.81</td> <td>29.70</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>199 204 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5376.25	56.62	74.00	-17.38	38.91	34.60	12.81	29.70	0.00									199 204 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>109.55</td> <td>-----</td> <td>-----</td> <td>92.25</td> <td>34.49</td> <td>12.59</td> <td>29.70</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>199 204 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5320.00	109.55	-----	-----	92.25	34.49	12.59	29.70	0.00									199 204 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																				
1 5376.25	56.62	74.00	-17.38	38.91	34.60	12.81	29.70	0.00																																																																																				
								199 204 PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																				
1 5320.00	109.55	-----	-----	92.25	34.49	12.59	29.70	0.00																																																																																				
								199 204 PEAK																																																																																				
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5398.75</td> <td>45.24</td> <td>54.00</td> <td>-8.76</td> <td>27.29</td> <td>34.60</td> <td>13.02</td> <td>29.67</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>199 204 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5398.75	45.24	54.00	-8.76	27.29	34.60	13.02	29.67	0.00									199 204 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>101.35</td> <td>-----</td> <td>-----</td> <td>84.04</td> <td>34.51</td> <td>12.58</td> <td>29.78</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>199 204 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5320.00	101.35	-----	-----	84.04	34.51	12.58	29.78	0.00									199 204 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																				
1 5398.75	45.24	54.00	-8.76	27.29	34.60	13.02	29.67	0.00																																																																																				
								199 204 AVERAGE																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																				
1 5320.00	101.35	-----	-----	84.04	34.51	12.58	29.78	0.00																																																																																				
								199 204 AVERAGE																																																																																				



Mode	23																																																																																											
	Band Edge																																																																																											
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial_26/8RU_5320MHz																																																																																											
ANT	CDD 7+5																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5377.15</td> <td>56.52</td> <td>74.00</td> <td>-17.48</td> <td>38.80</td> <td>34.60</td> <td>12.82</td> <td>29.70</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>242 261 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5377.15	56.52	74.00	-17.48	38.80	34.60	12.82	29.70	0.00									242 261 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>108.04</td> <td>-----</td> <td>-----</td> <td>90.74</td> <td>34.49</td> <td>12.59</td> <td>29.78</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>242 261 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5320.00	108.04	-----	-----	90.74	34.49	12.59	29.78	0.00									242 261 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 5377.15	56.52	74.00	-17.48	38.80	34.60	12.82	29.70	0.00																																																																																				
								242 261 PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 5320.00	108.04	-----	-----	90.74	34.49	12.59	29.78	0.00																																																																																				
								242 261 PEAK																																																																																				
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5399.15</td> <td>45.24</td> <td>54.00</td> <td>-8.76</td> <td>27.29</td> <td>34.60</td> <td>13.02</td> <td>29.67</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>242 261 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5399.15	45.24	54.00	-8.76	27.29	34.60	13.02	29.67	0.00									242 261 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>100.02</td> <td>-----</td> <td>-----</td> <td>82.72</td> <td>34.49</td> <td>12.59</td> <td>29.78</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>242 261 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5320.00	100.02	-----	-----	82.72	34.49	12.59	29.78	0.00									242 261 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 5399.15	45.24	54.00	-8.76	27.29	34.60	13.02	29.67	0.00																																																																																				
								242 261 AVERAGE																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 5320.00	100.02	-----	-----	82.72	34.49	12.59	29.78	0.00																																																																																				
								242 261 AVERAGE																																																																																				







Mode	24																																																																																																																	
	Band Edge																																																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial_52/40RU_5320MHz																																																																																																																	
ANT	CDD 7+5																																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5380.15</td> <td>57.24</td> <td>74.00</td> <td>-16.76</td> <td>39.50</td> <td>34.60</td> <td>12.84</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>29.70</td> <td>0.00</td> <td>190</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>204</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5380.15	57.24	74.00	-16.76	39.50	34.60	12.84						29.70	0.00	190								204								PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>108.85</td> <td>-----</td> <td>-----</td> <td>91.52</td> <td>34.52</td> <td>12.58</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>29.77</td> <td>0.00</td> <td>190</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>204</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	108.85	-----	-----	91.52	34.52	12.58						29.77	0.00	190								204								PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1	5380.15	57.24	74.00	-16.76	39.50	34.60	12.84																																																																																																											
					29.70	0.00	190																																																																																																											
							204																																																																																																											
							PEAK																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1	5320.00	108.85	-----	-----	91.52	34.52	12.58																																																																																																											
					29.77	0.00	190																																																																																																											
							204																																																																																																											
							PEAK																																																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5398.84</td> <td>45.36</td> <td>54.00</td> <td>-8.64</td> <td>27.41</td> <td>34.60</td> <td>13.02</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>29.67</td> <td>0.00</td> <td>190</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>204</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5398.84	45.36	54.00	-8.64	27.41	34.60	13.02						29.67	0.00	190								204								AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>101.60</td> <td>-----</td> <td>-----</td> <td>84.30</td> <td>34.49</td> <td>12.59</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>29.78</td> <td>0.00</td> <td>190</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>204</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	101.60	-----	-----	84.30	34.49	12.59						29.78	0.00	190								204								AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1	5398.84	45.36	54.00	-8.64	27.41	34.60	13.02																																																																																																											
					29.67	0.00	190																																																																																																											
							204																																																																																																											
							AVERAGE																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1	5320.00	101.60	-----	-----	84.30	34.49	12.59																																																																																																											
					29.78	0.00	190																																																																																																											
							204																																																																																																											
							AVERAGE																																																																																																											



Mode	24																																																																													
	Band Edge																																																																													
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial_52/40RU_5320MHz																																																																													
ANT	CDD 7+5																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5361.25</td> <td>56.49</td> <td>74.00</td> <td>-17.51</td> <td>38.94</td> <td>34.60</td> <td>12.67</td> <td>29.72</td> <td>0.00</td> <td>254 268 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5361.25	56.49	74.00	-17.51	38.94	34.60	12.67	29.72	0.00	254 268 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>107.79</td> <td>-----</td> <td>-----</td> <td>90.49</td> <td>34.49</td> <td>12.59</td> <td>29.78</td> <td>0.00</td> <td>254 268 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	107.79	-----	-----	90.49	34.49	12.59	29.78	0.00	254 268 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5361.25	56.49	74.00	-17.51	38.94	34.60	12.67	29.72	0.00	254 268 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5320.00	107.79	-----	-----	90.49	34.49	12.59	29.78	0.00	254 268 PEAK																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5399.63</td> <td>45.32</td> <td>54.00</td> <td>-8.68</td> <td>27.36</td> <td>34.60</td> <td>13.03</td> <td>29.67</td> <td>0.00</td> <td>254 268 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5399.63	45.32	54.00	-8.68	27.36	34.60	13.03	29.67	0.00	254 268 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>100.36</td> <td>-----</td> <td>-----</td> <td>83.06</td> <td>34.49</td> <td>12.59</td> <td>29.78</td> <td>0.00</td> <td>254 268 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	100.36	-----	-----	83.06	34.49	12.59	29.78	0.00	254 268 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5399.63	45.32	54.00	-8.68	27.36	34.60	13.03	29.67	0.00	254 268 AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5320.00	100.36	-----	-----	83.06	34.49	12.59	29.78	0.00	254 268 AVERAGE																																																																					



Mode	25																																																																																							
	Band Edge																																																																																							
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial_106/54RU_5320MHz																																																																																							
ANT	CDD 7+5																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.05</td> <td>56.55</td> <td>74.00</td> <td>-17.45</td> <td>39.12</td> <td>34.60</td> <td>12.57</td> <td>29.74</td> <td>0.00</td> <td>243</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5351.05	56.55	74.00	-17.45	39.12	34.60	12.57	29.74	0.00	243	0 PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>108.12</td> <td>-----</td> <td>-----</td> <td>90.82</td> <td>34.49</td> <td>12.59</td> <td>29.78</td> <td>0.00</td> <td>243</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	108.12	-----	-----	90.82	34.49	12.59	29.78	0.00	243	0 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5351.05	56.55	74.00	-17.45	39.12	34.60	12.57	29.74	0.00	243	0 PEAK																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5320.00	108.12	-----	-----	90.82	34.49	12.59	29.78	0.00	243	0 PEAK																																																																													
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5399.35</td> <td>45.26</td> <td>54.00</td> <td>-8.74</td> <td>27.31</td> <td>34.60</td> <td>13.02</td> <td>29.67</td> <td>0.00</td> <td>243</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5399.35	45.26	54.00	-8.74	27.31	34.60	13.02	29.67	0.00	243	0 AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>100.44</td> <td>-----</td> <td>-----</td> <td>83.15</td> <td>34.49</td> <td>12.59</td> <td>29.79</td> <td>0.00</td> <td>243</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	100.44	-----	-----	83.15	34.49	12.59	29.79	0.00	243	0 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5399.35	45.26	54.00	-8.74	27.31	34.60	13.02	29.67	0.00	243	0 AVERAGE																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5320.00	100.44	-----	-----	83.15	34.49	12.59	29.79	0.00	243	0 AVERAGE																																																																													







Mode	25																																																																													
	Band Edge																																																																													
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial_106/54RU_5320MHz																																																																													
ANT	CDD 7+5																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5360.35</td> <td>57.83</td> <td>74.00</td> <td>-16.17</td> <td>40.30</td> <td>34.60</td> <td>12.66</td> <td>29.73</td> <td>0.00</td> <td>270 274 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5360.35	57.83	74.00	-16.17	40.30	34.60	12.66	29.73	0.00	270 274 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>108.72</td> <td>-----</td> <td>-----</td> <td>91.39</td> <td>34.52</td> <td>12.58</td> <td>29.77</td> <td>0.00</td> <td>270 274 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	108.72	-----	-----	91.39	34.52	12.58	29.77	0.00	270 274 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5360.35	57.83	74.00	-16.17	40.30	34.60	12.66	29.73	0.00	270 274 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5320.00	108.72	-----	-----	91.39	34.52	12.58	29.77	0.00	270 274 PEAK																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.00</td> <td>45.48</td> <td>54.00</td> <td>-8.52</td> <td>28.06</td> <td>34.60</td> <td>12.56</td> <td>29.74</td> <td>0.00</td> <td>270 274 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5350.00	45.48	54.00	-8.52	28.06	34.60	12.56	29.74	0.00	270 274 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>100.44</td> <td>-----</td> <td>-----</td> <td>83.17</td> <td>34.47</td> <td>12.59</td> <td>29.79</td> <td>0.00</td> <td>270 274 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	100.44	-----	-----	83.17	34.47	12.59	29.79	0.00	270 274 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5350.00	45.48	54.00	-8.52	28.06	34.60	12.56	29.74	0.00	270 274 AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5320.00	100.44	-----	-----	83.17	34.47	12.59	29.79	0.00	270 274 AVERAGE																																																																					



Mode	26																																																																																																
	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																
ANT	CDD 7+5																																																																																																
Pol.	Horizontal	Fundamental																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.01</td> <td>56.65</td> <td>74.00</td> <td>-17.35</td> <td>38.81</td> <td>34.60</td> <td>12.82</td> <td>29.58</td> <td>0.00</td> <td>100</td> <td>177</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5466.57</td> <td>59.54</td> <td>68.20</td> <td>-8.66</td> <td>41.61</td> <td>34.60</td> <td>12.89</td> <td>29.56</td> <td>0.00</td> <td>100</td> <td>177</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.01	56.65	74.00	-17.35	38.81	34.60	12.82	29.58	0.00	100	177	PEAK	2	5466.57	59.54	68.20	-8.66	41.61	34.60	12.89	29.56	0.00	100	177	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>108.97</td> <td>-----</td> <td>-----</td> <td>90.82</td> <td>34.60</td> <td>13.06</td> <td>29.51</td> <td>0.00</td> <td>100</td> <td>177</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	108.97	-----	-----	90.82	34.60	13.06	29.51	0.00	100	177	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5456.01	56.65	74.00	-17.35	38.81	34.60	12.82	29.58	0.00	100	177	PEAK																																																																																					
2	5466.57	59.54	68.20	-8.66	41.61	34.60	12.89	29.56	0.00	100	177	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	108.97	-----	-----	90.82	34.60	13.06	29.51	0.00	100	177	PEAK																																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5460.00</td> <td>47.37</td> <td>54.00</td> <td>-6.63</td> <td>29.49</td> <td>34.60</td> <td>12.85</td> <td>29.57</td> <td>0.00</td> <td>100</td> <td>177</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	47.37	54.00	-6.63	29.49	34.60	12.85	29.57	0.00	100	177	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>101.53</td> <td>-----</td> <td>-----</td> <td>83.38</td> <td>34.60</td> <td>13.06</td> <td>29.51</td> <td>0.00</td> <td>100</td> <td>177</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	101.53	-----	-----	83.38	34.60	13.06	29.51	0.00	100	177	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5460.00	47.37	54.00	-6.63	29.49	34.60	12.85	29.57	0.00	100	177	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	101.53	-----	-----	83.38	34.60	13.06	29.51	0.00	100	177	AVERAGE																																																																																					



Mode	26																																																																																																
	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																
ANT	CDD 7+5																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5450.89</td> <td>57.36</td> <td>74.00</td> <td>-16.64</td> <td>39.55</td> <td>34.60</td> <td>12.80</td> <td>29.59</td> <td>0.00</td> <td>100</td> <td>231</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.61</td> <td>60.15</td> <td>68.20</td> <td>-8.05</td> <td>42.21</td> <td>34.60</td> <td>12.90</td> <td>29.56</td> <td>0.00</td> <td>100</td> <td>231</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.89	57.36	74.00	-16.64	39.55	34.60	12.80	29.59	0.00	100	231	PEAK	2	5469.61	60.15	68.20	-8.05	42.21	34.60	12.90	29.56	0.00	100	231	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>108.19</td> <td>-----</td> <td>-----</td> <td>90.08</td> <td>34.60</td> <td>13.03</td> <td>29.52</td> <td>0.00</td> <td>100</td> <td>231</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	108.19	-----	-----	90.08	34.60	13.03	29.52	0.00	100	231	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5450.89	57.36	74.00	-16.64	39.55	34.60	12.80	29.59	0.00	100	231	PEAK																																																																																					
2	5469.61	60.15	68.20	-8.05	42.21	34.60	12.90	29.56	0.00	100	231	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	108.19	-----	-----	90.08	34.60	13.03	29.52	0.00	100	231	PEAK																																																																																					
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.83</td> <td>47.45</td> <td>54.00</td> <td>-6.55</td> <td>29.57</td> <td>34.60</td> <td>12.85</td> <td>29.57</td> <td>0.00</td> <td>100</td> <td>231</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.83	47.45	54.00	-6.55	29.57	34.60	12.85	29.57	0.00	100	231	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>100.03</td> <td>-----</td> <td>-----</td> <td>81.84</td> <td>34.61</td> <td>13.08</td> <td>29.50</td> <td>0.00</td> <td>100</td> <td>231</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	100.03	-----	-----	81.84	34.61	13.08	29.50	0.00	100	231	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5459.83	47.45	54.00	-6.55	29.57	34.60	12.85	29.57	0.00	100	231	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	100.03	-----	-----	81.84	34.61	13.08	29.50	0.00	100	231	AVERAGE																																																																																					



Mode	26																																																																																																													
	Harmonic																																																																																																													
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																													
ANT	CDD 7+5																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11000.00</td> <td>47.01</td> <td>74.00</td> <td>-26.99</td> <td>55.19</td> <td>38.20</td> <td>18.08</td> <td>64.46</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2 16500.00</td> <td>49.36</td> <td>68.20</td> <td>-18.84</td> <td>49.49</td> <td>41.50</td> <td>22.89</td> <td>64.52</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11000.00	47.01	74.00	-26.99	55.19	38.20	18.08	64.46	0.00	--	--	PEAK	2 16500.00	49.36	68.20	-18.84	49.49	41.50	22.89	64.52	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11000.00</td> <td>48.40</td> <td>74.00</td> <td>-25.60</td> <td>56.58</td> <td>38.20</td> <td>18.08</td> <td>64.46</td> <td>0.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2 11000.00</td> <td>37.14</td> <td>54.00</td> <td>-16.86</td> <td>45.31</td> <td>38.20</td> <td>18.08</td> <td>64.45</td> <td>0.00</td> <td>100</td> <td>360</td> <td>AVERAGE</td> </tr> <tr> <td>3 16500.00</td> <td>48.22</td> <td>68.20</td> <td>-19.98</td> <td>48.38</td> <td>41.49</td> <td>22.87</td> <td>64.52</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11000.00	48.40	74.00	-25.60	56.58	38.20	18.08	64.46	0.00	100	360	PEAK	2 11000.00	37.14	54.00	-16.86	45.31	38.20	18.08	64.45	0.00	100	360	AVERAGE	3 16500.00	48.22	68.20	-19.98	48.38	41.49	22.87	64.52	0.00	--	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1 11000.00	47.01	74.00	-26.99	55.19	38.20	18.08	64.46	0.00	--	--	PEAK																																																																																																			
2 16500.00	49.36	68.20	-18.84	49.49	41.50	22.89	64.52	0.00	--	--	PEAK																																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1 11000.00	48.40	74.00	-25.60	56.58	38.20	18.08	64.46	0.00	100	360	PEAK																																																																																																			
2 11000.00	37.14	54.00	-16.86	45.31	38.20	18.08	64.45	0.00	100	360	AVERAGE																																																																																																			
3 16500.00	48.22	68.20	-19.98	48.38	41.49	22.87	64.52	0.00	--	--	PEAK																																																																																																			



Mode	27																																																																																																																																		
	Harmonic																																																																																																																																		
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																																																		
ANT	CDD 7+5																																																																																																																																		
Pol.	Horizontal	Vertical																																																																																																																																	
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11160.00</td> <td>48.31</td> <td>74.00</td> <td>-25.69</td> <td>56.00</td> <td>38.36</td> <td>18.22</td> <td>64.27</td> <td>0.00</td> <td>300</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2 11160.00</td> <td>37.34</td> <td>54.00</td> <td>-16.66</td> <td>45.03</td> <td>38.36</td> <td>18.22</td> <td>64.27</td> <td>0.00</td> <td>300</td> <td>360</td> <td>AVERAGE</td> </tr> <tr> <td>3 16740.00</td> <td>48.27</td> <td>68.20</td> <td>-19.93</td> <td>47.87</td> <td>41.94</td> <td>22.96</td> <td>64.50</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11160.00	48.31	74.00	-25.69	56.00	38.36	18.22	64.27	0.00	300	360	PEAK	2 11160.00	37.34	54.00	-16.66	45.03	38.36	18.22	64.27	0.00	300	360	AVERAGE	3 16740.00	48.27	68.20	-19.93	47.87	41.94	22.96	64.50	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11160.00</td> <td>51.28</td> <td>74.00</td> <td>-22.72</td> <td>58.97</td> <td>38.36</td> <td>18.22</td> <td>64.27</td> <td>0.00</td> <td>332</td> <td>33</td> <td>PEAK</td> </tr> <tr> <td>2 11160.00</td> <td>40.87</td> <td>54.00</td> <td>-13.13</td> <td>48.56</td> <td>38.36</td> <td>18.22</td> <td>64.27</td> <td>0.00</td> <td>332</td> <td>33</td> <td>AVERAGE</td> </tr> <tr> <td>3 16740.00</td> <td>48.28</td> <td>68.20</td> <td>-19.92</td> <td>47.89</td> <td>41.94</td> <td>22.95</td> <td>64.50</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11160.00	51.28	74.00	-22.72	58.97	38.36	18.22	64.27	0.00	332	33	PEAK	2 11160.00	40.87	54.00	-13.13	48.56	38.36	18.22	64.27	0.00	332	33	AVERAGE	3 16740.00	48.28	68.20	-19.92	47.89	41.94	22.95	64.50	0.00	--	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1 11160.00	48.31	74.00	-25.69	56.00	38.36	18.22	64.27	0.00	300	360	PEAK																																																																																																																								
2 11160.00	37.34	54.00	-16.66	45.03	38.36	18.22	64.27	0.00	300	360	AVERAGE																																																																																																																								
3 16740.00	48.27	68.20	-19.93	47.87	41.94	22.96	64.50	0.00	--	--	PEAK																																																																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 11160.00	51.28	74.00	-22.72	58.97	38.36	18.22	64.27	0.00	332	33	PEAK																																																																																																																								
2 11160.00	40.87	54.00	-13.13	48.56	38.36	18.22	64.27	0.00	332	33	AVERAGE																																																																																																																								
3 16740.00	48.28	68.20	-19.92	47.89	41.94	22.95	64.50	0.00	--	--	PEAK																																																																																																																								



Mode	28																																																																																																	
	Band Edge																																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																	
ANT	CDD 7+5																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5727.12</td> <td>64.33</td> <td>68.20</td> <td>-3.87</td> <td>46.09</td> <td>34.65</td> <td>13.32</td> <td>29.73</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>165 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5727.12	64.33	68.20	-3.87	46.09	34.65	13.32	29.73							0.00	100								165 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>107.15</td> <td>-----</td> <td>-----</td> <td>89.05</td> <td>34.59</td> <td>13.08</td> <td>29.57</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>165 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	107.15	-----	-----	89.05	34.59	13.08	29.57							0.00	100								165 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5727.12	64.33	68.20	-3.87	46.09	34.65	13.32	29.73																																																																																											
						0.00	100																																																																																											
							165 PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5700.00	107.15	-----	-----	89.05	34.59	13.08	29.57																																																																																											
						0.00	100																																																																																											
							165 PEAK																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>98.87</td> <td>-----</td> <td>-----</td> <td>80.77</td> <td>34.59</td> <td>13.08</td> <td>29.57</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>165 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	98.87	-----	-----	80.77	34.59	13.08	29.57							0.00	100								165 AVERAGE																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5700.00	98.87	-----	-----	80.77	34.59	13.08	29.57																																																																																											
						0.00	100																																																																																											
							165 AVERAGE																																																																																											



Mode	28																																																																											
	Band Edge																																																																											
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																											
ANT	CDD 7+5																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5726.64</td> <td>61.60</td> <td>68.20</td> <td>-6.60</td> <td>43.36</td> <td>34.65</td> <td>13.32</td> <td>29.73</td> <td>0.00</td> <td>383</td> <td>31</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5726.64	61.60	68.20	-6.60	43.36	34.65	13.32	29.73	0.00	383	31	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>106.74</td> <td>-----</td> <td>-----</td> <td>88.63</td> <td>34.58</td> <td>13.07</td> <td>29.54</td> <td>0.00</td> <td>383</td> <td>31</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	106.74	-----	-----	88.63	34.58	13.07	29.54	0.00	383	31	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5726.64	61.60	68.20	-6.60	43.36	34.65	13.32	29.73	0.00	383	31	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5700.00	106.74	-----	-----	88.63	34.58	13.07	29.54	0.00	383	31	PEAK																																																																
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>99.69</td> <td>-----</td> <td>-----</td> <td>81.59</td> <td>34.59</td> <td>13.08</td> <td>29.57</td> <td>0.00</td> <td>383</td> <td>31</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	99.69	-----	-----	81.59	34.59	13.08	29.57	0.00	383	31	AVERAGE																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5700.00	99.69	-----	-----	81.59	34.59	13.08	29.57	0.00	383	31	AVERAGE																																																																







Mode	28																																																																																																					
	Harmonic																																																																																																					
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																					
ANT	CDD 7+5																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>46.64</td> <td>74.00</td> <td>-27.36</td> <td>53.92</td> <td>38.30</td> <td>18.42</td> <td>64.00</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2 17100.00</td> <td>48.76</td> <td>68.20</td> <td>-19.44</td> <td>48.33</td> <td>41.70</td> <td>23.00</td> <td>64.35</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11400.00	46.64	74.00	-27.36	53.92	38.30	18.42	64.00	0.00	--	PEAK	2 17100.00	48.76	68.20	-19.44	48.33	41.70	23.00	64.35	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>46.57</td> <td>74.00</td> <td>-27.43</td> <td>53.85</td> <td>38.30</td> <td>18.42</td> <td>64.00</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2 17100.00</td> <td>48.77</td> <td>68.20</td> <td>-19.43</td> <td>48.33</td> <td>41.71</td> <td>23.09</td> <td>64.36</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11400.00	46.57	74.00	-27.43	53.85	38.30	18.42	64.00	0.00	--	PEAK	2 17100.00	48.77	68.20	-19.43	48.33	41.71	23.09	64.36	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 11400.00	46.64	74.00	-27.36	53.92	38.30	18.42	64.00	0.00	--	PEAK																																																																																												
2 17100.00	48.76	68.20	-19.44	48.33	41.70	23.00	64.35	0.00	--	PEAK																																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 11400.00	46.57	74.00	-27.43	53.85	38.30	18.42	64.00	0.00	--	PEAK																																																																																												
2 17100.00	48.77	68.20	-19.43	48.33	41.71	23.09	64.36	0.00	--	PEAK																																																																																												



Mode	29																																																																																																
	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHZ																																																																																																
ANT	CDD 7+5																																																																																																
Pol.	Horizontal	Fundamental																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5450.73</td> <td>56.87</td> <td>74.00</td> <td>-17.13</td> <td>39.07</td> <td>34.60</td> <td>12.79</td> <td>29.59</td> <td>0.00</td> <td>100</td> <td>178</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5461.49</td> <td>60.19</td> <td>68.20</td> <td>-8.01</td> <td>42.30</td> <td>34.60</td> <td>12.86</td> <td>29.57</td> <td>0.00</td> <td>100</td> <td>178</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.73	56.87	74.00	-17.13	39.07	34.60	12.79	29.59	0.00	100	178	PEAK	2	5461.49	60.19	68.20	-8.01	42.30	34.60	12.86	29.57	0.00	100	178	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>109.93</td> <td>-----</td> <td>-----</td> <td>91.78</td> <td>34.60</td> <td>13.06</td> <td>29.51</td> <td>0.00</td> <td>100</td> <td>178</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	109.93	-----	-----	91.78	34.60	13.06	29.51	0.00	100	178	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5450.73	56.87	74.00	-17.13	39.07	34.60	12.79	29.59	0.00	100	178	PEAK																																																																																					
2	5461.49	60.19	68.20	-8.01	42.30	34.60	12.86	29.57	0.00	100	178	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	109.93	-----	-----	91.78	34.60	13.06	29.51	0.00	100	178	PEAK																																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5460.00</td> <td>48.23</td> <td>54.00</td> <td>-5.77</td> <td>30.35</td> <td>34.60</td> <td>12.85</td> <td>29.57</td> <td>0.00</td> <td>100</td> <td>178</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	48.23	54.00	-5.77	30.35	34.60	12.85	29.57	0.00	100	178	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>100.95</td> <td>-----</td> <td>-----</td> <td>82.80</td> <td>34.60</td> <td>13.06</td> <td>29.51</td> <td>0.00</td> <td>100</td> <td>178</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	100.95	-----	-----	82.80	34.60	13.06	29.51	0.00	100	178	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5460.00	48.23	54.00	-5.77	30.35	34.60	12.85	29.57	0.00	100	178	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	100.95	-----	-----	82.80	34.60	13.06	29.51	0.00	100	178	AVERAGE																																																																																					



Mode	29																																																																																																
	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHZ																																																																																																
ANT	CDD 7+5																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	 <table border="1" data-bbox="263 1097 774 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.85</td> <td>58.21</td> <td>74.00</td> <td>-15.79</td> <td>40.34</td> <td>34.60</td> <td>12.84</td> <td>29.57</td> <td>0.00</td> <td>100</td> <td>235</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.45</td> <td>61.62</td> <td>68.20</td> <td>-6.58</td> <td>43.68</td> <td>34.60</td> <td>12.90</td> <td>29.56</td> <td>0.00</td> <td>100</td> <td>235</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.85	58.21	74.00	-15.79	40.34	34.60	12.84	29.57	0.00	100	235	PEAK	2	5469.45	61.62	68.20	-6.58	43.68	34.60	12.90	29.56	0.00	100	235	PEAK	 <table border="1" data-bbox="901 1097 1412 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>108.95</td> <td>-----</td> <td>-----</td> <td>90.80</td> <td>34.60</td> <td>13.06</td> <td>29.51</td> <td>0.00</td> <td>100</td> <td>235</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	108.95	-----	-----	90.80	34.60	13.06	29.51	0.00	100	235	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5459.85	58.21	74.00	-15.79	40.34	34.60	12.84	29.57	0.00	100	235	PEAK																																																																																					
2	5469.45	61.62	68.20	-6.58	43.68	34.60	12.90	29.56	0.00	100	235	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	108.95	-----	-----	90.80	34.60	13.06	29.51	0.00	100	235	PEAK																																																																																					
Avg	 <table border="1" data-bbox="263 1769 774 1915"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.86</td> <td>48.69</td> <td>54.00</td> <td>-5.31</td> <td>30.81</td> <td>34.60</td> <td>12.85</td> <td>29.57</td> <td>0.00</td> <td>100</td> <td>235</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.86	48.69	54.00	-5.31	30.81	34.60	12.85	29.57	0.00	100	235	AVERAGE	 <table border="1" data-bbox="901 1769 1412 1915"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>99.62</td> <td>-----</td> <td>-----</td> <td>81.47</td> <td>34.60</td> <td>13.06</td> <td>29.51</td> <td>0.00</td> <td>100</td> <td>235</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	99.62	-----	-----	81.47	34.60	13.06	29.51	0.00	100	235	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5459.86	48.69	54.00	-5.31	30.81	34.60	12.85	29.57	0.00	100	235	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	99.62	-----	-----	81.47	34.60	13.06	29.51	0.00	100	235	AVERAGE																																																																																					



Mode	29																																																																																																																																						
	Harmonic																																																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHZ																																																																																																																																						
ANT	CDD 7+5																																																																																																																																						
Pol.	Horizontal	Vertical																																																																																																																																					
Peak Avg																																																																																																																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>50.45</td> <td>74.00</td> <td>-23.55</td> <td>58.63</td> <td>38.20</td> <td>18.08</td> <td>64.46</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11000.00</td> <td>39.03</td> <td>54.00</td> <td>-14.97</td> <td>47.19</td> <td>38.20</td> <td>18.08</td> <td>64.45</td> <td>0.00</td> <td>100</td> <td>0</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>16500.00</td> <td>49.41</td> <td>68.20</td> <td>-18.79</td> <td>49.53</td> <td>41.51</td> <td>22.89</td> <td>64.52</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	50.45	74.00	-23.55	58.63	38.20	18.08	64.46	0.00	100	0	PEAK	2	11000.00	39.03	54.00	-14.97	47.19	38.20	18.08	64.45	0.00	100	0	AVERAGE	3	16500.00	49.41	68.20	-18.79	49.53	41.51	22.89	64.52	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>51.27</td> <td>74.00</td> <td>-22.73</td> <td>59.45</td> <td>38.20</td> <td>18.08</td> <td>64.46</td> <td>0.00</td> <td>100</td> <td>268</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11000.00</td> <td>40.92</td> <td>54.00</td> <td>-13.08</td> <td>49.09</td> <td>38.20</td> <td>18.08</td> <td>64.45</td> <td>0.00</td> <td>100</td> <td>268</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>16500.00</td> <td>48.98</td> <td>68.20</td> <td>-19.22</td> <td>49.10</td> <td>41.51</td> <td>22.89</td> <td>64.52</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	51.27	74.00	-22.73	59.45	38.20	18.08	64.46	0.00	100	268	PEAK	2	11000.00	40.92	54.00	-13.08	49.09	38.20	18.08	64.45	0.00	100	268	AVERAGE	3	16500.00	48.98	68.20	-19.22	49.10	41.51	22.89	64.52	0.00	--	--
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	11000.00	50.45	74.00	-23.55	58.63	38.20	18.08	64.46	0.00	100	0	PEAK																																																																																																																											
2	11000.00	39.03	54.00	-14.97	47.19	38.20	18.08	64.45	0.00	100	0	AVERAGE																																																																																																																											
3	16500.00	49.41	68.20	-18.79	49.53	41.51	22.89	64.52	0.00	--	--	PEAK																																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	11000.00	51.27	74.00	-22.73	59.45	38.20	18.08	64.46	0.00	100	268	PEAK																																																																																																																											
2	11000.00	40.92	54.00	-13.08	49.09	38.20	18.08	64.45	0.00	100	268	AVERAGE																																																																																																																											
3	16500.00	48.98	68.20	-19.22	49.10	41.51	22.89	64.52	0.00	--	--	PEAK																																																																																																																											



Mode	30																																																																																																																										
	Harmonic																																																																																																																										
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_Full RU_5580MHz																																																																																																																										
ANT	CDD 7+5																																																																																																																										
Pol.	Horizontal	Vertical																																																																																																																									
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>47.10</td> <td>74.00</td> <td>-26.90</td> <td>54.79</td> <td>38.36</td> <td>18.22</td> <td>64.27</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>16740.00</td> <td>48.51</td> <td>68.20</td> <td>-19.69</td> <td>48.09</td> <td>41.95</td> <td>22.97</td> <td>64.50</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	47.10	74.00	-26.90	54.79	38.36	18.22	64.27	0.00	--	--	PEAK	2	16740.00	48.51	68.20	-19.69	48.09	41.95	22.97	64.50	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>49.45</td> <td>74.00</td> <td>-24.55</td> <td>57.14</td> <td>38.36</td> <td>18.22</td> <td>64.27</td> <td>0.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>38.04</td> <td>54.00</td> <td>-15.96</td> <td>45.72</td> <td>38.36</td> <td>18.23</td> <td>64.27</td> <td>0.00</td> <td>100</td> <td>360</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>16740.00</td> <td>47.86</td> <td>68.20</td> <td>-20.34</td> <td>47.46</td> <td>41.94</td> <td>22.96</td> <td>64.50</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	49.45	74.00	-24.55	57.14	38.36	18.22	64.27	0.00	100	360	PEAK	2	11160.00	38.04	54.00	-15.96	45.72	38.36	18.23	64.27	0.00	100	360	AVERAGE	3	16740.00	47.86	68.20	-20.34	47.46	41.94	22.96	64.50	0.00	--	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	11160.00	47.10	74.00	-26.90	54.79	38.36	18.22	64.27	0.00	--	--	PEAK																																																																																																															
2	16740.00	48.51	68.20	-19.69	48.09	41.95	22.97	64.50	0.00	--	--	PEAK																																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	11160.00	49.45	74.00	-24.55	57.14	38.36	18.22	64.27	0.00	100	360	PEAK																																																																																																															
2	11160.00	38.04	54.00	-15.96	45.72	38.36	18.23	64.27	0.00	100	360	AVERAGE																																																																																																															
3	16740.00	47.86	68.20	-20.34	47.46	41.94	22.96	64.50	0.00	--	--	PEAK																																																																																																															



		31																																																																																							
Mode	Band Edge																																																																																								
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz																																																																																								
ANT	CDD 7+5																																																																																								
Pol.	Horizontal	Fundamental																																																																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5727.20</td> <td>105.90</td> <td>68.20</td> <td>-6.70</td> <td>43.26</td> <td>34.65</td> <td>13.32</td> <td>29.73</td> <td>0.00</td> <td>100</td> <td>19 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5727.20	105.90	68.20	-6.70	43.26	34.65	13.32	29.73	0.00	100	19 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>105.90</td> <td>-----</td> <td>-----</td> <td>87.88</td> <td>34.60</td> <td>13.10</td> <td>29.60</td> <td>0.00</td> <td>100</td> <td>19 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	105.90	-----	-----	87.88	34.60	13.10	29.60	0.00	100	19 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	5727.20	105.90	68.20	-6.70	43.26	34.65	13.32	29.73	0.00	100	19 PEAK																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	5700.00	105.90	-----	-----	87.88	34.60	13.10	29.60	0.00	100	19 PEAK																																																																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>97.94</td> <td>-----</td> <td>-----</td> <td>79.84</td> <td>34.60</td> <td>13.10</td> <td>29.60</td> <td>0.00</td> <td>100</td> <td>19 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	97.94	-----	-----	79.84	34.60	13.10	29.60	0.00	100	19 AVERAGE																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	5700.00	97.94	-----	-----	79.84	34.60	13.10	29.60	0.00	100	19 AVERAGE																																																																														



Mode	31																																																																																			
	Band Edge																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz																																																																																			
ANT	CDD 7+5																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5726.32</td> <td>64.78</td> <td>68.20</td> <td>-3.42</td> <td>46.53</td> <td>34.65</td> <td>13.32</td> <td>29.72</td> <td>0.00</td> <td>364</td> <td>32 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5726.32	64.78	68.20	-3.42	46.53	34.65	13.32	29.72	0.00	364	32 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>107.69</td> <td>-----</td> <td>-----</td> <td>89.59</td> <td>34.59</td> <td>13.08</td> <td>29.57</td> <td>0.00</td> <td>364</td> <td>32 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	107.69	-----	-----	89.59	34.59	13.08	29.57	0.00	364	32 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 5726.32	64.78	68.20	-3.42	46.53	34.65	13.32	29.72	0.00	364	32 PEAK																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 5700.00	107.69	-----	-----	89.59	34.59	13.08	29.57	0.00	364	32 PEAK																																																																										
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>99.32</td> <td>-----</td> <td>-----</td> <td>81.22</td> <td>34.59</td> <td>13.08</td> <td>29.57</td> <td>0.00</td> <td>364</td> <td>32 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	99.32	-----	-----	81.22	34.59	13.08	29.57	0.00	364	32 AVERAGE																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 5700.00	99.32	-----	-----	81.22	34.59	13.08	29.57	0.00	364	32 AVERAGE																																																																										



Mode	31																																																																																																	
	Harmonic																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz																																																																																																	
ANT	CDD 7+5																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>46.70</td> <td>74.00</td> <td>-27.30</td> <td>53.98</td> <td>38.30</td> <td>18.42</td> <td>64.00</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> <tr> <td>2 17100.00</td> <td>48.71</td> <td>68.20</td> <td>-19.49</td> <td>48.28</td> <td>41.69</td> <td>23.09</td> <td>64.35</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11400.00	46.70	74.00	-27.30	53.98	38.30	18.42	64.00	0.00	-- -- PEAK	2 17100.00	48.71	68.20	-19.49	48.28	41.69	23.09	64.35	0.00	-- -- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>46.78</td> <td>74.00</td> <td>-27.22</td> <td>54.06</td> <td>38.30</td> <td>18.42</td> <td>64.00</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> <tr> <td>2 17100.00</td> <td>48.45</td> <td>68.20</td> <td>-19.75</td> <td>48.02</td> <td>41.68</td> <td>23.09</td> <td>64.34</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11400.00	46.78	74.00	-27.22	54.06	38.30	18.42	64.00	0.00	-- -- PEAK	2 17100.00	48.45	68.20	-19.75	48.02	41.68	23.09	64.34	0.00	-- -- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 11400.00	46.70	74.00	-27.30	53.98	38.30	18.42	64.00	0.00	-- -- PEAK																																																																																									
2 17100.00	48.71	68.20	-19.49	48.28	41.69	23.09	64.35	0.00	-- -- PEAK																																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 11400.00	46.78	74.00	-27.22	54.06	38.30	18.42	64.00	0.00	-- -- PEAK																																																																																									
2 17100.00	48.45	68.20	-19.75	48.02	41.68	23.09	64.34	0.00	-- -- PEAK																																																																																									







Mode	32																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																																																																																
ANT	CDD 7+5																																																																																																
Pol.	Horizontal	Fundamental																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5451.53</td> <td>58.38</td> <td>74.00</td> <td>-15.62</td> <td>40.56</td> <td>34.60</td> <td>12.80</td> <td>29.58</td> <td>0.00</td> <td>100</td> <td>179</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.77</td> <td>64.65</td> <td>68.20</td> <td>-3.55</td> <td>46.71</td> <td>34.60</td> <td>12.90</td> <td>29.56</td> <td>0.00</td> <td>100</td> <td>179</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.53	58.38	74.00	-15.62	40.56	34.60	12.80	29.58	0.00	100	179	PEAK	2	5469.77	64.65	68.20	-3.55	46.71	34.60	12.90	29.56	0.00	100	179	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>103.04</td> <td>-----</td> <td>-----</td> <td>85.65</td> <td>34.61</td> <td>13.08</td> <td>29.50</td> <td>0.00</td> <td>100</td> <td>179</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	103.04	-----	-----	85.65	34.61	13.08	29.50	0.00	100	179	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5451.53	58.38	74.00	-15.62	40.56	34.60	12.80	29.58	0.00	100	179	PEAK																																																																																					
2	5469.77	64.65	68.20	-3.55	46.71	34.60	12.90	29.56	0.00	100	179	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5510.00	103.04	-----	-----	85.65	34.61	13.08	29.50	0.00	100	179	PEAK																																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.98</td> <td>49.86</td> <td>54.00</td> <td>-4.14</td> <td>31.98</td> <td>34.60</td> <td>12.85</td> <td>29.57</td> <td>0.00</td> <td>100</td> <td>179</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.98	49.86	54.00	-4.14	31.98	34.60	12.85	29.57	0.00	100	179	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>95.03</td> <td>-----</td> <td>-----</td> <td>76.88</td> <td>34.60</td> <td>13.06</td> <td>29.51</td> <td>0.00</td> <td>100</td> <td>179</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	95.03	-----	-----	76.88	34.60	13.06	29.51	0.00	100	179	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5459.98	49.86	54.00	-4.14	31.98	34.60	12.85	29.57	0.00	100	179	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5510.00	95.03	-----	-----	76.88	34.60	13.06	29.51	0.00	100	179	AVERAGE																																																																																					



Mode	32																																																		
	Band Edge - R																																																		
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHZ																																																		
ANT	CDD 7+5																																																		
Pol.	Horizontal	Fundamental																																																	
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5744.48</td> <td>57.25</td> <td>68.20</td> <td>-10.95</td> <td>38.91</td> <td>34.69</td> <td>13.47</td> <td>29.82</td> <td>0.00</td> <td>100</td> <td>179</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg								1	5744.48	57.25	68.20	-10.95	38.91	34.69	13.47	29.82	0.00	100	179	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
cm	deg																																																		
1	5744.48	57.25	68.20	-10.95	38.91	34.69	13.47	29.82	0.00	100	179	PEAK																																							



Mode	32																																																																																					
	Band Edge - L																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																																																																					
ANT	CDD 7+5																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	 <table border="1" data-bbox="263 1097 774 1243"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5460.00</td> <td>58.29</td> <td>74.00</td> <td>-15.71</td> <td>40.41</td> <td>34.60</td> <td>12.85</td> <td>29.57</td> <td>0.00</td> <td>100</td> <td>236 PEAK</td> </tr> <tr> <td>2</td> <td>5469.93</td> <td>63.01</td> <td>68.20</td> <td>-5.19</td> <td>45.06</td> <td>34.60</td> <td>12.91</td> <td>29.56</td> <td>0.00</td> <td>100</td> <td>236 PEAK</td> </tr> </tbody> </table>		Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5460.00	58.29	74.00	-15.71	40.41	34.60	12.85	29.57	0.00	100	236 PEAK	2	5469.93	63.01	68.20	-5.19	45.06	34.60	12.91	29.56	0.00	100	236 PEAK	 <table border="1" data-bbox="901 1097 1412 1243"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>102.81</td> <td>-----</td> <td>84.66</td> <td>34.60</td> <td>13.06</td> <td>29.51</td> <td>0.00</td> <td>100</td> <td>236</td> <td>PEAK</td> </tr> </tbody> </table>		Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5510.00	102.81	-----	84.66	34.60	13.06	29.51	0.00	100	236	PEAK
		Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5460.00	58.29	74.00	-15.71	40.41	34.60	12.85	29.57	0.00	100	236 PEAK																																																																											
2	5469.93	63.01	68.20	-5.19	45.06	34.60	12.91	29.56	0.00	100	236 PEAK																																																																											
	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5510.00	102.81	-----	84.66	34.60	13.06	29.51	0.00	100	236	PEAK																																																																											
Avg	 <table border="1" data-bbox="263 1769 774 1915"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>49.80</td> <td>54.00</td> <td>-4.20</td> <td>31.92</td> <td>34.60</td> <td>12.85</td> <td>29.57</td> <td>0.00</td> <td>100</td> <td>236 AVERAGE</td> </tr> </tbody> </table>		Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5459.92	49.80	54.00	-4.20	31.92	34.60	12.85	29.57	0.00	100	236 AVERAGE	 <table border="1" data-bbox="901 1769 1412 1915"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>93.65</td> <td>-----</td> <td>75.43</td> <td>34.64</td> <td>13.07</td> <td>29.49</td> <td>0.00</td> <td>100</td> <td>236</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5510.00	93.65	-----	75.43	34.64	13.07	29.49	0.00	100	236	AVERAGE												
		Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5459.92	49.80	54.00	-4.20	31.92	34.60	12.85	29.57	0.00	100	236 AVERAGE																																																																											
	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5510.00	93.65	-----	75.43	34.64	13.07	29.49	0.00	100	236	AVERAGE																																																																											



Mode	32																																														
	Band Edge - R																																														
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																														
ANT	CDD 7+5																																														
Pol.	Vertical	Fundamental																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5745.04</td> <td>57.15</td> <td>68.20</td> <td>-11.05</td> <td>38.80</td> <td>34.69</td> <td>13.48</td> <td>29.82</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>100 236 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5745.04	57.15	68.20	-11.05	38.80	34.69	13.48	29.82	0.00									100 236 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 5745.04	57.15	68.20	-11.05	38.80	34.69	13.48	29.82	0.00																																							
								100 236 PEAK																																							



Mode	32																																																																																																				
	Harmonic																																																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHZ																																																																																																				
ANT	CDD 7+5																																																																																																				
Pol.	Horizontal	Vertical																																																																																																			
Peak Avg																																																																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11020.00</td> <td>45.70</td> <td>74.00</td> <td>-28.30</td> <td>53.79</td> <td>38.22</td> <td>18.12</td> <td>64.43</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2 16530.00</td> <td>49.91</td> <td>68.20</td> <td>-18.29</td> <td>49.98</td> <td>41.57</td> <td>22.88</td> <td>64.52</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11020.00	45.70	74.00	-28.30	53.79	38.22	18.12	64.43	0.00	--	PEAK	2 16530.00	49.91	68.20	-18.29	49.98	41.57	22.88	64.52	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11020.00</td> <td>46.63</td> <td>74.00</td> <td>-27.37</td> <td>54.72</td> <td>38.22</td> <td>18.12</td> <td>64.43</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2 16530.00</td> <td>47.65</td> <td>68.20</td> <td>-20.55</td> <td>47.74</td> <td>41.55</td> <td>22.88</td> <td>64.52</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11020.00	46.63	74.00	-27.37	54.72	38.22	18.12	64.43	0.00	--	PEAK	2 16530.00	47.65	68.20	-20.55	47.74	41.55	22.88	64.52	0.00	--
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1 11020.00	45.70	74.00	-28.30	53.79	38.22	18.12	64.43	0.00	--	PEAK																																																																																											
2 16530.00	49.91	68.20	-18.29	49.98	41.57	22.88	64.52	0.00	--	PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1 11020.00	46.63	74.00	-27.37	54.72	38.22	18.12	64.43	0.00	--	PEAK																																																																																											
2 16530.00	47.65	68.20	-20.55	47.74	41.55	22.88	64.52	0.00	--	PEAK																																																																																											







Mode	33																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHZ																																																																																																						
ANT	CDD 7+5																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5450.51</td> <td>57.94</td> <td>74.00</td> <td>-16.06</td> <td>40.14</td> <td>34.60</td> <td>12.79</td> <td>29.59</td> <td>0.00</td> <td>218</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5461.51</td> <td>59.09</td> <td>68.20</td> <td>-9.11</td> <td>41.20</td> <td>34.60</td> <td>12.86</td> <td>29.57</td> <td>0.00</td> <td>218</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5450.51	57.94	74.00	-16.06	40.14	34.60	12.79	29.59	0.00	218	0	PEAK	2	5461.51	59.09	68.20	-9.11	41.20	34.60	12.86	29.57	0.00	218	0	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>107.53</td> <td>-----</td> <td>-----</td> <td>89.19</td> <td>34.76</td> <td>13.03</td> <td>29.45</td> <td>0.00</td> <td>218</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5550.00	107.53	-----	-----	89.19	34.76	13.03	29.45	0.00	218	0	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5450.51	57.94	74.00	-16.06	40.14	34.60	12.79	29.59	0.00	218	0	PEAK																																																																																											
2	5461.51	59.09	68.20	-9.11	41.20	34.60	12.86	29.57	0.00	218	0	PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5550.00	107.53	-----	-----	89.19	34.76	13.03	29.45	0.00	218	0	PEAK																																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5451.24</td> <td>48.27</td> <td>54.00</td> <td>-5.73</td> <td>30.45</td> <td>34.60</td> <td>12.80</td> <td>29.58</td> <td>0.00</td> <td>218</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5451.24	48.27	54.00	-5.73	30.45	34.60	12.80	29.58	0.00	218	0	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>97.77</td> <td>-----</td> <td>-----</td> <td>79.39</td> <td>34.79</td> <td>13.02</td> <td>29.43</td> <td>0.00</td> <td>218</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5550.00	97.77	-----	-----	79.39	34.79	13.02	29.43	0.00	218	0	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5451.24	48.27	54.00	-5.73	30.45	34.60	12.80	29.58	0.00	218	0	AVERAGE																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5550.00	97.77	-----	-----	79.39	34.79	13.02	29.43	0.00	218	0	AVERAGE																																																																																											



Mode	33																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																								
ANT	CDD 7+5																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5753.94</td> <td>57.15</td> <td>68.20</td> <td>-11.05</td> <td>38.71</td> <td>34.71</td> <td>13.59</td> <td>29.06</td> <td>0.00</td> <td>218</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5753.94	57.15	68.20	-11.05	38.71	34.71	13.59	29.06	0.00	218	0 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5753.94	57.15	68.20	-11.05	38.71	34.71	13.59	29.06	0.00	218	0 PEAK																															



Mode	33																																																																																																				
	Band Edge - L																																																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHZ																																																																																																				
ANT	CDD 7+5																																																																																																				
Pol.	Vertical	Fundamental																																																																																																			
Peak	 <table border="1" data-bbox="263 1097 774 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>MHz</td> <td>dBuV/m</td> <td>dBuV/m</td> <td>dB</td> <td>dBuV</td> <td>dB/m</td> <td>dB</td> <td>dB</td> <td>cm</td> <td>deg</td> </tr> <tr> <td>1</td> <td>5450.91</td> <td>59.10</td> <td>74.00</td> <td>-14.90</td> <td>41.29</td> <td>34.60</td> <td>12.80</td> <td>29.59</td> <td>0.00</td> <td>210</td> <td>291</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.91</td> <td>61.13</td> <td>68.20</td> <td>-7.07</td> <td>43.18</td> <td>34.60</td> <td>12.91</td> <td>29.56</td> <td>0.00</td> <td>210</td> <td>291</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.91	59.10	74.00	-14.90	41.29	34.60	12.80	29.59	0.00	210	291	PEAK	2	5469.91	61.13	68.20	-7.07	43.18	34.60	12.91	29.56	0.00	210	291	PEAK	 <table border="1" data-bbox="901 1097 1412 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>MHz</td> <td>dBuV/m</td> <td>dBuV/m</td> <td>dB</td> <td>dBuV</td> <td>dB/m</td> <td>dB</td> <td>dB</td> <td>cm</td> <td>deg</td> </tr> <tr> <td>1</td> <td>5550.00</td> <td>106.26</td> <td>-----</td> <td>-----</td> <td>87.88</td> <td>34.79</td> <td>13.02</td> <td>29.43</td> <td>0.00</td> <td>210</td> <td>291</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	106.26	-----	-----	87.88	34.79	13.02	29.43	0.00	210	291	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5450.91	59.10	74.00	-14.90	41.29	34.60	12.80	29.59	0.00	210	291	PEAK																																																																																									
2	5469.91	61.13	68.20	-7.07	43.18	34.60	12.91	29.56	0.00	210	291	PEAK																																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5550.00	106.26	-----	-----	87.88	34.79	13.02	29.43	0.00	210	291	PEAK																																																																																									
Avg	 <table border="1" data-bbox="263 1769 774 1915"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>MHz</td> <td>dBuV/m</td> <td>dBuV/m</td> <td>dB</td> <td>dBuV</td> <td>dB/m</td> <td>dB</td> <td>dB</td> <td>cm</td> <td>deg</td> </tr> <tr> <td>1</td> <td>5459.69</td> <td>48.89</td> <td>54.00</td> <td>-5.11</td> <td>31.01</td> <td>34.60</td> <td>12.85</td> <td>29.57</td> <td>0.00</td> <td>210</td> <td>291</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.69	48.89	54.00	-5.11	31.01	34.60	12.85	29.57	0.00	210	291	AVERAGE	 <table border="1" data-bbox="901 1769 1412 1915"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>MHz</td> <td>dBuV/m</td> <td>dBuV/m</td> <td>dB</td> <td>dBuV</td> <td>dB/m</td> <td>dB</td> <td>dB</td> <td>cm</td> <td>deg</td> </tr> <tr> <td>1</td> <td>5550.00</td> <td>97.30</td> <td>-----</td> <td>-----</td> <td>78.92</td> <td>34.76</td> <td>13.04</td> <td>29.42</td> <td>0.00</td> <td>210</td> <td>291</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	97.30	-----	-----	78.92	34.76	13.04	29.42	0.00	210	291	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5459.69	48.89	54.00	-5.11	31.01	34.60	12.85	29.57	0.00	210	291	AVERAGE																																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5550.00	97.30	-----	-----	78.92	34.76	13.04	29.42	0.00	210	291	AVERAGE																																																																																									



Mode	33																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																							
ANT	CDD 7+5																																							
Pol.	Vertical	Fundamental																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5730.07</td> <td>56.82</td> <td>68.20</td> <td>-11.38</td> <td>38.55</td> <td>34.66</td> <td>13.35</td> <td>29.74</td> <td>0.00</td> <td>210 291 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5730.07	56.82	68.20	-11.38	38.55	34.66	13.35	29.74	0.00	210 291 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5730.07	56.82	68.20	-11.38	38.55	34.66	13.35	29.74	0.00	210 291 PEAK																															



Mode	33																																																																																																					
	Harmonic																																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHZ																																																																																																					
ANT	CDD 7+5																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11100.00</td> <td>47.16</td> <td>74.00</td> <td>-26.84</td> <td>55.04</td> <td>38.30</td> <td>18.16</td> <td>64.34</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2 16650.00</td> <td>49.47</td> <td>68.20</td> <td>-18.73</td> <td>49.33</td> <td>41.77</td> <td>22.88</td> <td>64.51</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11100.00	47.16	74.00	-26.84	55.04	38.30	18.16	64.34	0.00	--	PEAK	2 16650.00	49.47	68.20	-18.73	49.33	41.77	22.88	64.51	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11100.00</td> <td>47.03</td> <td>74.00</td> <td>-26.97</td> <td>54.91</td> <td>38.30</td> <td>18.16</td> <td>64.34</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2 16650.00</td> <td>48.78</td> <td>68.20</td> <td>-19.42</td> <td>48.63</td> <td>41.78</td> <td>22.88</td> <td>64.51</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11100.00	47.03	74.00	-26.97	54.91	38.30	18.16	64.34	0.00	--	PEAK	2 16650.00	48.78	68.20	-19.42	48.63	41.78	22.88	64.51	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 11100.00	47.16	74.00	-26.84	55.04	38.30	18.16	64.34	0.00	--	PEAK																																																																																												
2 16650.00	49.47	68.20	-18.73	49.33	41.77	22.88	64.51	0.00	--	PEAK																																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 11100.00	47.03	74.00	-26.97	54.91	38.30	18.16	64.34	0.00	--	PEAK																																																																																												
2 16650.00	48.78	68.20	-19.42	48.63	41.78	22.88	64.51	0.00	--	PEAK																																																																																												



Mode	34																																																																																		
	Band Edge - L																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																																																		
ANT	CDD 7+5																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5445.77</td> <td>56.34</td> <td>74.00</td> <td>-17.66</td> <td>38.52</td> <td>34.60</td> <td>12.81</td> <td>29.59</td> <td>0.00</td> <td>300</td> <td>168</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5463.85</td> <td>56.33</td> <td>68.20</td> <td>-11.87</td> <td>38.42</td> <td>34.60</td> <td>12.87</td> <td>29.56</td> <td>0.00</td> <td>300</td> <td>168</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	1	5445.77	56.34	74.00	-17.66	38.52	34.60	12.81	29.59	0.00	300	168	PEAK	2	5463.85	56.33	68.20	-11.87	38.42	34.60	12.87	29.56	0.00	300	168	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>105.66</td> <td>-----</td> <td>-----</td> <td>87.54</td> <td>34.55</td> <td>13.05</td> <td>29.48</td> <td>0.00</td> <td>300</td> <td>168</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	1	5670.00	105.66	-----	-----	87.54	34.55	13.05	29.48	0.00	300	168	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																							
1	5445.77	56.34	74.00	-17.66	38.52	34.60	12.81	29.59	0.00	300	168	PEAK																																																																							
2	5463.85	56.33	68.20	-11.87	38.42	34.60	12.87	29.56	0.00	300	168	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																							
1	5670.00	105.66	-----	-----	87.54	34.55	13.05	29.48	0.00	300	168	PEAK																																																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.10</td> <td>45.46</td> <td>54.00</td> <td>-8.54</td> <td>27.59</td> <td>34.60</td> <td>12.84</td> <td>29.57</td> <td>0.00</td> <td>300</td> <td>168</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	1	5459.10	45.46	54.00	-8.54	27.59	34.60	12.84	29.57	0.00	300	168	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>96.50</td> <td>-----</td> <td>-----</td> <td>78.35</td> <td>34.52</td> <td>13.02</td> <td>29.39</td> <td>0.00</td> <td>300</td> <td>168</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	1	5670.00	96.50	-----	-----	78.35	34.52	13.02	29.39	0.00	300	168	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																							
1	5459.10	45.46	54.00	-8.54	27.59	34.60	12.84	29.57	0.00	300	168	AVERAGE																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																							
1	5670.00	96.50	-----	-----	78.35	34.52	13.02	29.39	0.00	300	168	AVERAGE																																																																							



Mode	34																																																									
	Band Edge - R																																																									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																									
ANT	CDD 7+5																																																									
Pol.	Horizontal	Fundamental																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5731.60</td> <td>62.18</td> <td>68.20</td> <td>-6.02</td> <td>43.91</td> <td>34.66</td> <td>13.36</td> <td>29.75</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>300</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>168</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5731.60	62.18	68.20	-6.02	43.91	34.66	13.36	29.75							0.00	300								168								PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																			
1 5731.60	62.18	68.20	-6.02	43.91	34.66	13.36	29.75																																																			
						0.00	300																																																			
							168																																																			
							PEAK																																																			



Mode	34																																																																																																												
	Band Edge - L																																																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHZ																																																																																																												
ANT	CDD 7+5																																																																																																												
Pol.	Vertical	Fundamental																																																																																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5399.85</td> <td>57.32</td> <td>74.00</td> <td>-16.68</td> <td>39.35</td> <td>34.60</td> <td>13.03</td> <td>29.66</td> <td>0.00</td> <td>115</td> <td>171</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.97</td> <td>56.73</td> <td>68.20</td> <td>-11.47</td> <td>38.79</td> <td>34.60</td> <td>12.90</td> <td>29.56</td> <td>0.00</td> <td>115</td> <td>171</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	5399.85	57.32	74.00	-16.68	39.35	34.60	13.03	29.66	0.00	115	171	PEAK	2	5468.97	56.73	68.20	-11.47	38.79	34.60	12.90	29.56	0.00	115	171	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>104.61</td> <td>-----</td> <td>-----</td> <td>86.49</td> <td>34.55</td> <td>13.05</td> <td>29.48</td> <td>0.00</td> <td>115</td> <td>171</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	5670.00	104.61	-----	-----	86.49	34.55	13.05	29.48	0.00	115	171	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																		
1	5399.85	57.32	74.00	-16.68	39.35	34.60	13.03	29.66	0.00	115	171	PEAK																																																																																																	
2	5468.97	56.73	68.20	-11.47	38.79	34.60	12.90	29.56	0.00	115	171	PEAK																																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																		
1	5670.00	104.61	-----	-----	86.49	34.55	13.05	29.48	0.00	115	171	PEAK																																																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.81</td> <td>45.43</td> <td>54.00</td> <td>-8.57</td> <td>27.55</td> <td>34.60</td> <td>12.85</td> <td>29.57</td> <td>0.00</td> <td>115</td> <td>171</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	5459.81	45.43	54.00	-8.57	27.55	34.60	12.85	29.57	0.00	115	171	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>95.31</td> <td>-----</td> <td>-----</td> <td>77.16</td> <td>34.52</td> <td>13.02</td> <td>29.39</td> <td>0.00</td> <td>115</td> <td>171</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	5670.00	95.31	-----	-----	77.16	34.52	13.02	29.39	0.00	115	171	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																		
1	5459.81	45.43	54.00	-8.57	27.55	34.60	12.85	29.57	0.00	115	171	AVERAGE																																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																		
1	5670.00	95.31	-----	-----	77.16	34.52	13.02	29.39	0.00	115	171	AVERAGE																																																																																																	



Mode	34																																														
	Band Edge - R																																														
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																														
ANT	CDD 7+5																																														
Pol.	Vertical	Fundamental																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5742.16</td> <td>63.45</td> <td>68.20</td> <td>-4.75</td> <td>45.12</td> <td>34.68</td> <td>13.45</td> <td>29.00</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>115 171 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5742.16	63.45	68.20	-4.75	45.12	34.68	13.45	29.00	0.00									115 171 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 5742.16	63.45	68.20	-4.75	45.12	34.68	13.45	29.00	0.00																																							
								115 171 PEAK																																							



Mode	34																																																																																																					
	Harmonic																																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																																																																					
ANT	CDD 7+5																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11340.00</td> <td>46.88</td> <td>74.00</td> <td>-27.12</td> <td>54.24</td> <td>38.36</td> <td>18.34</td> <td>64.06</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>17010.00</td> <td>48.67</td> <td>68.20</td> <td>-19.53</td> <td>48.50</td> <td>41.89</td> <td>22.75</td> <td>64.47</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11340.00	46.88	74.00	-27.12	54.24	38.36	18.34	64.06	0.00	--	--	PEAK	2	17010.00	48.67	68.20	-19.53	48.50	41.89	22.75	64.47	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11340.00</td> <td>46.15</td> <td>74.00</td> <td>-27.85</td> <td>53.51</td> <td>38.36</td> <td>18.34</td> <td>64.06</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>17010.00</td> <td>48.66</td> <td>68.20</td> <td>-19.54</td> <td>48.22</td> <td>41.85</td> <td>23.04</td> <td>64.45</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11340.00	46.15	74.00	-27.85	53.51	38.36	18.34	64.06	0.00	--	--	PEAK	2	17010.00	48.66	68.20	-19.54	48.22	41.85	23.04	64.45	0.00	--	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1	11340.00	46.88	74.00	-27.12	54.24	38.36	18.34	64.06	0.00	--	--	PEAK																																																																																										
2	17010.00	48.67	68.20	-19.53	48.50	41.89	22.75	64.47	0.00	--	--	PEAK																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1	11340.00	46.15	74.00	-27.85	53.51	38.36	18.34	64.06	0.00	--	--	PEAK																																																																																										
2	17010.00	48.66	68.20	-19.54	48.22	41.85	23.04	64.45	0.00	--	--	PEAK																																																																																										



Mode	35																																																																									
	Band Edge - L																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																																									
ANT	CDD 7+5																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5452.33</td> <td>61.91</td> <td>74.00</td> <td>-12.09</td> <td>44.09</td> <td>34.60</td> <td>12.80</td> </tr> <tr> <td>2</td> <td>5461.13</td> <td>60.69</td> <td>68.20</td> <td>-7.51</td> <td>42.81</td> <td>34.60</td> <td>12.85</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5452.33	61.91	74.00	-12.09	44.09	34.60	12.80	2	5461.13	60.69	68.20	-7.51	42.81	34.60	12.85	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>99.31</td> <td>-----</td> <td>-----</td> <td>81.16</td> <td>34.60</td> <td>13.06</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5530.00	99.31	-----	-----	81.16	34.60	13.06
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5452.33	61.91	74.00	-12.09	44.09	34.60	12.80																																																																			
2	5461.13	60.69	68.20	-7.51	42.81	34.60	12.85																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5530.00	99.31	-----	-----	81.16	34.60	13.06																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5452.25</td> <td>50.58</td> <td>54.00</td> <td>-3.42</td> <td>32.76</td> <td>34.60</td> <td>12.80</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5452.25	50.58	54.00	-3.42	32.76	34.60	12.80	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>89.19</td> <td>-----</td> <td>-----</td> <td>70.97</td> <td>34.64</td> <td>13.07</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5530.00	89.19	-----	-----	70.97	34.64	13.07								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5452.25	50.58	54.00	-3.42	32.76	34.60	12.80																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5530.00	89.19	-----	-----	70.97	34.64	13.07																																																																			



Mode	35																																												
	Band Edge - R																																												
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																												
ANT	CDD 7+5																																												
Pol.	Horizontal	Fundamental																																											
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5747.52</td> <td>57.11</td> <td>68.20</td> <td>-11.09</td> <td>38.74</td> <td>34.70</td> <td>13.50</td> <td>29.83</td> <td>0.00</td> <td>231</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5747.52	57.11	68.20	-11.09	38.74	34.70	13.50	29.83	0.00	231	360	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5747.52	57.11	68.20	-11.09	38.74	34.70	13.50	29.83	0.00	231	360	PEAK																																		



Mode	35																																																																																												
	Band Edge - L																																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																																																												
ANT	CDD 7+5																																																																																												
Pol.	Vertical	Fundamental																																																																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>MHz</td> <td>dBuV/m</td> <td>dBuV/m</td> <td>dB</td> <td>dBuV</td> <td>dB/m</td> <td>dB</td> <td>dB</td> <td>cm</td> <td>deg</td> </tr> <tr> <td>1</td> <td>5452.49</td> <td>57.92</td> <td>74.00</td> <td>-16.08</td> <td>40.10</td> <td>34.60</td> <td>12.80</td> <td>29.58</td> <td>0.00</td> <td>387</td> <td>285</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5460.49</td> <td>58.94</td> <td>68.20</td> <td>-9.26</td> <td>41.06</td> <td>34.60</td> <td>12.85</td> <td>29.57</td> <td>0.00</td> <td>387</td> <td>285</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.49	57.92	74.00	-16.08	40.10	34.60	12.80	29.58	0.00	387	285	PEAK	2	5460.49	58.94	68.20	-9.26	41.06	34.60	12.85	29.57	0.00	387	285	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>MHz</td> <td>dBuV/m</td> <td>dBuV/m</td> <td>dB</td> <td>dBuV</td> <td>dB/m</td> <td>dB</td> <td>dB</td> <td>cm</td> <td>deg</td> </tr> <tr> <td>1</td> <td>5530.00</td> <td>97.81</td> <td>-----</td> <td>-----</td> <td>79.59</td> <td>34.64</td> <td>13.07</td> <td>29.49</td> <td>0.00</td> <td>387</td> <td>285</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	97.81	-----	-----	79.59	34.64	13.07	29.49	0.00	387	285	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5452.49	57.92	74.00	-16.08	40.10	34.60	12.80	29.58	0.00	387	285	PEAK																																																																																	
2	5460.49	58.94	68.20	-9.26	41.06	34.60	12.85	29.57	0.00	387	285	PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5530.00	97.81	-----	-----	79.59	34.64	13.07	29.49	0.00	387	285	PEAK																																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>MHz</td> <td>dBuV/m</td> <td>dBuV/m</td> <td>dB</td> <td>dBuV</td> <td>dB/m</td> <td>dB</td> <td>dB</td> <td>cm</td> <td>deg</td> </tr> <tr> <td>1</td> <td>5460.00</td> <td>48.25</td> <td>54.00</td> <td>-5.75</td> <td>30.37</td> <td>34.60</td> <td>12.85</td> <td>29.57</td> <td>0.00</td> <td>387</td> <td>285</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	48.25	54.00	-5.75	30.37	34.60	12.85	29.57	0.00	387	285	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>MHz</td> <td>dBuV/m</td> <td>dBuV/m</td> <td>dB</td> <td>dBuV</td> <td>dB/m</td> <td>dB</td> <td>dB</td> <td>cm</td> <td>deg</td> </tr> <tr> <td>1</td> <td>5530.00</td> <td>88.75</td> <td>-----</td> <td>-----</td> <td>70.50</td> <td>34.67</td> <td>13.06</td> <td>29.48</td> <td>0.00</td> <td>387</td> <td>285</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	88.75	-----	-----	70.50	34.67	13.06	29.48	0.00	387	285	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5460.00	48.25	54.00	-5.75	30.37	34.60	12.85	29.57	0.00	387	285	AVERAGE																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5530.00	88.75	-----	-----	70.50	34.67	13.06	29.48	0.00	387	285	AVERAGE																																																																																	



Mode	35																																											
	Band Edge - R																																											
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																											
ANT	CDD 7+5																																											
Pol.	Vertical	Fundamental																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5760.00</td> <td>56.82</td> <td>68.20</td> <td>-11.38</td> <td>38.30</td> <td>34.72</td> <td>13.69</td> <td>29.09</td> <td>0.00</td> <td>387</td> <td>285</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5760.00	56.82	68.20	-11.38	38.30	34.72	13.69	29.09	0.00	387	285	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1 5760.00	56.82	68.20	-11.38	38.30	34.72	13.69	29.09	0.00	387	285																																		



Mode	35																																																																																																					
	Harmonic																																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																																																																					
ANT	CDD 7+5																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8848.00</td> <td>50.98</td> <td>68.20</td> <td>-17.22</td> <td>64.49</td> <td>36.29</td> <td>16.63</td> <td>66.43</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11060.00</td> <td>46.16</td> <td>74.00</td> <td>-27.84</td> <td>54.11</td> <td>38.26</td> <td>18.18</td> <td>64.39</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	8848.00	50.98	68.20	-17.22	64.49	36.29	16.63	66.43	0.00	--	--	Peak	2	11060.00	46.16	74.00	-27.84	54.11	38.26	18.18	64.39	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8848.00</td> <td>51.46</td> <td>68.20</td> <td>-16.74</td> <td>64.97</td> <td>36.29</td> <td>16.63</td> <td>66.43</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11060.00</td> <td>46.48</td> <td>74.00</td> <td>-27.52</td> <td>54.43</td> <td>38.26</td> <td>18.18</td> <td>64.39</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	8848.00	51.46	68.20	-16.74	64.97	36.29	16.63	66.43	0.00	--	--	Peak	2	11060.00	46.48	74.00	-27.52	54.43	38.26	18.18	64.39	0.00	--	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1	8848.00	50.98	68.20	-17.22	64.49	36.29	16.63	66.43	0.00	--	--	Peak																																																																																										
2	11060.00	46.16	74.00	-27.84	54.11	38.26	18.18	64.39	0.00	--	--	PEAK																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1	8848.00	51.46	68.20	-16.74	64.97	36.29	16.63	66.43	0.00	--	--	Peak																																																																																										
2	11060.00	46.48	74.00	-27.52	54.43	38.26	18.18	64.39	0.00	--	--	PEAK																																																																																										



Mode	36																																																																																		
	Band Edge - L																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHZ																																																																																		
ANT	CDD 7+5																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5445.29</td> <td>57.64</td> <td>74.00</td> <td>-16.36</td> <td>39.82</td> <td>34.60</td> <td>12.81</td> <td>29.59</td> <td>0.00</td> <td>270</td> <td>179</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5462.73</td> <td>57.00</td> <td>68.20</td> <td>-11.20</td> <td>39.11</td> <td>34.60</td> <td>12.86</td> <td>29.57</td> <td>0.00</td> <td>270</td> <td>179</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	1	5445.29	57.64	74.00	-16.36	39.82	34.60	12.81	29.59	0.00	270	179	PEAK	2	5462.73	57.00	68.20	-11.20	39.11	34.60	12.86	29.57	0.00	270	179	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>103.64</td> <td>-----</td> <td>-----</td> <td>85.34</td> <td>34.50</td> <td>13.15</td> <td>29.35</td> <td>0.00</td> <td>270</td> <td>179</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	1	5610.00	103.64	-----	-----	85.34	34.50	13.15	29.35	0.00	270	179	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																							
1	5445.29	57.64	74.00	-16.36	39.82	34.60	12.81	29.59	0.00	270	179	PEAK																																																																							
2	5462.73	57.00	68.20	-11.20	39.11	34.60	12.86	29.57	0.00	270	179	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																							
1	5610.00	103.64	-----	-----	85.34	34.50	13.15	29.35	0.00	270	179	PEAK																																																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.98</td> <td>46.82</td> <td>54.00</td> <td>-7.18</td> <td>28.94</td> <td>34.60</td> <td>12.85</td> <td>29.57</td> <td>0.00</td> <td>270</td> <td>179</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	1	5459.98	46.82	54.00	-7.18	28.94	34.60	12.85	29.57	0.00	270	179	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>93.48</td> <td>-----</td> <td>-----</td> <td>75.19</td> <td>34.50</td> <td>13.12</td> <td>29.33</td> <td>0.00</td> <td>270</td> <td>179</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	1	5610.00	93.48	-----	-----	75.19	34.50	13.12	29.33	0.00	270	179	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																							
1	5459.98	46.82	54.00	-7.18	28.94	34.60	12.85	29.57	0.00	270	179	AVERAGE																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																							
1	5610.00	93.48	-----	-----	75.19	34.50	13.12	29.33	0.00	270	179	AVERAGE																																																																							



Mode	36																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																							
ANT	CDD 7+5																																							
Pol.	Horizontal	Fundamental																																						
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5730.72</td> <td>59.82</td> <td>68.20</td> <td>-8.38</td> <td>41.56</td> <td>34.66</td> <td>13.35</td> <td>29.75</td> <td>0.00</td> <td>270 179 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5730.72	59.82	68.20	-8.38	41.56	34.66	13.35	29.75	0.00	270 179 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5730.72	59.82	68.20	-8.38	41.56	34.66	13.35	29.75	0.00	270 179 PEAK																															



		36																																																																																							
Mode	Band Edge - L																																																																																								
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHZ																																																																																								
ANT	CDD 7+5																																																																																								
Pol.	Vertical	Fundamental																																																																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5450.89</td> <td>56.48</td> <td>74.00</td> <td>-17.52</td> <td>38.67</td> <td>34.60</td> <td>12.80</td> <td>29.59</td> <td>0.00</td> <td>394</td> <td>293</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5464.65</td> <td>57.00</td> <td>68.20</td> <td>-11.20</td> <td>39.09</td> <td>34.60</td> <td>12.87</td> <td>29.56</td> <td>0.00</td> <td>394</td> <td>293</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5450.89	56.48	74.00	-17.52	38.67	34.60	12.80	29.59	0.00	394	293	PEAK	2	5464.65	57.00	68.20	-11.20	39.09	34.60	12.87	29.56	0.00	394	293	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>101.20</td> <td>-----</td> <td>-----</td> <td>82.91</td> <td>34.50</td> <td>13.12</td> <td>29.33</td> <td>0.00</td> <td>394</td> <td>293</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5610.00	101.20	-----	-----	82.91	34.50	13.12	29.33	0.00	394	293	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																		
1	5450.89	56.48	74.00	-17.52	38.67	34.60	12.80	29.59	0.00	394	293	PEAK																																																																													
2	5464.65	57.00	68.20	-11.20	39.09	34.60	12.87	29.56	0.00	394	293	PEAK																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																		
1	5610.00	101.20	-----	-----	82.91	34.50	13.12	29.33	0.00	394	293	PEAK																																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.96</td> <td>46.32</td> <td>54.00</td> <td>-7.68</td> <td>28.44</td> <td>34.60</td> <td>12.85</td> <td>29.57</td> <td>0.00</td> <td>394</td> <td>293</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5459.96	46.32	54.00	-7.68	28.44	34.60	12.85	29.57	0.00	394	293	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>92.73</td> <td>-----</td> <td>-----</td> <td>74.46</td> <td>34.50</td> <td>13.10</td> <td>29.33</td> <td>0.00</td> <td>394</td> <td>293</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5610.00	92.73	-----	-----	74.46	34.50	13.10	29.33	0.00	394	293	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																		
1	5459.96	46.32	54.00	-7.68	28.44	34.60	12.85	29.57	0.00	394	293	AVERAGE																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																		
1	5610.00	92.73	-----	-----	74.46	34.50	13.10	29.33	0.00	394	293	AVERAGE																																																																													



Mode	36																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																							
ANT	CDD 7+5																																							
Pol.	Vertical	Fundamental																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5732.24</td> <td>58.42</td> <td>68.20</td> <td>-9.78</td> <td>40.14</td> <td>34.66</td> <td>13.37</td> <td>29.75</td> <td>0.00</td> <td>394 293 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5732.24	58.42	68.20	-9.78	40.14	34.66	13.37	29.75	0.00	394 293 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5732.24	58.42	68.20	-9.78	40.14	34.66	13.37	29.75	0.00	394 293 PEAK																															



Mode	36																																																																							
	Harmonic																																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																																							
ANT	CDD 7+5																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11220.00</td> <td>46.05</td> <td>74.00</td> <td>-27.95</td> <td>53.56</td> <td>38.40</td> <td>18.29</td> <td>64.20</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11220.00	46.05	74.00	-27.95	53.56	38.40	18.29	64.20	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11220.00</td> <td>47.36</td> <td>74.00</td> <td>-26.64</td> <td>54.87</td> <td>38.40</td> <td>18.29</td> <td>64.20</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11220.00	47.36	74.00	-26.64	54.87	38.40	18.29	64.20	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 11220.00	46.05	74.00	-27.95	53.56	38.40	18.29	64.20	0.00	--	PEAK																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 11220.00	47.36	74.00	-26.64	54.87	38.40	18.29	64.20	0.00	--	PEAK																																																														



Mode	37																																																																																		
	Band Edge - L																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																																																																		
ANT	CDD 7+5																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5410.62</td> <td>61.17</td> <td>74.00</td> <td>-12.83</td> <td>43.24</td> <td>34.60</td> <td>12.98</td> <td>29.65</td> <td>0.00</td> <td>233</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5461.00</td> <td>58.58</td> <td>68.20</td> <td>-9.62</td> <td>40.70</td> <td>34.60</td> <td>12.85</td> <td>29.57</td> <td>0.00</td> <td>233</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	1	5410.62	61.17	74.00	-12.83	43.24	34.60	12.98	29.65	0.00	233	0	PEAK	2	5461.00	58.58	68.20	-9.62	40.70	34.60	12.85	29.57	0.00	233	0	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>95.43</td> <td>-----</td> <td>-----</td> <td>77.32</td> <td>34.60</td> <td>13.03</td> <td>29.52</td> <td>0.00</td> <td>233</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	1	5570.00	95.43	-----	-----	77.32	34.60	13.03	29.52	0.00	233	0	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																							
1	5410.62	61.17	74.00	-12.83	43.24	34.60	12.98	29.65	0.00	233	0	PEAK																																																																							
2	5461.00	58.58	68.20	-9.62	40.70	34.60	12.85	29.57	0.00	233	0	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																							
1	5570.00	95.43	-----	-----	77.32	34.60	13.03	29.52	0.00	233	0	PEAK																																																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5401.33</td> <td>50.18</td> <td>54.00</td> <td>-3.82</td> <td>32.22</td> <td>34.60</td> <td>13.02</td> <td>29.66</td> <td>0.00</td> <td>233</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	1	5401.33	50.18	54.00	-3.82	32.22	34.60	13.02	29.66	0.00	233	0	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>85.76</td> <td>-----</td> <td>-----</td> <td>67.47</td> <td>34.71</td> <td>13.05</td> <td>29.47</td> <td>0.00</td> <td>233</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	1	5570.00	85.76	-----	-----	67.47	34.71	13.05	29.47	0.00	233	0	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																							
1	5401.33	50.18	54.00	-3.82	32.22	34.60	13.02	29.66	0.00	233	0	AVERAGE																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																							
1	5570.00	85.76	-----	-----	67.47	34.71	13.05	29.47	0.00	233	0	AVERAGE																																																																							



Mode	37																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																								
ANT	CDD 7+5																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5744.04</td> <td>59.25</td> <td>68.20</td> <td>-8.95</td> <td>40.90</td> <td>34.69</td> <td>13.47</td> <td>29.81</td> <td>0.00</td> <td>233</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5744.04	59.25	68.20	-8.95	40.90	34.69	13.47	29.81	0.00	233	0 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5744.04	59.25	68.20	-8.95	40.90	34.69	13.47	29.81	0.00	233	0 PEAK																															



Mode	37																																																																													
	Band Edge - L																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																																																													
ANT	CDD 7+5																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>5481.60</td> <td>61.03</td> <td>74.00</td> <td>-12.97</td> <td>43.07</td> <td>34.60</td> <td>13.02</td> <td>29.66</td> <td>0.00</td> <td>348</td> <td>277</td> <td>PEAK</td> </tr> <tr> <td>5468.92</td> <td>56.63</td> <td>68.20</td> <td>-11.57</td> <td>38.69</td> <td>34.60</td> <td>12.90</td> <td>29.56</td> <td>0.00</td> <td>348</td> <td>277</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	5481.60	61.03	74.00	-12.97	43.07	34.60	13.02	29.66	0.00	348	277	PEAK	5468.92	56.63	68.20	-11.57	38.69	34.60	12.90	29.56	0.00	348	277	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>5570.00</td> <td>95.07</td> <td>-----</td> <td>-----</td> <td>76.83</td> <td>34.66</td> <td>13.06</td> <td>29.48</td> <td>0.00</td> <td>348</td> <td>277</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	5570.00	95.07	-----	-----	76.83	34.66	13.06	29.48	0.00	348	277	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																			
5481.60	61.03	74.00	-12.97	43.07	34.60	13.02	29.66	0.00	348	277	PEAK																																																																			
5468.92	56.63	68.20	-11.57	38.69	34.60	12.90	29.56	0.00	348	277	PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																			
5570.00	95.07	-----	-----	76.83	34.66	13.06	29.48	0.00	348	277	PEAK																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>5400.01</td> <td>50.08</td> <td>54.00</td> <td>-3.92</td> <td>32.11</td> <td>34.60</td> <td>13.03</td> <td>29.66</td> <td>0.00</td> <td>348</td> <td>277</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	5400.01	50.08	54.00	-3.92	32.11	34.60	13.03	29.66	0.00	348	277	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>5570.00</td> <td>85.33</td> <td>-----</td> <td>-----</td> <td>67.11</td> <td>34.64</td> <td>13.07</td> <td>29.49</td> <td>0.00</td> <td>348</td> <td>277</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	5570.00	85.33	-----	-----	67.11	34.64	13.07	29.49	0.00	348	277	AVERAGE												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																			
5400.01	50.08	54.00	-3.92	32.11	34.60	13.03	29.66	0.00	348	277	AVERAGE																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																			
5570.00	85.33	-----	-----	67.11	34.64	13.07	29.49	0.00	348	277	AVERAGE																																																																			



Mode	37																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																									
ANT	CDD 7+5																																									
Pol.	Vertical	Fundamental																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5742.48</td> <td>57.75</td> <td>68.20</td> <td>-10.45</td> <td>39.42</td> <td>34.68</td> <td>13.46</td> <td>29.81</td> <td>0.00</td> <td>348</td> <td>277</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5742.48	57.75	68.20	-10.45	39.42	34.68	13.46	29.81	0.00	348	277	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5742.48	57.75	68.20	-10.45	39.42	34.68	13.46	29.81	0.00	348	277	PEAK																															







Mode	37																																																																															
	Harmonic																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																																																															
ANT	CDD 7+5																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11140.00</td> <td>46.11</td> <td>74.00</td> <td>-27.89</td> <td>53.88</td> <td>38.34</td> <td>18.19</td> <td>64.30</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11140.00	46.11	74.00	-27.89	53.88	38.34	18.19	64.30	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11140.00</td> <td>46.79</td> <td>74.00</td> <td>-27.21</td> <td>54.56</td> <td>38.34</td> <td>18.19</td> <td>64.30</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11140.00	46.79	74.00	-27.21	54.56	38.34	18.19	64.30	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11140.00	46.11	74.00	-27.89	53.88	38.34	18.19	64.30	0.00	--	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11140.00	46.79	74.00	-27.21	54.56	38.34	18.19	64.30	0.00	--	PEAK																																																																						



Mode	38																																																																									
	Band Edge																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_26/0RU_5500MHz																																																																									
ANT	CDD 7+5																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5435.21</td> <td>56.32</td> <td>74.00</td> <td>-17.68</td> <td>38.47</td> <td>34.60</td> <td>12.86</td> </tr> <tr> <td>2</td> <td>5466.09</td> <td>56.18</td> <td>68.20</td> <td>-12.02</td> <td>38.26</td> <td>34.60</td> <td>12.88</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5435.21	56.32	74.00	-17.68	38.47	34.60	12.86	2	5466.09	56.18	68.20	-12.02	38.26	34.60	12.88	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>107.34</td> <td>-----</td> <td>-----</td> <td>89.23</td> <td>34.60</td> <td>13.03</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5500.00	107.34	-----	-----	89.23	34.60	13.03
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5435.21	56.32	74.00	-17.68	38.47	34.60	12.86																																																																			
2	5466.09	56.18	68.20	-12.02	38.26	34.60	12.88																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5500.00	107.34	-----	-----	89.23	34.60	13.03																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.72</td> <td>45.61</td> <td>54.00</td> <td>-8.39</td> <td>27.74</td> <td>34.60</td> <td>12.84</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5458.72	45.61	54.00	-8.39	27.74	34.60	12.84	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>99.96</td> <td>-----</td> <td>-----</td> <td>81.85</td> <td>34.60</td> <td>13.03</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5500.00	99.96	-----	-----	81.85	34.60	13.03								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5458.72	45.61	54.00	-8.39	27.74	34.60	12.84																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5500.00	99.96	-----	-----	81.85	34.60	13.03																																																																			






Mode	38																																																																																																
	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_26/0RU_5500MHz																																																																																																
ANT	CDD 7+5																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	 <table border="1" data-bbox="268 1108 774 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5436.33</td> <td>56.06</td> <td>74.00</td> <td>-17.14</td> <td>39.01</td> <td>34.60</td> <td>12.86</td> <td>29.61</td> <td>0.00</td> <td>352</td> <td>288</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5467.53</td> <td>56.00</td> <td>68.20</td> <td>-12.12</td> <td>38.15</td> <td>34.60</td> <td>12.89</td> <td>29.56</td> <td>0.00</td> <td>352</td> <td>288</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5436.33	56.06	74.00	-17.14	39.01	34.60	12.86	29.61	0.00	352	288	PEAK	2	5467.53	56.00	68.20	-12.12	38.15	34.60	12.89	29.56	0.00	352	288	PEAK	 <table border="1" data-bbox="906 1108 1412 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>108.90</td> <td>-----</td> <td>-----</td> <td>90.79</td> <td>34.60</td> <td>13.03</td> <td>29.52</td> <td>0.00</td> <td>352</td> <td>288</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	108.90	-----	-----	90.79	34.60	13.03	29.52	0.00	352	288	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5436.33	56.06	74.00	-17.14	39.01	34.60	12.86	29.61	0.00	352	288	PEAK																																																																																					
2	5467.53	56.00	68.20	-12.12	38.15	34.60	12.89	29.56	0.00	352	288	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	108.90	-----	-----	90.79	34.60	13.03	29.52	0.00	352	288	PEAK																																																																																					
Avg	 <table border="1" data-bbox="268 1785 774 1919"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.04</td> <td>45.59</td> <td>54.00</td> <td>-8.41</td> <td>27.72</td> <td>34.60</td> <td>12.84</td> <td>29.57</td> <td>0.00</td> <td>352</td> <td>288</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.04	45.59	54.00	-8.41	27.72	34.60	12.84	29.57	0.00	352	288	AVERAGE	 <table border="1" data-bbox="906 1785 1412 1919"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>100.70</td> <td>-----</td> <td>-----</td> <td>82.67</td> <td>34.60</td> <td>13.03</td> <td>29.52</td> <td>0.00</td> <td>352</td> <td>288</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	100.70	-----	-----	82.67	34.60	13.03	29.52	0.00	352	288	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5459.04	45.59	54.00	-8.41	27.72	34.60	12.84	29.57	0.00	352	288	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	100.70	-----	-----	82.67	34.60	13.03	29.52	0.00	352	288	AVERAGE																																																																																					



Mode	39																																																																	
	Band Edge																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_26/8RU_5700MHz																																																																	
ANT	CDD 7+5																																																																	
Pol.	Horizontal	Fundamental																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5736.40</td> <td>57.46</td> <td>68.20</td> <td>-10.74</td> <td>39.16</td> <td>34.67</td> <td>13.40</td> <td>29.77</td> <td>0.00</td> <td>200</td> <td>169 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	5736.40	57.46	68.20	-10.74	39.16	34.67	13.40	29.77	0.00	200	169 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>106.46</td> <td>-----</td> <td>-----</td> <td>88.33</td> <td>34.61</td> <td>13.15</td> <td>29.63</td> <td>0.00</td> <td>200</td> <td>169 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	5700.00	106.46	-----	-----	88.33	34.61	13.15	29.63	0.00	200	169 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																							
1	5736.40	57.46	68.20	-10.74	39.16	34.67	13.40	29.77	0.00	200	169 PEAK																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																							
1	5700.00	106.46	-----	-----	88.33	34.61	13.15	29.63	0.00	200	169 PEAK																																																							
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>98.54</td> <td>-----</td> <td>-----</td> <td>80.41</td> <td>34.61</td> <td>13.15</td> <td>29.63</td> <td>0.00</td> <td>200</td> <td>169 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	5700.00	98.54	-----	-----	80.41	34.61	13.15	29.63	0.00	200	169 AVERAGE																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																							
1	5700.00	98.54	-----	-----	80.41	34.61	13.15	29.63	0.00	200	169 AVERAGE																																																							







Mode	39																																																																											
	Band Edge																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_26/8RU_5700MHz																																																																											
ANT	CDD 7+5																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5746.24</td> <td>57.15</td> <td>68.20</td> <td>-11.05</td> <td>38.79</td> <td>34.69</td> <td>13.49</td> <td>29.82</td> <td>0.00</td> <td>320</td> <td>233</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5746.24	57.15	68.20	-11.05	38.79	34.69	13.49	29.82	0.00	320	233	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>105.00</td> <td>-----</td> <td>-----</td> <td>86.87</td> <td>34.61</td> <td>13.15</td> <td>29.63</td> <td>0.00</td> <td>320</td> <td>233</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	105.00	-----	-----	86.87	34.61	13.15	29.63	0.00	320	233	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5746.24	57.15	68.20	-11.05	38.79	34.69	13.49	29.82	0.00	320	233	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5700.00	105.00	-----	-----	86.87	34.61	13.15	29.63	0.00	320	233	PEAK																																																																
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>97.56</td> <td>-----</td> <td>-----</td> <td>79.43</td> <td>34.61</td> <td>13.15</td> <td>29.63</td> <td>0.00</td> <td>320</td> <td>233</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	97.56	-----	-----	79.43	34.61	13.15	29.63	0.00	320	233	AVERAGE																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5700.00	97.56	-----	-----	79.43	34.61	13.15	29.63	0.00	320	233	AVERAGE																																																																



Mode	40																																																																												
	Band Edge																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_52/37RU_5500MHz																																																																												
ANT	CDD 7+5																																																																												
Pol.	Horizontal	Fundamental																																																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5423.69</td> <td>56.42</td> <td>74.00</td> <td>-17.58</td> <td>38.53</td> <td>34.60</td> <td>12.92</td> <td>29.63</td> <td>0.00</td> <td>186</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.61</td> <td>55.53</td> <td>68.20</td> <td>-12.67</td> <td>37.59</td> <td>34.60</td> <td>12.90</td> <td>29.56</td> <td>0.00</td> <td>186</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	1	5423.69	56.42	74.00	-17.58	38.53	34.60	12.92	29.63	0.00	186	0	PEAK	2	5469.61	55.53	68.20	-12.67	37.59	34.60	12.90	29.56	0.00	186	0	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>107.52</td> <td>-----</td> <td>-----</td> <td>89.41</td> <td>34.60</td> <td>13.03</td> <td>29.52</td> <td>0.00</td> <td>186</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	1	5500.00	107.52	-----	-----	89.41	34.60	13.03	29.52	0.00	186	0	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																					
1	5423.69	56.42	74.00	-17.58	38.53	34.60	12.92	29.63	0.00	186	0	PEAK																																																																	
2	5469.61	55.53	68.20	-12.67	37.59	34.60	12.90	29.56	0.00	186	0	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																					
1	5500.00	107.52	-----	-----	89.41	34.60	13.03	29.52	0.00	186	0	PEAK																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.35</td> <td>45.60</td> <td>54.00</td> <td>-8.40</td> <td>27.73</td> <td>34.60</td> <td>12.84</td> <td>29.57</td> <td>0.00</td> <td>186</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	1	5459.35	45.60	54.00	-8.40	27.73	34.60	12.84	29.57	0.00	186	0	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>99.96</td> <td>-----</td> <td>-----</td> <td>81.85</td> <td>34.60</td> <td>13.03</td> <td>29.52</td> <td>0.00</td> <td>186</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	1	5500.00	99.96	-----	-----	81.85	34.60	13.03	29.52	0.00	186	0	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																					
1	5459.35	45.60	54.00	-8.40	27.73	34.60	12.84	29.57	0.00	186	0	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																					
1	5500.00	99.96	-----	-----	81.85	34.60	13.03	29.52	0.00	186	0	AVERAGE																																																																	






Mode	40																																																																																																
	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_52/37RU_5500MHz																																																																																																
ANT	CDD 7+5																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	 <table border="1" data-bbox="263 1097 774 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5450.25</td> <td>58.39</td> <td>74.00</td> <td>-15.61</td> <td>40.59</td> <td>34.60</td> <td>12.79</td> <td>29.59</td> <td>0.00</td> <td>352</td> <td>289</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5463.05</td> <td>56.69</td> <td>68.20</td> <td>-11.51</td> <td>38.79</td> <td>34.60</td> <td>12.87</td> <td>29.57</td> <td>0.00</td> <td>352</td> <td>289</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.25	58.39	74.00	-15.61	40.59	34.60	12.79	29.59	0.00	352	289	PEAK	2	5463.05	56.69	68.20	-11.51	38.79	34.60	12.87	29.57	0.00	352	289	PEAK	 <table border="1" data-bbox="901 1097 1412 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>108.00</td> <td>-----</td> <td>-----</td> <td>90.69</td> <td>34.60</td> <td>13.03</td> <td>29.52</td> <td>0.00</td> <td>352</td> <td>289</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	108.00	-----	-----	90.69	34.60	13.03	29.52	0.00	352	289	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5450.25	58.39	74.00	-15.61	40.59	34.60	12.79	29.59	0.00	352	289	PEAK																																																																																					
2	5463.05	56.69	68.20	-11.51	38.79	34.60	12.87	29.57	0.00	352	289	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	108.00	-----	-----	90.69	34.60	13.03	29.52	0.00	352	289	PEAK																																																																																					
Avg	 <table border="1" data-bbox="263 1769 774 1915"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.63</td> <td>45.60</td> <td>54.00</td> <td>-8.40</td> <td>27.73</td> <td>34.60</td> <td>12.84</td> <td>29.57</td> <td>0.00</td> <td>352</td> <td>289</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.63	45.60	54.00	-8.40	27.73	34.60	12.84	29.57	0.00	352	289	AVERAGE	 <table border="1" data-bbox="901 1769 1412 1915"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>100.66</td> <td>-----</td> <td>-----</td> <td>82.55</td> <td>34.60</td> <td>13.03</td> <td>29.52</td> <td>0.00</td> <td>352</td> <td>289</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	100.66	-----	-----	82.55	34.60	13.03	29.52	0.00	352	289	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5458.63	45.60	54.00	-8.40	27.73	34.60	12.84	29.57	0.00	352	289	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	100.66	-----	-----	82.55	34.60	13.03	29.52	0.00	352	289	AVERAGE																																																																																					



		41																																																																						
Mode	Band Edge																																																																							
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_52/40RU_5700MHz																																																																							
ANT	CDD 7+5																																																																							
Pol.	Horizontal	Fundamental																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5741.68</td> <td>57.31</td> <td>68.20</td> <td>-10.89</td> <td>38.98</td> <td>34.68</td> <td>13.45</td> <td>29.00</td> <td>0.00</td> <td>100</td> <td>237 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5741.68	57.31	68.20	-10.89	38.98	34.68	13.45	29.00	0.00	100	237 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>105.36</td> <td>-----</td> <td>-----</td> <td>87.23</td> <td>34.61</td> <td>13.15</td> <td>29.63</td> <td>0.00</td> <td>100</td> <td>237 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	105.36	-----	-----	87.23	34.61	13.15	29.63	0.00	100	237 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 5741.68	57.31	68.20	-10.89	38.98	34.68	13.45	29.00	0.00	100	237 PEAK																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 5700.00	105.36	-----	-----	87.23	34.61	13.15	29.63	0.00	100	237 PEAK																																																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>97.29</td> <td>-----</td> <td>-----</td> <td>79.19</td> <td>34.60</td> <td>13.10</td> <td>29.60</td> <td>0.00</td> <td>100</td> <td>237 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	97.29	-----	-----	79.19	34.60	13.10	29.60	0.00	100	237 AVERAGE																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 5700.00	97.29	-----	-----	79.19	34.60	13.10	29.60	0.00	100	237 AVERAGE																																																														







Mode	41																																																																																											
	Band Edge																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_52/40RU_5700MHz																																																																																											
ANT	CDD 7+5																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	 <table border="1" data-bbox="263 1120 782 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5727.36</td> <td>59.13</td> <td>68.20</td> <td>-9.07</td> <td>40.88</td> <td>34.65</td> <td>13.33</td> <td>29.73</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>163 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5727.36	59.13	68.20	-9.07	40.88	34.65	13.33	29.73	0.00									163 PEAK	 <table border="1" data-bbox="901 1120 1420 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>107.15</td> <td>-----</td> <td>-----</td> <td>89.02</td> <td>34.61</td> <td>13.15</td> <td>29.63</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>387 163 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5700.00	107.15	-----	-----	89.02	34.61	13.15	29.63	0.00									387 163 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																				
1 5727.36	59.13	68.20	-9.07	40.88	34.65	13.33	29.73	0.00																																																																																				
								163 PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																				
1 5700.00	107.15	-----	-----	89.02	34.61	13.15	29.63	0.00																																																																																				
								387 163 PEAK																																																																																				
Avg	Blank	 <table border="1" data-bbox="901 1803 1420 1937"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>98.41</td> <td>-----</td> <td>-----</td> <td>80.28</td> <td>34.61</td> <td>13.15</td> <td>29.63</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>387 163 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5700.00	98.41	-----	-----	80.28	34.61	13.15	29.63	0.00									387 163 AVERAGE																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																				
1 5700.00	98.41	-----	-----	80.28	34.61	13.15	29.63	0.00																																																																																				
								387 163 AVERAGE																																																																																				



	42																																																																																																												
Mode	Band Edge																																																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_106/53RU_5500MHz																																																																																																												
ANT	CDD 7+5																																																																																																												
Pol.	Horizontal	Fundamental																																																																																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5434.57</td> <td>56.97</td> <td>74.00</td> <td>-17.03</td> <td>39.12</td> <td>34.60</td> <td>12.86</td> <td>29.61</td> <td>0.00</td> <td>241</td> <td>339</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.49</td> <td>58.33</td> <td>68.20</td> <td>-9.87</td> <td>40.39</td> <td>34.60</td> <td>12.90</td> <td>29.56</td> <td>0.00</td> <td>241</td> <td>339</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	cm	deg	1	5434.57	56.97	74.00	-17.03	39.12	34.60	12.86	29.61	0.00	241	339	PEAK	2	5468.49	58.33	68.20	-9.87	40.39	34.60	12.90	29.56	0.00	241	339	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>108.74</td> <td>-----</td> <td>-----</td> <td>90.63</td> <td>34.60</td> <td>13.03</td> <td>29.52</td> <td>0.00</td> <td>241</td> <td>339</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	cm	deg	1	5500.00	108.74	-----	-----	90.63	34.60	13.03	29.52	0.00	241	339	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	cm	deg																																																																																																	
1	5434.57	56.97	74.00	-17.03	39.12	34.60	12.86	29.61	0.00	241	339	PEAK																																																																																																	
2	5468.49	58.33	68.20	-9.87	40.39	34.60	12.90	29.56	0.00	241	339	PEAK																																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	cm	deg																																																																																																	
1	5500.00	108.74	-----	-----	90.63	34.60	13.03	29.52	0.00	241	339	PEAK																																																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.82</td> <td>45.61</td> <td>54.00</td> <td>-8.39</td> <td>27.74</td> <td>34.60</td> <td>12.84</td> <td>29.57</td> <td>0.00</td> <td>241</td> <td>339</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	cm	deg	1	5458.82	45.61	54.00	-8.39	27.74	34.60	12.84	29.57	0.00	241	339	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>100.76</td> <td>-----</td> <td>-----</td> <td>82.65</td> <td>34.60</td> <td>13.03</td> <td>29.52</td> <td>0.00</td> <td>241</td> <td>339</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	cm	deg	1	5500.00	100.76	-----	-----	82.65	34.60	13.03	29.52	0.00	241	339	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	cm	deg																																																																																																	
1	5458.82	45.61	54.00	-8.39	27.74	34.60	12.84	29.57	0.00	241	339	AVERAGE																																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	cm	deg																																																																																																	
1	5500.00	100.76	-----	-----	82.65	34.60	13.03	29.52	0.00	241	339	AVERAGE																																																																																																	



	42																																																																																																
Mode	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_106/53RU_5500MHz																																																																																																
ANT	CDD 7+5																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	 <table border="1" data-bbox="268 1108 774 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5448.97</td> <td>57.30</td> <td>74.00</td> <td>-16.70</td> <td>39.50</td> <td>34.60</td> <td>12.79</td> <td>29.59</td> <td>0.00</td> <td>388</td> <td>270</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5461.77</td> <td>56.24</td> <td>68.20</td> <td>-11.96</td> <td>38.35</td> <td>34.60</td> <td>12.86</td> <td>29.57</td> <td>0.00</td> <td>388</td> <td>270</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.97	57.30	74.00	-16.70	39.50	34.60	12.79	29.59	0.00	388	270	PEAK	2	5461.77	56.24	68.20	-11.96	38.35	34.60	12.86	29.57	0.00	388	270	PEAK	 <table border="1" data-bbox="906 1108 1412 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>108.60</td> <td>-----</td> <td>-----</td> <td>90.57</td> <td>34.60</td> <td>13.03</td> <td>29.52</td> <td>0.00</td> <td>388</td> <td>270</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	108.60	-----	-----	90.57	34.60	13.03	29.52	0.00	388	270	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5448.97	57.30	74.00	-16.70	39.50	34.60	12.79	29.59	0.00	388	270	PEAK																																																																																					
2	5461.77	56.24	68.20	-11.96	38.35	34.60	12.86	29.57	0.00	388	270	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	108.60	-----	-----	90.57	34.60	13.03	29.52	0.00	388	270	PEAK																																																																																					
Avg	 <table border="1" data-bbox="268 1785 774 1919"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.82</td> <td>45.61</td> <td>54.00</td> <td>-8.39</td> <td>27.73</td> <td>34.60</td> <td>12.85</td> <td>29.57</td> <td>0.00</td> <td>388</td> <td>270</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.82	45.61	54.00	-8.39	27.73	34.60	12.85	29.57	0.00	388	270	AVERAGE	 <table border="1" data-bbox="906 1785 1412 1919"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>100.37</td> <td>-----</td> <td>-----</td> <td>82.26</td> <td>34.60</td> <td>13.03</td> <td>29.52</td> <td>0.00</td> <td>388</td> <td>270</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	100.37	-----	-----	82.26	34.60	13.03	29.52	0.00	388	270	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5459.82	45.61	54.00	-8.39	27.73	34.60	12.85	29.57	0.00	388	270	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	100.37	-----	-----	82.26	34.60	13.03	29.52	0.00	388	270	AVERAGE																																																																																					



		43																																																																																																
Mode	Band Edge																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_106/54RU_5700MHz																																																																																																	
ANT	CDD 7+5																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5726.40</td> <td>62.91</td> <td>-5.29</td> <td>44.66</td> <td>34.65</td> <td>13.32</td> <td>29.72</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>234</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5726.40	62.91	-5.29	44.66	34.65	13.32	29.72							0.00	234								0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>109.05</td> <td>-----</td> <td>90.95</td> <td>34.60</td> <td>13.10</td> <td>29.60</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>234</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	109.05	-----	90.95	34.60	13.10	29.60							0.00	234								0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	5726.40	62.91	-5.29	44.66	34.65	13.32	29.72																																																																																											
						0.00	234																																																																																											
							0 PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	5700.00	109.05	-----	90.95	34.60	13.10	29.60																																																																																											
						0.00	234																																																																																											
							0 PEAK																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>99.97</td> <td>-----</td> <td>81.87</td> <td>34.60</td> <td>13.10</td> <td>29.60</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>234</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	99.97	-----	81.87	34.60	13.10	29.60							0.00	234								0 AVERAGE																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	5700.00	99.97	-----	81.87	34.60	13.10	29.60																																																																																											
						0.00	234																																																																																											
							0 AVERAGE																																																																																											



Mode	43																																																																																																	
	Band Edge																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_106/54RU_5700MHz																																																																																																	
ANT	CDD 7+5																																																																																																	
Pol.	Vertical	Fundamental																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5726.00</td> <td>61.65</td> <td>68.20</td> <td>-6.55</td> <td>43.41</td> <td>34.65</td> <td>13.31</td> <td>29.72</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>109</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>172 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5726.00	61.65	68.20	-6.55	43.41	34.65	13.31	29.72							0.00	109								172 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>107.10</td> <td>-----</td> <td>-----</td> <td>89.00</td> <td>34.60</td> <td>13.10</td> <td>29.60</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>109</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>172 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	107.10	-----	-----	89.00	34.60	13.10	29.60							0.00	109								172 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5726.00	61.65	68.20	-6.55	43.41	34.65	13.31	29.72																																																																																											
						0.00	109																																																																																											
							172 PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5700.00	107.10	-----	-----	89.00	34.60	13.10	29.60																																																																																											
						0.00	109																																																																																											
							172 PEAK																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>99.67</td> <td>-----</td> <td>-----</td> <td>81.57</td> <td>34.60</td> <td>13.10</td> <td>29.60</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>109</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>172 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	99.67	-----	-----	81.57	34.60	13.10	29.60							0.00	109								172 AVERAGE																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5700.00	99.67	-----	-----	81.57	34.60	13.10	29.60																																																																																											
						0.00	109																																																																																											
							172 AVERAGE																																																																																											



Mode	44																																																																											
	Harmonic																																																																											
	U-NII-2C_5.47-5.725_802.11a_CH144_5720MHz																																																																											
ANT	CDD 7+5																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>47.47</td> <td>74.00</td> <td>-26.53</td> <td>54.53</td> <td>38.30</td> <td>18.59</td> <td>63.95</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11440.00	47.47	74.00	-26.53	54.53	38.30	18.59	63.95	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>46.12</td> <td>74.00</td> <td>-27.88</td> <td>53.18</td> <td>38.30</td> <td>18.59</td> <td>63.95</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11440.00	46.12	74.00	-27.88	53.18	38.30	18.59	63.95	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 11440.00	47.47	74.00	-26.53	54.53	38.30	18.59	63.95	0.00	--	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 11440.00	46.12	74.00	-27.88	53.18	38.30	18.59	63.95	0.00	--	PEAK																																																																		



Mode	45																																																																															
	Harmonic																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH144_Full RU_5720MHz																																																																															
ANT	CDD 7+5																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>46.46</td> <td>74.00</td> <td>-27.54</td> <td>53.52</td> <td>38.30</td> <td>18.59</td> <td>63.95</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11440.00	46.46	74.00	-27.54	53.52	38.30	18.59	63.95	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>46.31</td> <td>74.00</td> <td>-27.69</td> <td>53.37</td> <td>38.30</td> <td>18.59</td> <td>63.95</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11440.00	46.31	74.00	-27.69	53.37	38.30	18.59	63.95	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11440.00	46.46	74.00	-27.54	53.52	38.30	18.59	63.95	0.00	--	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11440.00	46.31	74.00	-27.69	53.37	38.30	18.59	63.95	0.00	--	PEAK																																																																						



Mode	46																																																																															
	Harmonic																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE40_CH142_Full RU_5710MHz																																																																															
ANT	CDD 7+5																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>46.89</td> <td>74.00</td> <td>-27.11</td> <td>54.06</td> <td>38.30</td> <td>18.50</td> <td>63.97</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11420.00	46.89	74.00	-27.11	54.06	38.30	18.50	63.97	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>47.16</td> <td>74.00</td> <td>-26.84</td> <td>54.33</td> <td>38.30</td> <td>18.50</td> <td>63.97</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11420.00	47.16	74.00	-26.84	54.33	38.30	18.50	63.97	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11420.00	46.89	74.00	-27.11	54.06	38.30	18.50	63.97	0.00	--	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11420.00	47.16	74.00	-26.84	54.33	38.30	18.50	63.97	0.00	--	PEAK																																																																						






Mode	47																																																																											
	Harmonic																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE80_CH138_Full RU_5690MHz																																																																											
ANT	CDD 7+5																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11380.00</td> <td>46.57</td> <td>74.00</td> <td>-27.43</td> <td>53.88</td> <td>38.32</td> <td>18.39</td> <td>64.02</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11380.00	46.57	74.00	-27.43	53.88	38.32	18.39	64.02	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11380.00</td> <td>46.22</td> <td>74.00</td> <td>-27.78</td> <td>53.53</td> <td>38.32</td> <td>18.39</td> <td>64.02</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11380.00	46.22	74.00	-27.78	53.53	38.32	18.39	64.02	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 11380.00	46.57	74.00	-27.43	53.88	38.32	18.39	64.02	0.00	--	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 11380.00	46.22	74.00	-27.78	53.53	38.32	18.39	64.02	0.00	--	PEAK																																																																		



Mode	48																																																																																																																										
	Band Edge																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																										
ANT	CDD 7+5																																																																																																																										
Pol.	Horizontal	Fundamental																																																																																																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.40</td> <td>57.06</td> <td>68.20</td> <td>-11.14</td> <td>38.78</td> <td>34.50</td> <td>13.12</td> <td>29.34</td> <td>0.00</td> <td>239</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.60</td> <td>56.62</td> <td>69.39</td> <td>-12.77</td> <td>38.46</td> <td>34.50</td> <td>13.01</td> <td>29.35</td> <td>0.00</td> <td>239</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5715.60</td> <td>65.97</td> <td>109.67</td> <td>-43.70</td> <td>47.79</td> <td>34.63</td> <td>13.22</td> <td>29.67</td> <td>0.00</td> <td>239</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5724.40</td> <td>75.11</td> <td>120.93</td> <td>-45.82</td> <td>56.87</td> <td>34.65</td> <td>13.30</td> <td>29.71</td> <td>0.00</td> <td>239</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.40	57.06	68.20	-11.14	38.78	34.50	13.12	29.34	0.00	239	360	PEAK	2	5651.60	56.62	69.39	-12.77	38.46	34.50	13.01	29.35	0.00	239	360	PEAK	3	5715.60	65.97	109.67	-43.70	47.79	34.63	13.22	29.67	0.00	239	360	PEAK	4	5724.40	75.11	120.93	-45.82	56.87	34.65	13.30	29.71	0.00	239	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>108.04</td> <td>-----</td> <td>-----</td> <td>90.48</td> <td>34.69</td> <td>13.49</td> <td>29.82</td> <td>0.00</td> <td>239</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	108.04	-----	-----	90.48	34.69	13.49	29.82	0.00	239	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5610.40	57.06	68.20	-11.14	38.78	34.50	13.12	29.34	0.00	239	360	PEAK																																																																																																															
2	5651.60	56.62	69.39	-12.77	38.46	34.50	13.01	29.35	0.00	239	360	PEAK																																																																																																															
3	5715.60	65.97	109.67	-43.70	47.79	34.63	13.22	29.67	0.00	239	360	PEAK																																																																																																															
4	5724.40	75.11	120.93	-45.82	56.87	34.65	13.30	29.71	0.00	239	360	PEAK																																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5745.00	108.04	-----	-----	90.48	34.69	13.49	29.82	0.00	239	360	PEAK																																																																																																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>101.36</td> <td>-----</td> <td>-----</td> <td>83.04</td> <td>34.68</td> <td>13.43</td> <td>29.79</td> <td>0.00</td> <td>239</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	101.36	-----	-----	83.04	34.68	13.43	29.79	0.00	239	360	AVERAGE																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5745.00	101.36	-----	-----	83.04	34.68	13.43	29.79	0.00	239	360	AVERAGE																																																																																																															



Mode	48																																																																																																																																
	Band Edge																																																																																																																																
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHZ																																																																																																																																
ANT	CDD 7+5																																																																																																																																
Pol.	Vertical	Fundamental																																																																																																																															
Peak	 <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5640.00</td> <td>57.52</td> <td>68.20</td> <td>-10.68</td> <td>39.27</td> <td>34.50</td> <td>13.04</td> <td>29.29</td> <td>0.00</td> <td>103</td> <td>194</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.00</td> <td>54.71</td> <td>68.20</td> <td>-13.49</td> <td>36.54</td> <td>34.50</td> <td>13.01</td> <td>29.34</td> <td>0.00</td> <td>103</td> <td>194</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5713.20</td> <td>66.96</td> <td>109.00</td> <td>-42.04</td> <td>48.79</td> <td>34.63</td> <td>13.20</td> <td>29.66</td> <td>0.00</td> <td>103</td> <td>194</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.40</td> <td>69.12</td> <td>111.81</td> <td>-42.69</td> <td>50.90</td> <td>34.64</td> <td>13.27</td> <td>29.69</td> <td>0.00</td> <td>103</td> <td>194</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5640.00	57.52	68.20	-10.68	39.27	34.50	13.04	29.29	0.00	103	194	PEAK	2	5650.00	54.71	68.20	-13.49	36.54	34.50	13.01	29.34	0.00	103	194	PEAK	3	5713.20	66.96	109.00	-42.04	48.79	34.63	13.20	29.66	0.00	103	194	PEAK	4	5720.40	69.12	111.81	-42.69	50.90	34.64	13.27	29.69	0.00	103	194	PEAK	 <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>110.40</td> <td>-----</td> <td>-----</td> <td>92.08</td> <td>34.68</td> <td>13.43</td> <td>29.79</td> <td>0.00</td> <td>103</td> <td>194</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	110.40	-----	-----	92.08	34.68	13.43	29.79	0.00	103	194	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5640.00	57.52	68.20	-10.68	39.27	34.50	13.04	29.29	0.00	103	194	PEAK																																																																																																																					
2	5650.00	54.71	68.20	-13.49	36.54	34.50	13.01	29.34	0.00	103	194	PEAK																																																																																																																					
3	5713.20	66.96	109.00	-42.04	48.79	34.63	13.20	29.66	0.00	103	194	PEAK																																																																																																																					
4	5720.40	69.12	111.81	-42.69	50.90	34.64	13.27	29.69	0.00	103	194	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5745.00	110.40	-----	-----	92.08	34.68	13.43	29.79	0.00	103	194	PEAK																																																																																																																					
Avg	Blank	 <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>101.77</td> <td>-----</td> <td>-----</td> <td>83.41</td> <td>34.69</td> <td>13.49</td> <td>29.82</td> <td>0.00</td> <td>103</td> <td>194</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	101.77	-----	-----	83.41	34.69	13.49	29.82	0.00	103	194	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5745.00	101.77	-----	-----	83.41	34.69	13.49	29.82	0.00	103	194	AVERAGE																																																																																																																					



Mode	48																																																																																													
	Harmonic																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHZ																																																																																													
ANT	CDD 7+5																																																																																													
Pol.	Horizontal	Vertical																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>47.38</td> <td>74.00</td> <td>-26.62</td> <td>54.23</td> <td>38.30</td> <td>18.74</td> <td>63.89</td> <td>0.00</td> <td>300</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2 11490.00</td> <td>36.84</td> <td>54.00</td> <td>-17.16</td> <td>43.69</td> <td>38.30</td> <td>18.74</td> <td>63.89</td> <td>0.00</td> <td>300</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11490.00	47.38	74.00	-26.62	54.23	38.30	18.74	63.89	0.00	300	0	PEAK	2 11490.00	36.84	54.00	-17.16	43.69	38.30	18.74	63.89	0.00	300	0	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>46.94</td> <td>74.00</td> <td>-27.06</td> <td>53.79</td> <td>38.30</td> <td>18.74</td> <td>63.89</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11490.00	46.94	74.00	-27.06	53.79	38.30	18.74	63.89	0.00	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 11490.00	47.38	74.00	-26.62	54.23	38.30	18.74	63.89	0.00	300	0	PEAK																																																																																			
2 11490.00	36.84	54.00	-17.16	43.69	38.30	18.74	63.89	0.00	300	0	AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 11490.00	46.94	74.00	-27.06	53.79	38.30	18.74	63.89	0.00	--	--	PEAK																																																																																			



49																																																																																			
Mode	Band Edge - L																																																																																		
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																		
ANT	CDD 7+5																																																																																		
Pol.	Horizontal																																																																																		
Peak																																																																																			
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5601.81</td> <td>57.16</td> <td>68.20</td> <td>-11.04</td> <td>38.87</td> <td>34.50</td> <td>13.14</td> <td>29.35</td> <td>0.00</td> <td>289</td> <td>167</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.81</td> <td>55.14</td> <td>69.55</td> <td>-14.41</td> <td>36.98</td> <td>34.50</td> <td>13.01</td> <td>29.35</td> <td>0.00</td> <td>289</td> <td>167</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5782.21</td> <td>54.92</td> <td>105.92</td> <td>-51.00</td> <td>36.81</td> <td>34.60</td> <td>13.11</td> <td>29.60</td> <td>0.00</td> <td>289</td> <td>167</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>53.23</td> <td>110.90</td> <td>-57.67</td> <td>35.02</td> <td>34.64</td> <td>13.26</td> <td>29.69</td> <td>0.00</td> <td>289</td> <td>167</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5601.81	57.16	68.20	-11.04	38.87	34.50	13.14	29.35	0.00	289	167	PEAK	2	5651.81	55.14	69.55	-14.41	36.98	34.50	13.01	29.35	0.00	289	167	PEAK	3	5782.21	54.92	105.92	-51.00	36.81	34.60	13.11	29.60	0.00	289	167	PEAK	4	5720.00	53.23	110.90	-57.67	35.02	34.64	13.26	29.69	0.00	289	167
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5601.81	57.16	68.20	-11.04	38.87	34.50	13.14	29.35	0.00	289	167	PEAK																																																																							
2	5651.81	55.14	69.55	-14.41	36.98	34.50	13.01	29.35	0.00	289	167	PEAK																																																																							
3	5782.21	54.92	105.92	-51.00	36.81	34.60	13.11	29.60	0.00	289	167	PEAK																																																																							
4	5720.00	53.23	110.90	-57.67	35.02	34.64	13.26	29.69	0.00	289	167	PEAK																																																																							
Fundamental																																																																																			
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5785.00</td> <td>107.52</td> <td>-----</td> <td>-----</td> <td>88.65</td> <td>34.77</td> <td>14.12</td> <td>30.02</td> <td>0.00</td> <td>289</td> <td>167</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5785.00	107.52	-----	-----	88.65	34.77	14.12	30.02	0.00	289	167	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5785.00	107.52	-----	-----	88.65	34.77	14.12	30.02	0.00	289	167	PEAK																																																																							
Avg	Blank																																																																																		
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5785.00</td> <td>100.31</td> <td>-----</td> <td>-----</td> <td>81.52</td> <td>34.76</td> <td>14.02</td> <td>29.99</td> <td>0.00</td> <td>289</td> <td>167</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5785.00	100.31	-----	-----	81.52	34.76	14.02	29.99	0.00	289	167	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5785.00	100.31	-----	-----	81.52	34.76	14.02	29.99	0.00	289	167	AVERAGE																																																																							



Mode	49																																																																		
	Band Edge - R																																																																		
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																		
ANT	CDD 7+5																																																																		
Pol.	Horizontal	Fundamental																																																																	
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.99</td> <td>54.22</td> <td>110.93</td> <td>-56.71</td> <td>35.79</td> <td>34.92</td> <td>13.88</td> <td>30.37</td> <td>0.00</td> <td>289</td> <td>167</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5872.61</td> <td>57.32</td> <td>105.97</td> <td>-48.65</td> <td>38.86</td> <td>34.99</td> <td>13.85</td> <td>30.38</td> <td>0.00</td> <td>289</td> <td>167</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.99</td> <td>55.46</td> <td>68.21</td> <td>-12.75</td> <td>36.99</td> <td>35.15</td> <td>13.73</td> <td>30.41</td> <td>0.00</td> <td>289</td> <td>167</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5994.61</td> <td>56.84</td> <td>68.20</td> <td>-11.36</td> <td>38.43</td> <td>35.29</td> <td>13.56</td> <td>30.44</td> <td>0.00</td> <td>289</td> <td>167</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark	1	5854.99	54.22	110.93	-56.71	35.79	34.92	13.88	30.37	0.00	289	167	PEAK	2	5872.61	57.32	105.97	-48.65	38.86	34.99	13.85	30.38	0.00	289	167	PEAK	3	5924.99	55.46	68.21	-12.75	36.99	35.15	13.73	30.41	0.00	289	167	PEAK	4	5994.61	56.84	68.20	-11.36	38.43	35.29	13.56	30.44	0.00	289	167	PEAK	Blank
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark																																																							
1	5854.99	54.22	110.93	-56.71	35.79	34.92	13.88	30.37	0.00	289	167	PEAK																																																							
2	5872.61	57.32	105.97	-48.65	38.86	34.99	13.85	30.38	0.00	289	167	PEAK																																																							
3	5924.99	55.46	68.21	-12.75	36.99	35.15	13.73	30.41	0.00	289	167	PEAK																																																							
4	5994.61	56.84	68.20	-11.36	38.43	35.29	13.56	30.44	0.00	289	167	PEAK																																																							



		49																																																																																																																															
Mode	Band Edge - L																																																																																																																																
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																
ANT	CDD 7+5																																																																																																																																
Pol.	Vertical	Fundamental																																																																																																																															
Peak																																																																																																																																	
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5607.01</td> <td>56.68</td> <td>68.20</td> <td>-11.52</td> <td>38.39</td> <td>34.50</td> <td>13.13</td> <td>29.34</td> <td>0.00</td> <td>144</td> <td>173</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.01</td> <td>54.80</td> <td>68.96</td> <td>-14.16</td> <td>36.64</td> <td>34.50</td> <td>13.01</td> <td>29.35</td> <td>0.00</td> <td>144</td> <td>173</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5703.41</td> <td>55.31</td> <td>106.26</td> <td>-50.95</td> <td>37.19</td> <td>34.61</td> <td>13.12</td> <td>29.61</td> <td>0.00</td> <td>144</td> <td>173</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>54.01</td> <td>110.90</td> <td>-56.89</td> <td>35.80</td> <td>34.64</td> <td>13.26</td> <td>29.69</td> <td>0.00</td> <td>144</td> <td>173</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5607.01	56.68	68.20	-11.52	38.39	34.50	13.13	29.34	0.00	144	173	PEAK	2	5651.01	54.80	68.96	-14.16	36.64	34.50	13.01	29.35	0.00	144	173	PEAK	3	5703.41	55.31	106.26	-50.95	37.19	34.61	13.12	29.61	0.00	144	173	PEAK	4	5720.00	54.01	110.90	-56.89	35.80	34.64	13.26	29.69	0.00	144	173	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5785.00</td> <td>107.11</td> <td>-----</td> <td>-----</td> <td>88.24</td> <td>34.77</td> <td>14.12</td> <td>30.02</td> <td>0.00</td> <td>144</td> <td>173</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5785.00	107.11	-----	-----	88.24	34.77	14.12	30.02	0.00	144	173
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5607.01	56.68	68.20	-11.52	38.39	34.50	13.13	29.34	0.00	144	173	PEAK																																																																																																																					
2	5651.01	54.80	68.96	-14.16	36.64	34.50	13.01	29.35	0.00	144	173	PEAK																																																																																																																					
3	5703.41	55.31	106.26	-50.95	37.19	34.61	13.12	29.61	0.00	144	173	PEAK																																																																																																																					
4	5720.00	54.01	110.90	-56.89	35.80	34.64	13.26	29.69	0.00	144	173	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5785.00	107.11	-----	-----	88.24	34.77	14.12	30.02	0.00	144	173	PEAK																																																																																																																					
Avg	Blank																																																																																																																																
		<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5785.00</td> <td>100.28</td> <td>-----</td> <td>-----</td> <td>81.49</td> <td>34.76</td> <td>14.02</td> <td>29.99</td> <td>0.00</td> <td>144</td> <td>173</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5785.00	100.28	-----	-----	81.49	34.76	14.02	29.99	0.00	144	173	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5785.00	100.28	-----	-----	81.49	34.76	14.02	29.99	0.00	144	173	AVERAGE																																																																																																																					



Mode	49																																																																		
	Band Edge - R																																																																		
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																		
ANT	CDD 7+5																																																																		
Pol.	Vertical	Fundamental																																																																	
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Gain (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.21</td> <td>54.58</td> <td>112.69</td> <td>-58.11</td> <td>36.15</td> <td>34.92</td> <td>13.88</td> <td>30.37</td> <td>0.00</td> <td>144</td> <td>173</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.81</td> <td>56.62</td> <td>105.63</td> <td>-49.01</td> <td>38.15</td> <td>35.00</td> <td>13.85</td> <td>30.38</td> <td>0.00</td> <td>144</td> <td>173</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.21</td> <td>54.04</td> <td>68.78</td> <td>-14.74</td> <td>35.56</td> <td>35.15</td> <td>13.73</td> <td>30.40</td> <td>0.00</td> <td>144</td> <td>173</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5964.21</td> <td>57.70</td> <td>68.20</td> <td>-10.50</td> <td>39.27</td> <td>35.23</td> <td>13.62</td> <td>30.42</td> <td>0.00</td> <td>144</td> <td>173</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark	1	5854.21	54.58	112.69	-58.11	36.15	34.92	13.88	30.37	0.00	144	173	PEAK	2	5873.81	56.62	105.63	-49.01	38.15	35.00	13.85	30.38	0.00	144	173	PEAK	3	5924.21	54.04	68.78	-14.74	35.56	35.15	13.73	30.40	0.00	144	173	PEAK	4	5964.21	57.70	68.20	-10.50	39.27	35.23	13.62	30.42	0.00	144	173	PEAK	Blank
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark																																																							
1	5854.21	54.58	112.69	-58.11	36.15	34.92	13.88	30.37	0.00	144	173	PEAK																																																							
2	5873.81	56.62	105.63	-49.01	38.15	35.00	13.85	30.38	0.00	144	173	PEAK																																																							
3	5924.21	54.04	68.78	-14.74	35.56	35.15	13.73	30.40	0.00	144	173	PEAK																																																							
4	5964.21	57.70	68.20	-10.50	39.27	35.23	13.62	30.42	0.00	144	173	PEAK																																																							



Mode	49																																																																															
	Harmonic																																																																															
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																															
ANT	CDD 7+5																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>46.63</td> <td>74.00</td> <td>-27.37</td> <td>53.62</td> <td>38.44</td> <td>18.63</td> <td>64.06</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11570.00	46.63	74.00	-27.37	53.62	38.44	18.63	64.06	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>46.30</td> <td>74.00</td> <td>-27.70</td> <td>53.29</td> <td>38.44</td> <td>18.63</td> <td>64.06</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11570.00	46.30	74.00	-27.70	53.29	38.44	18.63	64.06	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11570.00	46.63	74.00	-27.37	53.62	38.44	18.63	64.06	0.00	--	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11570.00	46.30	74.00	-27.70	53.29	38.44	18.63	64.06	0.00	--	PEAK																																																																						



Mode	50																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHZ																																																																																																																						
ANT	CDD 7+5																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.00</td> <td>61.12</td> <td>111.36</td> <td>-50.24</td> <td>42.69</td> <td>34.92</td> <td>13.88</td> <td>30.37</td> <td>0.00</td> <td>241</td> <td>171</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5855.20</td> <td>62.11</td> <td>110.84</td> <td>-48.73</td> <td>43.68</td> <td>34.92</td> <td>13.88</td> <td>30.37</td> <td>0.00</td> <td>241</td> <td>171</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.40</td> <td>57.00</td> <td>68.64</td> <td>-11.64</td> <td>38.52</td> <td>35.15</td> <td>13.73</td> <td>30.40</td> <td>0.00</td> <td>241</td> <td>171</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5932.40</td> <td>57.32</td> <td>68.20</td> <td>-10.88</td> <td>38.87</td> <td>35.16</td> <td>13.70</td> <td>30.41</td> <td>0.00</td> <td>241</td> <td>171</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5854.00	61.12	111.36	-50.24	42.69	34.92	13.88	30.37	0.00	241	171	PEAK	2	5855.20	62.11	110.84	-48.73	43.68	34.92	13.88	30.37	0.00	241	171	PEAK	3	5924.40	57.00	68.64	-11.64	38.52	35.15	13.73	30.40	0.00	241	171	PEAK	4	5932.40	57.32	68.20	-10.88	38.87	35.16	13.70	30.41	0.00	241	171	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>108.10</td> <td>-----</td> <td>-----</td> <td>89.33</td> <td>34.85</td> <td>14.14</td> <td>30.22</td> <td>0.00</td> <td>241</td> <td>171</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	108.10	-----	-----	89.33	34.85	14.14	30.22	0.00	241	171	PEAK
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5854.00	61.12	111.36	-50.24	42.69	34.92	13.88	30.37	0.00	241	171	PEAK																																																																																																											
2	5855.20	62.11	110.84	-48.73	43.68	34.92	13.88	30.37	0.00	241	171	PEAK																																																																																																											
3	5924.40	57.00	68.64	-11.64	38.52	35.15	13.73	30.40	0.00	241	171	PEAK																																																																																																											
4	5932.40	57.32	68.20	-10.88	38.87	35.16	13.70	30.41	0.00	241	171	PEAK																																																																																																											
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5825.00	108.10	-----	-----	89.33	34.85	14.14	30.22	0.00	241	171	PEAK																																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>101.19</td> <td>-----</td> <td>-----</td> <td>82.42</td> <td>34.85</td> <td>14.14</td> <td>30.22</td> <td>0.00</td> <td>241</td> <td>171</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	101.19	-----	-----	82.42	34.85	14.14	30.22	0.00	241	171	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5825.00	101.19	-----	-----	82.42	34.85	14.14	30.22	0.00	241	171	AVERAGE																																																																																																											






Mode	50																																																																																																																																
	Band Edge																																																																																																																																
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHZ																																																																																																																																
ANT	CDD 7+5																																																																																																																																
Pol.	Vertical	Fundamental																																																																																																																															
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.00</td> <td>64.50</td> <td>111.36</td> <td>-46.86</td> <td>46.07</td> <td>34.92</td> <td>13.88</td> <td>30.37</td> <td>0.00</td> <td>140</td> <td>186</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5856.00</td> <td>65.42</td> <td>110.62</td> <td>-45.20</td> <td>46.99</td> <td>34.92</td> <td>13.88</td> <td>30.37</td> <td>0.00</td> <td>140</td> <td>186</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.00</td> <td>55.70</td> <td>68.94</td> <td>-13.24</td> <td>37.22</td> <td>35.15</td> <td>13.73</td> <td>30.40</td> <td>0.00</td> <td>140</td> <td>186</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5970.40</td> <td>58.34</td> <td>68.20</td> <td>-9.86</td> <td>39.92</td> <td>35.24</td> <td>13.61</td> <td>30.43</td> <td>0.00</td> <td>140</td> <td>186</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	64.50	111.36	-46.86	46.07	34.92	13.88	30.37	0.00	140	186	PEAK	2	5856.00	65.42	110.62	-45.20	46.99	34.92	13.88	30.37	0.00	140	186	PEAK	3	5924.00	55.70	68.94	-13.24	37.22	35.15	13.73	30.40	0.00	140	186	PEAK	4	5970.40	58.34	68.20	-9.86	39.92	35.24	13.61	30.43	0.00	140	186	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>109.82</td> <td>-----</td> <td>-----</td> <td>91.05</td> <td>34.85</td> <td>14.14</td> <td>30.22</td> <td>0.00</td> <td>140</td> <td>186</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	109.82	-----	-----	91.05	34.85	14.14	30.22	0.00	140	186	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5854.00	64.50	111.36	-46.86	46.07	34.92	13.88	30.37	0.00	140	186	PEAK																																																																																																																					
2	5856.00	65.42	110.62	-45.20	46.99	34.92	13.88	30.37	0.00	140	186	PEAK																																																																																																																					
3	5924.00	55.70	68.94	-13.24	37.22	35.15	13.73	30.40	0.00	140	186	PEAK																																																																																																																					
4	5970.40	58.34	68.20	-9.86	39.92	35.24	13.61	30.43	0.00	140	186	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5825.00	109.82	-----	-----	91.05	34.85	14.14	30.22	0.00	140	186	PEAK																																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>102.34</td> <td>-----</td> <td>-----</td> <td>83.57</td> <td>34.85</td> <td>14.14</td> <td>30.22</td> <td>0.00</td> <td>140</td> <td>186</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	102.34	-----	-----	83.57	34.85	14.14	30.22	0.00	140	186	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5825.00	102.34	-----	-----	83.57	34.85	14.14	30.22	0.00	140	186	AVERAGE																																																																																																																					






Mode	50																																																																															
	Harmonic																																																																															
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																															
ANT	CDD 7+5																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>46.76</td> <td>74.00</td> <td>-27.24</td> <td>53.86</td> <td>38.50</td> <td>18.67</td> <td>64.27</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11650.00	46.76	74.00	-27.24	53.86	38.50	18.67	64.27	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>46.81</td> <td>74.00</td> <td>-27.19</td> <td>53.91</td> <td>38.50</td> <td>18.67</td> <td>64.27</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11650.00	46.81	74.00	-27.19	53.91	38.50	18.67	64.27	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11650.00	46.76	74.00	-27.24	53.86	38.50	18.67	64.27	0.00	--	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11650.00	46.81	74.00	-27.19	53.91	38.50	18.67	64.27	0.00	--	PEAK																																																																						



51																																																																																
Mode	Band Edge																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																															
ANT	CDD 7+5																																																																															
Pol.	Horizontal																																																																															
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 5745 MHz. The plot includes a red limit line and a blue read line. The peak level is approximately 108.96 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5631.20</td> <td>57.25</td> <td>68.20</td> <td>-10.95</td> <td>38.99</td> <td>34.50</td> <td>13.06</td> <td>29.30</td> <td>0.00</td> <td>224</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.40</td> <td>56.16</td> <td>68.50</td> <td>-12.34</td> <td>37.99</td> <td>34.50</td> <td>13.01</td> <td>29.34</td> <td>0.00</td> <td>224</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5715.20</td> <td>70.79</td> <td>109.56</td> <td>-38.77</td> <td>52.61</td> <td>34.63</td> <td>13.22</td> <td>29.67</td> <td>0.00</td> <td>224</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.40</td> <td>72.19</td> <td>111.81</td> <td>-39.62</td> <td>53.97</td> <td>34.64</td> <td>13.27</td> <td>29.69</td> <td>0.00</td> <td>224</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5631.20	57.25	68.20	-10.95	38.99	34.50	13.06	29.30	0.00	224	0	PEAK	2	5650.40	56.16	68.50	-12.34	37.99	34.50	13.01	29.34	0.00	224	0	PEAK	3	5715.20	70.79	109.56	-38.77	52.61	34.63	13.22	29.67	0.00	224	0	PEAK	4	5720.40	72.19	111.81	-39.62	53.97	34.64	13.27	29.69	0.00	224	0	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																								
1	5631.20	57.25	68.20	-10.95	38.99	34.50	13.06	29.30	0.00	224	0	PEAK																																																																				
2	5650.40	56.16	68.50	-12.34	37.99	34.50	13.01	29.34	0.00	224	0	PEAK																																																																				
3	5715.20	70.79	109.56	-38.77	52.61	34.63	13.22	29.67	0.00	224	0	PEAK																																																																				
4	5720.40	72.19	111.81	-39.62	53.97	34.64	13.27	29.69	0.00	224	0	PEAK																																																																				
Fundamental	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 5745 MHz. The plot includes a red limit line and a blue read line. The peak level is approximately 108.96 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>108.96</td> <td>-----</td> <td>-----</td> <td>90.60</td> <td>34.69</td> <td>13.49</td> <td>29.82</td> <td>0.00</td> <td>224</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5745.00	108.96	-----	-----	90.60	34.69	13.49	29.82	0.00	224	0	PEAK																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																								
1	5745.00	108.96	-----	-----	90.60	34.69	13.49	29.82	0.00	224	0	PEAK																																																																				
Avg	Blank																																																																															
	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 5745 MHz. The plot includes a red limit line and a blue read line. The peak level is approximately 100.20 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>100.20</td> <td>-----</td> <td>-----</td> <td>81.84</td> <td>34.69</td> <td>13.49</td> <td>29.82</td> <td>0.00</td> <td>224</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5745.00	100.20	-----	-----	81.84	34.69	13.49	29.82	0.00	224	0	AVERAGE																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																								
1	5745.00	100.20	-----	-----	81.84	34.69	13.49	29.82	0.00	224	0	AVERAGE																																																																				



	51																																																																																																																											
Mode	Band Edge																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																																																																											
ANT	CDD 7+5																																																																																																																											
Pol.	Vertical	Fundamental																																																																																																																										
Peak	 <table border="1" data-bbox="263 1064 774 1243"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5636.80</td> <td>56.85</td> <td>68.20</td> <td>-11.35</td> <td>38.59</td> <td>34.50</td> <td>13.05</td> <td>29.29</td> <td>0.00</td> <td>100</td> <td>192 PEAK</td> </tr> <tr> <td>2</td> <td>5658.80</td> <td>54.83</td> <td>68.80</td> <td>-13.97</td> <td>36.66</td> <td>34.50</td> <td>13.01</td> <td>29.34</td> <td>0.00</td> <td>100</td> <td>192 PEAK</td> </tr> <tr> <td>3</td> <td>5714.40</td> <td>69.40</td> <td>109.33</td> <td>-39.93</td> <td>51.22</td> <td>34.63</td> <td>13.21</td> <td>29.66</td> <td>0.00</td> <td>100</td> <td>192 PEAK</td> </tr> <tr> <td>4</td> <td>5721.60</td> <td>74.45</td> <td>114.55</td> <td>-40.10</td> <td>56.23</td> <td>34.64</td> <td>13.28</td> <td>29.70</td> <td>0.00</td> <td>100</td> <td>192 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5636.80	56.85	68.20	-11.35	38.59	34.50	13.05	29.29	0.00	100	192 PEAK	2	5658.80	54.83	68.80	-13.97	36.66	34.50	13.01	29.34	0.00	100	192 PEAK	3	5714.40	69.40	109.33	-39.93	51.22	34.63	13.21	29.66	0.00	100	192 PEAK	4	5721.60	74.45	114.55	-40.10	56.23	34.64	13.28	29.70	0.00	100	192 PEAK	 <table border="1" data-bbox="901 1064 1412 1243"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>109.35</td> <td>-----</td> <td>-----</td> <td>90.99</td> <td>34.69</td> <td>13.49</td> <td>29.82</td> <td>0.00</td> <td>100</td> <td>192 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	109.35	-----	-----	90.99	34.69	13.49	29.82	0.00	100	192 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5636.80	56.85	68.20	-11.35	38.59	34.50	13.05	29.29	0.00	100	192 PEAK																																																																																																																	
2	5658.80	54.83	68.80	-13.97	36.66	34.50	13.01	29.34	0.00	100	192 PEAK																																																																																																																	
3	5714.40	69.40	109.33	-39.93	51.22	34.63	13.21	29.66	0.00	100	192 PEAK																																																																																																																	
4	5721.60	74.45	114.55	-40.10	56.23	34.64	13.28	29.70	0.00	100	192 PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5745.00	109.35	-----	-----	90.99	34.69	13.49	29.82	0.00	100	192 PEAK																																																																																																																	
Avg	Blank	 <table border="1" data-bbox="901 1747 1412 1926"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>100.60</td> <td>-----</td> <td>-----</td> <td>82.24</td> <td>34.69</td> <td>13.49</td> <td>29.82</td> <td>0.00</td> <td>100</td> <td>192 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	100.60	-----	-----	82.24	34.69	13.49	29.82	0.00	100	192 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5745.00	100.60	-----	-----	82.24	34.69	13.49	29.82	0.00	100	192 AVERAGE																																																																																																																	



Mode	51																																																																															
	Harmonic																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																															
ANT	CDD 7+5																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>46.93</td> <td>74.00</td> <td>-27.07</td> <td>53.78</td> <td>38.30</td> <td>18.74</td> <td>63.89</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11490.00	46.93	74.00	-27.07	53.78	38.30	18.74	63.89	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>47.19</td> <td>74.00</td> <td>-26.81</td> <td>54.04</td> <td>38.30</td> <td>18.74</td> <td>63.89</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11490.00	47.19	74.00	-26.81	54.04	38.30	18.74	63.89	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11490.00	46.93	74.00	-27.07	53.78	38.30	18.74	63.89	0.00	--	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11490.00	47.19	74.00	-26.81	54.04	38.30	18.74	63.89	0.00	--	PEAK																																																																						



Mode	52																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																																																						
ANT	CDD 7+5																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5645.60</td> <td>57.39</td> <td>68.20</td> <td>-10.81</td> <td>39.19</td> <td>34.50</td> <td>13.02</td> <td>29.32</td> <td>0.00</td> <td>230</td> <td>170</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.00</td> <td>54.39</td> <td>68.20</td> <td>-13.81</td> <td>36.22</td> <td>34.50</td> <td>13.01</td> <td>29.34</td> <td>0.00</td> <td>230</td> <td>170</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5704.40</td> <td>56.29</td> <td>106.53</td> <td>-50.24</td> <td>38.16</td> <td>34.61</td> <td>13.13</td> <td>29.61</td> <td>0.00</td> <td>230</td> <td>170</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>54.64</td> <td>110.90</td> <td>-56.26</td> <td>36.43</td> <td>34.64</td> <td>13.26</td> <td>29.69</td> <td>0.00</td> <td>230</td> <td>170</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5645.60	57.39	68.20	-10.81	39.19	34.50	13.02	29.32	0.00	230	170	PEAK	2	5650.00	54.39	68.20	-13.81	36.22	34.50	13.01	29.34	0.00	230	170	PEAK	3	5704.40	56.29	106.53	-50.24	38.16	34.61	13.13	29.61	0.00	230	170	PEAK	4	5720.00	54.64	110.90	-56.26	36.43	34.64	13.26	29.69	0.00	230	170	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5785.00</td> <td>108.00</td> <td>-----</td> <td>-----</td> <td>89.88</td> <td>34.78</td> <td>14.17</td> <td>30.03</td> <td>0.00</td> <td>230</td> <td>170</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5785.00	108.00	-----	-----	89.88	34.78	14.17	30.03	0.00	230	170	PEAK
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5645.60	57.39	68.20	-10.81	39.19	34.50	13.02	29.32	0.00	230	170	PEAK																																																																																																											
2	5650.00	54.39	68.20	-13.81	36.22	34.50	13.01	29.34	0.00	230	170	PEAK																																																																																																											
3	5704.40	56.29	106.53	-50.24	38.16	34.61	13.13	29.61	0.00	230	170	PEAK																																																																																																											
4	5720.00	54.64	110.90	-56.26	36.43	34.64	13.26	29.69	0.00	230	170	PEAK																																																																																																											
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5785.00	108.00	-----	-----	89.88	34.78	14.17	30.03	0.00	230	170	PEAK																																																																																																											
Avg	Blank																																																																																																																						
		<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5785.00</td> <td>99.90</td> <td>-----</td> <td>-----</td> <td>80.98</td> <td>34.78</td> <td>14.17</td> <td>30.03</td> <td>0.00</td> <td>230</td> <td>170</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5785.00	99.90	-----	-----	80.98	34.78	14.17	30.03	0.00	230	170	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5785.00	99.90	-----	-----	80.98	34.78	14.17	30.03	0.00	230	170	AVERAGE																																																																																																											



Mode	52																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																									
ANT	CDD 7+5																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>54.78</td> <td>111.36</td> <td>-56.58</td> <td>36.35</td> <td>34.92</td> <td>13.88</td> <td>30.37</td> <td>0.00</td> <td>230</td> <td>170</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.80</td> <td>54.86</td> <td>105.36</td> <td>-50.50</td> <td>36.39</td> <td>35.00</td> <td>13.85</td> <td>30.38</td> <td>0.00</td> <td>230</td> <td>170</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5922.80</td> <td>57.02</td> <td>69.83</td> <td>-12.81</td> <td>38.54</td> <td>35.15</td> <td>13.73</td> <td>30.40</td> <td>0.00</td> <td>230</td> <td>170</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5950.80</td> <td>58.81</td> <td>68.20</td> <td>-9.39</td> <td>40.38</td> <td>35.20</td> <td>13.65</td> <td>30.42</td> <td>0.00</td> <td>230</td> <td>170</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.80	54.78	111.36	-56.58	36.35	34.92	13.88	30.37	0.00	230	170	PEAK	2	5874.80	54.86	105.36	-50.50	36.39	35.00	13.85	30.38	0.00	230	170	PEAK	3	5922.80	57.02	69.83	-12.81	38.54	35.15	13.73	30.40	0.00	230	170	PEAK	4	5950.80	58.81	68.20	-9.39	40.38	35.20	13.65	30.42	0.00	230	170	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5854.80	54.78	111.36	-56.58	36.35	34.92	13.88	30.37	0.00	230	170	PEAK																																																														
2	5874.80	54.86	105.36	-50.50	36.39	35.00	13.85	30.38	0.00	230	170	PEAK																																																														
3	5922.80	57.02	69.83	-12.81	38.54	35.15	13.73	30.40	0.00	230	170	PEAK																																																														
4	5950.80	58.81	68.20	-9.39	40.38	35.20	13.65	30.42	0.00	230	170	PEAK																																																														



52																																																																																		
Mode	Band Edge - L																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																	
ANT	CDD 7+5																																																																																	
Pol.	Vertical																																																																																	
Peak																																																																																		
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5617.60</td> <td>56.78</td> <td>68.20</td> <td>-11.42</td> <td>38.50</td> <td>34.50</td> <td>13.10</td> <td>29.32</td> <td>0.00</td> <td>143</td> <td>185</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.20</td> <td>54.59</td> <td>69.09</td> <td>-14.50</td> <td>36.43</td> <td>34.50</td> <td>13.01</td> <td>29.35</td> <td>0.00</td> <td>143</td> <td>185</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5701.20</td> <td>54.17</td> <td>105.64</td> <td>-51.47</td> <td>36.07</td> <td>34.60</td> <td>13.10</td> <td>29.60</td> <td>0.00</td> <td>143</td> <td>185</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>55.94</td> <td>110.90</td> <td>-54.96</td> <td>37.73</td> <td>34.64</td> <td>13.26</td> <td>29.69</td> <td>0.00</td> <td>143</td> <td>185</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5617.60	56.78	68.20	-11.42	38.50	34.50	13.10	29.32	0.00	143	185	PEAK	2	5651.20	54.59	69.09	-14.50	36.43	34.50	13.01	29.35	0.00	143	185	PEAK	3	5701.20	54.17	105.64	-51.47	36.07	34.60	13.10	29.60	0.00	143	185	PEAK	4	5720.00	55.94	110.90	-54.96	37.73	34.64	13.26	29.69	0.00	143	185
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																									
1	5617.60	56.78	68.20	-11.42	38.50	34.50	13.10	29.32	0.00	143	185	PEAK																																																																						
2	5651.20	54.59	69.09	-14.50	36.43	34.50	13.01	29.35	0.00	143	185	PEAK																																																																						
3	5701.20	54.17	105.64	-51.47	36.07	34.60	13.10	29.60	0.00	143	185	PEAK																																																																						
4	5720.00	55.94	110.90	-54.96	37.73	34.64	13.26	29.69	0.00	143	185	PEAK																																																																						
Fundamental																																																																																		
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5785.00</td> <td>110.90</td> <td>-----</td> <td>-----</td> <td>92.08</td> <td>34.76</td> <td>14.06</td> <td>30.00</td> <td>0.00</td> <td>143</td> <td>185</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5785.00	110.90	-----	-----	92.08	34.76	14.06	30.00	0.00	143	185	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																									
1	5785.00	110.90	-----	-----	92.08	34.76	14.06	30.00	0.00	143	185	PEAK																																																																						
Avg	Blank																																																																																	
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5785.00</td> <td>100.16</td> <td>-----</td> <td>-----</td> <td>81.24</td> <td>34.78</td> <td>14.17</td> <td>30.03</td> <td>0.00</td> <td>143</td> <td>185</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5785.00	100.16	-----	-----	81.24	34.78	14.17	30.03	0.00	143	185	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																									
1	5785.00	100.16	-----	-----	81.24	34.78	14.17	30.03	0.00	143	185	AVERAGE																																																																						



Mode	52																																																																		
	Band Edge - R																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																		
ANT	CDD 7+5																																																																		
Pol.	Vertical	Fundamental																																																																	
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.40</td> <td>54.43</td> <td>112.27</td> <td>-57.84</td> <td>36.00</td> <td>34.92</td> <td>13.88</td> <td>30.37</td> <td>0.00</td> <td>143</td> <td>185</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.60</td> <td>56.26</td> <td>105.69</td> <td>-49.43</td> <td>37.80</td> <td>34.99</td> <td>13.85</td> <td>30.38</td> <td>0.00</td> <td>143</td> <td>185</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>55.44</td> <td>68.35</td> <td>-12.91</td> <td>36.97</td> <td>35.15</td> <td>13.73</td> <td>30.41</td> <td>0.00</td> <td>143</td> <td>185</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5995.20</td> <td>56.87</td> <td>68.20</td> <td>-11.33</td> <td>38.46</td> <td>35.29</td> <td>13.56</td> <td>30.44</td> <td>0.00</td> <td>143</td> <td>185</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark	1	5854.40	54.43	112.27	-57.84	36.00	34.92	13.88	30.37	0.00	143	185	PEAK	2	5873.60	56.26	105.69	-49.43	37.80	34.99	13.85	30.38	0.00	143	185	PEAK	3	5924.80	55.44	68.35	-12.91	36.97	35.15	13.73	30.41	0.00	143	185	PEAK	4	5995.20	56.87	68.20	-11.33	38.46	35.29	13.56	30.44	0.00	143	185	PEAK	Blank
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark																																																							
1	5854.40	54.43	112.27	-57.84	36.00	34.92	13.88	30.37	0.00	143	185	PEAK																																																							
2	5873.60	56.26	105.69	-49.43	37.80	34.99	13.85	30.38	0.00	143	185	PEAK																																																							
3	5924.80	55.44	68.35	-12.91	36.97	35.15	13.73	30.41	0.00	143	185	PEAK																																																							
4	5995.20	56.87	68.20	-11.33	38.46	35.29	13.56	30.44	0.00	143	185	PEAK																																																							



Mode	52																																																																															
	Harmonic																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																															
ANT	CDD 7+5																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>46.52</td> <td>74.00</td> <td>-27.48</td> <td>53.51</td> <td>38.44</td> <td>18.63</td> <td>64.06</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11570.00	46.52	74.00	-27.48	53.51	38.44	18.63	64.06	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>47.09</td> <td>74.00</td> <td>-26.91</td> <td>54.08</td> <td>38.44</td> <td>18.63</td> <td>64.06</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11570.00	47.09	74.00	-26.91	54.08	38.44	18.63	64.06	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11570.00	46.52	74.00	-27.48	53.51	38.44	18.63	64.06	0.00	--	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11570.00	47.09	74.00	-26.91	54.08	38.44	18.63	64.06	0.00	--	PEAK																																																																						



		53																																																																																																																															
Mode	Band Edge																																																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																																																																
ANT	CDD 7+5																																																																																																																																
Pol.	Horizontal	Fundamental																																																																																																																															
Peak																																																																																																																																	
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5852.00</td> <td>70.15</td> <td>115.92</td> <td>-45.77</td> <td>51.72</td> <td>34.91</td> <td>13.88</td> <td>30.36</td> <td>0.00</td> <td>240</td> <td>173</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5856.00</td> <td>68.13</td> <td>110.62</td> <td>-42.49</td> <td>49.70</td> <td>34.92</td> <td>13.88</td> <td>30.37</td> <td>0.00</td> <td>240</td> <td>173</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.00</td> <td>54.27</td> <td>68.94</td> <td>-14.67</td> <td>35.79</td> <td>35.15</td> <td>13.73</td> <td>30.40</td> <td>0.00</td> <td>240</td> <td>173</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5938.00</td> <td>57.70</td> <td>68.20</td> <td>-10.50</td> <td>39.25</td> <td>35.18</td> <td>13.68</td> <td>30.41</td> <td>0.00</td> <td>240</td> <td>173</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5852.00	70.15	115.92	-45.77	51.72	34.91	13.88	30.36	0.00	240	173	PEAK	2	5856.00	68.13	110.62	-42.49	49.70	34.92	13.88	30.37	0.00	240	173	PEAK	3	5924.00	54.27	68.94	-14.67	35.79	35.15	13.73	30.40	0.00	240	173	PEAK	4	5938.00	57.70	68.20	-10.50	39.25	35.18	13.68	30.41	0.00	240	173	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>108.42</td> <td>-----</td> <td>-----</td> <td>89.56</td> <td>34.84</td> <td>14.20</td> <td>30.18</td> <td>0.00</td> <td>240</td> <td>173</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	108.42	-----	-----	89.56	34.84	14.20	30.18	0.00	240	173
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5852.00	70.15	115.92	-45.77	51.72	34.91	13.88	30.36	0.00	240	173	PEAK																																																																																																																					
2	5856.00	68.13	110.62	-42.49	49.70	34.92	13.88	30.37	0.00	240	173	PEAK																																																																																																																					
3	5924.00	54.27	68.94	-14.67	35.79	35.15	13.73	30.40	0.00	240	173	PEAK																																																																																																																					
4	5938.00	57.70	68.20	-10.50	39.25	35.18	13.68	30.41	0.00	240	173	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5825.00	108.42	-----	-----	89.56	34.84	14.20	30.18	0.00	240	173	PEAK																																																																																																																					
Avg	Blank																																																																																																																																
		<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>100.55</td> <td>-----</td> <td>-----</td> <td>81.78</td> <td>34.85</td> <td>14.14</td> <td>30.22</td> <td>0.00</td> <td>240</td> <td>173</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	100.55	-----	-----	81.78	34.85	14.14	30.22	0.00	240	173	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5825.00	100.55	-----	-----	81.78	34.85	14.14	30.22	0.00	240	173	AVERAGE																																																																																																																					



Mode	53																																																																																																																											
	Band Edge																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																																																											
ANT	CDD 7+5																																																																																																																											
Pol.	Vertical	Fundamental																																																																																																																										
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.40</td> <td>65.24</td> <td>112.27</td> <td>-47.03</td> <td>46.81</td> <td>34.92</td> <td>13.88</td> <td>30.37</td> <td>0.00</td> <td>100</td> <td>186 PEAK</td> </tr> <tr> <td>2</td> <td>5856.80</td> <td>67.17</td> <td>110.40</td> <td>-43.23</td> <td>48.73</td> <td>34.93</td> <td>13.88</td> <td>30.37</td> <td>0.00</td> <td>100</td> <td>186 PEAK</td> </tr> <tr> <td>3</td> <td>5923.60</td> <td>55.05</td> <td>69.23</td> <td>-14.18</td> <td>36.57</td> <td>35.15</td> <td>13.73</td> <td>30.40</td> <td>0.00</td> <td>100</td> <td>186 PEAK</td> </tr> <tr> <td>4</td> <td>5972.40</td> <td>57.26</td> <td>68.20</td> <td>-10.94</td> <td>38.84</td> <td>35.24</td> <td>13.61</td> <td>30.43</td> <td>0.00</td> <td>100</td> <td>186 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	65.24	112.27	-47.03	46.81	34.92	13.88	30.37	0.00	100	186 PEAK	2	5856.80	67.17	110.40	-43.23	48.73	34.93	13.88	30.37	0.00	100	186 PEAK	3	5923.60	55.05	69.23	-14.18	36.57	35.15	13.73	30.40	0.00	100	186 PEAK	4	5972.40	57.26	68.20	-10.94	38.84	35.24	13.61	30.43	0.00	100	186 PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>109.96</td> <td>-----</td> <td>-----</td> <td>91.27</td> <td>34.86</td> <td>14.08</td> <td>30.25</td> <td>0.00</td> <td>100</td> <td>186 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	109.96	-----	-----	91.27	34.86	14.08	30.25	0.00	100	186 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5854.40	65.24	112.27	-47.03	46.81	34.92	13.88	30.37	0.00	100	186 PEAK																																																																																																																	
2	5856.80	67.17	110.40	-43.23	48.73	34.93	13.88	30.37	0.00	100	186 PEAK																																																																																																																	
3	5923.60	55.05	69.23	-14.18	36.57	35.15	13.73	30.40	0.00	100	186 PEAK																																																																																																																	
4	5972.40	57.26	68.20	-10.94	38.84	35.24	13.61	30.43	0.00	100	186 PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5825.00	109.96	-----	-----	91.27	34.86	14.08	30.25	0.00	100	186 PEAK																																																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>101.36</td> <td>-----</td> <td>-----</td> <td>82.67</td> <td>34.86</td> <td>14.08</td> <td>30.25</td> <td>0.00</td> <td>100</td> <td>186 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	101.36	-----	-----	82.67	34.86	14.08	30.25	0.00	100	186 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5825.00	101.36	-----	-----	82.67	34.86	14.08	30.25	0.00	100	186 AVERAGE																																																																																																																	



Mode	53																																																																															
	Harmonic																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																															
ANT	CDD 7+5																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>47.23</td> <td>74.00</td> <td>-26.77</td> <td>54.33</td> <td>38.50</td> <td>18.67</td> <td>64.27</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11650.00	47.23	74.00	-26.77	54.33	38.50	18.67	64.27	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>46.51</td> <td>74.00</td> <td>-27.49</td> <td>53.61</td> <td>38.50</td> <td>18.67</td> <td>64.27</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11650.00	46.51	74.00	-27.49	53.61	38.50	18.67	64.27	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11650.00	47.23	74.00	-26.77	54.33	38.50	18.67	64.27	0.00	--	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11650.00	46.51	74.00	-27.49	53.61	38.50	18.67	64.27	0.00	--	PEAK																																																																						






Mode	54																																																																																																				
	Band Edge - L																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																																				
ANT	CDD 7+5																																																																																																				
Pol.	Horizontal	Fundamental																																																																																																			
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5608.06</td> <td>58.46</td> <td>68.20</td> <td>-9.74</td> <td>40.17</td> <td>34.50</td> <td>13.13</td> <td>29.34</td> <td>0.00</td> <td>260 171 PEAK</td> </tr> <tr> <td>2</td> <td>5658.69</td> <td>56.50</td> <td>68.71</td> <td>-12.21</td> <td>38.33</td> <td>34.50</td> <td>13.01</td> <td>29.34</td> <td>0.00</td> <td>260 171 PEAK</td> </tr> <tr> <td>3</td> <td>5719.04</td> <td>78.28</td> <td>110.63</td> <td>-32.35</td> <td>60.08</td> <td>34.64</td> <td>13.25</td> <td>29.69</td> <td>0.00</td> <td>260 171 PEAK</td> </tr> <tr> <td>4</td> <td>5724.47</td> <td>83.99</td> <td>121.08</td> <td>-37.09</td> <td>65.75</td> <td>34.65</td> <td>13.30</td> <td>29.71</td> <td>0.00</td> <td>260 171 PEAK</td> </tr> </tbody> </table>	Peak	Limit Freq	Limit Level	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg		1	5608.06	58.46	68.20	-9.74	40.17	34.50	13.13	29.34	0.00	260 171 PEAK	2	5658.69	56.50	68.71	-12.21	38.33	34.50	13.01	29.34	0.00	260 171 PEAK	3	5719.04	78.28	110.63	-32.35	60.08	34.64	13.25	29.69	0.00	260 171 PEAK	4	5724.47	83.99	121.08	-37.09	65.75	34.65	13.30	29.71	0.00	260 171 PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>106.77</td> <td>106.77</td> <td>0.00</td> <td>88.41</td> <td>34.69</td> <td>13.49</td> <td>29.82</td> <td>0.00</td> <td>260 171 PEAK</td> </tr> </tbody> </table>	Peak	Limit Freq	Limit Level	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg		1	5755.00	106.77	106.77	0.00	88.41	34.69	13.49	29.82	0.00	260 171 PEAK
	Peak	Limit Freq	Limit Level	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																												
1	5608.06	58.46	68.20	-9.74	40.17	34.50	13.13	29.34	0.00	260 171 PEAK																																																																																											
2	5658.69	56.50	68.71	-12.21	38.33	34.50	13.01	29.34	0.00	260 171 PEAK																																																																																											
3	5719.04	78.28	110.63	-32.35	60.08	34.64	13.25	29.69	0.00	260 171 PEAK																																																																																											
4	5724.47	83.99	121.08	-37.09	65.75	34.65	13.30	29.71	0.00	260 171 PEAK																																																																																											
Peak	Limit Freq	Limit Level	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																												
1	5755.00	106.77	106.77	0.00	88.41	34.69	13.49	29.82	0.00	260 171 PEAK																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>98.28</td> <td>98.28</td> <td>0.00</td> <td>79.78</td> <td>34.72</td> <td>13.66</td> <td>29.88</td> <td>0.00</td> <td>260 171 AVERAGE</td> </tr> </tbody> </table>	Peak	Limit Freq	Limit Level	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg		1	5755.00	98.28	98.28	0.00	79.78	34.72	13.66	29.88	0.00	260 171 AVERAGE																																																																		
Peak	Limit Freq	Limit Level	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																												
1	5755.00	98.28	98.28	0.00	79.78	34.72	13.66	29.88	0.00	260 171 AVERAGE																																																																																											



Mode	54																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																									
ANT	CDD 7+5																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.84</td> <td>55.82</td> <td>111.26</td> <td>-55.44</td> <td>37.39</td> <td>34.92</td> <td>13.88</td> <td>30.37</td> <td>0.00</td> <td>260</td> <td>171</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.54</td> <td>56.19</td> <td>105.43</td> <td>-49.24</td> <td>37.72</td> <td>35.00</td> <td>13.85</td> <td>30.38</td> <td>0.00</td> <td>260</td> <td>171</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.85</td> <td>54.67</td> <td>68.31</td> <td>-13.64</td> <td>36.20</td> <td>35.15</td> <td>13.73</td> <td>30.41</td> <td>0.00</td> <td>260</td> <td>171</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5936.55</td> <td>58.65</td> <td>68.20</td> <td>-9.55</td> <td>40.20</td> <td>35.17</td> <td>13.69</td> <td>30.41</td> <td>0.00</td> <td>260</td> <td>171</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.84	55.82	111.26	-55.44	37.39	34.92	13.88	30.37	0.00	260	171	PEAK	2	5874.54	56.19	105.43	-49.24	37.72	35.00	13.85	30.38	0.00	260	171	PEAK	3	5924.85	54.67	68.31	-13.64	36.20	35.15	13.73	30.41	0.00	260	171	PEAK	4	5936.55	58.65	68.20	-9.55	40.20	35.17	13.69	30.41	0.00	260	171	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5854.84	55.82	111.26	-55.44	37.39	34.92	13.88	30.37	0.00	260	171	PEAK																																																														
2	5874.54	56.19	105.43	-49.24	37.72	35.00	13.85	30.38	0.00	260	171	PEAK																																																														
3	5924.85	54.67	68.31	-13.64	36.20	35.15	13.73	30.41	0.00	260	171	PEAK																																																														
4	5936.55	58.65	68.20	-9.55	40.20	35.17	13.69	30.41	0.00	260	171	PEAK																																																														



		54																																																																																																																															
Mode	Band Edge - L																																																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																																																																
ANT	CDD 7+5																																																																																																																																
Pol.	Vertical	Fundamental																																																																																																																															
Peak																																																																																																																																	
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5646.04</td> <td>58.63</td> <td>68.20</td> <td>-9.57</td> <td>40.43</td> <td>34.50</td> <td>13.02</td> <td>29.32</td> <td>0.00</td> <td>159</td> <td>184</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.00</td> <td>56.34</td> <td>68.94</td> <td>-12.60</td> <td>38.18</td> <td>34.50</td> <td>13.01</td> <td>29.35</td> <td>0.00</td> <td>159</td> <td>184</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5715.32</td> <td>77.19</td> <td>109.59</td> <td>-32.40</td> <td>59.01</td> <td>34.63</td> <td>13.22</td> <td>29.67</td> <td>0.00</td> <td>159</td> <td>184</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.75</td> <td>76.19</td> <td>112.60</td> <td>-36.41</td> <td>57.98</td> <td>34.64</td> <td>13.27</td> <td>29.70</td> <td>0.00</td> <td>159</td> <td>184</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5646.04	58.63	68.20	-9.57	40.43	34.50	13.02	29.32	0.00	159	184	PEAK	2	5651.00	56.34	68.94	-12.60	38.18	34.50	13.01	29.35	0.00	159	184	PEAK	3	5715.32	77.19	109.59	-32.40	59.01	34.63	13.22	29.67	0.00	159	184	PEAK	4	5720.75	76.19	112.60	-36.41	57.98	34.64	13.27	29.70	0.00	159	184	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>106.83</td> <td>-----</td> <td>-----</td> <td>88.33</td> <td>34.72</td> <td>13.66</td> <td>29.88</td> <td>0.00</td> <td>159</td> <td>184</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	106.83	-----	-----	88.33	34.72	13.66	29.88	0.00	159	184
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5646.04	58.63	68.20	-9.57	40.43	34.50	13.02	29.32	0.00	159	184	PEAK																																																																																																																					
2	5651.00	56.34	68.94	-12.60	38.18	34.50	13.01	29.35	0.00	159	184	PEAK																																																																																																																					
3	5715.32	77.19	109.59	-32.40	59.01	34.63	13.22	29.67	0.00	159	184	PEAK																																																																																																																					
4	5720.75	76.19	112.60	-36.41	57.98	34.64	13.27	29.70	0.00	159	184	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5755.00	106.83	-----	-----	88.33	34.72	13.66	29.88	0.00	159	184	PEAK																																																																																																																					
Avg	Blank																																																																																																																																
		<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>97.66</td> <td>-----</td> <td>-----</td> <td>79.16</td> <td>34.72</td> <td>13.66</td> <td>29.88</td> <td>0.00</td> <td>159</td> <td>184</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	97.66	-----	-----	79.16	34.72	13.66	29.88	0.00	159	184	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5755.00	97.66	-----	-----	79.16	34.72	13.66	29.88	0.00	159	184	AVERAGE																																																																																																																					



Mode	54																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																									
ANT	CDD 7+5																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.84</td> <td>56.72</td> <td>111.26</td> <td>-54.54</td> <td>38.29</td> <td>34.92</td> <td>13.88</td> <td>30.37</td> <td>0.00</td> <td>159</td> <td>184</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5867.71</td> <td>57.41</td> <td>107.34</td> <td>-49.93</td> <td>38.96</td> <td>34.97</td> <td>13.86</td> <td>30.38</td> <td>0.00</td> <td>159</td> <td>184</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.46</td> <td>56.47</td> <td>68.60</td> <td>-12.13</td> <td>37.99</td> <td>35.15</td> <td>13.73</td> <td>30.40</td> <td>0.00</td> <td>159</td> <td>184</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5945.52</td> <td>56.72</td> <td>68.20</td> <td>-11.48</td> <td>38.29</td> <td>35.19</td> <td>13.66</td> <td>30.42</td> <td>0.00</td> <td>159</td> <td>184</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.84	56.72	111.26	-54.54	38.29	34.92	13.88	30.37	0.00	159	184	PEAK	2	5867.71	57.41	107.34	-49.93	38.96	34.97	13.86	30.38	0.00	159	184	PEAK	3	5924.46	56.47	68.60	-12.13	37.99	35.15	13.73	30.40	0.00	159	184	PEAK	4	5945.52	56.72	68.20	-11.48	38.29	35.19	13.66	30.42	0.00	159	184	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5854.84	56.72	111.26	-54.54	38.29	34.92	13.88	30.37	0.00	159	184	PEAK																																																														
2	5867.71	57.41	107.34	-49.93	38.96	34.97	13.86	30.38	0.00	159	184	PEAK																																																														
3	5924.46	56.47	68.60	-12.13	37.99	35.15	13.73	30.40	0.00	159	184	PEAK																																																														
4	5945.52	56.72	68.20	-11.48	38.29	35.19	13.66	30.42	0.00	159	184	PEAK																																																														



Mode	54																																																																																																					
	Harmonic																																																																																																					
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																																					
ANT	CDD 7+5																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9207.33</td> <td>49.98</td> <td>68.20</td> <td>-18.22</td> <td>63.14</td> <td>36.41</td> <td>16.75</td> <td>66.32</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11510.00</td> <td>46.62</td> <td>74.00</td> <td>-27.38</td> <td>53.46</td> <td>38.32</td> <td>18.75</td> <td>63.91</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	9207.33	49.98	68.20	-18.22	63.14	36.41	16.75	66.32	0.00	--	--	Peak	2	11510.00	46.62	74.00	-27.38	53.46	38.32	18.75	63.91	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9207.33</td> <td>53.74</td> <td>68.20</td> <td>-14.46</td> <td>66.90</td> <td>36.41</td> <td>16.75</td> <td>66.32</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11510.00</td> <td>47.38</td> <td>74.00</td> <td>-26.62</td> <td>54.22</td> <td>38.32</td> <td>18.75</td> <td>63.91</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	9207.33	53.74	68.20	-14.46	66.90	36.41	16.75	66.32	0.00	--	--	Peak	2	11510.00	47.38	74.00	-26.62	54.22	38.32	18.75	63.91	0.00	--	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1	9207.33	49.98	68.20	-18.22	63.14	36.41	16.75	66.32	0.00	--	--	Peak																																																																																										
2	11510.00	46.62	74.00	-27.38	53.46	38.32	18.75	63.91	0.00	--	--	PEAK																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1	9207.33	53.74	68.20	-14.46	66.90	36.41	16.75	66.32	0.00	--	--	Peak																																																																																										
2	11510.00	47.38	74.00	-26.62	54.22	38.32	18.75	63.91	0.00	--	--	PEAK																																																																																										






Mode	55																																																																																																																										
	Band Edge - L																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																																																										
ANT	CDD 7+5																																																																																																																										
Pol.	Horizontal	Fundamental																																																																																																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5602.00</td> <td>58.29</td> <td>68.20</td> <td>-9.91</td> <td>40.00</td> <td>34.50</td> <td>13.14</td> <td>29.35</td> <td>0.00</td> <td>228</td> <td>175</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.40</td> <td>56.34</td> <td>68.50</td> <td>-12.16</td> <td>38.17</td> <td>34.50</td> <td>13.01</td> <td>29.34</td> <td>0.00</td> <td>228</td> <td>175</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5716.00</td> <td>64.09</td> <td>109.78</td> <td>-45.69</td> <td>45.90</td> <td>34.63</td> <td>13.23</td> <td>29.67</td> <td>0.00</td> <td>228</td> <td>175</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>59.50</td> <td>110.90</td> <td>-51.40</td> <td>41.29</td> <td>34.64</td> <td>13.26</td> <td>29.69</td> <td>0.00</td> <td>228</td> <td>175</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5602.00	58.29	68.20	-9.91	40.00	34.50	13.14	29.35	0.00	228	175	PEAK	2	5650.40	56.34	68.50	-12.16	38.17	34.50	13.01	29.34	0.00	228	175	PEAK	3	5716.00	64.09	109.78	-45.69	45.90	34.63	13.23	29.67	0.00	228	175	PEAK	4	5720.00	59.50	110.90	-51.40	41.29	34.64	13.26	29.69	0.00	228	175	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>104.64</td> <td>-----</td> <td>-----</td> <td>85.64</td> <td>34.81</td> <td>14.31</td> <td>30.12</td> <td>0.00</td> <td>228</td> <td>175</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	104.64	-----	-----	85.64	34.81	14.31	30.12	0.00	228	175	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5602.00	58.29	68.20	-9.91	40.00	34.50	13.14	29.35	0.00	228	175	PEAK																																																																																																															
2	5650.40	56.34	68.50	-12.16	38.17	34.50	13.01	29.34	0.00	228	175	PEAK																																																																																																															
3	5716.00	64.09	109.78	-45.69	45.90	34.63	13.23	29.67	0.00	228	175	PEAK																																																																																																															
4	5720.00	59.50	110.90	-51.40	41.29	34.64	13.26	29.69	0.00	228	175	PEAK																																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5795.00	104.64	-----	-----	85.64	34.81	14.31	30.12	0.00	228	175	PEAK																																																																																																															
Avg	Blank																																																																																																																										
		<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>97.55</td> <td>-----</td> <td>-----</td> <td>78.55</td> <td>34.81</td> <td>14.31</td> <td>30.12</td> <td>0.00</td> <td>228</td> <td>175</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	97.55	-----	-----	78.55	34.81	14.31	30.12	0.00	228	175	AVERAGE																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5795.00	97.55	-----	-----	78.55	34.81	14.31	30.12	0.00	228	175	AVERAGE																																																																																																															



Mode	55																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																									
ANT	CDD 7+5																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.40</td> <td>61.22</td> <td>112.27</td> <td>-51.05</td> <td>42.79</td> <td>34.92</td> <td>13.88</td> <td>30.37</td> <td>0.00</td> <td>228</td> <td>175</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.40</td> <td>57.17</td> <td>105.47</td> <td>-48.30</td> <td>38.70</td> <td>35.00</td> <td>13.85</td> <td>30.38</td> <td>0.00</td> <td>228</td> <td>175</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>54.39</td> <td>68.35</td> <td>-13.96</td> <td>35.92</td> <td>35.15</td> <td>13.73</td> <td>30.41</td> <td>0.00</td> <td>228</td> <td>175</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5959.20</td> <td>57.14</td> <td>68.20</td> <td>-11.06</td> <td>38.71</td> <td>35.22</td> <td>13.63</td> <td>30.42</td> <td>0.00</td> <td>228</td> <td>175</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.40	61.22	112.27	-51.05	42.79	34.92	13.88	30.37	0.00	228	175	PEAK	2	5874.40	57.17	105.47	-48.30	38.70	35.00	13.85	30.38	0.00	228	175	PEAK	3	5924.80	54.39	68.35	-13.96	35.92	35.15	13.73	30.41	0.00	228	175	PEAK	4	5959.20	57.14	68.20	-11.06	38.71	35.22	13.63	30.42	0.00	228	175	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5854.40	61.22	112.27	-51.05	42.79	34.92	13.88	30.37	0.00	228	175	PEAK																																																														
2	5874.40	57.17	105.47	-48.30	38.70	35.00	13.85	30.38	0.00	228	175	PEAK																																																														
3	5924.80	54.39	68.35	-13.96	35.92	35.15	13.73	30.41	0.00	228	175	PEAK																																																														
4	5959.20	57.14	68.20	-11.06	38.71	35.22	13.63	30.42	0.00	228	175	PEAK																																																														



Mode	55																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																																																						
ANT	CDD 7+5																																																																																																																						
Pol.	Vertical	Fundamental																																																																																																																					
Peak	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5621.60</td> <td>56.98</td> <td>68.20</td> <td>-11.22</td> <td>38.71</td> <td>34.50</td> <td>13.09</td> <td>29.32</td> <td>0.00</td> <td>100</td> <td>172</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.20</td> <td>56.57</td> <td>69.09</td> <td>-12.52</td> <td>38.41</td> <td>34.50</td> <td>13.01</td> <td>29.35</td> <td>0.00</td> <td>100</td> <td>172</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5709.60</td> <td>60.68</td> <td>107.99</td> <td>-47.31</td> <td>42.53</td> <td>34.62</td> <td>13.17</td> <td>29.64</td> <td>0.00</td> <td>100</td> <td>172</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>63.01</td> <td>110.90</td> <td>-47.89</td> <td>44.88</td> <td>34.64</td> <td>13.26</td> <td>29.69</td> <td>0.00</td> <td>100</td> <td>172</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5621.60	56.98	68.20	-11.22	38.71	34.50	13.09	29.32	0.00	100	172	PEAK	2	5651.20	56.57	69.09	-12.52	38.41	34.50	13.01	29.35	0.00	100	172	PEAK	3	5709.60	60.68	107.99	-47.31	42.53	34.62	13.17	29.64	0.00	100	172	PEAK	4	5720.00	63.01	110.90	-47.89	44.88	34.64	13.26	29.69	0.00	100	172	PEAK	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>106.16</td> <td>-----</td> <td>-----</td> <td>87.16</td> <td>34.81</td> <td>14.31</td> <td>30.12</td> <td>0.00</td> <td>100</td> <td>172</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5795.00	106.16	-----	-----	87.16	34.81	14.31	30.12	0.00	100	172	PEAK
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5621.60	56.98	68.20	-11.22	38.71	34.50	13.09	29.32	0.00	100	172	PEAK																																																																																																											
2	5651.20	56.57	69.09	-12.52	38.41	34.50	13.01	29.35	0.00	100	172	PEAK																																																																																																											
3	5709.60	60.68	107.99	-47.31	42.53	34.62	13.17	29.64	0.00	100	172	PEAK																																																																																																											
4	5720.00	63.01	110.90	-47.89	44.88	34.64	13.26	29.69	0.00	100	172	PEAK																																																																																																											
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5795.00	106.16	-----	-----	87.16	34.81	14.31	30.12	0.00	100	172	PEAK																																																																																																											
Avg	Blank																																																																																																																						
		 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>97.93</td> <td>-----</td> <td>-----</td> <td>78.93</td> <td>34.81</td> <td>14.31</td> <td>30.12</td> <td>0.00</td> <td>100</td> <td>172</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5795.00	97.93	-----	-----	78.93	34.81	14.31	30.12	0.00	100	172	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5795.00	97.93	-----	-----	78.93	34.81	14.31	30.12	0.00	100	172	AVERAGE																																																																																																											



Mode	55																																																																		
	Band Edge - R																																																																		
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																		
ANT	CDD 7+5																																																																		
Pol.	Vertical	Fundamental																																																																	
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>66.20</td> <td>111.36</td> <td>-45.16</td> <td>47.77</td> <td>34.92</td> <td>13.88</td> <td>30.37</td> <td>0.00</td> <td>100</td> <td>172</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5864.40</td> <td>64.66</td> <td>108.27</td> <td>-43.61</td> <td>46.21</td> <td>34.96</td> <td>13.86</td> <td>30.37</td> <td>0.00</td> <td>100</td> <td>172</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5920.80</td> <td>56.85</td> <td>71.30</td> <td>-14.45</td> <td>38.37</td> <td>35.14</td> <td>13.74</td> <td>30.40</td> <td>0.00</td> <td>100</td> <td>172</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5983.20</td> <td>56.96</td> <td>68.20</td> <td>-11.24</td> <td>38.54</td> <td>35.27</td> <td>13.58</td> <td>30.43</td> <td>0.00</td> <td>100</td> <td>172</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark	1	5854.80	66.20	111.36	-45.16	47.77	34.92	13.88	30.37	0.00	100	172	PEAK	2	5864.40	64.66	108.27	-43.61	46.21	34.96	13.86	30.37	0.00	100	172	PEAK	3	5920.80	56.85	71.30	-14.45	38.37	35.14	13.74	30.40	0.00	100	172	PEAK	4	5983.20	56.96	68.20	-11.24	38.54	35.27	13.58	30.43	0.00	100	172	PEAK	Blank
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark																																																							
1	5854.80	66.20	111.36	-45.16	47.77	34.92	13.88	30.37	0.00	100	172	PEAK																																																							
2	5864.40	64.66	108.27	-43.61	46.21	34.96	13.86	30.37	0.00	100	172	PEAK																																																							
3	5920.80	56.85	71.30	-14.45	38.37	35.14	13.74	30.40	0.00	100	172	PEAK																																																							
4	5983.20	56.96	68.20	-11.24	38.54	35.27	13.58	30.43	0.00	100	172	PEAK																																																							



Mode	55																																																																															
	Harmonic																																																																															
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																															
ANT	CDD 7+5																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11590.00</td> <td>46.47</td> <td>74.00</td> <td>-27.53</td> <td>53.52</td> <td>38.48</td> <td>18.58</td> <td>64.11</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11590.00	46.47	74.00	-27.53	53.52	38.48	18.58	64.11	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11590.00</td> <td>46.31</td> <td>74.00</td> <td>-27.69</td> <td>53.36</td> <td>38.48</td> <td>18.58</td> <td>64.11</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11590.00	46.31	74.00	-27.69	53.36	38.48	18.58	64.11	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11590.00	46.47	74.00	-27.53	53.52	38.48	18.58	64.11	0.00	--	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11590.00	46.31	74.00	-27.69	53.36	38.48	18.58	64.11	0.00	--	PEAK																																																																						






Mode	56																																																																																																																											
	Band Edge - L																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																																																											
ANT	CDD 7+5																																																																																																																											
Pol.	Horizontal	Fundamental																																																																																																																										
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5646.40</td> <td>61.17</td> <td>68.20</td> <td>-7.03</td> <td>42.97</td> <td>34.50</td> <td>13.02</td> <td>29.32</td> <td>0.00</td> <td>258</td> <td>175 PEAK</td> </tr> <tr> <td>2</td> <td>5653.20</td> <td>63.29</td> <td>70.58</td> <td>-7.29</td> <td>45.12</td> <td>34.51</td> <td>13.02</td> <td>29.36</td> <td>0.00</td> <td>258</td> <td>175 PEAK</td> </tr> <tr> <td>3</td> <td>5704.80</td> <td>74.06</td> <td>106.65</td> <td>-32.59</td> <td>55.94</td> <td>34.61</td> <td>13.13</td> <td>29.62</td> <td>0.00</td> <td>258</td> <td>175 PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>71.55</td> <td>110.90</td> <td>-39.35</td> <td>53.34</td> <td>34.64</td> <td>13.26</td> <td>29.69</td> <td>0.00</td> <td>258</td> <td>175 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5646.40	61.17	68.20	-7.03	42.97	34.50	13.02	29.32	0.00	258	175 PEAK	2	5653.20	63.29	70.58	-7.29	45.12	34.51	13.02	29.36	0.00	258	175 PEAK	3	5704.80	74.06	106.65	-32.59	55.94	34.61	13.13	29.62	0.00	258	175 PEAK	4	5720.00	71.55	110.90	-39.35	53.34	34.64	13.26	29.69	0.00	258	175 PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>102.45</td> <td>-----</td> <td>-----</td> <td>83.95</td> <td>34.72</td> <td>13.66</td> <td>29.88</td> <td>0.00</td> <td>258</td> <td>175 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	102.45	-----	-----	83.95	34.72	13.66	29.88	0.00	258	175 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5646.40	61.17	68.20	-7.03	42.97	34.50	13.02	29.32	0.00	258	175 PEAK																																																																																																																	
2	5653.20	63.29	70.58	-7.29	45.12	34.51	13.02	29.36	0.00	258	175 PEAK																																																																																																																	
3	5704.80	74.06	106.65	-32.59	55.94	34.61	13.13	29.62	0.00	258	175 PEAK																																																																																																																	
4	5720.00	71.55	110.90	-39.35	53.34	34.64	13.26	29.69	0.00	258	175 PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5775.00	102.45	-----	-----	83.95	34.72	13.66	29.88	0.00	258	175 PEAK																																																																																																																	
Avg	Blank																																																																																																																											
		<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>95.04</td> <td>-----</td> <td>-----</td> <td>76.46</td> <td>34.73</td> <td>13.76</td> <td>29.91</td> <td>0.00</td> <td>258</td> <td>175 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	95.04	-----	-----	76.46	34.73	13.76	29.91	0.00	258	175 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5775.00	95.04	-----	-----	76.46	34.73	13.76	29.91	0.00	258	175 AVERAGE																																																																																																																	



Mode	56																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																									
ANT	CDD 7+5																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>64.95</td> <td>111.36</td> <td>-46.41</td> <td>46.52</td> <td>34.92</td> <td>13.88</td> <td>30.37</td> <td>0.00</td> <td>258</td> <td>175</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5868.80</td> <td>65.96</td> <td>109.27</td> <td>-43.31</td> <td>47.52</td> <td>34.94</td> <td>13.87</td> <td>30.37</td> <td>0.00</td> <td>258</td> <td>175</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>57.61</td> <td>68.35</td> <td>-10.74</td> <td>39.14</td> <td>35.15</td> <td>13.73</td> <td>30.41</td> <td>0.00</td> <td>258</td> <td>175</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5946.40</td> <td>58.54</td> <td>68.20</td> <td>-9.66</td> <td>40.11</td> <td>35.19</td> <td>13.66</td> <td>30.42</td> <td>0.00</td> <td>258</td> <td>175</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.80	64.95	111.36	-46.41	46.52	34.92	13.88	30.37	0.00	258	175	PEAK	2	5868.80	65.96	109.27	-43.31	47.52	34.94	13.87	30.37	0.00	258	175	PEAK	3	5924.80	57.61	68.35	-10.74	39.14	35.15	13.73	30.41	0.00	258	175	PEAK	4	5946.40	58.54	68.20	-9.66	40.11	35.19	13.66	30.42	0.00	258	175	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5854.80	64.95	111.36	-46.41	46.52	34.92	13.88	30.37	0.00	258	175	PEAK																																																														
2	5868.80	65.96	109.27	-43.31	47.52	34.94	13.87	30.37	0.00	258	175	PEAK																																																														
3	5924.80	57.61	68.35	-10.74	39.14	35.15	13.73	30.41	0.00	258	175	PEAK																																																														
4	5946.40	58.54	68.20	-9.66	40.11	35.19	13.66	30.42	0.00	258	175	PEAK																																																														



56																																																																																	
Mode	Band Edge - L																																																																																
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																
ANT	CDD 7+5																																																																																
Pol.	Vertical																																																																																
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a red limit line and a blue signal line. The signal line shows a peak at approximately 5775 MHz. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 5600 to 6000 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5645.60</td> <td>61.51</td> <td>68.20</td> <td>-6.69</td> <td>43.31</td> <td>34.50</td> <td>13.02</td> <td>29.32</td> <td>0.00</td> <td>100</td> <td>193</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5656.80</td> <td>64.94</td> <td>73.26</td> <td>-8.32</td> <td>46.78</td> <td>34.51</td> <td>13.02</td> <td>29.37</td> <td>0.00</td> <td>100</td> <td>193</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5704.00</td> <td>72.14</td> <td>106.42</td> <td>-34.28</td> <td>54.02</td> <td>34.61</td> <td>13.12</td> <td>29.61</td> <td>0.00</td> <td>100</td> <td>193</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>73.01</td> <td>110.90</td> <td>-37.89</td> <td>54.80</td> <td>34.64</td> <td>13.26</td> <td>29.69</td> <td>0.00</td> <td>100</td> <td>193</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5645.60	61.51	68.20	-6.69	43.31	34.50	13.02	29.32	0.00	100	193	PEAK	2	5656.80	64.94	73.26	-8.32	46.78	34.51	13.02	29.37	0.00	100	193	PEAK	3	5704.00	72.14	106.42	-34.28	54.02	34.61	13.12	29.61	0.00	100	193	PEAK	4	5720.00	73.01	110.90	-37.89	54.80	34.64	13.26	29.69	0.00	100	193	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5645.60	61.51	68.20	-6.69	43.31	34.50	13.02	29.32	0.00	100	193	PEAK																																																																					
2	5656.80	64.94	73.26	-8.32	46.78	34.51	13.02	29.37	0.00	100	193	PEAK																																																																					
3	5704.00	72.14	106.42	-34.28	54.02	34.61	13.12	29.61	0.00	100	193	PEAK																																																																					
4	5720.00	73.01	110.90	-37.89	54.80	34.64	13.26	29.69	0.00	100	193	PEAK																																																																					
Fundamental	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a red limit line and a blue signal line. The signal line shows a sharp peak at 5775 MHz. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>103.18</td> <td>-----</td> <td>-----</td> <td>84.26</td> <td>34.78</td> <td>14.17</td> <td>30.03</td> <td>0.00</td> <td>100</td> <td>193</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	103.18	-----	-----	84.26	34.78	14.17	30.03	0.00	100	193	PEAK																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5775.00	103.18	-----	-----	84.26	34.78	14.17	30.03	0.00	100	193	PEAK																																																																					
Avg	Blank																																																																																
	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a red limit line and a blue signal line. The signal line shows a peak at 5775 MHz. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>94.51</td> <td>-----</td> <td>-----</td> <td>75.43</td> <td>34.80</td> <td>14.37</td> <td>30.09</td> <td>0.00</td> <td>100</td> <td>193</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	94.51	-----	-----	75.43	34.80	14.37	30.09	0.00	100	193	AVERAGE																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5775.00	94.51	-----	-----	75.43	34.80	14.37	30.09	0.00	100	193	AVERAGE																																																																					



Mode	56																																																																																	
	Band Edge - R																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																	
ANT	CDD 7+5																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>65.38</td> <td>111.36</td> <td>-45.98</td> <td>46.95</td> <td>34.92</td> <td>13.88</td> <td>30.37</td> <td>0.00</td> <td>100</td> <td>193</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5868.40</td> <td>65.38</td> <td>107.15</td> <td>-41.77</td> <td>46.93</td> <td>34.97</td> <td>13.86</td> <td>30.38</td> <td>0.00</td> <td>100</td> <td>193</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>58.57</td> <td>68.35</td> <td>-9.78</td> <td>40.10</td> <td>35.15</td> <td>13.73</td> <td>30.41</td> <td>0.00</td> <td>100</td> <td>193</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5932.40</td> <td>58.55</td> <td>68.20</td> <td>-9.65</td> <td>40.10</td> <td>35.16</td> <td>13.70</td> <td>30.41</td> <td>0.00</td> <td>100</td> <td>193</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	65.38	111.36	-45.98	46.95	34.92	13.88	30.37	0.00	100	193	PEAK	2	5868.40	65.38	107.15	-41.77	46.93	34.97	13.86	30.38	0.00	100	193	PEAK	3	5924.80	58.57	68.35	-9.78	40.10	35.15	13.73	30.41	0.00	100	193	PEAK	4	5932.40	58.55	68.20	-9.65	40.10	35.16	13.70	30.41	0.00	100	193	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.80	65.38	111.36	-45.98	46.95	34.92	13.88	30.37	0.00	100	193	PEAK																																																																						
2	5868.40	65.38	107.15	-41.77	46.93	34.97	13.86	30.38	0.00	100	193	PEAK																																																																						
3	5924.80	58.57	68.35	-9.78	40.10	35.15	13.73	30.41	0.00	100	193	PEAK																																																																						
4	5932.40	58.55	68.20	-9.65	40.10	35.16	13.70	30.41	0.00	100	193	PEAK																																																																						



	56																																																																															
Mode	Harmonic																																																																															
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																															
ANT	CDD 7+5																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11550.00</td> <td>46.42</td> <td>74.00</td> <td>-27.58</td> <td>53.36</td> <td>38.40</td> <td>18.67</td> <td>64.01</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11550.00	46.42	74.00	-27.58	53.36	38.40	18.67	64.01	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11550.00</td> <td>46.93</td> <td>74.00</td> <td>-27.07</td> <td>53.87</td> <td>38.40</td> <td>18.67</td> <td>64.01</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11550.00	46.93	74.00	-27.07	53.87	38.40	18.67	64.01	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11550.00	46.42	74.00	-27.58	53.36	38.40	18.67	64.01	0.00	--	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11550.00	46.93	74.00	-27.07	53.87	38.40	18.67	64.01	0.00	--	PEAK																																																																						
Peak Avg																																																																																