



Mode	56																																																																																																																																																																																
	LF																																																																																																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																																																																																																																
ANT	CDD 7+5																																																																																																																																																																																
Pol.	Horizontal	Vertical																																																																																																																																																																															
Peak Avg																																																																																																																																																																																	
	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>30.00</td><td>20.95</td><td>40.00</td><td>-19.05</td><td>27.57</td><td>25.08</td><td>0.50</td><td>32.20</td><td>---</td><td>--- Peak</td></tr> <tr><td>2</td><td>203.63</td><td>20.75</td><td>43.50</td><td>-22.75</td><td>35.92</td><td>14.85</td><td>2.09</td><td>32.11</td><td>---</td><td>--- Peak</td></tr> <tr><td>3</td><td>321.97</td><td>25.43</td><td>46.00</td><td>-20.57</td><td>35.30</td><td>19.65</td><td>2.62</td><td>32.14</td><td>---</td><td>--- Peak</td></tr> <tr><td>4</td><td>584.84</td><td>25.30</td><td>46.00</td><td>-20.70</td><td>28.52</td><td>25.56</td><td>3.52</td><td>32.30</td><td>---</td><td>--- Peak</td></tr> <tr><td>5</td><td>743.92</td><td>27.22</td><td>46.00</td><td>-18.78</td><td>27.63</td><td>27.90</td><td>3.98</td><td>32.29</td><td>---</td><td>--- Peak</td></tr> <tr><td>6</td><td>956.35</td><td>30.85</td><td>46.00</td><td>-15.15</td><td>28.76</td><td>29.78</td><td>4.50</td><td>32.19</td><td>---</td><td>--- Peak</td></tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	30.00	20.95	40.00	-19.05	27.57	25.08	0.50	32.20	---	--- Peak	2	203.63	20.75	43.50	-22.75	35.92	14.85	2.09	32.11	---	--- Peak	3	321.97	25.43	46.00	-20.57	35.30	19.65	2.62	32.14	---	--- Peak	4	584.84	25.30	46.00	-20.70	28.52	25.56	3.52	32.30	---	--- Peak	5	743.92	27.22	46.00	-18.78	27.63	27.90	3.98	32.29	---	--- Peak	6	956.35	30.85	46.00	-15.15	28.76	29.78	4.50	32.19	---	--- Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>31.94</td><td>31.34</td><td>40.00</td><td>-8.66</td><td>38.99</td><td>24.03</td><td>0.52</td><td>32.20</td><td>---</td><td>--- Peak</td></tr> <tr><td>2</td><td>150.28</td><td>20.43</td><td>43.50</td><td>-23.07</td><td>33.75</td><td>17.01</td><td>1.77</td><td>32.10</td><td>---</td><td>--- Peak</td></tr> <tr><td>3</td><td>321.00</td><td>21.79</td><td>46.00</td><td>-24.21</td><td>31.68</td><td>19.63</td><td>2.62</td><td>32.14</td><td>---</td><td>--- Peak</td></tr> <tr><td>4</td><td>469.41</td><td>23.24</td><td>46.00</td><td>-22.76</td><td>29.18</td><td>23.18</td><td>3.16</td><td>32.28</td><td>---</td><td>--- Peak</td></tr> <tr><td>5</td><td>746.83</td><td>27.23</td><td>46.00</td><td>-18.77</td><td>27.53</td><td>28.01</td><td>3.98</td><td>32.29</td><td>---</td><td>--- Peak</td></tr> <tr><td>6</td><td>913.67</td><td>33.76</td><td>46.00</td><td>-12.24</td><td>32.29</td><td>29.27</td><td>4.40</td><td>32.20</td><td>---</td><td>--- Peak</td></tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	31.94	31.34	40.00	-8.66	38.99	24.03	0.52	32.20	---	--- Peak	2	150.28	20.43	43.50	-23.07	33.75	17.01	1.77	32.10	---	--- Peak	3	321.00	21.79	46.00	-24.21	31.68	19.63	2.62	32.14	---	--- Peak	4	469.41	23.24	46.00	-22.76	29.18	23.18	3.16	32.28	---	--- Peak	5	746.83	27.23	46.00	-18.77	27.53	28.01	3.98	32.29	---	--- Peak	6	913.67	33.76	46.00	-12.24	32.29	29.27	4.40	32.20	---
Peak	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																							
1	30.00	20.95	40.00	-19.05	27.57	25.08	0.50	32.20	---	--- Peak																																																																																																																																																																							
2	203.63	20.75	43.50	-22.75	35.92	14.85	2.09	32.11	---	--- Peak																																																																																																																																																																							
3	321.97	25.43	46.00	-20.57	35.30	19.65	2.62	32.14	---	--- Peak																																																																																																																																																																							
4	584.84	25.30	46.00	-20.70	28.52	25.56	3.52	32.30	---	--- Peak																																																																																																																																																																							
5	743.92	27.22	46.00	-18.78	27.63	27.90	3.98	32.29	---	--- Peak																																																																																																																																																																							
6	956.35	30.85	46.00	-15.15	28.76	29.78	4.50	32.19	---	--- Peak																																																																																																																																																																							
Peak	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																							
1	31.94	31.34	40.00	-8.66	38.99	24.03	0.52	32.20	---	--- Peak																																																																																																																																																																							
2	150.28	20.43	43.50	-23.07	33.75	17.01	1.77	32.10	---	--- Peak																																																																																																																																																																							
3	321.00	21.79	46.00	-24.21	31.68	19.63	2.62	32.14	---	--- Peak																																																																																																																																																																							
4	469.41	23.24	46.00	-22.76	29.18	23.18	3.16	32.28	---	--- Peak																																																																																																																																																																							
5	746.83	27.23	46.00	-18.77	27.53	28.01	3.98	32.29	---	--- Peak																																																																																																																																																																							
6	913.67	33.76	46.00	-12.24	32.29	29.27	4.40	32.20	---	--- Peak																																																																																																																																																																							






57	
Mode	Band Edge
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_26/0RU_5745MHz
ANT	CDD 7+5
Pol.	Horizontal
Peak	
Avg	Blank

	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			
1	5630.40	57.24	68.20	-10.96	38.90	34.50	13.06	29.30	0.00	249	175	PEAK
2	5652.40	56.00	69.99	-13.99	37.84	34.50	13.01	29.35	0.00	249	175	PEAK
3	5700.00	55.45	105.30	-49.85	37.35	34.60	13.09	29.59	0.00	249	175	PEAK
4	5720.00	55.50	110.90	-55.40	37.29	34.64	13.26	29.69	0.00	249	175	PEAK




	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			
1	5745.00	111.46	-----	-----	93.17	34.67	13.38	29.76	0.00	249	175	PEAK

	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			
1	5745.00	102.00	-----	-----	83.79	34.67	13.38	29.76	0.00	249	175	AVERAGE



57																																																													
Mode	Band Edge																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_26/0RU_5745MHz																																																												
ANT	CDD 7+5																																																												
Pol.	Vertical																																																												
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The plot shows a red limit line and a blue read line. Four peaks are marked with vertical lines and numbered 1, 2, 3, and 4. The read line peaks at approximately 113.8 dBuV/m at 5745 MHz.</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Limit (dBuV/m)</th> <th>Read (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Ant Level (dBuV)</th> <th>Cable Loss (dB/m)</th> <th>Preamp Loss (dB)</th> <th>Aux Loss (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5643.60</td> <td>56.88</td> <td>68.20</td> <td>-11.32</td> <td>38.66</td> <td>34.50</td> <td>13.03</td> <td>29.31</td> <td>0.00</td> <td>100</td> <td>167 PEAK</td> </tr> <tr> <td>2</td> <td>5658.00</td> <td>55.59</td> <td>68.20</td> <td>-12.61</td> <td>37.42</td> <td>34.50</td> <td>13.01</td> <td>29.34</td> <td>0.00</td> <td>100</td> <td>167 PEAK</td> </tr> <tr> <td>3</td> <td>5703.20</td> <td>55.98</td> <td>106.20</td> <td>-50.22</td> <td>37.86</td> <td>34.61</td> <td>13.12</td> <td>29.61</td> <td>0.00</td> <td>100</td> <td>167 PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>55.15</td> <td>110.90</td> <td>-55.75</td> <td>36.94</td> <td>34.64</td> <td>13.26</td> <td>29.69</td> <td>0.00</td> <td>100</td> <td>167 PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Limit (dBuV/m)	Read (dBuV/m)	Line Margin (dB)	Ant Level (dBuV)	Cable Loss (dB/m)	Preamp Loss (dB)	Aux Loss (dB)	APos (cm)	TPos (deg)	Remark	1	5643.60	56.88	68.20	-11.32	38.66	34.50	13.03	29.31	0.00	100	167 PEAK	2	5658.00	55.59	68.20	-12.61	37.42	34.50	13.01	29.34	0.00	100	167 PEAK	3	5703.20	55.98	106.20	-50.22	37.86	34.61	13.12	29.61	0.00	100	167 PEAK	4	5720.00	55.15	110.90	-55.75	36.94	34.64	13.26	29.69	0.00	100	167 PEAK
	Peak	Freq (MHz)	Limit (dBuV/m)	Read (dBuV/m)	Line Margin (dB)	Ant Level (dBuV)	Cable Loss (dB/m)	Preamp Loss (dB)	Aux Loss (dB)	APos (cm)	TPos (deg)	Remark																																																	
1	5643.60	56.88	68.20	-11.32	38.66	34.50	13.03	29.31	0.00	100	167 PEAK																																																		
2	5658.00	55.59	68.20	-12.61	37.42	34.50	13.01	29.34	0.00	100	167 PEAK																																																		
3	5703.20	55.98	106.20	-50.22	37.86	34.61	13.12	29.61	0.00	100	167 PEAK																																																		
4	5720.00	55.15	110.90	-55.75	36.94	34.64	13.26	29.69	0.00	100	167 PEAK																																																		
Fundamental	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a red limit line and a blue read line. A single sharp peak is visible at 5745 MHz, reaching approximately 113.8 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Limit (dBuV/m)</th> <th>Read (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Ant Level (dBuV)</th> <th>Cable Loss (dB/m)</th> <th>Preamp Loss (dB)</th> <th>Aux Loss (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>108.65</td> <td>90.36</td> <td>18.29</td> <td>34.67</td> <td>13.38</td> <td>29.76</td> <td>0.00</td> <td>100</td> <td>167</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Limit (dBuV/m)	Read (dBuV/m)	Line Margin (dB)	Ant Level (dBuV)	Cable Loss (dB/m)	Preamp Loss (dB)	Aux Loss (dB)	APos (cm)	TPos (deg)	Remark	1	5745.00	108.65	90.36	18.29	34.67	13.38	29.76	0.00	100	167	PEAK																																				
Peak	Freq (MHz)	Limit (dBuV/m)	Read (dBuV/m)	Line Margin (dB)	Ant Level (dBuV)	Cable Loss (dB/m)	Preamp Loss (dB)	Aux Loss (dB)	APos (cm)	TPos (deg)	Remark																																																		
1	5745.00	108.65	90.36	18.29	34.67	13.38	29.76	0.00	100	167	PEAK																																																		
Avg	Blank																																																												
	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Average polarization. The plot shows a red limit line and a blue read line. A single sharp peak is visible at 5745 MHz, reaching approximately 100.63 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Limit (dBuV/m)</th> <th>Read (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Ant Level (dBuV)</th> <th>Cable Loss (dB/m)</th> <th>Preamp Loss (dB)</th> <th>Aux Loss (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>100.63</td> <td>82.34</td> <td>18.29</td> <td>34.67</td> <td>13.38</td> <td>29.76</td> <td>0.00</td> <td>100</td> <td>167</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Limit (dBuV/m)	Read (dBuV/m)	Line Margin (dB)	Ant Level (dBuV)	Cable Loss (dB/m)	Preamp Loss (dB)	Aux Loss (dB)	APos (cm)	TPos (deg)	Remark	1	5745.00	100.63	82.34	18.29	34.67	13.38	29.76	0.00	100	167	AVERAGE																																				
Peak	Freq (MHz)	Limit (dBuV/m)	Read (dBuV/m)	Line Margin (dB)	Ant Level (dBuV)	Cable Loss (dB/m)	Preamp Loss (dB)	Aux Loss (dB)	APos (cm)	TPos (deg)	Remark																																																		
1	5745.00	100.63	82.34	18.29	34.67	13.38	29.76	0.00	100	167	AVERAGE																																																		



Mode	58																																																																																																													
	Band Edge																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_26/8RU_5825MHz																																																																																																													
ANT	CDD 7+5																																																																																																													
Pol.	Horizontal	Fundamental																																																																																																												
Peak	 <table border="1" data-bbox="263 1064 798 1243"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.40</td> <td>56.91</td> <td>112.27</td> <td>-55.36</td> <td>38.48</td> <td>34.92</td> <td>13.88</td> <td>30.37</td> <td>0.00</td> <td>100</td> <td>116 PEAK</td> </tr> <tr> <td>2</td> <td>5873.20</td> <td>54.77</td> <td>105.80</td> <td>-51.03</td> <td>36.31</td> <td>34.99</td> <td>13.85</td> <td>30.38</td> <td>0.00</td> <td>100</td> <td>116 PEAK</td> </tr> <tr> <td>3</td> <td>5923.60</td> <td>56.98</td> <td>69.23</td> <td>-12.25</td> <td>38.50</td> <td>35.15</td> <td>13.73</td> <td>30.40</td> <td>0.00</td> <td>100</td> <td>116 PEAK</td> </tr> <tr> <td>4</td> <td>5989.60</td> <td>58.20</td> <td>68.20</td> <td>-10.00</td> <td>39.79</td> <td>35.28</td> <td>13.57</td> <td>30.44</td> <td>0.00</td> <td>100</td> <td>116 PEAK</td> </tr> </tbody> </table>		Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5854.40	56.91	112.27	-55.36	38.48	34.92	13.88	30.37	0.00	100	116 PEAK	2	5873.20	54.77	105.80	-51.03	36.31	34.99	13.85	30.38	0.00	100	116 PEAK	3	5923.60	56.98	69.23	-12.25	38.50	35.15	13.73	30.40	0.00	100	116 PEAK	4	5989.60	58.20	68.20	-10.00	39.79	35.28	13.57	30.44	0.00	100	116 PEAK	 <table border="1" data-bbox="901 1064 1436 1243"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>106.37</td> <td>-----</td> <td>-----</td> <td>87.76</td> <td>34.87</td> <td>14.02</td> <td>30.28</td> <td>0.00</td> <td>100</td> <td>116 PEAK</td> </tr> </tbody> </table>		Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5825.00	106.37	-----	-----	87.76	34.87	14.02	30.28	0.00	100	116 PEAK
	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Loss	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5854.40	56.91	112.27	-55.36	38.48	34.92	13.88	30.37	0.00	100	116 PEAK																																																																																																			
2	5873.20	54.77	105.80	-51.03	36.31	34.99	13.85	30.38	0.00	100	116 PEAK																																																																																																			
3	5923.60	56.98	69.23	-12.25	38.50	35.15	13.73	30.40	0.00	100	116 PEAK																																																																																																			
4	5989.60	58.20	68.20	-10.00	39.79	35.28	13.57	30.44	0.00	100	116 PEAK																																																																																																			
	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Loss	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5825.00	106.37	-----	-----	87.76	34.87	14.02	30.28	0.00	100	116 PEAK																																																																																																			
Avg	Blank	 <table border="1" data-bbox="901 1747 1436 1926"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>98.61</td> <td>-----</td> <td>-----</td> <td>80.00</td> <td>34.87</td> <td>14.02</td> <td>30.28</td> <td>0.00</td> <td>100</td> <td>116 AVERAGE</td> </tr> </tbody> </table>		Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5825.00	98.61	-----	-----	80.00	34.87	14.02	30.28	0.00	100	116 AVERAGE																																																																								
	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Loss	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5825.00	98.61	-----	-----	80.00	34.87	14.02	30.28	0.00	100	116 AVERAGE																																																																																																			



Mode	58																																																																																																																											
	Band Edge																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_26/8RU_5825MHz																																																																																																																											
ANT	CDD 7+5																																																																																																																											
Pol.	Vertical	Fundamental																																																																																																																										
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.40</td> <td>57.21</td> <td>112.27</td> <td>-55.06</td> <td>38.78</td> <td>34.92</td> <td>13.88</td> <td>30.37</td> <td>0.00</td> <td>233</td> <td>250 PEAK</td> </tr> <tr> <td>2</td> <td>5874.80</td> <td>55.51</td> <td>105.36</td> <td>-49.85</td> <td>37.04</td> <td>35.00</td> <td>13.85</td> <td>30.38</td> <td>0.00</td> <td>233</td> <td>250 PEAK</td> </tr> <tr> <td>3</td> <td>5923.60</td> <td>54.09</td> <td>69.23</td> <td>-15.14</td> <td>35.61</td> <td>35.15</td> <td>13.73</td> <td>30.40</td> <td>0.00</td> <td>233</td> <td>250 PEAK</td> </tr> <tr> <td>4</td> <td>5974.00</td> <td>57.00</td> <td>68.20</td> <td>-11.20</td> <td>38.58</td> <td>35.25</td> <td>13.60</td> <td>30.43</td> <td>0.00</td> <td>233</td> <td>250 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	57.21	112.27	-55.06	38.78	34.92	13.88	30.37	0.00	233	250 PEAK	2	5874.80	55.51	105.36	-49.85	37.04	35.00	13.85	30.38	0.00	233	250 PEAK	3	5923.60	54.09	69.23	-15.14	35.61	35.15	13.73	30.40	0.00	233	250 PEAK	4	5974.00	57.00	68.20	-11.20	38.58	35.25	13.60	30.43	0.00	233	250 PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>106.82</td> <td>-----</td> <td>-----</td> <td>88.21</td> <td>34.87</td> <td>14.02</td> <td>30.28</td> <td>0.00</td> <td>233</td> <td>250 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	106.82	-----	-----	88.21	34.87	14.02	30.28	0.00	233	250 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5854.40	57.21	112.27	-55.06	38.78	34.92	13.88	30.37	0.00	233	250 PEAK																																																																																																																	
2	5874.80	55.51	105.36	-49.85	37.04	35.00	13.85	30.38	0.00	233	250 PEAK																																																																																																																	
3	5923.60	54.09	69.23	-15.14	35.61	35.15	13.73	30.40	0.00	233	250 PEAK																																																																																																																	
4	5974.00	57.00	68.20	-11.20	38.58	35.25	13.60	30.43	0.00	233	250 PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5825.00	106.82	-----	-----	88.21	34.87	14.02	30.28	0.00	233	250 PEAK																																																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>99.75</td> <td>-----</td> <td>-----</td> <td>81.14</td> <td>34.87</td> <td>14.02</td> <td>30.28</td> <td>0.00</td> <td>233</td> <td>250 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	99.75	-----	-----	81.14	34.87	14.02	30.28	0.00	233	250 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5825.00	99.75	-----	-----	81.14	34.87	14.02	30.28	0.00	233	250 AVERAGE																																																																																																																	



Mode	59																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_52/37RU_5745MHz																																																																																																																						
ANT	CDD 7+5																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5623.20</td> <td>57.40</td> <td>68.20</td> <td>-10.80</td> <td>39.13</td> <td>34.50</td> <td>13.09</td> <td>29.32</td> <td>0.00</td> <td>224</td> <td>168</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5658.00</td> <td>56.65</td> <td>68.20</td> <td>-11.55</td> <td>38.48</td> <td>34.50</td> <td>13.01</td> <td>29.34</td> <td>0.00</td> <td>224</td> <td>168</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5702.80</td> <td>57.05</td> <td>106.09</td> <td>-49.04</td> <td>38.94</td> <td>34.61</td> <td>13.11</td> <td>29.61</td> <td>0.00</td> <td>224</td> <td>168</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5721.60</td> <td>60.17</td> <td>114.55</td> <td>-54.38</td> <td>41.95</td> <td>34.64</td> <td>13.28</td> <td>29.70</td> <td>0.00</td> <td>224</td> <td>168</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5623.20	57.40	68.20	-10.80	39.13	34.50	13.09	29.32	0.00	224	168	PEAK	2	5658.00	56.65	68.20	-11.55	38.48	34.50	13.01	29.34	0.00	224	168	PEAK	3	5702.80	57.05	106.09	-49.04	38.94	34.61	13.11	29.61	0.00	224	168	PEAK	4	5721.60	60.17	114.55	-54.38	41.95	34.64	13.28	29.70	0.00	224	168	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>110.97</td> <td>-----</td> <td>-----</td> <td>92.68</td> <td>34.67</td> <td>13.38</td> <td>29.76</td> <td>0.00</td> <td>224</td> <td>168</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	110.97	-----	-----	92.68	34.67	13.38	29.76	0.00	224	168	PEAK
	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5623.20	57.40	68.20	-10.80	39.13	34.50	13.09	29.32	0.00	224	168	PEAK																																																																																																											
2	5658.00	56.65	68.20	-11.55	38.48	34.50	13.01	29.34	0.00	224	168	PEAK																																																																																																											
3	5702.80	57.05	106.09	-49.04	38.94	34.61	13.11	29.61	0.00	224	168	PEAK																																																																																																											
4	5721.60	60.17	114.55	-54.38	41.95	34.64	13.28	29.70	0.00	224	168	PEAK																																																																																																											
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	110.97	-----	-----	92.68	34.67	13.38	29.76	0.00	224	168	PEAK																																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>101.57</td> <td>-----</td> <td>-----</td> <td>83.28</td> <td>34.67</td> <td>13.38</td> <td>29.76</td> <td>0.00</td> <td>224</td> <td>168</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	101.57	-----	-----	83.28	34.67	13.38	29.76	0.00	224	168	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	101.57	-----	-----	83.28	34.67	13.38	29.76	0.00	224	168	AVERAGE																																																																																																											



		59																																																																																																																													
Mode	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_52/37RU_5745MHz																																																																																																																														
ANT	CDD 7+5																																																																																																																														
Pol.	Vertical	Fundamental																																																																																																																													
Peak																																																																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5636.00</td> <td>57.53</td> <td>68.20</td> <td>-10.67</td> <td>39.27</td> <td>34.50</td> <td>13.05</td> <td>29.29</td> <td>0.00</td> <td>100</td> <td>167</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5652.00</td> <td>55.69</td> <td>69.69</td> <td>-14.00</td> <td>37.53</td> <td>34.50</td> <td>13.01</td> <td>29.35</td> <td>0.00</td> <td>100</td> <td>167</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.40</td> <td>55.28</td> <td>105.41</td> <td>-50.13</td> <td>37.18</td> <td>34.60</td> <td>13.09</td> <td>29.59</td> <td>0.00</td> <td>100</td> <td>167</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.40</td> <td>54.65</td> <td>111.81</td> <td>-57.16</td> <td>36.43</td> <td>34.64</td> <td>13.27</td> <td>29.69</td> <td>0.00</td> <td>100</td> <td>167</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5636.00	57.53	68.20	-10.67	39.27	34.50	13.05	29.29	0.00	100	167	PEAK	2	5652.00	55.69	69.69	-14.00	37.53	34.50	13.01	29.35	0.00	100	167	PEAK	3	5700.40	55.28	105.41	-50.13	37.18	34.60	13.09	29.59	0.00	100	167	PEAK	4	5720.40	54.65	111.81	-57.16	36.43	34.64	13.27	29.69	0.00	100	167	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>107.26</td> <td>-----</td> <td>-----</td> <td>88.97</td> <td>34.67</td> <td>13.38</td> <td>29.76</td> <td>0.00</td> <td>100</td> <td>167</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5745.00	107.26	-----	-----	88.97	34.67	13.38	29.76	0.00	100	167
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																						
1	5636.00	57.53	68.20	-10.67	39.27	34.50	13.05	29.29	0.00	100	167	PEAK																																																																																																																			
2	5652.00	55.69	69.69	-14.00	37.53	34.50	13.01	29.35	0.00	100	167	PEAK																																																																																																																			
3	5700.40	55.28	105.41	-50.13	37.18	34.60	13.09	29.59	0.00	100	167	PEAK																																																																																																																			
4	5720.40	54.65	111.81	-57.16	36.43	34.64	13.27	29.69	0.00	100	167	PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																						
1	5745.00	107.26	-----	-----	88.97	34.67	13.38	29.76	0.00	100	167	PEAK																																																																																																																			
Avg	Blank																																																																																																																														
		<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>100.19</td> <td>-----</td> <td>-----</td> <td>81.90</td> <td>34.67</td> <td>13.38</td> <td>29.76</td> <td>0.00</td> <td>100</td> <td>167</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5745.00	100.19	-----	-----	81.90	34.67	13.38	29.76	0.00	100	167	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																						
1	5745.00	100.19	-----	-----	81.90	34.67	13.38	29.76	0.00	100	167	AVERAGE																																																																																																																			



Mode	60																																																																																																																																
	Band Edge																																																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_52/40RU_5825MHz																																																																																																																																
ANT	CDD 7+5																																																																																																																																
Pol.	Horizontal	Fundamental																																																																																																																															
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>55.68</td> <td>111.36</td> <td>-55.68</td> <td>37.25</td> <td>34.92</td> <td>13.88</td> <td>30.37</td> <td>0.00</td> <td>246</td> <td>170</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.80</td> <td>56.23</td> <td>105.36</td> <td>-49.13</td> <td>37.76</td> <td>35.00</td> <td>13.85</td> <td>30.38</td> <td>0.00</td> <td>246</td> <td>170</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.40</td> <td>56.92</td> <td>68.64</td> <td>-11.72</td> <td>38.44</td> <td>35.15</td> <td>13.73</td> <td>30.40</td> <td>0.00</td> <td>246</td> <td>170</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5953.60</td> <td>57.85</td> <td>68.20</td> <td>-10.35</td> <td>39.42</td> <td>35.21</td> <td>13.64</td> <td>30.42</td> <td>0.00</td> <td>246</td> <td>170</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	55.68	111.36	-55.68	37.25	34.92	13.88	30.37	0.00	246	170	PEAK	2	5874.80	56.23	105.36	-49.13	37.76	35.00	13.85	30.38	0.00	246	170	PEAK	3	5924.40	56.92	68.64	-11.72	38.44	35.15	13.73	30.40	0.00	246	170	PEAK	4	5953.60	57.85	68.20	-10.35	39.42	35.21	13.64	30.42	0.00	246	170	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>110.31</td> <td>-----</td> <td>-----</td> <td>91.45</td> <td>34.84</td> <td>14.20</td> <td>30.18</td> <td>0.00</td> <td>246</td> <td>170</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	110.31	-----	-----	91.45	34.84	14.20	30.18	0.00	246	170	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5854.80	55.68	111.36	-55.68	37.25	34.92	13.88	30.37	0.00	246	170	PEAK																																																																																																																					
2	5874.80	56.23	105.36	-49.13	37.76	35.00	13.85	30.38	0.00	246	170	PEAK																																																																																																																					
3	5924.40	56.92	68.64	-11.72	38.44	35.15	13.73	30.40	0.00	246	170	PEAK																																																																																																																					
4	5953.60	57.85	68.20	-10.35	39.42	35.21	13.64	30.42	0.00	246	170	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5825.00	110.31	-----	-----	91.45	34.84	14.20	30.18	0.00	246	170	PEAK																																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>102.31</td> <td>-----</td> <td>-----</td> <td>83.45</td> <td>34.84</td> <td>14.20</td> <td>30.18</td> <td>0.00</td> <td>246</td> <td>170</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	102.31	-----	-----	83.45	34.84	14.20	30.18	0.00	246	170	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5825.00	102.31	-----	-----	83.45	34.84	14.20	30.18	0.00	246	170	AVERAGE																																																																																																																					



Mode	60																																																																																																																																
	Band Edge																																																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_52/40RU_5825MHz																																																																																																																																
ANT	CDD 7+5																																																																																																																																
Pol.	Vertical	Fundamental																																																																																																																															
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5853.60</td> <td>58.21</td> <td>114.09</td> <td>-55.88</td> <td>39.78</td> <td>34.91</td> <td>13.88</td> <td>30.36</td> <td>0.00</td> <td>107</td> <td>187</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5871.60</td> <td>55.92</td> <td>106.25</td> <td>-50.33</td> <td>37.46</td> <td>34.99</td> <td>13.85</td> <td>30.38</td> <td>0.00</td> <td>107</td> <td>187</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.60</td> <td>56.17</td> <td>69.23</td> <td>-13.06</td> <td>37.69</td> <td>35.15</td> <td>13.73</td> <td>30.40</td> <td>0.00</td> <td>107</td> <td>187</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5984.00</td> <td>57.09</td> <td>68.20</td> <td>-11.11</td> <td>38.67</td> <td>35.27</td> <td>13.58</td> <td>30.43</td> <td>0.00</td> <td>107</td> <td>187</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.60	58.21	114.09	-55.88	39.78	34.91	13.88	30.36	0.00	107	187	PEAK	2	5871.60	55.92	106.25	-50.33	37.46	34.99	13.85	30.38	0.00	107	187	PEAK	3	5923.60	56.17	69.23	-13.06	37.69	35.15	13.73	30.40	0.00	107	187	PEAK	4	5984.00	57.09	68.20	-11.11	38.67	35.27	13.58	30.43	0.00	107	187	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>110.82</td> <td>-----</td> <td>-----</td> <td>91.96</td> <td>34.84</td> <td>14.20</td> <td>30.18</td> <td>0.00</td> <td>107</td> <td>187</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	110.82	-----	-----	91.96	34.84	14.20	30.18	0.00	107	187	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5853.60	58.21	114.09	-55.88	39.78	34.91	13.88	30.36	0.00	107	187	PEAK																																																																																																																					
2	5871.60	55.92	106.25	-50.33	37.46	34.99	13.85	30.38	0.00	107	187	PEAK																																																																																																																					
3	5923.60	56.17	69.23	-13.06	37.69	35.15	13.73	30.40	0.00	107	187	PEAK																																																																																																																					
4	5984.00	57.09	68.20	-11.11	38.67	35.27	13.58	30.43	0.00	107	187	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5825.00	110.82	-----	-----	91.96	34.84	14.20	30.18	0.00	107	187	PEAK																																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>102.40</td> <td>-----</td> <td>-----</td> <td>83.54</td> <td>34.84</td> <td>14.20</td> <td>30.18</td> <td>0.00</td> <td>107</td> <td>187</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	102.40	-----	-----	83.54	34.84	14.20	30.18	0.00	107	187	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5825.00	102.40	-----	-----	83.54	34.84	14.20	30.18	0.00	107	187	AVERAGE																																																																																																																					



Mode	61																																																																																																				
	Band Edge																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_106/53RU_5745MHz																																																																																																				
ANT	CDD 7+5																																																																																																				
Pol.	Horizontal	Fundamental																																																																																																			
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5635.60</td> <td>57.00</td> <td>68.20</td> <td>-11.20</td> <td>38.75</td> <td>34.50</td> <td>13.05</td> <td>29.30</td> <td>0.00</td> <td>315 190 PEAK</td> </tr> <tr> <td>2</td> <td>5658.80</td> <td>56.10</td> <td>68.80</td> <td>-12.70</td> <td>37.93</td> <td>34.50</td> <td>13.01</td> <td>29.34</td> <td>0.00</td> <td>315 190 PEAK</td> </tr> <tr> <td>3</td> <td>5782.80</td> <td>55.42</td> <td>105.86</td> <td>-50.44</td> <td>37.31</td> <td>34.60</td> <td>13.11</td> <td>29.60</td> <td>0.00</td> <td>315 190 PEAK</td> </tr> <tr> <td>4</td> <td>5728.40</td> <td>55.82</td> <td>111.81</td> <td>-55.99</td> <td>37.60</td> <td>34.64</td> <td>13.27</td> <td>29.69</td> <td>0.00</td> <td>315 190 PEAK</td> </tr> </tbody> </table>	Peak	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5635.60	57.00	68.20	-11.20	38.75	34.50	13.05	29.30	0.00	315 190 PEAK	2	5658.80	56.10	68.80	-12.70	37.93	34.50	13.01	29.34	0.00	315 190 PEAK	3	5782.80	55.42	105.86	-50.44	37.31	34.60	13.11	29.60	0.00	315 190 PEAK	4	5728.40	55.82	111.81	-55.99	37.60	34.64	13.27	29.69	0.00	315 190 PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>108.00</td> <td>-----</td> <td>-----</td> <td>89.79</td> <td>34.67</td> <td>13.38</td> <td>29.76</td> <td>0.00</td> <td>315 190 PEAK</td> </tr> </tbody> </table>	Peak	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	108.00	-----	-----	89.79	34.67	13.38	29.76	0.00	315 190 PEAK
	Peak	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5635.60	57.00	68.20	-11.20	38.75	34.50	13.05	29.30	0.00	315 190 PEAK																																																																																											
2	5658.80	56.10	68.80	-12.70	37.93	34.50	13.01	29.34	0.00	315 190 PEAK																																																																																											
3	5782.80	55.42	105.86	-50.44	37.31	34.60	13.11	29.60	0.00	315 190 PEAK																																																																																											
4	5728.40	55.82	111.81	-55.99	37.60	34.64	13.27	29.69	0.00	315 190 PEAK																																																																																											
Peak	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5745.00	108.00	-----	-----	89.79	34.67	13.38	29.76	0.00	315 190 PEAK																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>100.36</td> <td>-----</td> <td>-----</td> <td>82.07</td> <td>34.67</td> <td>13.38</td> <td>29.76</td> <td>0.00</td> <td>315 190 AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	100.36	-----	-----	82.07	34.67	13.38	29.76	0.00	315 190 AVERAGE																																																																		
Peak	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5745.00	100.36	-----	-----	82.07	34.67	13.38	29.76	0.00	315 190 AVERAGE																																																																																											






Mode	61																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_106/53RU_5745MHz																																																																																																																						
ANT	CDD 7+5																																																																																																																						
Pol.	Vertical	Fundamental																																																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5635.20</td> <td>57.87</td> <td>68.20</td> <td>-10.33</td> <td>39.62</td> <td>34.50</td> <td>13.05</td> <td>29.30</td> <td>0.00</td> <td>100</td> <td>172</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.40</td> <td>53.68</td> <td>68.50</td> <td>-14.82</td> <td>35.51</td> <td>34.50</td> <td>13.01</td> <td>29.34</td> <td>0.00</td> <td>100</td> <td>172</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5701.60</td> <td>55.74</td> <td>105.75</td> <td>-50.01</td> <td>37.64</td> <td>34.60</td> <td>13.10</td> <td>29.60</td> <td>0.00</td> <td>100</td> <td>172</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5724.40</td> <td>66.56</td> <td>120.93</td> <td>-54.37</td> <td>48.32</td> <td>34.65</td> <td>13.30</td> <td>29.71</td> <td>0.00</td> <td>100</td> <td>172</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5635.20	57.87	68.20	-10.33	39.62	34.50	13.05	29.30	0.00	100	172	PEAK	2	5650.40	53.68	68.50	-14.82	35.51	34.50	13.01	29.34	0.00	100	172	PEAK	3	5701.60	55.74	105.75	-50.01	37.64	34.60	13.10	29.60	0.00	100	172	PEAK	4	5724.40	66.56	120.93	-54.37	48.32	34.65	13.30	29.71	0.00	100	172	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>107.68</td> <td>-----</td> <td>-----</td> <td>89.39</td> <td>34.67</td> <td>13.38</td> <td>29.76</td> <td>0.00</td> <td>100</td> <td>172</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	107.68	-----	-----	89.39	34.67	13.38	29.76	0.00	100	172	PEAK
	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5635.20	57.87	68.20	-10.33	39.62	34.50	13.05	29.30	0.00	100	172	PEAK																																																																																																											
2	5650.40	53.68	68.50	-14.82	35.51	34.50	13.01	29.34	0.00	100	172	PEAK																																																																																																											
3	5701.60	55.74	105.75	-50.01	37.64	34.60	13.10	29.60	0.00	100	172	PEAK																																																																																																											
4	5724.40	66.56	120.93	-54.37	48.32	34.65	13.30	29.71	0.00	100	172	PEAK																																																																																																											
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	107.68	-----	-----	89.39	34.67	13.38	29.76	0.00	100	172	PEAK																																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>100.00</td> <td>-----</td> <td>-----</td> <td>81.79</td> <td>34.67</td> <td>13.38</td> <td>29.76</td> <td>0.00</td> <td>100</td> <td>172</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	100.00	-----	-----	81.79	34.67	13.38	29.76	0.00	100	172	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	100.00	-----	-----	81.79	34.67	13.38	29.76	0.00	100	172	AVERAGE																																																																																																											



Mode	62																																																																																																																																
	Band Edge																																																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_106/54RU_5825MHz																																																																																																																																
ANT	CDD 7+5																																																																																																																																
Pol.	Horizontal	Fundamental																																																																																																																															
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.00</td> <td>54.70</td> <td>111.36</td> <td>-56.66</td> <td>36.27</td> <td>34.92</td> <td>13.88</td> <td>30.37</td> <td>0.00</td> <td>300</td> <td>172</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.00</td> <td>56.65</td> <td>105.36</td> <td>-48.71</td> <td>38.18</td> <td>35.00</td> <td>13.85</td> <td>30.38</td> <td>0.00</td> <td>300</td> <td>172</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.00</td> <td>53.66</td> <td>68.35</td> <td>-14.69</td> <td>35.19</td> <td>35.15</td> <td>13.73</td> <td>30.41</td> <td>0.00</td> <td>300</td> <td>172</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5984.00</td> <td>57.68</td> <td>68.20</td> <td>-10.52</td> <td>39.26</td> <td>35.27</td> <td>13.58</td> <td>30.43</td> <td>0.00</td> <td>300</td> <td>172</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	54.70	111.36	-56.66	36.27	34.92	13.88	30.37	0.00	300	172	PEAK	2	5874.00	56.65	105.36	-48.71	38.18	35.00	13.85	30.38	0.00	300	172	PEAK	3	5924.00	53.66	68.35	-14.69	35.19	35.15	13.73	30.41	0.00	300	172	PEAK	4	5984.00	57.68	68.20	-10.52	39.26	35.27	13.58	30.43	0.00	300	172	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>108.95</td> <td>-----</td> <td>-----</td> <td>90.26</td> <td>34.86</td> <td>14.08</td> <td>30.25</td> <td>0.00</td> <td>300</td> <td>172</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	108.95	-----	-----	90.26	34.86	14.08	30.25	0.00	300	172	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5854.00	54.70	111.36	-56.66	36.27	34.92	13.88	30.37	0.00	300	172	PEAK																																																																																																																					
2	5874.00	56.65	105.36	-48.71	38.18	35.00	13.85	30.38	0.00	300	172	PEAK																																																																																																																					
3	5924.00	53.66	68.35	-14.69	35.19	35.15	13.73	30.41	0.00	300	172	PEAK																																																																																																																					
4	5984.00	57.68	68.20	-10.52	39.26	35.27	13.58	30.43	0.00	300	172	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5825.00	108.95	-----	-----	90.26	34.86	14.08	30.25	0.00	300	172	PEAK																																																																																																																					
Avg	Blank																																																																																																																																
		<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>101.75</td> <td>-----</td> <td>-----</td> <td>83.06</td> <td>34.86</td> <td>14.08</td> <td>30.25</td> <td>0.00</td> <td>300</td> <td>172</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	101.75	-----	-----	83.06	34.86	14.08	30.25	0.00	300	172	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5825.00	101.75	-----	-----	83.06	34.86	14.08	30.25	0.00	300	172	AVERAGE																																																																																																																					



Mode	62																																																																																																																																
	Band Edge																																																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_106/54RU_5825MHz																																																																																																																																
ANT	CDD 7+5																																																																																																																																
Pol.	Vertical	Fundamental																																																																																																																															
Peak	 <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>55.60</td> <td>111.36</td> <td>-55.76</td> <td>37.17</td> <td>34.92</td> <td>13.88</td> <td>30.37</td> <td>0.00</td> <td>101</td> <td>190</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5870.40</td> <td>57.10</td> <td>106.59</td> <td>-49.49</td> <td>38.65</td> <td>34.98</td> <td>13.85</td> <td>30.38</td> <td>0.00</td> <td>101</td> <td>190</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>55.21</td> <td>68.35</td> <td>-13.14</td> <td>36.74</td> <td>35.15</td> <td>13.73</td> <td>30.41</td> <td>0.00</td> <td>101</td> <td>190</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5936.40</td> <td>57.33</td> <td>68.20</td> <td>-10.87</td> <td>38.88</td> <td>35.17</td> <td>13.69</td> <td>30.41</td> <td>0.00</td> <td>101</td> <td>190</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	55.60	111.36	-55.76	37.17	34.92	13.88	30.37	0.00	101	190	PEAK	2	5870.40	57.10	106.59	-49.49	38.65	34.98	13.85	30.38	0.00	101	190	PEAK	3	5924.80	55.21	68.35	-13.14	36.74	35.15	13.73	30.41	0.00	101	190	PEAK	4	5936.40	57.33	68.20	-10.87	38.88	35.17	13.69	30.41	0.00	101	190	PEAK	 <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>110.60</td> <td>-----</td> <td>-----</td> <td>91.99</td> <td>34.86</td> <td>14.08</td> <td>30.25</td> <td>0.00</td> <td>101</td> <td>190</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	110.60	-----	-----	91.99	34.86	14.08	30.25	0.00	101	190	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5854.80	55.60	111.36	-55.76	37.17	34.92	13.88	30.37	0.00	101	190	PEAK																																																																																																																					
2	5870.40	57.10	106.59	-49.49	38.65	34.98	13.85	30.38	0.00	101	190	PEAK																																																																																																																					
3	5924.80	55.21	68.35	-13.14	36.74	35.15	13.73	30.41	0.00	101	190	PEAK																																																																																																																					
4	5936.40	57.33	68.20	-10.87	38.88	35.17	13.69	30.41	0.00	101	190	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5825.00	110.60	-----	-----	91.99	34.86	14.08	30.25	0.00	101	190	PEAK																																																																																																																					
Avg	Blank	 <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>103.00</td> <td>-----</td> <td>-----</td> <td>84.39</td> <td>34.86</td> <td>14.08</td> <td>30.25</td> <td>0.00</td> <td>101</td> <td>190</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	103.00	-----	-----	84.39	34.86	14.08	30.25	0.00	101	190	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5825.00	103.00	-----	-----	84.39	34.86	14.08	30.25	0.00	101	190	AVERAGE																																																																																																																					



Co-location

Mode	63																																																																																			
	Band Edge																																																																																			
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																			
ANT	6																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2495.44</td> <td>55.31</td> <td>74.00</td> <td>-18.69</td> <td>39.01</td> <td>32.40</td> <td>8.87</td> <td>30.97</td> <td>6.00</td> <td>103</td> <td>27</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2495.44	55.31	74.00	-18.69	39.01	32.40	8.87	30.97	6.00	103	27	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>102.93</td> <td>74.00</td> <td>28.93</td> <td>86.62</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>103</td> <td>27</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	102.93	74.00	28.93	86.62	32.40	8.88	30.97	6.00	103	27	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2495.44	55.31	74.00	-18.69	39.01	32.40	8.87	30.97	6.00	103	27	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2480.00	102.93	74.00	28.93	86.62	32.40	8.88	30.97	6.00	103	27	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2492.62</td> <td>45.40</td> <td>54.00</td> <td>-8.60</td> <td>29.10</td> <td>32.40</td> <td>8.87</td> <td>30.97</td> <td>6.00</td> <td>103</td> <td>27</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2492.62	45.40	54.00	-8.60	29.10	32.40	8.87	30.97	6.00	103	27	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>102.29</td> <td>54.00</td> <td>48.29</td> <td>85.98</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>103</td> <td>27</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	102.29	54.00	48.29	85.98	32.40	8.88	30.97	6.00	103	27	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2492.62	45.40	54.00	-8.60	29.10	32.40	8.87	30.97	6.00	103	27	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2480.00	102.29	54.00	48.29	85.98	32.40	8.88	30.97	6.00	103	27	AVERAGE																																																																								



Mode	63																																																																															
	Band Edge																																																																															
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																															
ANT	6																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.68</td> <td>56.38</td> <td>74.00</td> <td>-17.62</td> <td>40.07</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>100</td> <td>96 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.68	56.38	74.00	-17.62	40.07	32.40	8.88	30.97	6.00	100	96 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>105.68</td> <td>-----</td> <td>-----</td> <td>89.57</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>100</td> <td>96 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2480.00	105.68	-----	-----	89.57	32.40	8.88	30.97	6.00	100	96 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2483.68	56.38	74.00	-17.62	40.07	32.40	8.88	30.97	6.00	100	96 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2480.00	105.68	-----	-----	89.57	32.40	8.88	30.97	6.00	100	96 PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2484.94</td> <td>45.18</td> <td>54.00</td> <td>-8.82</td> <td>28.87</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>100</td> <td>96 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2484.94	45.18	54.00	-8.82	28.87	32.40	8.88	30.97	6.00	100	96 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>105.34</td> <td>-----</td> <td>-----</td> <td>89.03</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>100</td> <td>96 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2480.00	105.34	-----	-----	89.03	32.40	8.88	30.97	6.00	100	96 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2484.94	45.18	54.00	-8.82	28.87	32.40	8.88	30.97	6.00	100	96 AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2480.00	105.34	-----	-----	89.03	32.40	8.88	30.97	6.00	100	96 AVERAGE																																																																						



Mode	63																																																																																													
	Harmonic																																																																																													
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																													
ANT	6																																																																																													
Pol.	Horizontal	Vertical																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>40.22</td> <td>74.00</td> <td>-33.78</td> <td>59.31</td> <td>34.24</td> <td>12.07</td> <td>65.40</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>43.72</td> <td>74.00</td> <td>-30.28</td> <td>57.90</td> <td>35.00</td> <td>15.21</td> <td>65.19</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	4960.00	40.22	74.00	-33.78	59.31	34.24	12.07	65.40	0.00	--	--	PEAK	2	7440.00	43.72	74.00	-30.28	57.90	35.00	15.21	65.19	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>40.65</td> <td>74.00</td> <td>-33.35</td> <td>59.74</td> <td>34.24</td> <td>12.07</td> <td>65.40</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>45.45</td> <td>74.00</td> <td>-28.55</td> <td>59.63</td> <td>35.00</td> <td>15.21</td> <td>65.19</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	4960.00	40.65	74.00	-33.35	59.74	34.24	12.07	65.40	0.00	--	--	PEAK	2	7440.00	45.45	74.00	-28.55	59.63	35.00	15.21	65.19	0.00	--	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																				
1	4960.00	40.22	74.00	-33.78	59.31	34.24	12.07	65.40	0.00	--	--	PEAK																																																																																		
2	7440.00	43.72	74.00	-30.28	57.90	35.00	15.21	65.19	0.00	--	--	PEAK																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																				
1	4960.00	40.65	74.00	-33.35	59.74	34.24	12.07	65.40	0.00	--	--	PEAK																																																																																		
2	7440.00	45.45	74.00	-28.55	59.63	35.00	15.21	65.19	0.00	--	--	PEAK																																																																																		







Mode	63																																																																																			
	Band Edge - L																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full RU_5250MHz																																																																																			
ANT	CDD 7+5																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5077.13</td> <td>57.38</td> <td>74.00</td> <td>-16.62</td> <td>40.91</td> <td>34.30</td> <td>12.34</td> <td>30.17</td> <td>0.00</td> <td>251</td> <td>199</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5077.13	57.38	74.00	-16.62	40.91	34.30	12.34	30.17	0.00	251	199	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>95.22</td> <td>-----</td> <td>-----</td> <td>78.12</td> <td>34.35</td> <td>12.59</td> <td>29.84</td> <td>0.00</td> <td>251</td> <td>199</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	95.22	-----	-----	78.12	34.35	12.59	29.84	0.00	251	199	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5077.13	57.38	74.00	-16.62	40.91	34.30	12.34	30.17	0.00	251	199	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5250.00	95.22	-----	-----	78.12	34.35	12.59	29.84	0.00	251	199	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5098.87</td> <td>46.29</td> <td>54.00</td> <td>-7.71</td> <td>29.68</td> <td>34.30</td> <td>12.44</td> <td>30.13</td> <td>0.00</td> <td>251</td> <td>199</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5098.87	46.29	54.00	-7.71	29.68	34.30	12.44	30.13	0.00	251	199	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>91.55</td> <td>-----</td> <td>-----</td> <td>81.24</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>0.00</td> <td>251</td> <td>199</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	91.55	-----	-----	81.24	32.40	8.88	30.97	0.00	251	199	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5098.87	46.29	54.00	-7.71	29.68	34.30	12.44	30.13	0.00	251	199	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5250.00	91.55	-----	-----	81.24	32.40	8.88	30.97	0.00	251	199	AVERAGE																																																																								



Mode	63																																							
	Band Edge - R																																							
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full RU_5250MHz																																							
ANT	CDD 7+5																																							
Pol.	Horizontal	Fundamental																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5395.43</td> <td>58.81</td> <td>74.00</td> <td>-15.19</td> <td>40.89</td> <td>34.60</td> <td>12.99</td> <td>29.67</td> <td>0.00</td> <td>251 199 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5395.43	58.81	74.00	-15.19	40.89	34.60	12.99	29.67	0.00	251 199 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5395.43	58.81	74.00	-15.19	40.89	34.60	12.99	29.67	0.00	251 199 PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5401.07</td> <td>46.68</td> <td>54.00</td> <td>-7.32</td> <td>28.72</td> <td>34.60</td> <td>13.02</td> <td>29.66</td> <td>0.00</td> <td>251 199 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5401.07	46.68	54.00	-7.32	28.72	34.60	13.02	29.66	0.00	251 199 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5401.07	46.68	54.00	-7.32	28.72	34.60	13.02	29.66	0.00	251 199 AVERAGE																															



Mode	63																																																																																							
	Band Edge - L																																																																																							
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full RU_5250MHz																																																																																							
ANT	CDD 7+5																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5114.38</td> <td>57.35</td> <td>74.00</td> <td>-16.65</td> <td>40.75</td> <td>34.27</td> <td>12.44</td> <td>30.11</td> <td>0.00</td> <td>311</td> <td>280</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5114.38	57.35	74.00	-16.65	40.75	34.27	12.44	30.11	0.00	311	280	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>95.77</td> <td>68.20</td> <td>27.57</td> <td>85.46</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>0.00</td> <td>311</td> <td>280</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	95.77	68.20	27.57	85.46	32.40	8.88	30.97	0.00	311	280	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5114.38	57.35	74.00	-16.65	40.75	34.27	12.44	30.11	0.00	311	280	PEAK																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5250.00	95.77	68.20	27.57	85.46	32.40	8.88	30.97	0.00	311	280	PEAK																																																																												
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5100.37</td> <td>46.11</td> <td>54.00</td> <td>-7.89</td> <td>29.50</td> <td>34.30</td> <td>12.44</td> <td>30.13</td> <td>0.00</td> <td>311</td> <td>280</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5100.37	46.11	54.00	-7.89	29.50	34.30	12.44	30.13	0.00	311	280	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>92.05</td> <td>-----</td> <td>-----</td> <td>81.74</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>0.00</td> <td>311</td> <td>280</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	92.05	-----	-----	81.74	32.40	8.88	30.97	0.00	311	280	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5100.37	46.11	54.00	-7.89	29.50	34.30	12.44	30.13	0.00	311	280	AVERAGE																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5250.00	92.05	-----	-----	81.74	32.40	8.88	30.97	0.00	311	280	AVERAGE																																																																												



Mode	63																																																									
	Band Edge - R																																																									
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full RU_5250MHz																																																									
ANT	CDD 7+5																																																									
Pol.	Vertical	Fundamental																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5404.67</td> <td>61.45</td> <td>74.00</td> <td>-12.55</td> <td>43.50</td> <td>34.60</td> <td>13.01</td> <td>29.66</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>311</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>280</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5404.67	61.45	74.00	-12.55	43.50	34.60	13.01	29.66							0.00	311								280								PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																			
1 5404.67	61.45	74.00	-12.55	43.50	34.60	13.01	29.66																																																			
						0.00	311																																																			
							280																																																			
							PEAK																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5401.10</td> <td>47.60</td> <td>54.00</td> <td>-6.40</td> <td>29.64</td> <td>34.60</td> <td>13.02</td> <td>29.66</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>311</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>280</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5401.10	47.60	54.00	-6.40	29.64	34.60	13.02	29.66							0.00	311								280								AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																			
1 5401.10	47.60	54.00	-6.40	29.64	34.60	13.02	29.66																																																			
						0.00	311																																																			
							280																																																			
							AVERAGE																																																			




Mode	63																																																																											
	Harmonic																																																																											
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full RU_5250MHz																																																																											
ANT	CDD 7+5																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10500.00</td> <td>46.23</td> <td>68.20</td> <td>-21.97</td> <td>55.36</td> <td>37.70</td> <td>18.20</td> <td>65.03</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10500.00	46.23	68.20	-21.97	55.36	37.70	18.20	65.03	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10500.00</td> <td>46.09</td> <td>68.20</td> <td>-22.11</td> <td>55.21</td> <td>37.70</td> <td>18.24</td> <td>65.06</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10500.00	46.09	68.20	-22.11	55.21	37.70	18.24	65.06	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 10500.00	46.23	68.20	-21.97	55.36	37.70	18.20	65.03	0.00	--	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 10500.00	46.09	68.20	-22.11	55.21	37.70	18.24	65.06	0.00	--	PEAK																																																																		



Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	99.32	-	-	10Hz
802.11ax HE20	100	-	-	10Hz
802.11ax HE40	100	-	-	10Hz
802.11ax HE80	100	-	-	10Hz
802.11ax HE160	100	-	-	10Hz
802.11ax HE20 26RU	100	-	-	10Hz
802.11ax HE20 52RU	100	-	-	10Hz
802.11ax HE20 106RU	100	-	-	10Hz

802.11a






802.11ax HE20




802.11ax HE40






802.11ax HE80




802.11ax HE160






802.11ax HE20 26RU



802.11ax HE20 52RU





802.11ax HE20 106RU

