





Mode	27																																								
	Band Edge - R																																								
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																								
ANT	8																																								
Pol.	Vertical	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5357.32</td> <td>81.3</td> <td>74.00</td> <td>-19.01</td> <td>42.35</td> <td>34.50</td> <td>9.92</td> <td>31.78</td> <td>0.00</td> <td>100</td> <td>97 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5357.32	81.3	74.00	-19.01	42.35	34.50	9.92	31.78	0.00	100	97 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5357.32	81.3	74.00	-19.01	42.35	34.50	9.92	31.78	0.00	100	97 PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.01</td> <td>46.16</td> <td>54.00</td> <td>-7.04</td> <td>33.53</td> <td>34.50</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>100</td> <td>97 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5350.01	46.16	54.00	-7.04	33.53	34.50	9.91	31.78	0.00	100	97 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5350.01	46.16	54.00	-7.04	33.53	34.50	9.91	31.78	0.00	100	97 AVERAGE																															







Mode	27	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz	
ANT	8	
Pol.	Horizontal	Vertical
Peak Avg		



Mode	27																																																																																																																																																
	LF																																																																																																																																																
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																																																																
ANT	8																																																																																																																																																
Pol.	Horizontal	Vertical																																																																																																																																															
Peak Avg	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit (dBuV/m)</th> <th>ReadAntenna Level (dBuV)</th> <th>Cable Loss (dB/m)</th> <th>Preamp Loss (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>31.94</td><td>21.27</td><td>-18.73</td><td>40.00</td><td>29.36</td><td>24.40</td><td>0.48</td><td>32.97</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>88.20</td><td>22.49</td><td>-21.01</td><td>43.50</td><td>39.64</td><td>14.49</td><td>1.20</td><td>32.84</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>169.68</td><td>24.44</td><td>-19.06</td><td>43.50</td><td>39.64</td><td>15.59</td><td>1.74</td><td>32.83</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>250.19</td><td>27.76</td><td>-18.24</td><td>46.00</td><td>39.88</td><td>18.52</td><td>2.13</td><td>32.77</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>314.21</td><td>31.05</td><td>-14.95</td><td>46.00</td><td>41.95</td><td>19.55</td><td>2.39</td><td>32.84</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>556.71</td><td>31.14</td><td>-14.86</td><td>46.00</td><td>34.60</td><td>26.47</td><td>3.18</td><td>33.11</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna Level (dBuV)	Cable Loss (dB/m)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	31.94	21.27	-18.73	40.00	29.36	24.40	0.48	32.97	---	Peak	2	88.20	22.49	-21.01	43.50	39.64	14.49	1.20	32.84	---	Peak	3	169.68	24.44	-19.06	43.50	39.64	15.59	1.74	32.83	---	Peak	4	250.19	27.76	-18.24	46.00	39.88	18.52	2.13	32.77	---	Peak	5	314.21	31.05	-14.95	46.00	41.95	19.55	2.39	32.84	---	Peak	6	556.71	31.14	-14.86	46.00	34.60	26.47	3.18	33.11	---	Peak	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit (dBuV/m)</th> <th>ReadAntenna Level (dBuV)</th> <th>Cable Loss (dB/m)</th> <th>Preamp Loss (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>32.91</td><td>31.00</td><td>-9.00</td><td>40.00</td><td>39.69</td><td>23.76</td><td>0.49</td><td>32.94</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>69.77</td><td>29.16</td><td>-10.84</td><td>40.00</td><td>48.68</td><td>12.32</td><td>0.96</td><td>32.80</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>255.04</td><td>31.29</td><td>-14.71</td><td>46.00</td><td>42.69</td><td>19.22</td><td>2.15</td><td>32.77</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>560.59</td><td>29.71</td><td>-16.29</td><td>46.00</td><td>32.95</td><td>26.67</td><td>3.19</td><td>33.10</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>801.15</td><td>31.54</td><td>-14.46</td><td>46.00</td><td>31.69</td><td>28.76</td><td>3.82</td><td>32.73</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna Level (dBuV)	Cable Loss (dB/m)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	32.91	31.00	-9.00	40.00	39.69	23.76	0.49	32.94	---	Peak	2	69.77	29.16	-10.84	40.00	48.68	12.32	0.96	32.80	---	Peak	3	255.04	31.29	-14.71	46.00	42.69	19.22	2.15	32.77	---	Peak	4	560.59	29.71	-16.29	46.00	32.95	26.67	3.19	33.10	---	Peak	5	801.15	31.54	-14.46	46.00	31.69	28.76	3.82	32.73	---	Peak
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna Level (dBuV)	Cable Loss (dB/m)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																							
1	31.94	21.27	-18.73	40.00	29.36	24.40	0.48	32.97	---	Peak																																																																																																																																							
2	88.20	22.49	-21.01	43.50	39.64	14.49	1.20	32.84	---	Peak																																																																																																																																							
3	169.68	24.44	-19.06	43.50	39.64	15.59	1.74	32.83	---	Peak																																																																																																																																							
4	250.19	27.76	-18.24	46.00	39.88	18.52	2.13	32.77	---	Peak																																																																																																																																							
5	314.21	31.05	-14.95	46.00	41.95	19.55	2.39	32.84	---	Peak																																																																																																																																							
6	556.71	31.14	-14.86	46.00	34.60	26.47	3.18	33.11	---	Peak																																																																																																																																							
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna Level (dBuV)	Cable Loss (dB/m)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																							
1	32.91	31.00	-9.00	40.00	39.69	23.76	0.49	32.94	---	Peak																																																																																																																																							
2	69.77	29.16	-10.84	40.00	48.68	12.32	0.96	32.80	---	Peak																																																																																																																																							
3	255.04	31.29	-14.71	46.00	42.69	19.22	2.15	32.77	---	Peak																																																																																																																																							
4	560.59	29.71	-16.29	46.00	32.95	26.67	3.19	33.10	---	Peak																																																																																																																																							
5	801.15	31.54	-14.46	46.00	31.69	28.76	3.82	32.73	---	Peak																																																																																																																																							



Mode	28																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																
ANT	8																																																																																																
Pol.	Horizontal	Fundamental																																																																																															
Peak	 <table border="1" data-bbox="263 1108 774 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5435.14</td> <td>53.33</td> <td>74.00</td> <td>-20.67</td> <td>40.58</td> <td>34.50</td> <td>9.99</td> <td>31.74</td> <td>0.00</td> <td>100</td> <td>230</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5463.94</td> <td>53.66</td> <td>68.20</td> <td>-14.54</td> <td>40.82</td> <td>34.53</td> <td>10.03</td> <td>31.72</td> <td>0.00</td> <td>100</td> <td>230</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5435.14	53.33	74.00	-20.67	40.58	34.50	9.99	31.74	0.00	100	230	PEAK	2	5463.94	53.66	68.20	-14.54	40.82	34.53	10.03	31.72	0.00	100	230	PEAK	 <table border="1" data-bbox="901 1108 1412 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>91.86</td> <td>-----</td> <td>-----</td> <td>78.88</td> <td>34.53</td> <td>10.14</td> <td>31.69</td> <td>0.00</td> <td>100</td> <td>230</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	91.86	-----	-----	78.88	34.53	10.14	31.69	0.00	100	230	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5435.14	53.33	74.00	-20.67	40.58	34.50	9.99	31.74	0.00	100	230	PEAK																																																																																					
2	5463.94	53.66	68.20	-14.54	40.82	34.53	10.03	31.72	0.00	100	230	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5530.00	91.86	-----	-----	78.88	34.53	10.14	31.69	0.00	100	230	PEAK																																																																																					
Avg	 <table border="1" data-bbox="263 1792 774 1937"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5450.00</td> <td>43.93</td> <td>54.00</td> <td>-10.07</td> <td>31.15</td> <td>34.50</td> <td>10.01</td> <td>31.73</td> <td>0.00</td> <td>100</td> <td>230</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.00	43.93	54.00	-10.07	31.15	34.50	10.01	31.73	0.00	100	230	AVERAGE	 <table border="1" data-bbox="901 1792 1412 1937"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>82.73</td> <td>-----</td> <td>-----</td> <td>69.75</td> <td>34.54</td> <td>10.13</td> <td>31.69</td> <td>0.00</td> <td>100</td> <td>230</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	82.73	-----	-----	69.75	34.54	10.13	31.69	0.00	100	230	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5450.00	43.93	54.00	-10.07	31.15	34.50	10.01	31.73	0.00	100	230	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5530.00	82.73	-----	-----	69.75	34.54	10.13	31.69	0.00	100	230	AVERAGE																																																																																					



Mode	28																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																								
ANT	8																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5751.37</td> <td>54.82</td> <td>68.20</td> <td>-13.38</td> <td>41.65</td> <td>34.70</td> <td>10.37</td> <td>31.90</td> <td>0.00</td> <td>100</td> <td>230 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5751.37	54.82	68.20	-13.38	41.65	34.70	10.37	31.90	0.00	100	230 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5751.37	54.82	68.20	-13.38	41.65	34.70	10.37	31.90	0.00	100	230 PEAK																															



Mode	28																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																
ANT	8																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5356.12</td> <td>53.50</td> <td>74.00</td> <td>-20.50</td> <td>40.87</td> <td>34.50</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>100</td> <td>106</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5467.18</td> <td>52.89</td> <td>68.20</td> <td>-15.31</td> <td>40.04</td> <td>34.53</td> <td>10.04</td> <td>31.72</td> <td>0.00</td> <td>100</td> <td>106</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5356.12	53.50	74.00	-20.50	40.87	34.50	9.91	31.78	0.00	100	106	PEAK	2	5467.18	52.89	68.20	-15.31	40.04	34.53	10.04	31.72	0.00	100	106	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>91.69</td> <td>-----</td> <td>-----</td> <td>78.71</td> <td>34.56</td> <td>10.11</td> <td>31.69</td> <td>0.00</td> <td>100</td> <td>106</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	91.69	-----	-----	78.71	34.56	10.11	31.69	0.00	100	106	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5356.12	53.50	74.00	-20.50	40.87	34.50	9.91	31.78	0.00	100	106	PEAK																																																																																					
2	5467.18	52.89	68.20	-15.31	40.04	34.53	10.04	31.72	0.00	100	106	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5530.00	91.69	-----	-----	78.71	34.56	10.11	31.69	0.00	100	106	PEAK																																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5453.50</td> <td>44.52</td> <td>54.00</td> <td>-9.48</td> <td>31.72</td> <td>34.51</td> <td>10.02</td> <td>31.73</td> <td>0.00</td> <td>100</td> <td>106</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.50	44.52	54.00	-9.48	31.72	34.51	10.02	31.73	0.00	100	106	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>82.45</td> <td>-----</td> <td>-----</td> <td>69.47</td> <td>34.53</td> <td>10.14</td> <td>31.69</td> <td>0.00</td> <td>100</td> <td>106</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	82.45	-----	-----	69.47	34.53	10.14	31.69	0.00	100	106	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5453.50	44.52	54.00	-9.48	31.72	34.51	10.02	31.73	0.00	100	106	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5530.00	82.45	-----	-----	69.47	34.53	10.14	31.69	0.00	100	106	AVERAGE																																																																																					



Mode	28																																																	
	Band Edge - R																																																	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																	
ANT	8																																																	
Pol.	Vertical	Fundamental																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5764.30</td> <td>54.04</td> <td>68.20</td> <td>-14.16</td> <td>40.90</td> <td>34.70</td> <td>10.38</td> <td>31.94</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>106</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5764.30	54.04	68.20	-14.16	40.90	34.70	10.38	31.94							0.00	100								106	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																											
1 5764.30	54.04	68.20	-14.16	40.90	34.70	10.38	31.94																																											
						0.00	100																																											
							106																																											



Mode	28																																																																										
	Harmonic																																																																										
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																										
ANT	8																																																																										
Pol.	Horizontal	Vertical																																																																									
Peak Avg																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11060.00</td> <td>44.70</td> <td>74.00</td> <td>-29.30</td> <td>53.19</td> <td>38.12</td> <td>14.61</td> <td>61.22</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11060.00	44.70	74.00	-29.30	53.19	38.12	14.61	61.22	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11060.00</td> <td>44.48</td> <td>74.00</td> <td>-29.52</td> <td>52.97</td> <td>38.12</td> <td>14.61</td> <td>61.22</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11060.00	44.48	74.00	-29.52	52.97	38.12	14.61	61.22	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																			
1 11060.00	44.70	74.00	-29.30	53.19	38.12	14.61	61.22	0.00	--- --- PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																			
1 11060.00	44.48	74.00	-29.52	52.97	38.12	14.61	61.22	0.00	--- --- PEAK																																																																		



Mode	29																																																																																														
	Band Edge - L																																																																																														
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																														
ANT	8																																																																																														
Pol.	Horizontal	Fundamental																																																																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5421.28</td> <td>52.62</td> <td>74.00</td> <td>-21.38</td> <td>39.90</td> <td>34.50</td> <td>9.97</td> <td>31.75</td> <td>0.00</td> <td>100</td> <td>240</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5461.60</td> <td>52.24</td> <td>68.20</td> <td>-15.96</td> <td>39.41</td> <td>34.52</td> <td>10.03</td> <td>31.72</td> <td>0.00</td> <td>100</td> <td>240</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5421.28	52.62	74.00	-21.38	39.90	34.50	9.97	31.75	0.00	100	240	PEAK	2	5461.60	52.24	68.20	-15.96	39.41	34.52	10.03	31.72	0.00	100	240	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>93.77</td> <td>-----</td> <td>-----</td> <td>80.59</td> <td>34.55</td> <td>10.27</td> <td>31.64</td> <td>0.00</td> <td>100</td> <td>240</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5610.00	93.77	-----	-----	80.59	34.55	10.27	31.64	0.00	100	240	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5421.28	52.62	74.00	-21.38	39.90	34.50	9.97	31.75	0.00	100	240	PEAK																																																																																			
2	5461.60	52.24	68.20	-15.96	39.41	34.52	10.03	31.72	0.00	100	240	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5610.00	93.77	-----	-----	80.59	34.55	10.27	31.64	0.00	100	240	PEAK																																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5450.26</td> <td>43.51</td> <td>54.00</td> <td>-10.49</td> <td>30.73</td> <td>34.50</td> <td>10.01</td> <td>31.73</td> <td>0.00</td> <td>100</td> <td>240</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5450.26	43.51	54.00	-10.49	30.73	34.50	10.01	31.73	0.00	100	240	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>84.58</td> <td>-----</td> <td>-----</td> <td>71.43</td> <td>34.53</td> <td>10.26</td> <td>31.64</td> <td>0.00</td> <td>100</td> <td>240</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5610.00	84.58	-----	-----	71.43	34.53	10.26	31.64	0.00	100	240	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5450.26	43.51	54.00	-10.49	30.73	34.50	10.01	31.73	0.00	100	240	AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5610.00	84.58	-----	-----	71.43	34.53	10.26	31.64	0.00	100	240	AVERAGE																																																																																			



Mode	29																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																					
ANT	8																																					
Pol.	Horizontal	Fundamental																																				
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5744.56</td> <td>54.23</td> <td>68.20</td> <td>-13.97</td> <td>41.07</td> <td>34.69</td> <td>10.36</td> <td>31.89</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5744.56	54.23	68.20	-13.97	41.07	34.69	10.36	31.89	0.00	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																														
1 5744.56	54.23	68.20	-13.97	41.07	34.69	10.36	31.89	0.00																														



Mode	29																																																																																												
	Band Edge - L																																																																																												
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																												
ANT	8																																																																																												
Pol.	Vertical	Fundamental																																																																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5394.82</td> <td>53.65</td> <td>74.00</td> <td>-20.35</td> <td>40.97</td> <td>34.50</td> <td>9.94</td> <td>31.76</td> <td>0.00</td> <td>100</td> <td>98</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5465.74</td> <td>51.93</td> <td>68.20</td> <td>-16.27</td> <td>39.08</td> <td>34.53</td> <td>10.04</td> <td>31.72</td> <td>0.00</td> <td>100</td> <td>98</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5394.82	53.65	74.00	-20.35	40.97	34.50	9.94	31.76	0.00	100	98	PEAK	2	5465.74	51.93	68.20	-16.27	39.08	34.53	10.04	31.72	0.00	100	98	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>90.86</td> <td>-----</td> <td>-----</td> <td>77.71</td> <td>34.53</td> <td>10.26</td> <td>31.64</td> <td>0.00</td> <td>100</td> <td>98</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	90.86	-----	-----	77.71	34.53	10.26	31.64	0.00	100	98	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5394.82	53.65	74.00	-20.35	40.97	34.50	9.94	31.76	0.00	100	98	PEAK																																																																																	
2	5465.74	51.93	68.20	-16.27	39.08	34.53	10.04	31.72	0.00	100	98	PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5610.00	90.86	-----	-----	77.71	34.53	10.26	31.64	0.00	100	98	PEAK																																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5442.16</td> <td>43.64</td> <td>54.00</td> <td>-10.36</td> <td>30.88</td> <td>34.50</td> <td>10.00</td> <td>31.74</td> <td>0.00</td> <td>100</td> <td>98</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5442.16	43.64	54.00	-10.36	30.88	34.50	10.00	31.74	0.00	100	98	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>82.15</td> <td>-----</td> <td>-----</td> <td>69.00</td> <td>34.53</td> <td>10.26</td> <td>31.64</td> <td>0.00</td> <td>100</td> <td>98</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	82.15	-----	-----	69.00	34.53	10.26	31.64	0.00	100	98	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5442.16	43.64	54.00	-10.36	30.88	34.50	10.00	31.74	0.00	100	98	AVERAGE																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5610.00	82.15	-----	-----	69.00	34.53	10.26	31.64	0.00	100	98	AVERAGE																																																																																	



Mode	29																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																							
ANT	8																																																							
Pol.	Vertical	Fundamental																																																						
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p>	Blank																																																						
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5744.56</td> <td>54.52</td> <td>68.20</td> <td>-13.68</td> <td>41.36</td> <td>34.69</td> <td>10.36</td> <td>31.89</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>98 PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5744.56	54.52	68.20	-13.68	41.36	34.69	10.36	31.89	0.00									100									98 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																
1 5744.56	54.52	68.20	-13.68	41.36	34.69	10.36	31.89	0.00																																																
								100																																																
								98 PEAK																																																



Mode	29																																																																																																																	
	Harmonic																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																																	
ANT	8																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11220.00</td> <td>44.51</td> <td>74.00</td> <td>-29.49</td> <td>52.87</td> <td>38.12</td> <td>14.72</td> <td>61.20</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>cm</td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11220.00	44.51	74.00	-29.49	52.87	38.12	14.72	61.20						0.00									cm	deg								PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11220.00</td> <td>44.52</td> <td>74.00</td> <td>-29.48</td> <td>52.88</td> <td>38.12</td> <td>14.72</td> <td>61.20</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>cm</td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11220.00	44.52	74.00	-29.48	52.88	38.12	14.72	61.20						0.00									cm	deg								PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 11220.00	44.51	74.00	-29.49	52.87	38.12	14.72	61.20																																																																																																											
					0.00																																																																																																													
						cm	deg																																																																																																											
							PEAK																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 11220.00	44.52	74.00	-29.48	52.88	38.12	14.72	61.20																																																																																																											
					0.00																																																																																																													
						cm	deg																																																																																																											
							PEAK																																																																																																											



Mode	30																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																						
ANT	8																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5688.56</td> <td>54.56</td> <td>68.20</td> <td>-13.64</td> <td>41.44</td> <td>34.52</td> <td>10.25</td> <td>31.65</td> <td>0.00</td> <td>105</td> <td>238</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.17</td> <td>51.67</td> <td>68.33</td> <td>-16.66</td> <td>38.45</td> <td>34.60</td> <td>10.28</td> <td>31.66</td> <td>0.00</td> <td>105</td> <td>238</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5702.37</td> <td>53.44</td> <td>105.96</td> <td>-52.52</td> <td>40.29</td> <td>34.60</td> <td>10.33</td> <td>31.78</td> <td>0.00</td> <td>105</td> <td>238</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.50</td> <td>52.81</td> <td>112.03</td> <td>-59.22</td> <td>39.66</td> <td>34.64</td> <td>10.34</td> <td>31.83</td> <td>0.00</td> <td>105</td> <td>238</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5688.56	54.56	68.20	-13.64	41.44	34.52	10.25	31.65	0.00	105	238	PEAK	2	5650.17	51.67	68.33	-16.66	38.45	34.60	10.28	31.66	0.00	105	238	PEAK	3	5702.37	53.44	105.96	-52.52	40.29	34.60	10.33	31.78	0.00	105	238	PEAK	4	5720.50	52.81	112.03	-59.22	39.66	34.64	10.34	31.83	0.00	105	238	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>102.51</td> <td>-----</td> <td>-----</td> <td>89.35</td> <td>34.69</td> <td>10.36</td> <td>31.89</td> <td>0.00</td> <td>105</td> <td>238</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	102.51	-----	-----	89.35	34.69	10.36	31.89	0.00	105	238	PEAK
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5688.56	54.56	68.20	-13.64	41.44	34.52	10.25	31.65	0.00	105	238	PEAK																																																																																																											
2	5650.17	51.67	68.33	-16.66	38.45	34.60	10.28	31.66	0.00	105	238	PEAK																																																																																																											
3	5702.37	53.44	105.96	-52.52	40.29	34.60	10.33	31.78	0.00	105	238	PEAK																																																																																																											
4	5720.50	52.81	112.03	-59.22	39.66	34.64	10.34	31.83	0.00	105	238	PEAK																																																																																																											
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	102.51	-----	-----	89.35	34.69	10.36	31.89	0.00	105	238	PEAK																																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>93.00</td> <td>-----</td> <td>-----</td> <td>80.64</td> <td>34.69</td> <td>10.36</td> <td>31.89</td> <td>0.00</td> <td>105</td> <td>238</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	93.00	-----	-----	80.64	34.69	10.36	31.89	0.00	105	238	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	93.00	-----	-----	80.64	34.69	10.36	31.89	0.00	105	238	AVERAGE																																																																																																											



Mode	30																																																																																												
	Band Edge																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																												
ANT	8																																																																																												
Pol.	Vertical	Fundamental																																																																																											
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Gain (dB)</th> <th>Aux Factor (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5617.84</td> <td>54.37</td> <td>68.20</td> <td>-13.83</td> <td>41.21</td> <td>34.54</td> <td>10.26</td> <td>31.64</td> <td>0.00</td> <td>101</td> <td>89</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.03</td> <td>52.43</td> <td>68.22</td> <td>-15.79</td> <td>39.20</td> <td>34.60</td> <td>10.28</td> <td>31.65</td> <td>0.00</td> <td>101</td> <td>89</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5701.65</td> <td>52.72</td> <td>105.76</td> <td>-53.04</td> <td>39.57</td> <td>34.60</td> <td>10.33</td> <td>31.78</td> <td>0.00</td> <td>101</td> <td>89</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.06</td> <td>52.90</td> <td>111.04</td> <td>-58.14</td> <td>39.75</td> <td>34.64</td> <td>10.34</td> <td>31.83</td> <td>0.00</td> <td>101</td> <td>89</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Factor (dB)	APos (dB)	TPos (cm)	Remark	1	5617.84	54.37	68.20	-13.83	41.21	34.54	10.26	31.64	0.00	101	89	PEAK	2	5650.03	52.43	68.22	-15.79	39.20	34.60	10.28	31.65	0.00	101	89	PEAK	3	5701.65	52.72	105.76	-53.04	39.57	34.60	10.33	31.78	0.00	101	89	PEAK	4	5720.06	52.90	111.04	-58.14	39.75	34.64	10.34	31.83	0.00	101	89	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Gain (dB)</th> <th>Aux Factor (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>97.55</td> <td>-----</td> <td>-----</td> <td>84.39</td> <td>34.69</td> <td>10.36</td> <td>31.89</td> <td>0.00</td> <td>101</td> <td>89</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Factor (dB)	APos (dB)	TPos (cm)	Remark	1	5745.00	97.55	-----	-----	84.39	34.69	10.36	31.89	0.00	101	89	PEAK
	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Factor (dB)	APos (dB)	TPos (cm)	Remark																																																																																
1	5617.84	54.37	68.20	-13.83	41.21	34.54	10.26	31.64	0.00	101	89	PEAK																																																																																	
2	5650.03	52.43	68.22	-15.79	39.20	34.60	10.28	31.65	0.00	101	89	PEAK																																																																																	
3	5701.65	52.72	105.76	-53.04	39.57	34.60	10.33	31.78	0.00	101	89	PEAK																																																																																	
4	5720.06	52.90	111.04	-58.14	39.75	34.64	10.34	31.83	0.00	101	89	PEAK																																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Factor (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5745.00	97.55	-----	-----	84.39	34.69	10.36	31.89	0.00	101	89	PEAK																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Gain (dB)</th> <th>Aux Factor (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>88.46</td> <td>-----</td> <td>-----</td> <td>75.30</td> <td>34.69</td> <td>10.36</td> <td>31.89</td> <td>0.00</td> <td>101</td> <td>89</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Factor (dB)	APos (dB)	TPos (cm)	Remark	1	5745.00	88.46	-----	-----	75.30	34.69	10.36	31.89	0.00	101	89	AVERAGE																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Factor (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5745.00	88.46	-----	-----	75.30	34.69	10.36	31.89	0.00	101	89	AVERAGE																																																																																	



Mode	30																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																	
ANT	8																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																
Peak																																																																																																																																		
Avg																																																																																																																																		
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>45.67</td> <td>74.00</td> <td>-28.33</td> <td>53.75</td> <td>38.19</td> <td>14.91</td> <td>61.18</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>cm</td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>---</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11490.00	45.67	74.00	-28.33	53.75	38.19	14.91	61.18							0.00								cm	deg							---	---								PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>45.94</td> <td>74.00</td> <td>-28.06</td> <td>54.02</td> <td>38.19</td> <td>14.91</td> <td>61.18</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>cm</td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>---</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11490.00	45.94	74.00	-28.06	54.02	38.19	14.91	61.18							0.00								cm	deg							---	---								PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																											
1 11490.00	45.67	74.00	-28.33	53.75	38.19	14.91	61.18																																																																																																																											
						0.00																																																																																																																												
						cm	deg																																																																																																																											
						---	---																																																																																																																											
							PEAK																																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																											
1 11490.00	45.94	74.00	-28.06	54.02	38.19	14.91	61.18																																																																																																																											
						0.00																																																																																																																												
						cm	deg																																																																																																																											
						---	---																																																																																																																											
							PEAK																																																																																																																											



Mode	31																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																	
ANT	8																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11578.00</td> <td>45.69</td> <td>74.00</td> <td>-28.31</td> <td>53.75</td> <td>38.13</td> <td>14.97</td> <td>61.16</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11578.00	45.69	74.00	-28.31	53.75	38.13	14.97	61.16							0.00	---								deg								---								PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11578.00</td> <td>45.11</td> <td>74.00</td> <td>-28.89</td> <td>53.17</td> <td>38.13</td> <td>14.97</td> <td>61.16</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11578.00	45.11	74.00	-28.89	53.17	38.13	14.97	61.16							0.00	---								deg								---								PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																											
1 11578.00	45.69	74.00	-28.31	53.75	38.13	14.97	61.16																																																																																																																											
						0.00	---																																																																																																																											
							deg																																																																																																																											

							PEAK																																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																											
1 11578.00	45.11	74.00	-28.89	53.17	38.13	14.97	61.16																																																																																																																											
						0.00	---																																																																																																																											
							deg																																																																																																																											

							PEAK																																																																																																																											



Mode	32																																																																																												
	Band Edge																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																												
ANT	8																																																																																												
Pol.	Horizontal	Fundamental																																																																																											
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Loss (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Gain (dB)</th> <th>Aux Gain (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.75</td> <td>52.91</td> <td>111.47</td> <td>-58.56</td> <td>39.69</td> <td>34.93</td> <td>10.45</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>239</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.88</td> <td>54.89</td> <td>105.61</td> <td>-50.72</td> <td>41.54</td> <td>35.04</td> <td>10.47</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>239</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.38</td> <td>54.21</td> <td>68.66</td> <td>-14.45</td> <td>40.65</td> <td>35.20</td> <td>10.52</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>239</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5945.25</td> <td>54.25</td> <td>68.20</td> <td>-13.95</td> <td>40.69</td> <td>35.20</td> <td>10.53</td> <td>32.17</td> <td>0.00</td> <td>100</td> <td>239</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Gain (dB)	APos (dB)	TPos (cm)	Remark	1	5854.75	52.91	111.47	-58.56	39.69	34.93	10.45	32.16	0.00	100	239	PEAK	2	5873.88	54.89	105.61	-50.72	41.54	35.04	10.47	32.16	0.00	100	239	PEAK	3	5924.38	54.21	68.66	-14.45	40.65	35.20	10.52	32.16	0.00	100	239	PEAK	4	5945.25	54.25	68.20	-13.95	40.69	35.20	10.53	32.17	0.00	100	239	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Loss (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Gain (dB)</th> <th>Aux Gain (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>103.27</td> <td>-----</td> <td>-----</td> <td>90.12</td> <td>34.82</td> <td>10.43</td> <td>32.10</td> <td>0.00</td> <td>100</td> <td>239</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Gain (dB)	APos (dB)	TPos (cm)	Remark	1	5825.00	103.27	-----	-----	90.12	34.82	10.43	32.10	0.00	100	239	PEAK
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Gain (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5854.75	52.91	111.47	-58.56	39.69	34.93	10.45	32.16	0.00	100	239	PEAK																																																																																	
2	5873.88	54.89	105.61	-50.72	41.54	35.04	10.47	32.16	0.00	100	239	PEAK																																																																																	
3	5924.38	54.21	68.66	-14.45	40.65	35.20	10.52	32.16	0.00	100	239	PEAK																																																																																	
4	5945.25	54.25	68.20	-13.95	40.69	35.20	10.53	32.17	0.00	100	239	PEAK																																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Gain (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5825.00	103.27	-----	-----	90.12	34.82	10.43	32.10	0.00	100	239	PEAK																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Loss (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Gain (dB)</th> <th>Aux Gain (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>93.00</td> <td>-----</td> <td>-----</td> <td>80.65</td> <td>34.80</td> <td>10.43</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>239</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Gain (dB)	APos (dB)	TPos (cm)	Remark	1	5825.00	93.00	-----	-----	80.65	34.80	10.43	32.00	0.00	100	239	AVERAGE																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Gain (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5825.00	93.00	-----	-----	80.65	34.80	10.43	32.00	0.00	100	239	AVERAGE																																																																																	



Mode	32																																																																																												
	Band Edge																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																												
ANT	8																																																																																												
Pol.	Vertical	Fundamental																																																																																											
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.75</td> <td>52.86</td> <td>111.47</td> <td>-58.61</td> <td>39.64</td> <td>34.93</td> <td>10.45</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>84</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5869.38</td> <td>54.84</td> <td>106.87</td> <td>-52.03</td> <td>41.51</td> <td>35.02</td> <td>10.47</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>84</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.25</td> <td>52.99</td> <td>68.75</td> <td>-15.76</td> <td>39.44</td> <td>35.20</td> <td>10.51</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>84</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5944.88</td> <td>54.53</td> <td>68.20</td> <td>-13.67</td> <td>40.97</td> <td>35.20</td> <td>10.53</td> <td>32.17</td> <td>0.00</td> <td>100</td> <td>84</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark	1	5854.75	52.86	111.47	-58.61	39.64	34.93	10.45	32.16	0.00	100	84	PEAK	2	5869.38	54.84	106.87	-52.03	41.51	35.02	10.47	32.16	0.00	100	84	PEAK	3	5924.25	52.99	68.75	-15.76	39.44	35.20	10.51	32.16	0.00	100	84	PEAK	4	5944.88	54.53	68.20	-13.67	40.97	35.20	10.53	32.17	0.00	100	84	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>95.41</td> <td>-----</td> <td>-----</td> <td>82.26</td> <td>34.80</td> <td>10.43</td> <td>32.08</td> <td>0.00</td> <td>100</td> <td>84</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark	1	5825.00	95.41	-----	-----	82.26	34.80	10.43	32.08	0.00	100	84	PEAK
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark																																																																																	
1	5854.75	52.86	111.47	-58.61	39.64	34.93	10.45	32.16	0.00	100	84	PEAK																																																																																	
2	5869.38	54.84	106.87	-52.03	41.51	35.02	10.47	32.16	0.00	100	84	PEAK																																																																																	
3	5924.25	52.99	68.75	-15.76	39.44	35.20	10.51	32.16	0.00	100	84	PEAK																																																																																	
4	5944.88	54.53	68.20	-13.67	40.97	35.20	10.53	32.17	0.00	100	84	PEAK																																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark																																																																																	
1	5825.00	95.41	-----	-----	82.26	34.80	10.43	32.08	0.00	100	84	PEAK																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>86.32</td> <td>-----</td> <td>-----</td> <td>73.17</td> <td>34.80</td> <td>10.43</td> <td>32.08</td> <td>0.00</td> <td>100</td> <td>84</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark	1	5825.00	86.32	-----	-----	73.17	34.80	10.43	32.08	0.00	100	84	AVERAGE																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark																																																																																	
1	5825.00	86.32	-----	-----	73.17	34.80	10.43	32.08	0.00	100	84	AVERAGE																																																																																	



Mode	32																																																																										
	Harmonic																																																																										
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																										
ANT	8																																																																										
Pol.	Horizontal	Vertical																																																																									
Peak Avg																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>45.70</td> <td>74.00</td> <td>-28.30</td> <td>53.56</td> <td>38.25</td> <td>15.02</td> <td>61.13</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11650.00	45.70	74.00	-28.30	53.56	38.25	15.02	61.13	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>46.05</td> <td>74.00</td> <td>-27.95</td> <td>53.91</td> <td>38.25</td> <td>15.02</td> <td>61.13</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11650.00	46.05	74.00	-27.95	53.91	38.25	15.02	61.13	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																			
1 11650.00	45.70	74.00	-28.30	53.56	38.25	15.02	61.13	0.00	--- --- PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																			
1 11650.00	46.05	74.00	-27.95	53.91	38.25	15.02	61.13	0.00	--- --- PEAK																																																																		



Mode	33																																																																																												
	Band Edge																																																																																												
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																												
ANT	8																																																																																												
Pol.	Horizontal	Fundamental																																																																																											
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5624.36</td> <td>54.11</td> <td>68.20</td> <td>-14.09</td> <td>40.94</td> <td>34.55</td> <td>10.26</td> <td>31.64</td> <td>0.00</td> <td>100</td> <td>241</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.32</td> <td>52.31</td> <td>68.43</td> <td>-16.12</td> <td>39.09</td> <td>34.60</td> <td>10.28</td> <td>31.66</td> <td>0.00</td> <td>100</td> <td>241</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5702.95</td> <td>54.01</td> <td>106.13</td> <td>-52.12</td> <td>40.86</td> <td>34.61</td> <td>10.33</td> <td>31.79</td> <td>0.00</td> <td>100</td> <td>241</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.35</td> <td>54.36</td> <td>111.70</td> <td>-57.34</td> <td>41.21</td> <td>34.64</td> <td>10.34</td> <td>31.83</td> <td>0.00</td> <td>100</td> <td>241</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark	1	5624.36	54.11	68.20	-14.09	40.94	34.55	10.26	31.64	0.00	100	241	PEAK	2	5650.32	52.31	68.43	-16.12	39.09	34.60	10.28	31.66	0.00	100	241	PEAK	3	5702.95	54.01	106.13	-52.12	40.86	34.61	10.33	31.79	0.00	100	241	PEAK	4	5720.35	54.36	111.70	-57.34	41.21	34.64	10.34	31.83	0.00	100	241	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>102.15</td> <td>102.15</td> <td>0.00</td> <td>88.99</td> <td>34.69</td> <td>10.36</td> <td>31.89</td> <td>0.00</td> <td>100</td> <td>241</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark	1	5745.00	102.15	102.15	0.00	88.99	34.69	10.36	31.89	0.00	100	241	PEAK
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5624.36	54.11	68.20	-14.09	40.94	34.55	10.26	31.64	0.00	100	241	PEAK																																																																																	
2	5650.32	52.31	68.43	-16.12	39.09	34.60	10.28	31.66	0.00	100	241	PEAK																																																																																	
3	5702.95	54.01	106.13	-52.12	40.86	34.61	10.33	31.79	0.00	100	241	PEAK																																																																																	
4	5720.35	54.36	111.70	-57.34	41.21	34.64	10.34	31.83	0.00	100	241	PEAK																																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5745.00	102.15	102.15	0.00	88.99	34.69	10.36	31.89	0.00	100	241	PEAK																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>92.96</td> <td>92.96</td> <td>0.00</td> <td>79.00</td> <td>34.69</td> <td>10.36</td> <td>31.89</td> <td>0.00</td> <td>100</td> <td>241</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark	1	5745.00	92.96	92.96	0.00	79.00	34.69	10.36	31.89	0.00	100	241	AVERAGE																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5745.00	92.96	92.96	0.00	79.00	34.69	10.36	31.89	0.00	100	241	AVERAGE																																																																																	



Mode	33																																																																																												
	Band Edge																																																																																												
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																												
ANT	8																																																																																												
Pol.	Vertical	Fundamental																																																																																											
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5642.78</td> <td>53.79</td> <td>68.20</td> <td>-14.41</td> <td>40.56</td> <td>34.59</td> <td>10.28</td> <td>31.64</td> <td>0.00</td> <td>102</td> <td>87</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.04</td> <td>51.99</td> <td>68.90</td> <td>-16.99</td> <td>38.76</td> <td>34.60</td> <td>10.29</td> <td>31.66</td> <td>0.00</td> <td>102</td> <td>87</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5701.07</td> <td>53.44</td> <td>105.60</td> <td>-52.16</td> <td>40.29</td> <td>34.60</td> <td>10.33</td> <td>31.78</td> <td>0.00</td> <td>102</td> <td>87</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.06</td> <td>51.71</td> <td>111.04</td> <td>-59.33</td> <td>38.56</td> <td>34.64</td> <td>10.34</td> <td>31.83</td> <td>0.00</td> <td>102</td> <td>87</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark	1	5642.78	53.79	68.20	-14.41	40.56	34.59	10.28	31.64	0.00	102	87	PEAK	2	5651.04	51.99	68.90	-16.99	38.76	34.60	10.29	31.66	0.00	102	87	PEAK	3	5701.07	53.44	105.60	-52.16	40.29	34.60	10.33	31.78	0.00	102	87	PEAK	4	5720.06	51.71	111.04	-59.33	38.56	34.64	10.34	31.83	0.00	102	87	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>97.55</td> <td>-----</td> <td>-----</td> <td>84.39</td> <td>34.69</td> <td>10.36</td> <td>31.89</td> <td>0.00</td> <td>102</td> <td>87</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark	1	5745.00	97.55	-----	-----	84.39	34.69	10.36	31.89	0.00	102	87	PEAK
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark																																																																																	
1	5642.78	53.79	68.20	-14.41	40.56	34.59	10.28	31.64	0.00	102	87	PEAK																																																																																	
2	5651.04	51.99	68.90	-16.99	38.76	34.60	10.29	31.66	0.00	102	87	PEAK																																																																																	
3	5701.07	53.44	105.60	-52.16	40.29	34.60	10.33	31.78	0.00	102	87	PEAK																																																																																	
4	5720.06	51.71	111.04	-59.33	38.56	34.64	10.34	31.83	0.00	102	87	PEAK																																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark																																																																																	
1	5745.00	97.55	-----	-----	84.39	34.69	10.36	31.89	0.00	102	87	PEAK																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>88.39</td> <td>-----</td> <td>-----</td> <td>75.23</td> <td>34.69</td> <td>10.36</td> <td>31.89</td> <td>0.00</td> <td>102</td> <td>87</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark	1	5745.00	88.39	-----	-----	75.23	34.69	10.36	31.89	0.00	102	87	AVERAGE																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark																																																																																	
1	5745.00	88.39	-----	-----	75.23	34.69	10.36	31.89	0.00	102	87	AVERAGE																																																																																	



Mode	33																																																																																																																	
	Harmonic																																																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																	
ANT	8																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>45.56</td> <td>74.00</td> <td>-28.44</td> <td>53.64</td> <td>38.19</td> <td>14.91</td> <td>61.18</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>---</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11490.00	45.56	74.00	-28.44	53.64	38.19	14.91	61.18							0.00								---	---								PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>45.67</td> <td>74.00</td> <td>-28.33</td> <td>53.75</td> <td>38.19</td> <td>14.91</td> <td>61.18</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>---</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11490.00	45.67	74.00	-28.33	53.75	38.19	14.91	61.18							0.00								---	---								PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 11490.00	45.56	74.00	-28.44	53.64	38.19	14.91	61.18																																																																																																											
						0.00																																																																																																												
						---	---																																																																																																											
							PEAK																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 11490.00	45.67	74.00	-28.33	53.75	38.19	14.91	61.18																																																																																																											
						0.00																																																																																																												
						---	---																																																																																																											
							PEAK																																																																																																											






Mode	34																																																																										
	Harmonic																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT20_CH157_5785MHz																																																																										
ANT	8																																																																										
Pol.	Horizontal	Vertical																																																																									
Peak Avg																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>45.39</td> <td>74.00</td> <td>-28.61</td> <td>53.45</td> <td>38.13</td> <td>14.97</td> <td>61.16</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11570.00	45.39	74.00	-28.61	53.45	38.13	14.97	61.16	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>45.30</td> <td>74.00</td> <td>-28.70</td> <td>53.36</td> <td>38.13</td> <td>14.97</td> <td>61.16</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11570.00	45.30	74.00	-28.70	53.36	38.13	14.97	61.16	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																			
1 11570.00	45.39	74.00	-28.61	53.45	38.13	14.97	61.16	0.00	--- --- PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																			
1 11570.00	45.30	74.00	-28.70	53.36	38.13	14.97	61.16	0.00	--- --- PEAK																																																																		



Mode	35																																																																																												
	Band Edge																																																																																												
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																												
ANT	8																																																																																												
Pol.	Horizontal	Fundamental																																																																																											
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.88</td> <td>53.97</td> <td>111.18</td> <td>-57.21</td> <td>40.75</td> <td>34.93</td> <td>10.45</td> <td>32.16</td> <td>0.00</td> <td>106</td> <td>237</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.88</td> <td>54.67</td> <td>105.61</td> <td>-50.94</td> <td>41.32</td> <td>35.04</td> <td>10.47</td> <td>32.16</td> <td>0.00</td> <td>106</td> <td>237</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.13</td> <td>53.69</td> <td>68.85</td> <td>-15.16</td> <td>40.14</td> <td>35.20</td> <td>10.51</td> <td>32.16</td> <td>0.00</td> <td>106</td> <td>237</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5939.25</td> <td>55.12</td> <td>68.20</td> <td>-13.08</td> <td>41.56</td> <td>35.20</td> <td>10.53</td> <td>32.17</td> <td>0.00</td> <td>106</td> <td>237</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark	1	5854.88	53.97	111.18	-57.21	40.75	34.93	10.45	32.16	0.00	106	237	PEAK	2	5873.88	54.67	105.61	-50.94	41.32	35.04	10.47	32.16	0.00	106	237	PEAK	3	5924.13	53.69	68.85	-15.16	40.14	35.20	10.51	32.16	0.00	106	237	PEAK	4	5939.25	55.12	68.20	-13.08	41.56	35.20	10.53	32.17	0.00	106	237	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>102.98</td> <td>-----</td> <td>-----</td> <td>89.83</td> <td>34.80</td> <td>10.43</td> <td>32.08</td> <td>0.00</td> <td>106</td> <td>237</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark	1	5825.00	102.98	-----	-----	89.83	34.80	10.43	32.08	0.00	106	237	PEAK
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5854.88	53.97	111.18	-57.21	40.75	34.93	10.45	32.16	0.00	106	237	PEAK																																																																																	
2	5873.88	54.67	105.61	-50.94	41.32	35.04	10.47	32.16	0.00	106	237	PEAK																																																																																	
3	5924.13	53.69	68.85	-15.16	40.14	35.20	10.51	32.16	0.00	106	237	PEAK																																																																																	
4	5939.25	55.12	68.20	-13.08	41.56	35.20	10.53	32.17	0.00	106	237	PEAK																																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5825.00	102.98	-----	-----	89.83	34.80	10.43	32.08	0.00	106	237	PEAK																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>93.50</td> <td>-----</td> <td>-----</td> <td>80.35</td> <td>34.80</td> <td>10.43</td> <td>32.08</td> <td>0.00</td> <td>106</td> <td>237</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark	1	5825.00	93.50	-----	-----	80.35	34.80	10.43	32.08	0.00	106	237	AVERAGE																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5825.00	93.50	-----	-----	80.35	34.80	10.43	32.08	0.00	106	237	AVERAGE																																																																																	



Mode	35																																																																																																										
	Band Edge																																																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																										
ANT	8																																																																																																										
Pol.	Vertical	Fundamental																																																																																																									
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>53.06</td> <td>110.90</td> <td>-57.84</td> <td>39.84</td> <td>34.93</td> <td>10.45</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>86</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5875.00</td> <td>52.41</td> <td>105.30</td> <td>-52.89</td> <td>39.05</td> <td>35.05</td> <td>10.47</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>86</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5925.00</td> <td>52.18</td> <td>68.20</td> <td>-16.02</td> <td>38.62</td> <td>35.20</td> <td>10.52</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>86</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5938.13</td> <td>54.49</td> <td>68.20</td> <td>-13.71</td> <td>40.92</td> <td>35.20</td> <td>10.53</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>86</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5855.00	53.06	110.90	-57.84	39.84	34.93	10.45	32.16	0.00	100	86	PEAK	2	5875.00	52.41	105.30	-52.89	39.05	35.05	10.47	32.16	0.00	100	86	PEAK	3	5925.00	52.18	68.20	-16.02	38.62	35.20	10.52	32.16	0.00	100	86	PEAK	4	5938.13	54.49	68.20	-13.71	40.92	35.20	10.53	32.16	0.00	100	86	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>95.84</td> <td>-----</td> <td>-----</td> <td>82.69</td> <td>34.82</td> <td>10.43</td> <td>32.10</td> <td>0.00</td> <td>100</td> <td>86</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	95.84	-----	-----	82.69	34.82	10.43	32.10	0.00	100	86	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
1	5855.00	53.06	110.90	-57.84	39.84	34.93	10.45	32.16	0.00	100	86	PEAK																																																																																															
2	5875.00	52.41	105.30	-52.89	39.05	35.05	10.47	32.16	0.00	100	86	PEAK																																																																																															
3	5925.00	52.18	68.20	-16.02	38.62	35.20	10.52	32.16	0.00	100	86	PEAK																																																																																															
4	5938.13	54.49	68.20	-13.71	40.92	35.20	10.53	32.16	0.00	100	86	PEAK																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
1	5825.00	95.84	-----	-----	82.69	34.82	10.43	32.10	0.00	100	86	PEAK																																																																																															
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>87.19</td> <td>-----</td> <td>-----</td> <td>74.04</td> <td>34.80</td> <td>10.43</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>86</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	87.19	-----	-----	74.04	34.80	10.43	32.00	0.00	100	86	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
1	5825.00	87.19	-----	-----	74.04	34.80	10.43	32.00	0.00	100	86	AVERAGE																																																																																															



Mode	35																																																																										
	Harmonic																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																										
ANT	8																																																																										
Pol.	Horizontal	Vertical																																																																									
Peak Avg																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>46.02</td> <td>74.00</td> <td>-27.98</td> <td>53.88</td> <td>38.25</td> <td>15.02</td> <td>61.13</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11650.00	46.02	74.00	-27.98	53.88	38.25	15.02	61.13	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>45.23</td> <td>74.00</td> <td>-28.77</td> <td>53.09</td> <td>38.25</td> <td>15.02</td> <td>61.13</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11650.00	45.23	74.00	-28.77	53.09	38.25	15.02	61.13	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																			
1 11650.00	46.02	74.00	-27.98	53.88	38.25	15.02	61.13	0.00	--- --- PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																			
1 11650.00	45.23	74.00	-28.77	53.09	38.25	15.02	61.13	0.00	--- --- PEAK																																																																		



Mode	36																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																						
ANT	8																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5607.91</td> <td>54.27</td> <td>68.20</td> <td>-13.93</td> <td>41.15</td> <td>34.52</td> <td>10.25</td> <td>31.65</td> <td>0.00</td> <td>100</td> <td>233</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5652.39</td> <td>53.53</td> <td>69.90</td> <td>-16.45</td> <td>40.30</td> <td>34.60</td> <td>10.29</td> <td>31.66</td> <td>0.00</td> <td>100</td> <td>233</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5701.06</td> <td>55.11</td> <td>105.60</td> <td>-50.49</td> <td>41.96</td> <td>34.60</td> <td>10.33</td> <td>31.78</td> <td>0.00</td> <td>100</td> <td>233</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.59</td> <td>54.08</td> <td>112.25</td> <td>-58.17</td> <td>40.93</td> <td>34.64</td> <td>10.34</td> <td>31.83</td> <td>0.00</td> <td>100</td> <td>233</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5607.91	54.27	68.20	-13.93	41.15	34.52	10.25	31.65	0.00	100	233	PEAK	2	5652.39	53.53	69.90	-16.45	40.30	34.60	10.29	31.66	0.00	100	233	PEAK	3	5701.06	55.11	105.60	-50.49	41.96	34.60	10.33	31.78	0.00	100	233	PEAK	4	5720.59	54.08	112.25	-58.17	40.93	34.64	10.34	31.83	0.00	100	233	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>99.77</td> <td>-----</td> <td>-----</td> <td>86.61</td> <td>34.69</td> <td>10.36</td> <td>31.89</td> <td>0.00</td> <td>100</td> <td>233</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5755.00	99.77	-----	-----	86.61	34.69	10.36	31.89	0.00	100	233	PEAK
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5607.91	54.27	68.20	-13.93	41.15	34.52	10.25	31.65	0.00	100	233	PEAK																																																																																																											
2	5652.39	53.53	69.90	-16.45	40.30	34.60	10.29	31.66	0.00	100	233	PEAK																																																																																																											
3	5701.06	55.11	105.60	-50.49	41.96	34.60	10.33	31.78	0.00	100	233	PEAK																																																																																																											
4	5720.59	54.08	112.25	-58.17	40.93	34.64	10.34	31.83	0.00	100	233	PEAK																																																																																																											
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5755.00	99.77	-----	-----	86.61	34.69	10.36	31.89	0.00	100	233	PEAK																																																																																																											
Avg	Blank																																																																																																																						
		<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>90.92</td> <td>-----</td> <td>-----</td> <td>77.76</td> <td>34.70</td> <td>10.37</td> <td>31.91</td> <td>0.00</td> <td>100</td> <td>233</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5755.00	90.92	-----	-----	77.76	34.70	10.37	31.91	0.00	100	233	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5755.00	90.92	-----	-----	77.76	34.70	10.37	31.91	0.00	100	233	AVERAGE																																																																																																											



Mode	36																																																																		
	Band Edge - R																																																																		
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																		
ANT	8																																																																		
Pol.	Horizontal	Fundamental																																																																	
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>Aux Factor (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.45</td> <td>53.53</td> <td>112.15</td> <td>-58.62</td> <td>40.31</td> <td>34.93</td> <td>10.45</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>233</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.93</td> <td>53.90</td> <td>105.32</td> <td>-51.42</td> <td>40.54</td> <td>35.05</td> <td>10.47</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>233</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.68</td> <td>54.13</td> <td>69.18</td> <td>-15.05</td> <td>40.58</td> <td>35.20</td> <td>10.51</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>233</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5926.99</td> <td>55.90</td> <td>68.20</td> <td>-12.30</td> <td>42.34</td> <td>35.20</td> <td>10.52</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>233</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Factor (dB)	APos (dB)	TPos (cm)	Remark	1	5854.45	53.53	112.15	-58.62	40.31	34.93	10.45	32.16	0.00	100	233	PEAK	2	5874.93	53.90	105.32	-51.42	40.54	35.05	10.47	32.16	0.00	100	233	PEAK	3	5923.68	54.13	69.18	-15.05	40.58	35.20	10.51	32.16	0.00	100	233	PEAK	4	5926.99	55.90	68.20	-12.30	42.34	35.20	10.52	32.16	0.00	100	233	PEAK	Blank
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Factor (dB)	APos (dB)	TPos (cm)	Remark																																																							
1	5854.45	53.53	112.15	-58.62	40.31	34.93	10.45	32.16	0.00	100	233	PEAK																																																							
2	5874.93	53.90	105.32	-51.42	40.54	35.05	10.47	32.16	0.00	100	233	PEAK																																																							
3	5923.68	54.13	69.18	-15.05	40.58	35.20	10.51	32.16	0.00	100	233	PEAK																																																							
4	5926.99	55.90	68.20	-12.30	42.34	35.20	10.52	32.16	0.00	100	233	PEAK																																																							



Mode	36																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																
ANT	8																																																																																																																
Pol.	Vertical	Fundamental																																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5635.65</td> <td>53.84</td> <td>68.20</td> <td>-14.36</td> <td>40.63</td> <td>34.57</td> <td>10.27</td> <td>31.63</td> <td>0.00</td> <td>100</td> <td>86 PEAK</td> </tr> <tr> <td>2 5650.22</td> <td>52.26</td> <td>68.36</td> <td>-16.10</td> <td>39.04</td> <td>34.60</td> <td>10.28</td> <td>31.66</td> <td>0.00</td> <td>100</td> <td>86 PEAK</td> </tr> <tr> <td>3 5701.68</td> <td>53.86</td> <td>105.77</td> <td>-51.91</td> <td>40.71</td> <td>34.60</td> <td>10.33</td> <td>31.78</td> <td>0.00</td> <td>100</td> <td>86 PEAK</td> </tr> <tr> <td>4 5720.75</td> <td>54.11</td> <td>112.60</td> <td>-58.49</td> <td>40.96</td> <td>34.64</td> <td>10.34</td> <td>31.83</td> <td>0.00</td> <td>100</td> <td>86 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5635.65	53.84	68.20	-14.36	40.63	34.57	10.27	31.63	0.00	100	86 PEAK	2 5650.22	52.26	68.36	-16.10	39.04	34.60	10.28	31.66	0.00	100	86 PEAK	3 5701.68	53.86	105.77	-51.91	40.71	34.60	10.33	31.78	0.00	100	86 PEAK	4 5720.75	54.11	112.60	-58.49	40.96	34.64	10.34	31.83	0.00	100	86 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5755.00</td> <td>93.51</td> <td>-----</td> <td>-----</td> <td>80.36</td> <td>34.70</td> <td>10.37</td> <td>31.92</td> <td>0.00</td> <td>100</td> <td>86 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5755.00	93.51	-----	-----	80.36	34.70	10.37	31.92	0.00	100	86 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1 5635.65	53.84	68.20	-14.36	40.63	34.57	10.27	31.63	0.00	100	86 PEAK																																																																																																							
2 5650.22	52.26	68.36	-16.10	39.04	34.60	10.28	31.66	0.00	100	86 PEAK																																																																																																							
3 5701.68	53.86	105.77	-51.91	40.71	34.60	10.33	31.78	0.00	100	86 PEAK																																																																																																							
4 5720.75	54.11	112.60	-58.49	40.96	34.64	10.34	31.83	0.00	100	86 PEAK																																																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1 5755.00	93.51	-----	-----	80.36	34.70	10.37	31.92	0.00	100	86 PEAK																																																																																																							
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5755.00</td> <td>85.11</td> <td>-----</td> <td>-----</td> <td>71.95</td> <td>34.70</td> <td>10.37</td> <td>31.91</td> <td>0.00</td> <td>100</td> <td>86 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5755.00	85.11	-----	-----	71.95	34.70	10.37	31.91	0.00	100	86 AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1 5755.00	85.11	-----	-----	71.95	34.70	10.37	31.91	0.00	100	86 AVERAGE																																																																																																							



Mode	36																					
	Band Edge - R																					
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																					
ANT	8																					
Pol.	Vertical	Fundamental																				
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Line Margin (dB)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.84</td> <td>50.86</td> <td>-60.40</td> </tr> <tr> <td>2</td> <td>5874.54</td> <td>53.68</td> <td>-51.75</td> </tr> <tr> <td>3</td> <td>5924.26</td> <td>53.43</td> <td>-15.32</td> </tr> <tr> <td>4</td> <td>5937.72</td> <td>54.62</td> <td>-13.58</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Line Margin (dB)	1	5854.84	50.86	-60.40	2	5874.54	53.68	-51.75	3	5924.26	53.43	-15.32	4	5937.72	54.62	-13.58	Blank
Peak	Freq (MHz)	Level (dBuV/m)	Line Margin (dB)																			
1	5854.84	50.86	-60.40																			
2	5874.54	53.68	-51.75																			
3	5924.26	53.43	-15.32																			
4	5937.72	54.62	-13.58																			



Mode	36																																																																																	
	Harmonic																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																	
ANT	8																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11510.00</td> <td>44.19</td> <td>74.00</td> <td>-29.81</td> <td>52.26</td> <td>38.19</td> <td>14.92</td> <td>61.18</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11510.00	44.19	74.00	-29.81	52.26	38.19	14.92	61.18	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11510.00</td> <td>43.99</td> <td>74.00</td> <td>-30.01</td> <td>52.06</td> <td>38.19</td> <td>14.92</td> <td>61.18</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11510.00	43.99	74.00	-30.01	52.06	38.19	14.92	61.18	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11510.00	44.19	74.00	-29.81	52.26	38.19	14.92	61.18	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11510.00	43.99	74.00	-30.01	52.06	38.19	14.92	61.18	0.00	---	---	PEAK																																																																							
Peak Avg																																																																																		



Mode	36																																																																																																																																																											
	LF																																																																																																																																																											
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																																																											
ANT	8																																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit Line (dBuV/m)</th> <th>ReadAntenna Level (dBuV)</th> <th>Cable Loss (dB/m)</th> <th>Preamp Loss (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>32.91</td><td>21.84</td><td>-18.16</td><td>40.00</td><td>30.53</td><td>23.76</td><td>0.49</td><td>32.94</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>89.17</td><td>21.30</td><td>-22.20</td><td>43.50</td><td>38.29</td><td>14.65</td><td>1.21</td><td>32.85</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>164.83</td><td>24.85</td><td>-18.65</td><td>43.50</td><td>39.93</td><td>16.03</td><td>1.72</td><td>32.83</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>256.01</td><td>31.78</td><td>-14.22</td><td>46.00</td><td>43.04</td><td>19.36</td><td>2.15</td><td>32.77</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>312.27</td><td>29.89</td><td>-16.11</td><td>46.00</td><td>40.76</td><td>19.58</td><td>2.38</td><td>32.83</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>558.65</td><td>30.52</td><td>-15.48</td><td>46.00</td><td>33.81</td><td>26.62</td><td>3.19</td><td>33.10</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Cable Loss (dB/m)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	32.91	21.84	-18.16	40.00	30.53	23.76	0.49	32.94	---	Peak	2	89.17	21.30	-22.20	43.50	38.29	14.65	1.21	32.85	---	Peak	3	164.83	24.85	-18.65	43.50	39.93	16.03	1.72	32.83	---	Peak	4	256.01	31.78	-14.22	46.00	43.04	19.36	2.15	32.77	---	Peak	5	312.27	29.89	-16.11	46.00	40.76	19.58	2.38	32.83	---	Peak	6	558.65	30.52	-15.48	46.00	33.81	26.62	3.19	33.10	---	Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit Line (dBuV/m)</th> <th>ReadAntenna Level (dBuV)</th> <th>Cable Loss (dB/m)</th> <th>Preamp Loss (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>30.97</td><td>31.11</td><td>-8.89</td><td>40.00</td><td>38.71</td><td>24.93</td><td>0.46</td><td>32.99</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>73.65</td><td>27.75</td><td>-12.25</td><td>40.00</td><td>46.86</td><td>12.69</td><td>1.01</td><td>32.81</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>137.67</td><td>28.45</td><td>-15.05</td><td>43.50</td><td>42.26</td><td>17.47</td><td>1.56</td><td>32.84</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>252.13</td><td>31.80</td><td>-14.20</td><td>46.00</td><td>43.63</td><td>18.80</td><td>2.14</td><td>32.77</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>470.38</td><td>29.70</td><td>-16.30</td><td>46.00</td><td>36.21</td><td>23.56</td><td>2.93</td><td>33.00</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>559.62</td><td>30.21</td><td>-15.79</td><td>46.00</td><td>33.46</td><td>26.66</td><td>3.19</td><td>33.10</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Cable Loss (dB/m)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	30.97	31.11	-8.89	40.00	38.71	24.93	0.46	32.99	---	Peak	2	73.65	27.75	-12.25	40.00	46.86	12.69	1.01	32.81	---	Peak	3	137.67	28.45	-15.05	43.50	42.26	17.47	1.56	32.84	---	Peak	4	252.13	31.80	-14.20	46.00	43.63	18.80	2.14	32.77	---	Peak	5	470.38	29.70	-16.30	46.00	36.21	23.56	2.93	33.00	---	Peak	6	559.62	30.21	-15.79	46.00	33.46	26.66	3.19	33.10	---	Peak
	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Cable Loss (dB/m)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																	
1	32.91	21.84	-18.16	40.00	30.53	23.76	0.49	32.94	---	Peak																																																																																																																																																		
2	89.17	21.30	-22.20	43.50	38.29	14.65	1.21	32.85	---	Peak																																																																																																																																																		
3	164.83	24.85	-18.65	43.50	39.93	16.03	1.72	32.83	---	Peak																																																																																																																																																		
4	256.01	31.78	-14.22	46.00	43.04	19.36	2.15	32.77	---	Peak																																																																																																																																																		
5	312.27	29.89	-16.11	46.00	40.76	19.58	2.38	32.83	---	Peak																																																																																																																																																		
6	558.65	30.52	-15.48	46.00	33.81	26.62	3.19	33.10	---	Peak																																																																																																																																																		
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Cable Loss (dB/m)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																		
1	30.97	31.11	-8.89	40.00	38.71	24.93	0.46	32.99	---	Peak																																																																																																																																																		
2	73.65	27.75	-12.25	40.00	46.86	12.69	1.01	32.81	---	Peak																																																																																																																																																		
3	137.67	28.45	-15.05	43.50	42.26	17.47	1.56	32.84	---	Peak																																																																																																																																																		
4	252.13	31.80	-14.20	46.00	43.63	18.80	2.14	32.77	---	Peak																																																																																																																																																		
5	470.38	29.70	-16.30	46.00	36.21	23.56	2.93	33.00	---	Peak																																																																																																																																																		
6	559.62	30.21	-15.79	46.00	33.46	26.66	3.19	33.10	---	Peak																																																																																																																																																		






Mode	37																																																																																																												
	Band Edge - L																																																																																																												
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																												
ANT	8																																																																																																												
Pol.	Horizontal	Fundamental																																																																																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5646.22</td> <td>55.30</td> <td>68.20</td> <td>-12.90</td> <td>42.08</td> <td>34.59</td> <td>10.28</td> <td>31.65</td> <td>0.00</td> <td>101</td> <td>232</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.12</td> <td>51.50</td> <td>68.29</td> <td>-16.79</td> <td>38.27</td> <td>34.60</td> <td>10.28</td> <td>31.65</td> <td>0.00</td> <td>101</td> <td>232</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5702.38</td> <td>52.46</td> <td>105.97</td> <td>-53.51</td> <td>39.31</td> <td>34.60</td> <td>10.33</td> <td>31.78</td> <td>0.00</td> <td>101</td> <td>232</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.12</td> <td>52.09</td> <td>111.17</td> <td>-59.08</td> <td>38.94</td> <td>34.64</td> <td>10.34</td> <td>31.83</td> <td>0.00</td> <td>101</td> <td>232</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	1	5646.22	55.30	68.20	-12.90	42.08	34.59	10.28	31.65	0.00	101	232	PEAK	2	5650.12	51.50	68.29	-16.79	38.27	34.60	10.28	31.65	0.00	101	232	PEAK	3	5702.38	52.46	105.97	-53.51	39.31	34.60	10.33	31.78	0.00	101	232	PEAK	4	5720.12	52.09	111.17	-59.08	38.94	34.64	10.34	31.83	0.00	101	232	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>100.47</td> <td>-----</td> <td>-----</td> <td>87.38</td> <td>34.70</td> <td>10.40</td> <td>32.01</td> <td>0.00</td> <td>101</td> <td>232</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	1	5795.00	100.47	-----	-----	87.38	34.70	10.40	32.01	0.00	101	232	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																																	
1	5646.22	55.30	68.20	-12.90	42.08	34.59	10.28	31.65	0.00	101	232	PEAK																																																																																																	
2	5650.12	51.50	68.29	-16.79	38.27	34.60	10.28	31.65	0.00	101	232	PEAK																																																																																																	
3	5702.38	52.46	105.97	-53.51	39.31	34.60	10.33	31.78	0.00	101	232	PEAK																																																																																																	
4	5720.12	52.09	111.17	-59.08	38.94	34.64	10.34	31.83	0.00	101	232	PEAK																																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																																	
1	5795.00	100.47	-----	-----	87.38	34.70	10.40	32.01	0.00	101	232	PEAK																																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>91.10</td> <td>-----</td> <td>-----</td> <td>78.01</td> <td>34.70</td> <td>10.40</td> <td>32.01</td> <td>0.00</td> <td>101</td> <td>232</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	1	5795.00	91.10	-----	-----	78.01	34.70	10.40	32.01	0.00	101	232	AVERAGE																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																																	
1	5795.00	91.10	-----	-----	78.01	34.70	10.40	32.01	0.00	101	232	AVERAGE																																																																																																	



Mode	37																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																									
ANT	8																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.06</td> <td>54.79</td> <td>113.05</td> <td>-58.26</td> <td>41.58</td> <td>34.92</td> <td>10.45</td> <td>32.16</td> <td>0.00</td> <td>101</td> <td>232</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5871.88</td> <td>53.95</td> <td>106.17</td> <td>-52.22</td> <td>40.61</td> <td>35.03</td> <td>10.47</td> <td>32.16</td> <td>0.00</td> <td>101</td> <td>232</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.81</td> <td>55.07</td> <td>69.08</td> <td>-14.01</td> <td>41.52</td> <td>35.20</td> <td>10.51</td> <td>32.16</td> <td>0.00</td> <td>101</td> <td>232</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5940.24</td> <td>54.99</td> <td>68.20</td> <td>-13.21</td> <td>41.43</td> <td>35.20</td> <td>10.53</td> <td>32.17</td> <td>0.00</td> <td>101</td> <td>232</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.06	54.79	113.05	-58.26	41.58	34.92	10.45	32.16	0.00	101	232	PEAK	2	5871.88	53.95	106.17	-52.22	40.61	35.03	10.47	32.16	0.00	101	232	PEAK	3	5923.81	55.07	69.08	-14.01	41.52	35.20	10.51	32.16	0.00	101	232	PEAK	4	5940.24	54.99	68.20	-13.21	41.43	35.20	10.53	32.17	0.00	101	232	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5854.06	54.79	113.05	-58.26	41.58	34.92	10.45	32.16	0.00	101	232	PEAK																																																														
2	5871.88	53.95	106.17	-52.22	40.61	35.03	10.47	32.16	0.00	101	232	PEAK																																																														
3	5923.81	55.07	69.08	-14.01	41.52	35.20	10.51	32.16	0.00	101	232	PEAK																																																														
4	5940.24	54.99	68.20	-13.21	41.43	35.20	10.53	32.17	0.00	101	232	PEAK																																																														



Mode	37																																																																																												
	Band Edge - L																																																																																												
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																												
ANT	8																																																																																												
Pol.	Vertical	Fundamental																																																																																											
Peak	 <table border="1" data-bbox="263 1075 774 1254"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Loss (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Gain (dB)</th> <th>Aux Gain (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5646.41</td> <td>54.04</td> <td>68.20</td> <td>-14.16</td> <td>40.82</td> <td>34.59</td> <td>10.28</td> <td>31.65</td> <td>0.00</td> <td>100</td> <td>86</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.31</td> <td>53.06</td> <td>68.43</td> <td>-15.37</td> <td>39.84</td> <td>34.60</td> <td>10.28</td> <td>31.66</td> <td>0.00</td> <td>100</td> <td>86</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.04</td> <td>53.01</td> <td>105.31</td> <td>-52.30</td> <td>39.87</td> <td>34.60</td> <td>10.32</td> <td>31.78</td> <td>0.00</td> <td>100</td> <td>86</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5721.10</td> <td>53.76</td> <td>113.40</td> <td>-59.64</td> <td>40.61</td> <td>34.64</td> <td>10.34</td> <td>31.83</td> <td>0.00</td> <td>100</td> <td>86</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Gain (dB)	APos (dB)	TPos (cm)	Remark	1	5646.41	54.04	68.20	-14.16	40.82	34.59	10.28	31.65	0.00	100	86	PEAK	2	5650.31	53.06	68.43	-15.37	39.84	34.60	10.28	31.66	0.00	100	86	PEAK	3	5700.04	53.01	105.31	-52.30	39.87	34.60	10.32	31.78	0.00	100	86	PEAK	4	5721.10	53.76	113.40	-59.64	40.61	34.64	10.34	31.83	0.00	100	86	PEAK	 <table border="1" data-bbox="901 1120 1412 1254"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Loss (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Gain (dB)</th> <th>Aux Gain (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>94.52</td> <td>-----</td> <td>-----</td> <td>81.43</td> <td>34.70</td> <td>10.40</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>86</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Gain (dB)	APos (dB)	TPos (cm)	Remark	1	5795.00	94.52	-----	-----	81.43	34.70	10.40	32.01	0.00	100	86	PEAK
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Gain (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5646.41	54.04	68.20	-14.16	40.82	34.59	10.28	31.65	0.00	100	86	PEAK																																																																																	
2	5650.31	53.06	68.43	-15.37	39.84	34.60	10.28	31.66	0.00	100	86	PEAK																																																																																	
3	5700.04	53.01	105.31	-52.30	39.87	34.60	10.32	31.78	0.00	100	86	PEAK																																																																																	
4	5721.10	53.76	113.40	-59.64	40.61	34.64	10.34	31.83	0.00	100	86	PEAK																																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Gain (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5795.00	94.52	-----	-----	81.43	34.70	10.40	32.01	0.00	100	86	PEAK																																																																																	
Avg	Blank	 <table border="1" data-bbox="901 1803 1412 1937"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Loss (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Gain (dB)</th> <th>Aux Gain (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>85.13</td> <td>-----</td> <td>-----</td> <td>72.04</td> <td>34.70</td> <td>10.40</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>86</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Gain (dB)	APos (dB)	TPos (cm)	Remark	1	5795.00	85.13	-----	-----	72.04	34.70	10.40	32.01	0.00	100	86	AVERAGE																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Gain (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5795.00	85.13	-----	-----	72.04	34.70	10.40	32.01	0.00	100	86	AVERAGE																																																																																	



Mode	37																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																									
ANT	8																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.83</td> <td>51.23</td> <td>111.29</td> <td>-60.06</td> <td>38.01</td> <td>34.93</td> <td>10.45</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>86</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5872.35</td> <td>54.02</td> <td>106.04</td> <td>-52.02</td> <td>40.68</td> <td>35.03</td> <td>10.47</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>86</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.74</td> <td>52.44</td> <td>68.40</td> <td>-15.96</td> <td>38.88</td> <td>35.20</td> <td>10.52</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>86</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5935.90</td> <td>54.67</td> <td>68.20</td> <td>-13.53</td> <td>41.10</td> <td>35.20</td> <td>10.53</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>86</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.83	51.23	111.29	-60.06	38.01	34.93	10.45	32.16	0.00	100	86	PEAK	2	5872.35	54.02	106.04	-52.02	40.68	35.03	10.47	32.16	0.00	100	86	PEAK	3	5924.74	52.44	68.40	-15.96	38.88	35.20	10.52	32.16	0.00	100	86	PEAK	4	5935.90	54.67	68.20	-13.53	41.10	35.20	10.53	32.16	0.00	100	86	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5854.83	51.23	111.29	-60.06	38.01	34.93	10.45	32.16	0.00	100	86	PEAK																																																														
2	5872.35	54.02	106.04	-52.02	40.68	35.03	10.47	32.16	0.00	100	86	PEAK																																																														
3	5924.74	52.44	68.40	-15.96	38.88	35.20	10.52	32.16	0.00	100	86	PEAK																																																														
4	5935.90	54.67	68.20	-13.53	41.10	35.20	10.53	32.16	0.00	100	86	PEAK																																																														



Mode	37																																																																										
	Harmonic																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																										
ANT	8																																																																										
Pol.	Horizontal	Vertical																																																																									
Peak Avg																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11590.00</td> <td>44.00</td> <td>74.00</td> <td>-30.00</td> <td>52.06</td> <td>38.11</td> <td>14.98</td> <td>61.15</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11590.00	44.00	74.00	-30.00	52.06	38.11	14.98	61.15	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11590.00</td> <td>44.80</td> <td>74.00</td> <td>-29.20</td> <td>52.86</td> <td>38.11</td> <td>14.98</td> <td>61.15</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11590.00	44.80	74.00	-29.20	52.86	38.11	14.98	61.15	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																			
1 11590.00	44.00	74.00	-30.00	52.06	38.11	14.98	61.15	0.00	--- --- PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																			
1 11590.00	44.80	74.00	-29.20	52.86	38.11	14.98	61.15	0.00	--- --- PEAK																																																																		



Mode	38																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																						
ANT	8																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5602.98</td> <td>53.65</td> <td>68.20</td> <td>-14.55</td> <td>40.55</td> <td>34.51</td> <td>10.24</td> <td>31.65</td> <td>0.00</td> <td>101</td> <td>231</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.23</td> <td>52.09</td> <td>68.37</td> <td>-16.28</td> <td>38.87</td> <td>34.60</td> <td>10.28</td> <td>31.66</td> <td>0.00</td> <td>101</td> <td>231</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.45</td> <td>53.48</td> <td>105.43</td> <td>-51.95</td> <td>40.34</td> <td>34.60</td> <td>10.32</td> <td>31.78</td> <td>0.00</td> <td>101</td> <td>231</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.05</td> <td>52.74</td> <td>111.01</td> <td>-58.27</td> <td>39.59</td> <td>34.64</td> <td>10.34</td> <td>31.83</td> <td>0.00</td> <td>101</td> <td>231</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5602.98	53.65	68.20	-14.55	40.55	34.51	10.24	31.65	0.00	101	231	PEAK	2	5650.23	52.09	68.37	-16.28	38.87	34.60	10.28	31.66	0.00	101	231	PEAK	3	5700.45	53.48	105.43	-51.95	40.34	34.60	10.32	31.78	0.00	101	231	PEAK	4	5720.05	52.74	111.01	-58.27	39.59	34.64	10.34	31.83	0.00	101	231	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>96.99</td> <td>-----</td> <td>-----</td> <td>83.88</td> <td>34.70</td> <td>10.39</td> <td>31.98</td> <td>0.00</td> <td>101</td> <td>231</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5775.00	96.99	-----	-----	83.88	34.70	10.39	31.98	0.00	101	231	PEAK
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5602.98	53.65	68.20	-14.55	40.55	34.51	10.24	31.65	0.00	101	231	PEAK																																																																																																											
2	5650.23	52.09	68.37	-16.28	38.87	34.60	10.28	31.66	0.00	101	231	PEAK																																																																																																											
3	5700.45	53.48	105.43	-51.95	40.34	34.60	10.32	31.78	0.00	101	231	PEAK																																																																																																											
4	5720.05	52.74	111.01	-58.27	39.59	34.64	10.34	31.83	0.00	101	231	PEAK																																																																																																											
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5775.00	96.99	-----	-----	83.88	34.70	10.39	31.98	0.00	101	231	PEAK																																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>87.30</td> <td>-----</td> <td>-----</td> <td>74.18</td> <td>34.70</td> <td>10.39</td> <td>31.97</td> <td>0.00</td> <td>101</td> <td>231</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5775.00	87.30	-----	-----	74.18	34.70	10.39	31.97	0.00	101	231	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5775.00	87.30	-----	-----	74.18	34.70	10.39	31.97	0.00	101	231	AVERAGE																																																																																																											



Mode	38																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																									
ANT	8																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.63</td> <td>56.06</td> <td>111.75</td> <td>-55.69</td> <td>42.84</td> <td>34.93</td> <td>10.45</td> <td>32.16</td> <td>0.00</td> <td>101</td> <td>231</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5863.90</td> <td>57.80</td> <td>108.41</td> <td>-50.61</td> <td>44.52</td> <td>34.98</td> <td>10.46</td> <td>32.16</td> <td>0.00</td> <td>101</td> <td>231</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>53.55</td> <td>68.35</td> <td>-14.80</td> <td>39.99</td> <td>35.20</td> <td>10.52</td> <td>32.16</td> <td>0.00</td> <td>101</td> <td>231</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5935.48</td> <td>54.39</td> <td>68.20</td> <td>-13.81</td> <td>40.83</td> <td>35.20</td> <td>10.52</td> <td>32.16</td> <td>0.00</td> <td>101</td> <td>231</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.63	56.06	111.75	-55.69	42.84	34.93	10.45	32.16	0.00	101	231	PEAK	2	5863.90	57.80	108.41	-50.61	44.52	34.98	10.46	32.16	0.00	101	231	PEAK	3	5924.80	53.55	68.35	-14.80	39.99	35.20	10.52	32.16	0.00	101	231	PEAK	4	5935.48	54.39	68.20	-13.81	40.83	35.20	10.52	32.16	0.00	101	231	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5854.63	56.06	111.75	-55.69	42.84	34.93	10.45	32.16	0.00	101	231	PEAK																																																														
2	5863.90	57.80	108.41	-50.61	44.52	34.98	10.46	32.16	0.00	101	231	PEAK																																																														
3	5924.80	53.55	68.35	-14.80	39.99	35.20	10.52	32.16	0.00	101	231	PEAK																																																														
4	5935.48	54.39	68.20	-13.81	40.83	35.20	10.52	32.16	0.00	101	231	PEAK																																																														



Mode	38																																																																																												
	Band Edge - L																																																																																												
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																												
ANT	8																																																																																												
Pol.	Vertical	Fundamental																																																																																											
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Loss (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>Aux Loss (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5647.25</td> <td>54.00</td> <td>68.20</td> <td>-14.20</td> <td>40.78</td> <td>34.59</td> <td>10.28</td> <td>31.65</td> <td>0.00</td> <td>103</td> <td>87</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5653.03</td> <td>54.31</td> <td>70.45</td> <td>-16.14</td> <td>41.08</td> <td>34.60</td> <td>10.29</td> <td>31.66</td> <td>0.00</td> <td>103</td> <td>87</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5701.33</td> <td>52.73</td> <td>105.67</td> <td>-52.94</td> <td>39.58</td> <td>34.60</td> <td>10.33</td> <td>31.78</td> <td>0.00</td> <td>103</td> <td>87</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.05</td> <td>53.61</td> <td>111.01</td> <td>-57.40</td> <td>40.46</td> <td>34.64</td> <td>10.34</td> <td>31.83</td> <td>0.00</td> <td>103</td> <td>87</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Loss (dB)	APos (dB)	TPos (cm)	Remark	1	5647.25	54.00	68.20	-14.20	40.78	34.59	10.28	31.65	0.00	103	87	PEAK	2	5653.03	54.31	70.45	-16.14	41.08	34.60	10.29	31.66	0.00	103	87	PEAK	3	5701.33	52.73	105.67	-52.94	39.58	34.60	10.33	31.78	0.00	103	87	PEAK	4	5720.05	53.61	111.01	-57.40	40.46	34.64	10.34	31.83	0.00	103	87	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Loss (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>Aux Loss (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>91.21</td> <td>-----</td> <td>-----</td> <td>78.07</td> <td>34.70</td> <td>10.38</td> <td>31.94</td> <td>0.00</td> <td>103</td> <td>87</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Loss (dB)	APos (dB)	TPos (cm)	Remark	1	5775.00	91.21	-----	-----	78.07	34.70	10.38	31.94	0.00	103	87	PEAK
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Loss (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5647.25	54.00	68.20	-14.20	40.78	34.59	10.28	31.65	0.00	103	87	PEAK																																																																																	
2	5653.03	54.31	70.45	-16.14	41.08	34.60	10.29	31.66	0.00	103	87	PEAK																																																																																	
3	5701.33	52.73	105.67	-52.94	39.58	34.60	10.33	31.78	0.00	103	87	PEAK																																																																																	
4	5720.05	53.61	111.01	-57.40	40.46	34.64	10.34	31.83	0.00	103	87	PEAK																																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Loss (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5775.00	91.21	-----	-----	78.07	34.70	10.38	31.94	0.00	103	87	PEAK																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Loss (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>Aux Loss (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>81.00</td> <td>-----</td> <td>-----</td> <td>68.67</td> <td>34.70</td> <td>10.38</td> <td>31.95</td> <td>0.00</td> <td>103</td> <td>87</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Loss (dB)	APos (dB)	TPos (cm)	Remark	1	5775.00	81.00	-----	-----	68.67	34.70	10.38	31.95	0.00	103	87	AVERAGE																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Loss (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5775.00	81.00	-----	-----	68.67	34.70	10.38	31.95	0.00	103	87	AVERAGE																																																																																	



Mode	38																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																									
ANT	8																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.98</td> <td>53.08</td> <td>110.96</td> <td>-57.88</td> <td>39.86</td> <td>34.93</td> <td>10.45</td> <td>32.16</td> <td>0.00</td> <td>103</td> <td>87</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5872.83</td> <td>54.54</td> <td>105.91</td> <td>-51.37</td> <td>41.19</td> <td>35.04</td> <td>10.47</td> <td>32.16</td> <td>0.00</td> <td>103</td> <td>87</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.98</td> <td>53.56</td> <td>68.22</td> <td>-14.66</td> <td>40.00</td> <td>35.20</td> <td>10.52</td> <td>32.16</td> <td>0.00</td> <td>103</td> <td>87</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5930.40</td> <td>55.79</td> <td>68.20</td> <td>-12.41</td> <td>42.23</td> <td>35.20</td> <td>10.52</td> <td>32.16</td> <td>0.00</td> <td>103</td> <td>87</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.98	53.08	110.96	-57.88	39.86	34.93	10.45	32.16	0.00	103	87	PEAK	2	5872.83	54.54	105.91	-51.37	41.19	35.04	10.47	32.16	0.00	103	87	PEAK	3	5924.98	53.56	68.22	-14.66	40.00	35.20	10.52	32.16	0.00	103	87	PEAK	4	5930.40	55.79	68.20	-12.41	42.23	35.20	10.52	32.16	0.00	103	87	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5854.98	53.08	110.96	-57.88	39.86	34.93	10.45	32.16	0.00	103	87	PEAK																																																														
2	5872.83	54.54	105.91	-51.37	41.19	35.04	10.47	32.16	0.00	103	87	PEAK																																																														
3	5924.98	53.56	68.22	-14.66	40.00	35.20	10.52	32.16	0.00	103	87	PEAK																																																														
4	5930.40	55.79	68.20	-12.41	42.23	35.20	10.52	32.16	0.00	103	87	PEAK																																																														



Mode	38																																																																										
	Harmonic																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																										
ANT	8																																																																										
Pol.	Horizontal	Vertical																																																																									
Peak Avg																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11550.00</td> <td>44.94</td> <td>74.00</td> <td>-29.06</td> <td>53.00</td> <td>38.15</td> <td>14.95</td> <td>61.16</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11550.00	44.94	74.00	-29.06	53.00	38.15	14.95	61.16	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11550.00</td> <td>46.19</td> <td>74.00</td> <td>-27.81</td> <td>54.25</td> <td>38.15</td> <td>14.95</td> <td>61.16</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11550.00	46.19	74.00	-27.81	54.25	38.15	14.95	61.16	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																			
1 11550.00	44.94	74.00	-29.06	53.00	38.15	14.95	61.16	0.00	--- --- PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																			
1 11550.00	46.19	74.00	-27.81	54.25	38.15	14.95	61.16	0.00	--- --- PEAK																																																																		



Mode	39																																																																											
	Harmonic																																																																											
	U-NII-2C_5.47-5.725_802.11a_CH144_5720MHz																																																																											
ANT	8																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak																																																																												
Avg																																																																												
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>45.31</td> <td>74.00</td> <td>-28.69</td> <td>53.49</td> <td>38.14</td> <td>14.87</td> <td>61.19</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11440.00	45.31	74.00	-28.69	53.49	38.14	14.87	61.19	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>46.11</td> <td>74.00</td> <td>-27.89</td> <td>54.29</td> <td>38.14</td> <td>14.87</td> <td>61.19</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11440.00	46.11	74.00	-27.89	54.29	38.14	14.87	61.19	0.00	--- --- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11440.00	45.31	74.00	-28.69	53.49	38.14	14.87	61.19	0.00	--- --- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11440.00	46.11	74.00	-27.89	54.29	38.14	14.87	61.19	0.00	--- --- PEAK																																																																			



Mode	40																																																																										
	Harmonic																																																																										
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH144_5720MHz																																																																										
ANT	8																																																																										
Pol.	Horizontal	Vertical																																																																									
Peak Avg																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>45.91</td> <td>74.00</td> <td>-28.09</td> <td>54.09</td> <td>38.14</td> <td>14.87</td> <td>61.19</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11440.00	45.91	74.00	-28.09	54.09	38.14	14.87	61.19	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>45.38</td> <td>74.00</td> <td>-28.62</td> <td>53.56</td> <td>38.14</td> <td>14.87</td> <td>61.19</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11440.00	45.38	74.00	-28.62	53.56	38.14	14.87	61.19	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																			
1 11440.00	45.91	74.00	-28.09	54.09	38.14	14.87	61.19	0.00	--- --- PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																			
1 11440.00	45.38	74.00	-28.62	53.56	38.14	14.87	61.19	0.00	--- --- PEAK																																																																		



Mode	41																																																																										
	Harmonic																																																																										
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH142_5710MHz																																																																										
ANT	8																																																																										
Pol.	Horizontal	Vertical																																																																									
Peak Avg																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>44.11</td> <td>74.00</td> <td>-29.89</td> <td>52.32</td> <td>38.12</td> <td>14.86</td> <td>61.19</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11420.00	44.11	74.00	-29.89	52.32	38.12	14.86	61.19	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>44.50</td> <td>74.00</td> <td>-29.50</td> <td>52.71</td> <td>38.12</td> <td>14.86</td> <td>61.19</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11420.00	44.50	74.00	-29.50	52.71	38.12	14.86	61.19	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																			
1 11420.00	44.11	74.00	-29.89	52.32	38.12	14.86	61.19	0.00	--- --- PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																			
1 11420.00	44.50	74.00	-29.50	52.71	38.12	14.86	61.19	0.00	--- --- PEAK																																																																		




Mode	42																																																																																																																	
	Harmonic																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH138_5690MHz																																																																																																																	
ANT	8																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11380.00</td> <td>45.27</td> <td>74.00</td> <td>-28.73</td> <td>53.51</td> <td>38.12</td> <td>14.83</td> <td>61.19</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11380.00	45.27	74.00	-28.73	53.51	38.12	14.83	61.19							0.00	---								deg								--- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11380.00</td> <td>45.05</td> <td>74.00</td> <td>-28.95</td> <td>53.29</td> <td>38.12</td> <td>14.83</td> <td>61.19</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11380.00	45.05	74.00	-28.95	53.29	38.12	14.83	61.19							0.00	---								deg								--- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 11380.00	45.27	74.00	-28.73	53.51	38.12	14.83	61.19																																																																																																											
						0.00	---																																																																																																											
							deg																																																																																																											
							--- PEAK																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 11380.00	45.05	74.00	-28.95	53.29	38.12	14.83	61.19																																																																																																											
						0.00	---																																																																																																											
							deg																																																																																																											
							--- PEAK																																																																																																											



Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	97.46	1.391	0.719	0.75KHz
802.11ac VHT20	97.31	1.312	0.762	0.82KHz
802.11ac VHT40	95.15	0.654	1.530	1.6KHz
802.11ac VHT80	86.54	0.326	3.067	3.3KHz

802.11a






802.11ac VHT20



802.11ac VHT40





802.11ac VHT80

