



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: DEXNODE

Test Model: DEXNODE

Environmental Conditions

Temperature:	23.8° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Paddi Chen
Supervised by:	Nick Peng





A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	0.919	N/A	Pass
NVNT	1-DH5	2441	Ant1	0.803	N/A	Pass
NVNT	1-DH5	2480	Ant1	0.845	N/A	Pass
NVNT	2-DH5	2402	Ant1	1.27	N/A	Pass
NVNT	2-DH5	2441	Ant1	1.274	N/A	Pass
NVNT	2-DH5	2480	Ant1	1.257	N/A	Pass
NVNT	3-DH5	2402	Ant1	1.29	N/A	Pass
NVNT	3-DH5	2441	Ant1	1.281	N/A	Pass
NVNT	3-DH5	2480	Ant1	1.277	N/A	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1






-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1





-20dB Bandwidth NVNT 3-DH5 2480MHz Ant1





A.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	-1.38	21	Pass
NVNT	1-DH5	2441	Ant1	-0.09	21	Pass
NVNT	1-DH5	2480	Ant1	0.75	21	Pass
NVNT	2-DH5	2402	Ant1	-0.29	21	Pass
NVNT	2-DH5	2441	Ant1	-0.75	21	Pass
NVNT	2-DH5	2480	Ant1	0.38	21	Pass
NVNT	3-DH5	2402	Ant1	-0.11	21	Pass
NVNT	3-DH5	2441	Ant1	-0.76	21	Pass
NVNT	3-DH5	2480	Ant1	0.22	21	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1






Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1






Power NVNT 2-DH5 2441MHz Ant1




Power NVNT 2-DH5 2480MHz Ant1






Power NVNT 3-DH5 2402MHz Ant1




Power NVNT 3-DH5 2441MHz Ant1





Power NVNT 3-DH5 2480MHz Ant1





A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2402.01	2403.012	1.002	0.613	Pass
NVNT	2-DH5	Ant1	2402.164	2403.16	0.996	0.849	Pass
NVNT	3-DH5	Ant1	2402.166	2403.16	0.994	0.861	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1




CFS NVNT 2-DH5 2402MHz Ant1





CFS NVNT 3-DH5 2402MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.882	288.2	100	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.885	294.27	102	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.888	291.688	101	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant1 One Burst




Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2402MHz Ant1 One Burst




Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2402MHz Ant1 One Burst



Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated





A.5 Number of Hopping Channel

Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1




Hopping No. NVNT 2-DH5 2402MHz Ant1





Hopping No. NVNT 3-DH5 2402MHz Ant1





A.6 Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-42.71	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-56.94	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-55.57	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-57.47	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-54.81	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-55.79	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission





(Hopping)

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-55.63	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-56.28	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-53.63	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-55.98	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-52.9	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-52.91	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission





A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-38.67	-20	Pass
NVNT	1-DH5	2441	Ant1	-53.13	-20	Pass
NVNT	1-DH5	2480	Ant1	-54.41	-20	Pass
NVNT	2-DH5	2402	Ant1	-54.77	-20	Pass
NVNT	2-DH5	2441	Ant1	-54.5	-20	Pass
NVNT	2-DH5	2480	Ant1	-54.16	-20	Pass
NVNT	3-DH5	2402	Ant1	-54.51	-20	Pass
NVNT	3-DH5	2441	Ant1	-53.55	-20	Pass
NVNT	3-DH5	2480	Ant1	-54.14	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





A.8 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant1	76.91	1.14	0.35
NVNT	1-DH5	2441	Ant1	76.85	1.14	0.35
NVNT	1-DH5	2480	Ant1	76.88	1.14	0.35
NVNT	2-DH5	2402	Ant1	76.96	1.14	0.35
NVNT	2-DH5	2441	Ant1	76.96	1.14	0.35
NVNT	2-DH5	2480	Ant1	76.99	1.14	0.35
NVNT	3-DH5	2402	Ant1	77.01	1.13	0.35
NVNT	3-DH5	2441	Ant1	77.04	1.13	0.35
NVNT	3-DH5	2480	Ant1	77.01	1.13	0.35




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant1




Duty Cycle NVNT 1-DH5 2441MHz Ant1






Duty Cycle NVNT 1-DH5 2480MHz Ant1




Duty Cycle NVNT 2-DH5 2402MHz Ant1






Duty Cycle NVNT 2-DH5 2441MHz Ant1




Duty Cycle NVNT 2-DH5 2480MHz Ant1






Duty Cycle NVNT 3-DH5 2402MHz Ant1




Duty Cycle NVNT 3-DH5 2441MHz Ant1





Duty Cycle NVNT 3-DH5 2480MHz Ant1





A.9 Restrict Band


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-51.23	2	-	46.03	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-58.32	2	1.14	40.08	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2367.12	-47.53	2	-	49.73	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2369.616	-57.53	2	1.14	40.87	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-49.97	2	-	47.29	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-58.21	2	1.14	40.19	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-47.95	2	-	49.31	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-57.99	2	1.14	40.41	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2496.16	-47.01	2	-	50.25	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2489.68	-57.11	2	1.14	41.29	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-49.17	2	-	48.09	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-58.24	2	1.14	40.16	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-51.64	2	-	45.62	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-59.07	2	1.14	39.33	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2312.112	-48.03	2	-	49.23	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2365.296	-57.76	2	1.14	40.64	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-50.28	2	-	46.98	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-58.32	2	1.14	40.08	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-50.24	2	-	47.02	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-58.04	2	1.14	40.36	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2486.56	-47.24	2	-	50.02	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2493.592	-57.35	2	1.14	41.05	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-49.45	2	-	47.81	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-58.17	2	1.14	40.23	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-50.45	2	-	46.81	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-59.03	2	1.13	39.36	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2328.912	-47.76	2	-	49.5	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2366.256	-57.6	2	1.13	40.79	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-49.75	2	-	47.51	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-58.03	2	1.13	40.36	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-47.92	2	-	49.34	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-57.99	2	1.13	40.4	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2491.024	-46.81	2	-	50.45	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2494.864	-57.06	2	1.13	41.33	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-49.87	2	-	47.39	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-57.55	2	1.13	40.84	Average	54	Pass






Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

