

The Empower Project

Empower Pack

EPS100123

About The Unit

Thank you for using our QI Power Bank 5000mAh. Please read the manual carefully before you use the unit.

Features & Benefits

- * 5,000 mah Li-Ion polymer battery cell
- * Qi compatible wireless input & output (Qi 2.0 15w)
- * USB-C port: USB-C input/output
- * Magsafe compatible
- * Intelligently Optimized BMI (Battery Management Interface)
- * Plant-based exterior housing with soft touch feel
- * Max operating temperature: 167° F

Specification & Description

Capacity: 5000mAh

▪ Type C Input: 4.5V 5A / 5V 4.5A / 5V 3A / 9V

Rated Energy: 19.25WH / 3.85V Max

2A / 12V-1.5A PD 22.5W Max

Battery: High Quality Lithium Polymer

Weight: 150g

Output:

Material: ABS+PC

▪ QI Output: 5W/7.5W/10W/15W Max

Dimension: 113*13.5*69mm


▪ Type C Output: 4.5V 5A / 5V 4.5A / 5V 3A / 9V

Input:

2A / 12V-1.5A PD 22.5W Max

▪ QI Input: DC 5V/1A 5W Max

- ① Magnetic Output
- ② USB-C Input / Output
- ③ QI Input
- ④ Digital Screen Power Display
- ⑤ Switch Button



Warning

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.