

Report No.: SUCR240400009003

Rev.: 01 Page: 1 of 12

TEST REPORT

Application No.: SUCR2404000990MO

Applicant: NETPRISMA INC.

Address of Applicant: 1301 6TH AVE, SEATTLE, WA, 98101-2304, UNITED STATES

Manufacturer: NETPRISMA INC.

Address of Manufacturer: 1301 6TH AVE, SEATTLE, WA, 98101-2304, UNITED STATES

EUT Description: 5G Sub-6 GHz M.2 Module

Model No.: FCUN69-WWD

Trade Mark: Vrileg


FCC ID: 2BEY3FCUN69WWDA Standards: 47 CFR Part 2.1091

FCC KDB 447498 D01 v06

Date of Receipt: 2024/04/10 **Date of Issue:** 2024/06/13

Test Result: PASS*

Authorized Signature:



Well Wei Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic Documents at http://www.sgs.com/en/Terms.and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980

^{*} In the configuration tested, the EUT complied with the standards specified above.



Report No.: SUCR240400009003

Rev.: 01 Page: 2 of 12

1 Version

Revision Record								
Version	Chapter	Date	Modifier	Remark				
01		2024/06/13		Original				

Prepared By	(Nick Hu) / Test Engineer
Checked By	Stone Gu) / Reviewer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and juryaldiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industria Park, Suzhou Area, China (Jiangsu) Pikit Fiee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区润胜商1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240400009003

Rev.: 01 Page: 3 of 12

Contents

1	Ver	rsion	2
		neral Information	
		Client Information Test Facility	
	2.3	General Description of EUT	5
3	RF	Exposure Evaluation	8
		RF Exposure Compliance Requirement	
		.1 Limits	
		.2 Test Procedure	
	3.1	.3 EUT RF Exposure Evaluation	9
	3.1	.4 Exposure calculations for multiple sources	12



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgc.com/en/Terms-and-Conditions/T

South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980



Report No.: SUCR240400009003

Rev.: 01 Page: 4 of 12

2 General Information

2.1 Client Information

Applicant:	NETPRISMA INC.
Address of Applicant:	1301 6TH AVE, SEATTLE, WA, 98101-2304, UNITED STATES
Manufacturer:	NETPRISMA INC.
Address of Manufacturer:	1301 6TH AVE, SEATTLE, WA, 98101-2304, UNITED STATES

2.2 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

• Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

• FCC -Designation Number: CN1312

 ${\tt SGS-CSTC\ STANDARDS\ TECHNICAL\ SERVICES\ (SUZHOU)\ CO.,\ LTD.\ has\ been\ recognized\ as\ an}$

accredited testing laboratory. Designation Number: CN1312.

Test Firm Registration Number: 717327





Report No.: SUCR240400009003

Rev.: 01 Page: 5 of 12

2.3 General Description of EUT

EUT Description:	5G Sub-6 GHz M.2	2 Module										
Model No.:	FCUN69-WWD											
Trade Mark:	Vrileg											
Hardware Version:	R1.0											
Software Version:	FCUN69WWDBL0	FCUN69WWDBL0301										
Power Supply:	5V	5V										
Antenna Type:	Dipole Antenna	Dipole Antenna										
Feature:	UL 2*2 MIMO:											
realule.	NR Band n38; NR	Band n41; NR Band n	148; NR Band n77; NF	R Band n78								
	Class 2:											
		Band 41; LTE Band 4	·									
Power Class:		TE UL CA_41C; LTE		_CA_43C;								
		NR Band n38; NR Band n41; NR Band n77; NR Band n78										
		Class 1.5: UL MIMO NR Band n41; UL MIMO NR Band n77; UL MIMO NR Band n78										
	WCDMA Band II:	0.25dBi	WCDMA Band IV:	1.47dBi								
	WCDMA Band V:	2.68dBi	TTODAY DATE TO									
	LTE Band 2:	0.25dBi	LTE Band 4:	1.47dBi								
	LTE Band 5:	2.68dBi	LTE Band 7:	0.55dBi								
	LTE Band 12:	-0.2dBi	LTE Band 13:	1.54dBi								
	LTE Band 14:	2.42dBi	LTE Band 17:	-0.2dBi								
	LTE Band 25:	0.25dBi	LTE Band 26:	2.87dBi								
	LTE Band 30:	-5.7dBi	LTE Band 38:	-0.23dBi								
	LTE Band 41:	0.78dBi	LTE Band 42:	-6.1dBi								
Antenna Gain:	LTE Band 43:	-6.1dBi	LTE Band 48:	-6.1dBi								
	LTE Band 66:	1.47dBi	LTE Band 71:	1.22dBi								
	LTE CA_2C:	0.25dBi	LTE CA_5B:	2.68dBi								
	LTE CA_7C:	0.55dBi	LTE CA_38C:	-0.23dBi								
	LTE CA_41C:	0.78dBi	LTE CA_42C:	-6.1dBi								
	LTE CA_43C:	-6.1dBi	LTE CA_48C:	-6.1dBi								
	LTE CA_66C:	1.47dBi	LTE CA_66B:	1.47dBi								
	NR Band n2:	0.25dBi	NR Band n5:	2.68dBi								
	NR Band n7:	0.55dBi	NR Band n12:	-0.2dBi								
	NR Band n13:	1.54dBi	NR Band n14:	2.42dBi								



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (liangsu) Plot Free Trade Zone
中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜鹿(号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SUCR240400009003

Rev.: 01 Page: 6 of 12

NR Band n25:	0.25dBi	NR Band n26:	2.87dBi
NR Band n30:	-5.7dBi	NR Band n38:	-0.23dBi
NR Band n41:	0.78dBi	NR Band n48:	-6.1dBi
NR Band n66:	1.47dBi	NR Band n70:	1.3dBi
NR Band n71:	1.22dBi	NR Band n77:	-6.1dBi
NR Band n78:	-6.1dBi		

LTE UL CA:

CA_2C, CA_5B, CA_7C, CA_38C, CA_41C, CA_42C, CA_43C, CA_66B, CA_66C, CA_48C;

UL CA 2A-4A; UL CA 2A-5A; UL CA 2A-7A; UL CA 2A-12A;

UL CA 2A-13A; UL CA 2A-30A; UL CA 2A-66A; UL CA 4A-5A;

UL CA_4A-7A; UL CA_4A-12A; UL CA_4A-13A; UL CA_4A-30A;

UL CA 5A-7A; UL CA 5A-30A; UL CA 5A-66A; UL CA 12A-30A;

UL CA_12A-66A; UL CA_13A-66A; UL CA_14A-30A;

ENDC:

DC_13A_n66A;DC_5A_n2A;DC_14A_n2A;DC_30A_n2A;DC_2A_n5A;

DC_30A_n5A;DC_66A_n5A;DC_2A_n12A;DC_66A_n12A;DC_2A_n66A;

DC_5A_n66A;DC_12A_n66A;DC_14A_n66A;DC_30A_n66A;DC_12A_n2A;

DC_66A_n2A;DC_71A_n2A;DC_12A_n41A;DC_71A_n66A;DC_2A_n71A;

DC_66A_n71A;DC_66A_n25A;DC_25A_n41A;DC_12A_n78A;DC_13A_n78A;

DC_25A_n78A;DC_12A_n77A;DC_13A_n77A;DC_14A_n77A;DC_26A_n78A;

DC_2A_n78A;DC_26A_n41A;DC_2A_n41A;DC_7A_n5A;DC_38A_n78A;

DC_7A_n71A;DC_41A_n78A;DC_5A_n7A;DC_12A_n7A;DC_66A_n7A;

DC_13A_n2A;DC_7A_n66A;DC_2A_n48A;DC_5A_n48A;DC_13A_n48A;

 $DC_66A_n48A; DC_4A_n78A; DC_20A_n77A; DC_5A_n78A; DC_4A_n41A;$

DC_66A_n38A;DC_2A_n38A;DC_12A_n38A;DC_4A_n38A;DC_5A_n38A;

DC_66A_n78A;DC_12A_n25A;DC_25A_n77A;DC_2A_n77A;DC_71A_n78A;

DC_71A_n38A;DC_13A_n7A;DC_5A_n41A;DC_66A_n41A;DC_2A_n7A;

DC_7A_n2A;DC_30A_n77A;DC_41A_n77A;DC_7A_n78A;

 $DC_71A_n41A; DC_28A_n66A; DC_30A_n12A; DC_2A_n14A; DC_30A_n14A;$

DC_66A_n14A;DC_2A_n30A;DC_5A_n30A;DC_12A_n30A;

DC_14A_n30A;DC_66A_n30A;DC_71A_n7A;DC_7A_n12A;DC_5A_n77A;

DC 66A n77A;DC 71A n77A;DC 4A n2A;DC 7A n25A;DC 71A n25A;

 $DC_5A_n25A; DC_26A_n25A; DC_4A_n7A; DC_13A_n25A; DC_7A_n77A;$

DC_48A_n5A; DC_48A_n66A; DC_48A_n25A; DC_48A_n71A; DC_48A_n12A;



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-a

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区短胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240400009003

Rev.: 01 Page: 7 of 12

Note:

The antenna gain are derived from the gain information report provided by the manufacturer.

Remark:

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 15000 t (86–512) 62992980



Report No.: SUCR240400009003

Rev.: 01 Page: 8 of 12

3 RF Exposure Evaluation

3.1 RF Exposure Compliance Requirement

3.1.1 Limits

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm2)	Averaging time (minutes)	
	(A) Limits for Occup	ational/Controlled Expo	sures		
0.3-3.0	614	1.63	*(100)	6	
3.0-30	1842/f	4.89/f	*(900/f2)	6	
30-300	61.4	0.163	1.0	6	
300-1500	1	1	f/300	6	
1500-100,000	1	1	5	6	
	(B) Limits for General P	opulation/Uncontrolled I	Exposure		
0.3-1.34	614	1.63	*(100)	30	
1.34-30	824/f	2.19/f	*(180/f2)	30	
30-300	27.5	0.073	0.2	30	
300-1500	1	1	f/1500	30	
1500-100,000	1	1	1.0	30	

F=frequency in MHz

RF exposure compliance will need to be determined with respect to 1.1307(c) and (d) of the FCC rules. The emissions should be within the limits at 300kHz in Table 1 of 1.1310(use the 300kHz limits for 150kHz:614V/m,1.63A/m).

Friis Formula

Friis transmission formula: $Pd = (Pout*G)/(4*Pi*R^2)$

Where

Pd = power density in mW/cm2

Pout = output power to antenna in mW

G = gain of antenna in linear scale

Pi = 3.1416

R = distance between observation point and center of the radiator in cm

Pd id the limit of MPE, 1 mW/cm2. If we know the maximum gain of the antenna and the total power input to the antenna, through the calculation, we will know the distance r where the MPE limit is reached.



Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer worleral, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx tkention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of illent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a ransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or faisification of the content on ppearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the esults shown in this test report refer only to the sample(s) setzed and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980

^{*=}Plane-wave equivalent power density



Report No.: SUCR240400009003

Rev.: 01 Page: 9 of 12

3.1.2 Test Procedure

Software provided by client enabled the EUT to transmit data at lowest, middle and highest channel individually

3.1.3 EUT RF Exposure Evaluation

Output Power Into Antenna & RF Exposure Evaluation Distance:

This confirmed that the device comply with MPE limit.

Operating Band	Frequency (MHz)	Antenna Gain (dBi)	MIMO Directional gain	Max Conducted Power (dBm)	EIRP(ERP) (dBm)	EIRP(ERP) Limit (dBm)	Power Density at R = 20 cm (mW/cm2)	Limit (mW/cm2)	Gain according to EIRP(ERP) (dBi)	Gain according to Pd (dBi)	Max Gain Allowed (dBi)	conclusion
WCDMA Band II	1852.4	0.25	NA	25.00	25.25	33.00	0.0666	1.0000	8.00	12.01	8.00	Pass
WCDMA Band IV	1712.4	1.47	NA	25.00	26.47	30.00	0.0883	1.0000	5.00	12.01	5.00	Pass
WCDMA Band V	826.4	2.68	NA	25.00	25.53	38.45	0.1166	0.5509	15.60	9.42	9.42	Pass
LTE Band 2/LTE CA_2C	1850.7	0.25	NA	25.00	25.25	33.00	0.0666	1.0000	8.00	12.01	8.00	Pass
LTE Band 4	1710.7	1.47	NA	25.00	26.47	30.00	0.0883	1.0000	5.00	12.01	5.00	Pass
LTE Band 5/LTE CA_5B	824.7	2.68	NA	25.00	25.53	38.45	0.1166	0.5498	15.60	9.41	9.41	Pass
LTE Band 7/LTE CA_7C	2502.5	0.55	NA	25.00	25.55	33.00	0.0714	1.0000	8.00	12.01	8.00	Pass
LTE Band 12	699.7	-0.20	NA	25.00	22.65	34.77	0.0601	0.4665	11.92	8.70	8.70	Pass
LTE Band 13	779.5	1.54	NA	25.00	24.39	34.77	0.0897	0.5197	11.92	9.16	9.16	Pass
LTE Band 14	790.5	2.42	NA	25.00	25.27	34.77	0.1098	0.5270	11.92	9.23	9.23	Pass
LTE Band 17	706.5	-0.20	NA	25.00	22.65	34.77	0.0601	0.4710	11.92	8.74	8.74	Pass
LTE Band 25	1850.7	0.25	NA	25.00	25.25	33.00	0.0666	1.0000	8.00	12.01	8.00	Pass
LTE Band 26(814-824)	814.7	2.87	NA	25.00	25.72	NA	0.1218	0.5431	NA	9.36	9.36	Pass
LTE Band 26(824-849)	824.7	2.87	NA	25.00	25.72	38.45	0.1218	0.5498	15.60	9.41	9.41	Pass
LTE Band 30	2307.5	-5.70	NA	25.00	19.30	23.98	0.0169	1.0000	-1.02	12.01	-1.02	Pass
LTE Band 38/LTE CA_38C	2572.5	-0.23	NA	28.00	27.77	33.00	0.1191	1.0000	5.00	9.01	5.00	Pass
LTE Band 41/LTE CA_41C	2498.5	0.78	NA	28.00	28.78	33.00	0.1502	1.0000	5.00	9.01	5.00	Pass
LTE Band 42(3450-3550)LTE CA_42C	3452.5	-6.10	NA	28.00	21.90	30.00	0.0308	1.0000	2.00	9.01	2.00	Pass
LTE Band 43(3700-3800)LTE CA_43C	3702.5	-6.10	NA	28.00	21.90	30.00	0.0308	1.0000	2.00	9.01	2.00	Pass
LTE Band 48/LTE CA_48C	3552.5	-6.10	NA	25.00	18.90	23.00	0.0154	1.0000	-2.00	12.01	-2.00	Pass
LTE Band 66/LTE CA_66B/LTE CA_66C	1710.7	1.47	NA	25.00	26.47	30.00	0.0883	1.0000	5.00	12.01	5.00	Pass
LTE Band 71	665.5	1.22	NA	25.00	24.07	34.77	0.0833	0.4437	11.92	8.48	8.48	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx.aaf, for electronic format documents subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Ferms-and-Conditions/Ferms-a-Document.aspx.adtention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240400009003

Rev.: 01 Page: 10 of 12

Operating Band	Frequency (MHz)	Antenna Gain (dBi)	MIMO Directional gain	Max Conducted Power (dBm)	EIRP(ERP) (dBm)	EIRP(ERP) Limit (dBm)	Power Density at R = 20 cm (mW/cm2)	Limit (mW/cm2)	Gain according to EIRP(ERP) (dBi)	Gain according to Pd (dBi)	Max Gain Allowed (dBi)	conclusion
NR Band n2	1852.5	0.25	NA	25.00	25.00	33.00	0.0666	1.0000	8.00	12.01	8.00	Pass
NR Band n5	826.5	2.68	NA	25.00	25.53	38.45	0.1166	0.5510	15.60	9.42	9.42	Pass
NR Band n7	2502.5	0.55	NA	25.00	25.00	33.00	0.0714	1.0000	8.00	12.01	8.00	Pass
NR Band n12	701.5	-0.20	NA	25.00	22.65	34.77	0.0601	0.4677	11.92	8.71	8.71	Pass
NR Band n13	779.5	1.54	NA	25.00	24.39	34.77	0.0897	0.5197	11.92	9.16	9.16	Pass
NR Band n14	790.5	2.42	NA	25.00	25.27	34.77	0.1098	0.5270	11.92	9.23	9.23	Pass
NR Band n25	1852.5	0.25	NA	25.00	25.00	33.00	0.0666	1.0000	8.00	12.01	8.00	Pass
NR Band n26(814-824)	816.5	2.87	NA	25.00	25.72	NA	0.1218	0.5443	NA	9.37	9.37	Pass
NR Band n26(824-849)	826.5	2.87	NA	25.00	25.72	38.45	0.1218	0.5510	15.60	9.42	9.42	Pass
NR Band n30	2307.5	-5.70	NA	25.00	19.30	23.98	0.0169	1.0000	-1.02	12.01	-1.02	Pass
NR Band n38	2575.0	-0.23	NA	28.00	27.77	33.00	0.1191	1.0000	5.00	9.01	5.00	Pass
NR Band n38(MIMO)	2575.0	-0.23	-0.23	28.00	27.77	33.00	0.1191	1.0000	5.00	9.01	5.00	Pass
NR Band n41	2501.0	0.78	NA	28.00	28.78	33.00	0.1502	1.0000	5.00	9.01	5.00	Pass
NR Band n41(MIMO)	2501.0	0.78	0.78	30.00	30.78	33.00	0.2381	1.0000	3.00	7.01	3.00	Pass
NR Band n48	3555.0	-6.10	NA	25.00	18.90	23.00	0.0154	1.0000	-2.00	12.01	-2.00	Pass
NR Band n48(MIMO)	3555.0	-6.10	-6.10	25.00	18.90	23.00	0.0154	1.0000	-2.00	12.01	-2.00	Pass
NR Band n66	1712.5	1.47	NA	25.00	26.47	30.00	0.0883	1.0000	5.00	12.01	5.00	Pass
NR Band n70	1697.5	1.30	NA	25.00	26.30	30.00	0.0849	1.0000	5.00	12.01	5.00	Pass
NR Band n71	665.5	1.22	NA	25.00	24.07	34.77	0.0833	0.4437	11.92	8.48	8.48	Pass
NR Band n77 (3450-3550)	3455.0	-6.10	NA	28.00	21.90	30.00	0.0308	1.0000	2.00	9.01	2.00	Pass
NR Band n77 (3450-3550)(MIMO)	3455.0	-6.10	-6.10	30.00	23.90	30.00	0.0488	1.0000	0.00	7.01	0.00	Pass
NR Band n77 (3700-3980)	3705.0	-6.10	NA	28.00	21.90	30.00	0.0308	1.0000	2.00	9.01	2.00	Pass
NR Band n77 (3700-3980)(MIMO)	3705.0	-6.10	-6.10	30.00	23.90	30.00	0.0488	1.0000	0.00	7.01	0.00	Pass
NR Band n78 (3450-3550)	3455.0	-6.10	NA	28.00	21.90	30.00	0.0308	1.0000	2.00	9.01	2.00	Pass
NR Band n78 (3450-3550)(MIMO)	3455.0	-6.10	-6.10	30.00	23.90	30.00	0.0488	1.0000	0.00	7.01	0.00	Pass
NR Band n78 (3700-3800)	3705.0	-6.10	NA	28.00	21.90	30.00	0.0308	1.0000	2.00	9.01	2.00	Pass
NR Band n78 (3700-3800)(MIMO)	3705.0	-6.10	-6.10	30.00	23.90	30.00	0.0488	1.0000	0.00	7.01	0.00	Pass
Bluetooth	2402.0	5.00	NA	23.00	28.00	NA	0.1255	1.0000	NA	NA	NA	NA
WLAN2.4GHz	2412.0	5.00	NA	23.00	28.00	NA	0.1255	1.0000	NA	NA	NA	NA NA
WLAN5GHz	5180.0	5.00	NA	23.00	28.00	NA	0.1255	1.0000	NA	NA	NA	NA

Note:

- 1. This MPE analysis is applicable to any collocated transmitters with transmit power for WLAN is less than or equal to 28dBm and for Bluetooth is less than or equal to 28dBm.
- 2.A maximum antenna gain of 5dBi for WLAN/BT has been assumed for all collocated antennas.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240400009003

Rev.: 01 Page: 11 of 12

Due to the EUT support NR ENDC and CA

$$\sum_{i=1}^{n} \frac{S_{E_{i}}(dutyfactor)}{MPE_{E_{i}}} < 1$$

Both LTE and NR/LTE band can transmit simultaneously, the formula of the calculated the MPE is: NOTE The corresponding MEs must be expressed in terms of power density in the above summation Therefore, the worst-case(DC_26A_n41A) situation is 0.2243+0.2381=0.4624, which is less than "1", this confirmed that the device comply with MPE limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SUCR240400009003

Rev.: 01 Page: 12 of 12

3.1.4 Exposure calculations for multiple sources

In order to ensure compliance with the MPE for a controlled environment, the sum of the ratios of the power density to the corresponding MPE should not exceed unity. That is

$$\sum_{i=1}^{n} \frac{S_i}{MPE_i} \le 1$$

The product also has multiple transmitters The Simultaneous Transmission Possibilities are as below:

Simultaneous Tx Combination	Configuration		
1	WWAN + WiFi 2.4G + WiFi 5G + Bluetooth		

No.	Mode	Power Density (mW/cm²)	MPE Limit (mW/cm ²)	Result Ratio	Total Ratio	Limit	Result	
	NR Band n41(MIMO)*	0.2381	1.0000	0.2381				
	Bluetooth	0.1255	1.0000	0.1255	0.1255 0.6146		Daga	
'	WiFi 2.4G	0.1255	1.0000	0.1255	0.0140	1.0000	Pass	
	WiFi 5G	0.1255	1.0000	0.1255				

Remark*: This WWAN Band was recalculated on worst Band.

Note: Considering the WWAN module collocation with the WLAN and Bluetooth transmitter of the EIRP performance listed in the table above, the aggregated (power density /limit) is smaller than 1, and MPE of 3 collocated transmitters is compliant.

---End of Report---



Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed worled a vailable on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.sapx and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.sapx tkention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of illent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a ransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content on ppearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the seults shown in this test report refer only to the sample(s) setzed and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000

编: 215000 t

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com