







11AC40MIMO_Ant2_5755




11AC40MIMO_Ant3_5755




11AC40MIMO_Ant4_5755



11AC40MIMO_Ant1_5795



11AC40MIMO_Ant2_5795



11AC40MIMO_Ant3_5795

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059


Fax: (86)755-27521011

Http://www.sz-ctc.org.cn




For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :


<http://yz.cnca.cn>



11AC40MIMO_Ant4_5795



11AC80MIMO_Ant1_5775



11AC80MIMO_Ant2_5775

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059


Fax: (86)755-27521011

Http://www.sz-ctc.org.cn




For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :


<http://yz.cnca.cn>




11AC80MIMO_Ant3_5775




11AC80MIMO_Ant4_5775



11AX20MIMO Ant1 5745 242Tone RU61



11AX20MIMO Ant2 5745 242Tone RU61



11AX20MIMO Ant3 5745 242Tone RU61

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059


Fax: (86)755-27521011

Http://www.sz-ctc.org.cn




For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :


<http://yz.cnca.cn>



11AX20MIMO Ant4 5745 242Tone_RU61



11AX20MIMO Ant1 5785 242Tone_RU61



11AX20MIMO Ant2 5785 242Tone_RU61

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059


Fax: (86)755-27521011

Http://www.sz-ctc.org.cn




For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :


<http://yz.cnca.cn>



11AX20MIMO Ant3 5785 242Tone_RU61



11AX20MIMO Ant4 5785 242Tone_RU61



11AX20MIMO Ant1 5825 242Tone_RU61

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059


Fax: (86)755-27521011

Http://www.sz-ctc.org.cn




For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :


<http://yz.cnca.cn>




11AX20MIMO Ant2 5825 242Tone_RU61




11AX20MIMO Ant3 5825 242Tone_RU61




11AX20MIMO Ant4 5825 242Tone_RU61



11AX40MIMO Ant1 5755 484Tone_RU65



11AX40MIMO Ant2 5755 484Tone_RU65



11AX40MIMO Ant3 5755 484Tone_RU65

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059


Fax: (86)755-27521011

Http://www.sz-ctc.org.cn




For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :


<http://yz.cnca.cn>



11AX40MIMO Ant4 5755 484Tone RU65



11AX40MIMO Ant1 5795 484Tone RU65



11AX40MIMO Ant2 5795 484Tone RU65

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059


Fax: (86)755-27521011

Http://www.sz-ctc.org.cn




For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :


<http://yz.cnca.cn>



11AX40MIMO Ant3 5795 484Tone RU65



11AX40MIMO Ant4 5795 484Tone RU65



11AX80MIMO Ant1 5775 996Tone RU67

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059


Fax: (86)755-27521011

Http://www.sz-ctc.org.cn




For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :


<http://yz.cnca.cn>



11AX80MIMO Ant2 5775 996Tone_RU67



11AX80MIMO Ant3 5775 996Tone_RU67



11AX80MIMO Ant4 5775 996Tone_RU67

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 [Http://www.sz-ctc.org.cn](http://www.sz-ctc.org.cn)

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://yz.cnca.cn>




3.5. Peak Output Power

Limit

FCC CFR Title 47 Part 15 Subpart E Section 15.407(a)

Test Item	Limit	Frequency Range (MHz)
Conducted Output Power	Fixed: 1 Watt (30dBm) Mobile and Portable: 250mW (24dBm)	5150~5250
	250mW (24dBm)	5250~5350
	250mW (24dBm)	5500~5700
	1 Watt (30dBm)	5725~5850

Test Configuration



Test Procedure

The measurement is according to section 3 of KDB 789033 D02 General UNII Test Procedures New Rules V02r01.

Test Mode

Please refer to the clause 2.4.

**Test Result**

Test Mode	Antenna	Freq(MHz)	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	18.30	≤30	PASS
	Ant2	5180	16.42	≤30	PASS
	Ant3	5180	16.73	≤30	PASS
	Ant4	5180	15.69	≤30	PASS
	Ant1	5200	17.59	≤30	PASS
	Ant2	5200	17.07	≤30	PASS
	Ant3	5200	16.89	≤30	PASS
	Ant4	5200	15.83	≤30	PASS
	Ant1	5240	18.47	≤30	PASS
	Ant2	5240	17.31	≤30	PASS
	Ant3	5240	16.71	≤30	PASS
	Ant4	5240	15.87	≤30	PASS
	Ant1	5260	16.65	≤23.98	PASS
	Ant2	5260	15.79	≤23.98	PASS
	Ant3	5260	16.13	≤23.98	PASS
	Ant4	5260	15.18	≤23.98	PASS
	Ant1	5280	17.68	≤23.98	PASS
	Ant2	5280	17.37	≤23.98	PASS
	Ant3	5280	16.46	≤23.97	PASS
	Ant4	5280	15.50	≤23.98	PASS
	Ant1	5320	17.53	≤23.98	PASS
	Ant2	5320	19.02	≤23.98	PASS
	Ant3	5320	18.28	≤23.98	PASS
	Ant4	5320	18.19	≤23.98	PASS
	Ant1	5500	16.95	≤23.98	PASS
	Ant2	5500	17.88	≤23.98	PASS
	Ant3	5500	17.09	≤23.98	PASS
	Ant4	5500	17.50	≤23.98	PASS
	Ant1	5580	16.96	≤23.98	PASS
	Ant2	5580	18.74	≤23.98	PASS
	Ant3	5580	17.53	≤23.98	PASS
	Ant4	5580	17.26	≤23.98	PASS
	Ant1	5700	17.28	≤23.98	PASS
	Ant2	5700	17.51	≤23.98	PASS
	Ant3	5700	16.90	≤23.98	PASS
	Ant4	5700	17.19	≤23.98	PASS
	Ant1	5745	16.96	≤30.00	PASS
	Ant2	5745	16.81	≤30.00	PASS
	Ant3	5745	17.23	≤30.00	PASS
	Ant4	5745	17.79	≤30.00	PASS
	Ant1	5785	17.29	≤30.00	PASS
	Ant2	5785	17.14	≤30.00	PASS
	Ant3	5785	17.40	≤30.00	PASS
	Ant4	5785	17.78	≤30.00	PASS
	Ant1	5825	17.10	≤30.00	PASS
	Ant2	5825	16.84	≤30.00	PASS
	Ant3	5825	16.82	≤30.00	PASS
	Ant4	5825	17.44	≤30.00	PASS
11N20MIMO	total	5180	16.75	≤27.48	PASS
	total	5200	16.99	≤27.48	PASS
	total	5240	17.07	≤27.48	PASS
	total	5260	17.23	≤21.46	PASS
	total	5280	17.26	≤21.46	PASS
	total	5320	16.79	≤21.46	PASS
	total	5500	16.63	≤21.46	PASS
	total	5580	16.97	≤21.46	PASS
	total	5700	16.70	≤21.46	PASS
	total	5745	16.29	≤27.48	PASS
	total	5785	16.18	≤27.48	PASS

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 [Http://www.sz-ctc.org.cn](http://www.sz-ctc.org.cn)

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://yz.cnca.cn>



	total	5825	16.25	≤27.48	PASS
11N40MIMO	total	5190	15.45	≤27.48	PASS
	total	5230	15.75	≤27.48	PASS
	total	5270	15.74	≤21.46	PASS
	total	5310	15.78	≤21.46	PASS
	total	5510	15.28	≤21.46	PASS
	total	5550	15.22	≤21.46	PASS
	total	5670	15.67	≤21.46	PASS
	total	5755	15.78	≤27.48	PASS
	total	5795	16.10	≤27.48	PASS
11AC20MIMO	total	5180	15.71	≤27.48	PASS
	total	5200	15.46	≤27.48	PASS
	total	5240	15.90	≤27.48	PASS
	total	5260	15.12	≤21.46	PASS
	total	5280	15.54	≤21.46	PASS
	total	5320	15.56	≤21.46	PASS
	total	5500	15.25	≤21.46	PASS
	total	5580	15.74	≤21.46	PASS
	total	5745	14.85	≤27.48	PASS
11AC40MIMO	total	5785	15.51	≤27.48	PASS
	total	5825	15.54	≤27.48	PASS
	total	5190	16.11	≤27.48	PASS
	total	5230	16.05	≤27.48	PASS
	total	5270	15.79	≤21.46	PASS
	total	5310	15.92	≤21.46	PASS
	total	5510	15.63	≤21.46	PASS
	total	5550	15.50	≤21.46	PASS
	total	5670	15.81	≤21.46	PASS
11AC80MIMO	total	5755	15.12	≤27.48	PASS
	total	5795	14.89	≤27.48	PASS
	total	5210	13.65	≤27.48	PASS
	total	5290	14.81	≤23.98	PASS
	total	5530	13.35	≤21.46	PASS
	total	5610	15.41	≤21.46	PASS
	total	5775	14.59	≤30.00	PASS



Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	Result [dBm]	Limit [dBm]	Verdict
11AX20MIMO	total	5180	242Tone	RU61	16.28	≤27.48	PASS
11AX20MIMO	total	5180	26Tone	RU0	15.97	≤27.48	PASS
11AX20MIMO	total	5180	26Tone	RU4	13.50	≤27.48	PASS
11AX20MIMO	total	5180	26Tone	RU8	16.31	≤27.48	PASS
11AX20MIMO	total	5180	52Tone	RU37	15.19	≤27.48	PASS
11AX20MIMO	total	5180	52Tone	RU38	15.00	≤27.48	PASS
11AX20MIMO	total	5180	52Tone	RU40	13.81	≤27.48	PASS
11AX20MIMO	total	5180	106Tone	RU53	15.46	≤27.48	PASS
11AX20MIMO	total	5180	106Tone	RU54	15.71	≤27.48	PASS
11AX20MIMO	total	5200	242Tone	RU61	17.21	≤27.48	PASS
11AX20MIMO	total	5200	26Tone	RU0	15.90	≤27.48	PASS
11AX20MIMO	total	5200	26Tone	RU4	15.64	≤27.48	PASS
11AX20MIMO	total	5200	26Tone	RU8	15.78	≤27.48	PASS
11AX20MIMO	total	5200	52Tone	RU37	16.01	≤27.48	PASS
11AX20MIMO	total	5200	52Tone	RU38	15.95	≤27.48	PASS
11AX20MIMO	total	5200	52Tone	RU40	15.45	≤27.48	PASS
11AX20MIMO	total	5200	106Tone	RU53	15.92	≤27.48	PASS
11AX20MIMO	total	5200	106Tone	RU54	15.57	≤27.48	PASS
11AX20MIMO	total	5240	242Tone	RU61	16.67	≤27.48	PASS
11AX20MIMO	total	5240	26Tone	RU0	16.01	≤27.48	PASS
11AX20MIMO	total	5240	26Tone	RU4	16.52	≤27.48	PASS
11AX20MIMO	total	5240	26Tone	RU8	16.42	≤27.48	PASS
11AX20MIMO	total	5240	52Tone	RU37	16.58	≤27.48	PASS
11AX20MIMO	total	5240	52Tone	RU38	16.65	≤27.48	PASS
11AX20MIMO	total	5240	52Tone	RU40	15.75	≤27.48	PASS
11AX20MIMO	total	5240	106Tone	RU53	16.17	≤27.48	PASS
11AX20MIMO	total	5240	106Tone	RU54	16.33	≤27.48	PASS
11AX20MIMO	total	5260	242Tone	RU61	17.30	≤21.46	PASS
11AX20MIMO	total	5260	26Tone	RU0	10.62	≤21.46	PASS
11AX20MIMO	total	5260	26Tone	RU4	10.92	≤21.46	PASS
11AX20MIMO	total	5260	26Tone	RU8	9.74	≤21.46	PASS
11AX20MIMO	total	5260	52Tone	RU37	13.14	≤21.46	PASS
11AX20MIMO	total	5260	52Tone	RU38	13.47	≤21.46	PASS
11AX20MIMO	total	5260	52Tone	RU40	12.84	≤21.46	PASS
11AX20MIMO	total	5260	106Tone	RU53	13.18	≤21.46	PASS
11AX20MIMO	total	5260	106Tone	RU54	13.27	≤21.46	PASS
11AX20MIMO	total	5280	242Tone	RU61	17.28	≤21.46	PASS
11AX20MIMO	total	5280	26Tone	RU0	10.76	≤21.46	PASS
11AX20MIMO	total	5280	26Tone	RU4	10.32	≤21.46	PASS
11AX20MIMO	total	5280	26Tone	RU8	10.01	≤21.46	PASS
11AX20MIMO	total	5280	52Tone	RU37	13.88	≤21.46	PASS
11AX20MIMO	total	5280	52Tone	RU38	13.24	≤21.46	PASS
11AX20MIMO	total	5280	52Tone	RU40	13.10	≤21.46	PASS
11AX20MIMO	total	5280	106Tone	RU53	13.50	≤21.46	PASS
11AX20MIMO	total	5280	106Tone	RU54	13.58	≤21.46	PASS
11AX20MIMO	total	5320	242Tone	RU61	17.51	≤21.46	PASS
11AX20MIMO	total	5320	26Tone	RU0	11.27	≤21.46	PASS
11AX20MIMO	total	5320	26Tone	RU4	11.28	≤21.46	PASS
11AX20MIMO	total	5320	26Tone	RU8	10.07	≤21.46	PASS
11AX20MIMO	total	5320	52Tone	RU37	13.01	≤21.46	PASS
11AX20MIMO	total	5320	52Tone	RU38	14.06	≤21.46	PASS
11AX20MIMO	total	5320	52Tone	RU40	12.60	≤21.46	PASS
11AX20MIMO	total	5320	106Tone	RU53	13.35	≤21.46	PASS
11AX20MIMO	total	5320	106Tone	RU54	13.33	≤21.46	PASS
11AX20MIMO	total	5500	242Tone	RU61	16.32	≤21.46	PASS
11AX20MIMO	total	5500	26Tone	RU0	10.76	≤21.46	PASS
11AX20MIMO	total	5500	26Tone	RU4	9.66	≤21.46	PASS
11AX20MIMO	total	5500	26Tone	RU8	9.86	≤21.46	PASS
11AX20MIMO	total	5500	52Tone	RU37	12.63	≤21.46	PASS
11AX20MIMO	total	5500	52Tone	RU38	11.89	≤21.46	PASS
11AX20MIMO	total	5500	52Tone	RU40	12.66	≤21.46	PASS

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://yz.cnca.cn>



11AX20MIMO	total	5500	106Tone	RU53	12.92	≤21.46	PASS
11AX20MIMO	total	5500	106Tone	RU54	13.02	≤21.46	PASS
11AX20MIMO	total	5580	242Tone	RU61	16.62	≤21.46	PASS
11AX20MIMO	total	5580	26Tone	RU0	10.51	≤21.46	PASS
11AX20MIMO	total	5580	26Tone	RU4	11.14	≤21.46	PASS
11AX20MIMO	total	5580	26Tone	RU8	9.63	≤21.46	PASS
11AX20MIMO	total	5580	52Tone	RU37	12.47	≤21.46	PASS
11AX20MIMO	total	5580	52Tone	RU38	12.76	≤21.46	PASS
11AX20MIMO	total	5580	52Tone	RU40	12.56	≤21.46	PASS
11AX20MIMO	total	5580	106Tone	RU53	13.05	≤21.46	PASS
11AX20MIMO	total	5580	106Tone	RU54	13.04	≤21.46	PASS
11AX20MIMO	total	5700	242Tone	RU61	16.81	≤21.46	PASS
11AX20MIMO	total	5700	26Tone	RU0	10.06	≤21.46	PASS
11AX20MIMO	total	5700	26Tone	RU4	10.73	≤21.46	PASS
11AX20MIMO	total	5700	26Tone	RU8	9.09	≤21.46	PASS
11AX20MIMO	total	5700	52Tone	RU37	11.72	≤21.46	PASS
11AX20MIMO	total	5700	52Tone	RU38	13.78	≤21.46	PASS
11AX20MIMO	total	5700	52Tone	RU40	12.14	≤21.46	PASS
11AX20MIMO	total	5700	106Tone	RU53	12.61	≤21.46	PASS
11AX20MIMO	total	5700	106Tone	RU54	12.61	≤21.46	PASS
11AX20MIMO	total	5745	242Tone	RU61	16.89	≤27.48	PASS
11AX20MIMO	total	5745	26Tone	RU0	15.56	≤27.48	PASS
11AX20MIMO	total	5745	26Tone	RU4	15.76	≤27.48	PASS
11AX20MIMO	total	5745	26Tone	RU8	15.97	≤27.48	PASS
11AX20MIMO	total	5745	52Tone	RU37	16.19	≤27.48	PASS
11AX20MIMO	total	5745	52Tone	RU38	15.61	≤27.48	PASS
11AX20MIMO	total	5745	52Tone	RU40	15.60	≤27.48	PASS
11AX20MIMO	total	5745	106Tone	RU53	16.14	≤27.48	PASS
11AX20MIMO	total	5745	106Tone	RU54	16.06	≤27.48	PASS
11AX20MIMO	total	5785	242Tone	RU61	16.70	≤27.48	PASS
11AX20MIMO	total	5785	26Tone	RU0	15.89	≤27.48	PASS
11AX20MIMO	total	5785	26Tone	RU4	15.67	≤27.48	PASS
11AX20MIMO	total	5785	26Tone	RU8	15.77	≤27.48	PASS
11AX20MIMO	total	5785	52Tone	RU37	14.98	≤27.48	PASS
11AX20MIMO	total	5785	52Tone	RU38	15.72	≤27.48	PASS
11AX20MIMO	total	5785	52Tone	RU40	15.64	≤27.48	PASS
11AX20MIMO	total	5785	106Tone	RU53	16.16	≤27.48	PASS
11AX20MIMO	total	5785	106Tone	RU54	15.76	≤27.48	PASS
11AX20MIMO	total	5825	242Tone	RU61	16.88	≤27.48	PASS
11AX20MIMO	total	5825	26Tone	RU0	15.58	≤27.48	PASS
11AX20MIMO	total	5825	26Tone	RU4	15.41	≤27.48	PASS
11AX20MIMO	total	5825	26Tone	RU8	15.71	≤27.48	PASS
11AX20MIMO	total	5825	52Tone	RU37	16.38	≤27.48	PASS
11AX20MIMO	total	5825	52Tone	RU38	16.27	≤27.48	PASS
11AX20MIMO	total	5825	52Tone	RU40	15.42	≤27.48	PASS
11AX20MIMO	total	5825	106Tone	RU53	15.92	≤27.48	PASS
11AX20MIMO	total	5825	106Tone	RU54	16.13	≤27.48	PASS
11AX40MIMO	total	5190	484Tone	RU65	17.22	≤27.48	PASS
11AX40MIMO	total	5190	26Tone	RU0	15.79	≤27.48	PASS
11AX40MIMO	total	5190	26Tone	RU8	16.75	≤27.48	PASS
11AX40MIMO	total	5190	26Tone	RU17	15.28	≤27.48	PASS
11AX40MIMO	total	5190	52Tone	RU37	16.06	≤27.48	PASS
11AX40MIMO	total	5190	52Tone	RU40	16.43	≤27.48	PASS
11AX40MIMO	total	5190	52Tone	RU44	15.99	≤27.48	PASS
11AX40MIMO	total	5190	106Tone	RU53	16.57	≤27.48	PASS
11AX40MIMO	total	5190	106Tone	RU54	15.98	≤27.48	PASS
11AX40MIMO	total	5190	106Tone	RU56	16.28	≤27.48	PASS
11AX40MIMO	total	5190	242Tone	RU61	16.22	≤27.48	PASS
11AX40MIMO	total	5190	242Tone	RU62	16.16	≤27.48	PASS
11AX40MIMO	total	5230	484Tone	RU65	17.77	≤27.48	PASS
11AX40MIMO	total	5230	26Tone	RU0	15.99	≤27.48	PASS
11AX40MIMO	total	5230	26Tone	RU8	16.37	≤27.48	PASS
11AX40MIMO	total	5230	26Tone	RU17	16.60	≤27.48	PASS
11AX40MIMO	total	5230	52Tone	RU37	17.43	≤27.48	PASS
11AX40MIMO	total	5230	52Tone	RU40	17.21	≤27.48	PASS

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 <http://www.sz-ctc.org.cn>

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://yz.cnca.cn>



11AX40MIMO	total	5230	52Tone	RU44	16.86	≤27.48	PASS
11AX40MIMO	total	5230	106Tone	RU53	17.00	≤27.48	PASS
11AX40MIMO	total	5230	106Tone	RU54	16.75	≤27.48	PASS
11AX40MIMO	total	5230	106Tone	RU56	17.00	≤27.48	PASS
11AX40MIMO	total	5230	242Tone	RU61	17.06	≤27.48	PASS
11AX40MIMO	total	5230	242Tone	RU62	17.25	≤27.48	PASS
11AX40MIMO	total	5270	484Tone	RU65	17.16	≤21.46	PASS
11AX40MIMO	total	5270	26Tone	RU0	16.51	≤21.46	PASS
11AX40MIMO	total	5270	26Tone	RU8	10.14	≤21.46	PASS
11AX40MIMO	total	5270	26Tone	RU17	16.76	≤21.46	PASS
11AX40MIMO	total	5270	52Tone	RU37	16.48	≤21.46	PASS
11AX40MIMO	total	5270	52Tone	RU40	12.89	≤21.46	PASS
11AX40MIMO	total	5270	52Tone	RU44	16.84	≤21.46	PASS
11AX40MIMO	total	5270	106Tone	RU53	17.01	≤21.46	PASS
11AX40MIMO	total	5270	106Tone	RU54	15.34	≤21.46	PASS
11AX40MIMO	total	5270	106Tone	RU56	16.84	≤21.46	PASS
11AX40MIMO	total	5270	242Tone	RU61	16.51	≤21.46	PASS
11AX40MIMO	total	5270	242Tone	RU62	16.68	≤21.46	PASS
11AX40MIMO	total	5310	484Tone	RU65	17.20	≤21.46	PASS
11AX40MIMO	total	5310	26Tone	RU0	16.41	≤21.46	PASS
11AX40MIMO	total	5310	26Tone	RU8	10.36	≤21.46	PASS
11AX40MIMO	total	5310	26Tone	RU17	9.61	≤21.46	PASS
11AX40MIMO	total	5310	52Tone	RU37	12.07	≤21.46	PASS
11AX40MIMO	total	5310	52Tone	RU40	12.05	≤21.46	PASS
11AX40MIMO	total	5310	52Tone	RU44	12.10	≤21.46	PASS
11AX40MIMO	total	5310	106Tone	RU53	14.74	≤21.46	PASS
11AX40MIMO	total	5310	106Tone	RU54	14.92	≤21.46	PASS
11AX40MIMO	total	5310	106Tone	RU56	14.35	≤21.46	PASS
11AX40MIMO	total	5310	242Tone	RU61	14.64	≤21.46	PASS
11AX40MIMO	total	5310	242Tone	RU62	13.99	≤21.46	PASS
11AX40MIMO	total	5510	484Tone	RU65	16.30	≤21.46	PASS
11AX40MIMO	total	5510	26Tone	RU0	8.45	≤21.46	PASS
11AX40MIMO	total	5510	26Tone	RU8	9.04	≤21.46	PASS
11AX40MIMO	total	5510	26Tone	RU17	8.88	≤21.46	PASS
11AX40MIMO	total	5510	52Tone	RU37	10.71	≤21.46	PASS
11AX40MIMO	total	5510	52Tone	RU40	12.13	≤21.46	PASS
11AX40MIMO	total	5510	52Tone	RU44	10.71	≤21.46	PASS
11AX40MIMO	total	5510	106Tone	RU53	15.16	≤21.46	PASS
11AX40MIMO	total	5510	106Tone	RU54	15.16	≤21.46	PASS
11AX40MIMO	total	5510	106Tone	RU56	14.07	≤21.46	PASS
11AX40MIMO	total	5510	242Tone	RU61	14.70	≤21.46	PASS
11AX40MIMO	total	5510	242Tone	RU62	14.20	≤21.46	PASS
11AX40MIMO	total	5550	484Tone	RU65	16.07	≤21.46	PASS
11AX40MIMO	total	5550	26Tone	RU0	8.04	≤21.46	PASS
11AX40MIMO	total	5550	26Tone	RU8	9.78	≤21.46	PASS
11AX40MIMO	total	5550	26Tone	RU17	9.56	≤21.46	PASS
11AX40MIMO	total	5550	52Tone	RU37	12.45	≤21.46	PASS
11AX40MIMO	total	5550	52Tone	RU40	12.98	≤21.46	PASS
11AX40MIMO	total	5550	52Tone	RU44	12.87	≤21.46	PASS
11AX40MIMO	total	5550	106Tone	RU53	14.93	≤21.46	PASS
11AX40MIMO	total	5550	106Tone	RU54	15.67	≤21.46	PASS
11AX40MIMO	total	5550	106Tone	RU56	13.73	≤21.46	PASS
11AX40MIMO	total	5550	242Tone	RU61	13.59	≤21.46	PASS
11AX40MIMO	total	5550	242Tone	RU62	13.71	≤21.46	PASS
11AX40MIMO	total	5670	484Tone	RU65	16.89	≤21.46	PASS
11AX40MIMO	total	5670	26Tone	RU0	13.88	≤21.46	PASS
11AX40MIMO	total	5670	26Tone	RU8	10.03	≤21.46	PASS
11AX40MIMO	total	5670	26Tone	RU17	10.94	≤21.46	PASS
11AX40MIMO	total	5670	52Tone	RU37	12.51	≤21.46	PASS
11AX40MIMO	total	5670	52Tone	RU40	12.61	≤21.46	PASS
11AX40MIMO	total	5670	52Tone	RU44	12.36	≤21.46	PASS
11AX40MIMO	total	5670	106Tone	RU53	13.33	≤21.46	PASS
11AX40MIMO	total	5670	106Tone	RU54	13.46	≤21.46	PASS
11AX40MIMO	total	5670	106Tone	RU56	13.55	≤21.46	PASS
11AX40MIMO	total	5670	242Tone	RU61	13.67	≤21.46	PASS

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://yz.cnca.cn>



11AX40MIMO	total	5670	242Tone	RU62	13.68	≤21.46	PASS
11AX40MIMO	total	5755	484Tone	RU65	17.13	≤27.48	PASS
11AX40MIMO	total	5755	26Tone	RU0	13.06	≤27.48	PASS
11AX40MIMO	total	5755	26Tone	RU8	13.32	≤27.48	PASS
11AX40MIMO	total	5755	26Tone	RU17	13.16	≤27.48	PASS
11AX40MIMO	total	5755	52Tone	RU37	13.76	≤27.48	PASS
11AX40MIMO	total	5755	52Tone	RU40	14.06	≤27.48	PASS
11AX40MIMO	total	5755	52Tone	RU44	13.38	≤27.48	PASS
11AX40MIMO	total	5755	106Tone	RU53	12.95	≤27.48	PASS
11AX40MIMO	total	5755	106Tone	RU54	14.57	≤27.48	PASS
11AX40MIMO	total	5755	106Tone	RU56	13.48	≤27.48	PASS
11AX40MIMO	total	5755	242Tone	RU61	12.88	≤27.48	PASS
11AX40MIMO	total	5755	242Tone	RU62	12.98	≤27.48	PASS
11AX40MIMO	total	5795	484Tone	RU65	17.52	≤27.48	PASS
11AX40MIMO	total	5795	26Tone	RU0	12.88	≤27.48	PASS
11AX40MIMO	total	5795	26Tone	RU8	13.14	≤27.48	PASS
11AX40MIMO	total	5795	26Tone	RU17	12.19	≤27.48	PASS
11AX40MIMO	total	5795	52Tone	RU37	13.83	≤27.48	PASS
11AX40MIMO	total	5795	52Tone	RU40	14.35	≤27.48	PASS
11AX40MIMO	total	5795	52Tone	RU44	13.51	≤27.48	PASS
11AX40MIMO	total	5795	106Tone	RU53	12.98	≤27.48	PASS
11AX40MIMO	total	5795	106Tone	RU54	14.76	≤27.48	PASS
11AX40MIMO	total	5795	106Tone	RU56	13.52	≤27.48	PASS
11AX40MIMO	total	5795	242Tone	RU61	12.71	≤27.48	PASS
11AX40MIMO	total	5795	242Tone	RU62	12.81	≤27.48	PASS
11AX80MIMO	total	5210	996Tone	RU67	17.34	≤27.48	PASS
11AX80MIMO	total	5210	26Tone	RU0	13.58	≤27.48	PASS
11AX80MIMO	total	5210	26Tone	RU17	13.99	≤27.48	PASS
11AX80MIMO	total	5210	26Tone	RU36	13.64	≤27.48	PASS
11AX80MIMO	total	5210	52Tone	RU37	13.77	≤27.48	PASS
11AX80MIMO	total	5210	52Tone	RU44	13.83	≤27.48	PASS
11AX80MIMO	total	5210	52Tone	RU52	13.29	≤27.48	PASS
11AX80MIMO	total	5210	106Tone	RU53	15.03	≤27.48	PASS
11AX80MIMO	total	5210	106Tone	RU56	15.32	≤27.48	PASS
11AX80MIMO	total	5210	106Tone	RU60	14.82	≤27.48	PASS
11AX80MIMO	total	5210	242Tone	RU61	15.24	≤27.48	PASS
11AX80MIMO	total	5210	242Tone	RU62	15.50	≤27.48	PASS
11AX80MIMO	total	5210	242Tone	RU64	14.89	≤27.48	PASS
11AX80MIMO	total	5210	484Tone	RU65	15.53	≤27.48	PASS
11AX80MIMO	total	5210	484Tone	RU66	15.41	≤27.48	PASS
11AX80MIMO	total	5290	996Tone	RU67	13.84	≤23.98	PASS
11AX80MIMO	total	5290	26Tone	RU0	8.96	≤23.98	PASS
11AX80MIMO	total	5290	26Tone	RU17	9.52	≤21.46	PASS
11AX80MIMO	total	5290	26Tone	RU36	9.13	≤21.46	PASS
11AX80MIMO	total	5290	52Tone	RU37	9.41	≤21.46	PASS
11AX80MIMO	total	5290	52Tone	RU44	10.37	≤21.46	PASS
11AX80MIMO	total	5290	52Tone	RU52	9.14	≤21.46	PASS
11AX80MIMO	total	5290	106Tone	RU53	9.79	≤21.46	PASS
11AX80MIMO	total	5290	106Tone	RU56	10.60	≤21.46	PASS
11AX80MIMO	total	5290	106Tone	RU60	9.40	≤21.46	PASS
11AX80MIMO	total	5290	242Tone	RU61	10.30	≤21.46	PASS
11AX80MIMO	total	5290	242Tone	RU62	10.71	≤21.46	PASS
11AX80MIMO	total	5290	242Tone	RU64	9.80	≤21.46	PASS
11AX80MIMO	total	5290	484Tone	RU65	10.67	≤21.46	PASS
11AX80MIMO	total	5290	484Tone	RU66	11.00	≤21.46	PASS
11AX80MIMO	total	5530	996Tone	RU67	16.27	≤21.46	PASS
11AX80MIMO	total	5530	26Tone	RU0	9.46	≤21.46	PASS
11AX80MIMO	total	5530	26Tone	RU17	10.14	≤21.46	PASS
11AX80MIMO	total	5530	26Tone	RU36	9.67	≤21.46	PASS
11AX80MIMO	total	5530	52Tone	RU37	10.25	≤21.46	PASS
11AX80MIMO	total	5530	52Tone	RU44	11.01	≤21.46	PASS
11AX80MIMO	total	5530	52Tone	RU52	9.80	≤21.46	PASS
11AX80MIMO	total	5530	106Tone	RU53	10.38	≤21.46	PASS
11AX80MIMO	total	5530	106Tone	RU56	11.16	≤21.46	PASS
11AX80MIMO	total	5530	106Tone	RU60	9.83	≤21.46	PASS

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 <http://www.sz-ctc.org.cn>

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://yz.cnca.cn>



11AX80MIMO	total	5530	242Tone	RU61	10.56	≤21.46	PASS
11AX80MIMO	total	5530	242Tone	RU62	10.88	≤21.46	PASS
11AX80MIMO	total	5530	242Tone	RU64	10.12	≤21.46	PASS
11AX80MIMO	total	5530	484Tone	RU65	10.97	≤21.46	PASS
11AX80MIMO	total	5530	484Tone	RU66	11.27	≤21.46	PASS
11AX80MIMO	total	5610	996Tone	RU67	16.08	≤21.46	PASS
11AX80MIMO	total	5610	26Tone	RU0	10.68	≤21.46	PASS
11AX80MIMO	total	5610	26Tone	RU17	10.64	≤21.46	PASS
11AX80MIMO	total	5610	26Tone	RU36	10.64	≤21.46	PASS
11AX80MIMO	total	5610	52Tone	RU37	10.58	≤21.46	PASS
11AX80MIMO	total	5610	52Tone	RU44	11.33	≤21.46	PASS
11AX80MIMO	total	5610	52Tone	RU52	10.24	≤21.46	PASS
11AX80MIMO	total	5610	106Tone	RU53	10.55	≤21.46	PASS
11AX80MIMO	total	5610	106Tone	RU56	11.23	≤21.46	PASS
11AX80MIMO	total	5610	106Tone	RU60	10.87	≤21.46	PASS
11AX80MIMO	total	5610	242Tone	RU61	11.16	≤21.46	PASS
11AX80MIMO	total	5610	242Tone	RU62	12.41	≤21.46	PASS
11AX80MIMO	total	5610	242Tone	RU64	10.88	≤21.46	PASS
11AX80MIMO	total	5610	484Tone	RU65	10.74	≤21.46	PASS
11AX80MIMO	total	5610	484Tone	RU66	11.08	≤21.46	PASS
11AX80MIMO	total	5775	996Tone	RU67	17.21	≤27.48	PASS
11AX80MIMO	total	5775	26Tone	RU0	9.15	≤27.48	PASS
11AX80MIMO	total	5775	26Tone	RU17	7.83	≤27.48	PASS
11AX80MIMO	total	5775	26Tone	RU36	8.79	≤27.48	PASS
11AX80MIMO	total	5775	52Tone	RU37	9.81	≤27.48	PASS
11AX80MIMO	total	5775	52Tone	RU44	11.21	≤27.48	PASS
11AX80MIMO	total	5775	52Tone	RU52	10.34	≤27.48	PASS
11AX80MIMO	total	5775	106Tone	RU53	10.28	≤27.48	PASS
11AX80MIMO	total	5775	106Tone	RU56	10.32	≤27.48	PASS
11AX80MIMO	total	5775	106Tone	RU60	9.46	≤27.48	PASS
11AX80MIMO	total	5775	242Tone	RU61	10.70	≤27.48	PASS
11AX80MIMO	total	5775	242Tone	RU62	11.21	≤27.48	PASS
11AX80MIMO	total	5775	242Tone	RU64	10.90	≤27.48	PASS
11AX80MIMO	total	5775	484Tone	RU65	11.24	≤27.48	PASS
11AX80MIMO	total	5775	484Tone	RU66	11.31	≤27.48	PASS



3.6. Power Spectral Density

Limit

FCC CFR Title 47 Part 15 Subpart E Section 15.407(a)

For the 5.15–5.25GHz band:

- Outdoor AP
The peak power spectral density (PSD) shall not exceed the lesser of 17dBm/MHz.
If $G_{TX} > 6\text{dBi}$, then $\text{PSD} = 17 - (G_{TX} - 6)$.
- Indoor AP
The peak power spectral density (PSD) shall not exceed the lesser of 17dBm/MHz.
If $G_{TX} > 6\text{dBi}$, then $\text{PSD} = 17 - (G_{TX} - 6)$.
- Point-to-point AP
The peak power spectral density (PSD) shall not exceed the lesser of 17dBm/MHz.
If $G_{TX} > 23\text{dBi}$, then $\text{PSD} = 17 - (G_{TX} - 23)$.
- Client devices
The peak power spectral density (PSD) shall not exceed the lesser of 11dBm/MHz.
If $G_{TX} > 6\text{dBi}$, then $\text{PSD} = 11 - (G_{TX} - 6)$.

For the 5.25–5.35GHz band:

The peak power spectral density (PSD) shall not exceed the lesser of 11dBm/MHz.
If $G_{TX} > 6\text{dBi}$, then $\text{PSD} = 11 - (G_{TX} - 6)$.

For the 5.47–5.725GHz band:


The peak power spectral density (PSD) shall not exceed the lesser of 11dBm/MHz.
If $G_{TX} > 6\text{dBi}$, then $\text{PSD} = 11 - (G_{TX} - 6)$.

For the 5.725–5.85GHz band:

- Point-to-multipoint systems (P2M)
The peak power spectral density (PSD) shall not exceed the lesser of 30dBm/500kHz.
If $G_{TX} > 6\text{dBi}$, then $\text{PSD} = 30 - (G_{TX} - 6)$.
- Point-to-point systems (P2P)
The peak power spectral density (PSD) shall not exceed the lesser of 30dBm/500kHz.

Note: G_{TX} : EUT Antenna gain.

Test Configuration



Test Procedure

The EUT was directly connected to the Spectrum Analyzer and antenna output port as show in the block diagram above. The measurement is according to KDB 789033 D02 General UNII Test Procedures New Rules V02r01.

- (1) The EUT was directly connected to the spectrum analyzer and antenna output port as show in the block diagram above.
- (2) Set analyzer center frequency to transmitting frequency.
- (3) Set the span to encompass the entire emissions bandwidth (EBW) (alternatively, the entire 99% OBW) of the signal.
- (4) RBW=1MHz for devices operating in the bands 5.15-5.25 GHz, 5.25-5.35 GHz, and 5.47-5.725 GHz
RBW=500kHz for devices operating in the band 5.725-5.85 GHz.
- (5) Set the VBW to: ≥ 3 RBW
- (6) Detector: AVG
- (7) Trace: Max Hold and View



- (7) Sweep time: auto
- (8) Trace average at least 100 traces in power averaging.
- (9) User the peak marker function to determine the maximum amplitude level within the RBW. Apply correction to the result if different RBW is used.

NOTE: The EUT was set to continuously transmitting in each mode and low, middle and high channel for the test.

Test Mode

Please refer to the clause 2.4.

**Test Result**

TestMode	Antenna	Freq(MHz)	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5180	7.62	≤17.00	PASS
	Ant2	5180	5.38	≤17.00	PASS
	Ant3	5180	6.46	≤17.00	PASS
	Ant4	5180	4.73	≤17.00	PASS
	Ant1	5200	7.27	≤17.00	PASS
	Ant2	5200	6.03	≤17.00	PASS
	Ant3	5200	6.06	≤17.00	PASS
	Ant4	5200	5.09	≤17.00	PASS
	Ant1	5240	7.53	≤17.00	PASS
	Ant2	5240	6.25	≤17.00	PASS
	Ant3	5240	6.28	≤17.00	PASS
	Ant4	5240	4.86	≤17.00	PASS
	Ant1	5260	6.15	≤11.00	PASS
	Ant2	5260	5.11	≤11.00	PASS
	Ant3	5260	5.32	≤11.00	PASS
	Ant4	5260	4.51	≤11.00	PASS
	Ant1	5280	7.15	≤11.00	PASS
	Ant2	5280	6.70	≤11.00	PASS
	Ant3	5280	6.05	≤11.00	PASS
	Ant4	5280	4.78	≤11.00	PASS
	Ant1	5320	7.15	≤11.00	PASS
	Ant2	5320	8.32	≤11.00	PASS
	Ant3	5320	7.68	≤11.00	PASS
	Ant4	5320	7.60	≤11.00	PASS
	Ant1	5500	5.87	≤11.00	PASS
	Ant2	5500	6.89	≤11.00	PASS
	Ant3	5500	6.43	≤11.00	PASS
	Ant4	5500	6.61	≤11.00	PASS
	Ant1	5580	6.38	≤11.00	PASS
	Ant2	5580	7.93	≤11.00	PASS
	Ant3	5580	6.90	≤11.00	PASS
	Ant4	5580	6.83	≤11.00	PASS
	Ant1	5700	6.83	≤11.00	PASS
	Ant2	5700	6.78	≤11.00	PASS
	Ant3	5700	6.31	≤11.00	PASS
	Ant4	5700	6.83	≤11.00	PASS
	Ant1	5745	3.53	≤30.00	PASS
	Ant2	5745	3.37	≤30.00	PASS
	Ant3	5745	3.24	≤30.00	PASS
	Ant4	5745	4.39	≤30.00	PASS
11N20MIMO	Ant1	5180	0.77	≤14.48	PASS
	Ant2	5180	-0.40	≤14.48	PASS
	Ant3	5180	-0.95	≤14.48	PASS
	Ant4	5180	-0.01	≤14.48	PASS
	total	5180	5.92	≤14.48	PASS
	Ant1	5200	0.94	≤14.48	PASS
	Ant2	5200	-0.38	≤14.48	PASS
	Ant3	5200	-1.60	≤14.48	PASS
	Ant4	5200	0.75	≤14.48	PASS
	total	5200	6.06	≤14.48	PASS
	Ant1	5240	0.62	≤14.48	PASS

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 [Http://www.sz-ctc.org.cn](http://www.sz-ctc.org.cn)

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://yz.cnca.cn>



	Ant2	5240	-0.30	≤14.48	PASS
	Ant3	5240	-0.18	≤14.48	PASS
	Ant4	5240	0.35	≤14.48	PASS
	total	5240	6.16	≤14.48	PASS
	Ant1	5260	0.50	≤8.48	PASS
	Ant2	5260	0.96	≤8.48	PASS
	Ant3	5260	1.02	≤8.48	PASS
	Ant4	5260	0.07	≤8.48	PASS
	total	5260	6.67	≤8.48	PASS
	Ant1	5280	0.34	≤8.48	PASS
	Ant2	5280	-0.08	≤8.48	PASS
	Ant3	5280	1.22	≤8.48	PASS
	Ant4	5280	-0.02	≤8.48	PASS
	total	5280	6.42	≤8.48	PASS
	Ant1	5320	0.18	≤8.48	PASS
	Ant2	5320	-0.06	≤8.48	PASS
	Ant3	5320	-0.53	≤8.48	PASS
	Ant4	5320	0.50	≤8.48	PASS
	total	5320	6.06	≤8.48	PASS
	Ant1	5500	0.57	≤8.48	PASS
	Ant2	5500	-1.00	≤8.48	PASS
	Ant3	5500	-0.47	≤8.48	PASS
	Ant4	5500	-0.19	≤8.48	PASS
	total	5500	5.79	≤8.48	PASS
	Ant1	5580	-0.05	≤8.48	PASS
	Ant2	5580	-0.37	≤8.48	PASS
	Ant3	5580	0.78	≤8.48	PASS
	Ant4	5580	-0.58	≤8.48	PASS
	total	5580	6.00	≤8.48	PASS
	Ant1	5700	0.12	≤8.48	PASS
	Ant2	5700	0.23	≤8.48	PASS
	Ant3	5700	0.03	≤8.48	PASS
	Ant4	5700	-0.50	≤8.48	PASS
	total	5700	6.00	≤8.48	PASS
	Ant1	5745	-3.67	≤27.48	PASS
	Ant2	5745	-4.22	≤27.48	PASS
	Ant3	5745	-2.64	≤27.48	PASS
	Ant4	5745	-3.03	≤27.48	PASS
	total	5745	2.67	≤27.48	PASS
	Ant1	5785	-3.19	≤27.48	PASS
	Ant2	5785	-3.42	≤27.48	PASS
	Ant3	5785	-3.93	≤27.48	PASS
	Ant4	5785	-3.06	≤27.48	PASS
	total	5785	2.63	≤27.48	PASS
	Ant1	5825	-2.90	≤27.48	PASS
	Ant2	5825	-3.13	≤27.48	PASS
	Ant3	5825	-2.94	≤27.48	PASS
	Ant4	5825	-3.36	≤27.48	PASS
	total	5825	2.94	≤27.48	PASS
11N40MIMO	Ant1	5190	-4.27	≤14.48	PASS
	Ant2	5190	-4.27	≤14.48	PASS
	Ant3	5190	-4.33	≤14.48	PASS
	Ant4	5190	-2.44	≤14.48	PASS
	total	5190	2.27	≤14.48	PASS
	Ant1	5230	-1.97	≤14.48	PASS
	Ant2	5230	-3.86	≤14.48	PASS
	Ant3	5230	-3.47	≤14.48	PASS
	Ant4	5230	-1.93	≤14.48	PASS
	total	5230	3.30	≤14.48	PASS
	Ant1	5270	-2.96	≤8.48	PASS
	Ant2	5270	-2.63	≤8.48	PASS
	Ant3	5270	-2.32	≤8.48	PASS
	Ant4	5270	-3.11	≤8.48	PASS
	total	5270	3.28	≤8.48	PASS
	Ant1	5310	-2.91	≤8.48	PASS

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 [Http://www.sz-ctc.org.cn](http://www.sz-ctc.org.cn)

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://yz.cnca.cn>



	Ant2	5310	-2.87	≤8.48	PASS
	Ant3	5310	-2.49	≤8.48	PASS
	Ant4	5310	-2.07	≤8.48	PASS
	total	5310	3.45	≤8.48	PASS
	Ant1	5510	-3.18	≤8.48	PASS
	Ant2	5510	-2.81	≤8.48	PASS
	Ant3	5510	-3.78	≤8.48	PASS
	Ant4	5510	-1.86	≤8.48	PASS
	total	5510	3.17	≤8.48	PASS
	Ant1	5550	-3.31	≤8.48	PASS
	Ant2	5550	-4.38	≤8.48	PASS
	Ant3	5550	-3.48	≤8.48	PASS
	Ant4	5550	-3.78	≤8.48	PASS
	total	5550	2.30	≤8.48	PASS
	Ant1	5670	-2.72	≤8.48	PASS
	Ant2	5670	-4.53	≤8.48	PASS
	Ant3	5670	-2.08	≤8.48	PASS
	Ant4	5670	-3.14	≤8.48	PASS
	total	5670	2.99	≤8.48	PASS
	Ant1	5755	-4.95	≤27.48	PASS
	Ant2	5755	-5.67	≤27.48	PASS
	Ant3	5755	-5.33	≤27.48	PASS
	Ant4	5755	-5.14	≤27.48	PASS
	total	5755	0.76	≤27.48	PASS
	Ant1	5795	-5.34	≤27.48	PASS
	Ant2	5795	-5.17	≤27.48	PASS
	Ant3	5795	-4.98	≤27.48	PASS
	Ant4	5795	-5.70	≤27.48	PASS
	total	5795	0.73	≤27.48	PASS
11AC20MIMO	Ant1	5180	-0.65	≤14.48	PASS
	Ant2	5180	-1.18	≤14.48	PASS
	Ant3	5180	-2.01	≤14.48	PASS
	Ant4	5180	-0.75	≤14.48	PASS
	total	5180	4.91	≤14.48	PASS
	Ant1	5200	-0.91	≤14.48	PASS
	Ant2	5200	-2.15	≤14.48	PASS
	Ant3	5200	-2.92	≤14.48	PASS
	Ant4	5200	-0.80	≤14.48	PASS
	total	5200	4.41	≤14.48	PASS
	Ant1	5240	0.04	≤14.48	PASS
	Ant2	5240	-1.36	≤14.48	PASS
	Ant3	5240	-1.28	≤14.48	PASS
	Ant4	5240	-0.79	≤14.48	PASS
	total	5240	5.21	≤14.48	PASS
	Ant1	5260	-1.58	≤8.48	PASS
	Ant2	5260	-2.07	≤8.48	PASS
	Ant3	5260	-1.72	≤8.48	PASS
	Ant4	5260	-1.52	≤8.48	PASS
	total	5260	4.30	≤8.48	PASS
	Ant1	5280	-1.36	≤8.48	PASS
	Ant2	5280	-1.48	≤8.48	PASS
	Ant3	5280	-1.47	≤8.48	PASS
	Ant4	5280	-1.53	≤8.48	PASS
	total	5280	4.56	≤8.48	PASS
	Ant1	5320	-0.45	≤8.48	PASS
	Ant2	5320	-1.49	≤8.48	PASS
	Ant3	5320	-1.14	≤8.48	PASS
	Ant4	5320	-1.21	≤8.48	PASS
	total	5320	4.97	≤8.48	PASS
	Ant1	5500	-1.37	≤8.48	PASS
	Ant2	5500	-1.83	≤8.48	PASS
	Ant3	5500	-1.24	≤8.48	PASS
	Ant4	5500	-1.18	≤8.48	PASS
	total	5500	4.62	≤8.48	PASS
	Ant1	5580	-1.25	≤8.48	PASS

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 [Http://www.sz-ctc.org.cn](http://www.sz-ctc.org.cn)

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://yz.cnca.cn>



	Ant2	5580	-1.61	≤8.48	PASS
	Ant3	5580	-0.36	≤8.48	PASS
	Ant4	5580	-1.39	≤8.48	PASS
	total	5580	4.89	≤8.48	PASS
	Ant1	5700	-0.80	≤8.48	PASS
	Ant2	5700	-1.12	≤8.48	PASS
	Ant3	5700	-1.10	≤8.48	PASS
	Ant4	5700	-1.28	≤8.48	PASS
	total	5700	4.95	≤8.48	PASS
	Ant1	5745	-4.68	≤27.48	PASS
	Ant2	5745	-5.31	≤27.48	PASS
	Ant3	5745	-4.11	≤27.48	PASS
	Ant4	5745	-5.08	≤27.48	PASS
	total	5745	1.25	≤27.48	PASS
	Ant1	5785	-3.63	≤27.48	PASS
	Ant2	5785	-4.11	≤27.48	PASS
	Ant3	5785	-3.94	≤27.48	PASS
	Ant4	5785	-3.73	≤27.48	PASS
	total	5785	2.17	≤27.48	PASS
	Ant1	5825	-4.02	≤27.48	PASS
	Ant2	5825	-4.27	≤27.48	PASS
	Ant3	5825	-3.79	≤27.48	PASS
	Ant4	5825	-4.11	≤27.48	PASS
	total	5825	1.98	≤27.48	PASS
11AC40MIMO	Ant1	5190	-1.64	≤14.48	PASS
	Ant2	5190	-2.66	≤14.48	PASS
	Ant3	5190	-4.27	≤14.48	PASS
	Ant4	5190	-2.42	≤14.48	PASS
	total	5190	3.37	≤14.48	PASS
	Ant1	5230	-2.07	≤14.48	PASS
	Ant2	5230	-2.91	≤14.48	PASS
	Ant3	5230	-3.56	≤14.48	PASS
	Ant4	5230	-2.51	≤14.48	PASS
	total	5230	3.29	≤14.48	PASS
	Ant1	5270	-3.48	≤8.48	PASS
	Ant2	5270	-2.68	≤8.48	PASS
	Ant3	5270	-2.01	≤8.48	PASS
	Ant4	5270	-2.92	≤8.48	PASS
	total	5270	3.28	≤8.48	PASS
	Ant1	5310	-2.57	≤8.48	PASS
	Ant2	5310	-3.37	≤8.48	PASS
	Ant3	5310	-2.76	≤8.48	PASS
	Ant4	5310	-2.39	≤8.48	PASS
	total	5310	3.26	≤8.48	PASS
	Ant1	5510	-2.46	≤8.48	PASS
	Ant2	5510	-3.67	≤8.48	PASS
	Ant3	5510	-3.05	≤8.48	PASS
	Ant4	5510	-2.18	≤8.48	PASS
	total	5510	3.22	≤8.48	PASS
	Ant1	5550	-2.43	≤8.48	PASS
	Ant2	5550	-3.63	≤8.48	PASS
	Ant3	5550	-2.81	≤8.48	PASS
	Ant4	5550	-2.90	≤8.48	PASS
	total	5550	3.10	≤8.48	PASS
	Ant1	5670	-3.16	≤8.48	PASS
	Ant2	5670	-3.42	≤8.48	PASS
	Ant3	5670	-2.90	≤8.48	PASS
	Ant4	5670	-2.27	≤8.48	PASS
	total	5670	3.10	≤8.48	PASS
	Ant1	5755	-7.53	≤27.48	PASS
	Ant2	5755	-7.29	≤27.48	PASS
	Ant3	5755	-6.07	≤27.48	PASS
	Ant4	5755	-6.22	≤27.48	PASS
	total	5755	-0.71	≤27.48	PASS
	Ant1	5795	-6.19	≤27.48	PASS

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 [Http://www.sz-ctc.org.cn](http://www.sz-ctc.org.cn)

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://yz.cnca.cn>



	Ant2	5795	-6.44	≤27.48	PASS
	Ant3	5795	-6.95	≤27.48	PASS
	Ant4	5795	-7.30	≤27.48	PASS
	total	5795	-0.68	≤27.48	PASS
11AC80MIMO	Ant1	5210	-6.85	≤14.48	PASS
	Ant2	5210	-8.90	≤14.48	PASS
	Ant3	5210	-7.10	≤14.48	PASS
	Ant4	5210	-6.58	≤14.48	PASS
	total	5210	-1.25	≤14.48	PASS
	Ant1	5290	-7.20	≤8.48	PASS
	Ant2	5290	-6.98	≤8.48	PASS
	Ant3	5290	-5.59	≤8.48	PASS
	Ant4	5290	-5.61	≤8.48	PASS
	total	5290	-0.26	≤8.48	PASS
	Ant1	5530	-6.78	≤8.48	PASS
	Ant2	5530	-8.96	≤8.48	PASS
	Ant3	5530	-6.27	≤8.48	PASS
	Ant4	5530	-6.48	≤8.48	PASS
	total	5530	-0.98	≤8.48	PASS
	Ant1	5610	-5.56	≤8.48	PASS
	Ant2	5610	-6.03	≤8.48	PASS
	Ant3	5610	-5.32	≤8.48	PASS
	Ant4	5610	-5.37	≤8.48	PASS
	total	5610	0.46	≤8.48	PASS
	Ant1	5775	-8.22	≤27.48	PASS
	Ant2	5775	-10.67	≤27.48	PASS
	Ant3	5775	-9.13	≤27.48	PASS
	Ant4	5775	-8.74	≤27.48	PASS
	total	5775	-3.08	≤27.48	PASS

Note: The Duty Cycle Factor is compensated in the graph



Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20MIMO	Ant1	5180	26Tone	RU4	3.38	≤14.48	PASS
			52Tone	RU38	3.32	≤14.48	PASS
			106Tone	RU53	1.46	≤14.48	PASS
			242Tone	RU61	-1.13	≤14.48	PASS
	Ant2	5180	26Tone	RU4	3.00	≤14.48	PASS
			52Tone	RU38	2.62	≤14.48	PASS
			106Tone	RU53	1.03	≤14.48	PASS
			242Tone	RU61	-1.43	≤14.48	PASS
	Ant3	5180	26Tone	RU4	3.70	≤14.48	PASS
			52Tone	RU38	3.44	≤14.48	PASS
			106Tone	RU53	1.78	≤14.48	PASS
			242Tone	RU61	-0.93	≤14.48	PASS
	Ant4	5180	26Tone	RU4	3.57	≤14.48	PASS
			52Tone	RU38	3.92	≤14.48	PASS
			106Tone	RU53	0.87	≤14.48	PASS
			242Tone	RU61	-0.91	≤14.48	PASS
	total	5180	26Tone	RU4	9.44	≤14.48	PASS
			52Tone	RU38	9.37	≤14.48	PASS
			106Tone	RU53	7.32	≤14.48	PASS
			242Tone	RU61	4.93	≤14.48	PASS
	Ant1	5200	26Tone	RU4	5.03	≤14.48	PASS
			52Tone	RU38	4.46	≤14.48	PASS
			106Tone	RU53	0.82	≤14.48	PASS
			242Tone	RU61	-0.58	≤14.48	PASS
	Ant2	5200	26Tone	RU4	4.95	≤14.48	PASS
			52Tone	RU38	3.61	≤14.48	PASS
			106Tone	RU53	1.42	≤14.48	PASS
			242Tone	RU61	-0.61	≤14.48	PASS
	Ant3	5200	26Tone	RU4	5.10	≤14.48	PASS
			52Tone	RU38	3.53	≤14.48	PASS
			106Tone	RU53	2.52	≤14.48	PASS
			242Tone	RU61	-0.24	≤14.48	PASS
	Ant4	5200	26Tone	RU4	6.14	≤14.48	PASS
			52Tone	RU38	5.32	≤14.48	PASS
			106Tone	RU53	2.24	≤14.48	PASS
			242Tone	RU61	0.65	≤14.48	PASS
	total	5200	26Tone	RU4	11.35	≤14.48	PASS
			52Tone	RU38	10.31	≤14.48	PASS
			106Tone	RU53	7.82	≤14.48	PASS
			242Tone	RU61	5.86	≤14.48	PASS
	Ant1	5240	26Tone	RU4	6.06	≤14.48	PASS
			52Tone	RU38	4.56	≤14.48	PASS
			106Tone	RU53	1.36	≤14.48	PASS
			242Tone	RU61	-1.15	≤14.48	PASS
	Ant2	5240	26Tone	RU4	5.66	≤14.48	PASS
			52Tone	RU38	5.00	≤14.48	PASS
			106Tone	RU53	0.94	≤14.48	PASS
			242Tone	RU61	-1.50	≤14.48	PASS
	Ant3	5240	26Tone	RU4	6.68	≤14.48	PASS
			52Tone	RU38	5.07	≤14.48	PASS
			106Tone	RU53	2.21	≤14.48	PASS
			242Tone	RU61	-0.66	≤14.48	PASS
	Ant4	5240	26Tone	RU4	7.73	≤14.48	PASS
			52Tone	RU38	5.64	≤14.48	PASS
			106Tone	RU53	2.17	≤14.48	PASS
			242Tone	RU61	-0.09	≤14.48	PASS
	total	5240	26Tone	RU4	12.63	≤14.48	PASS
			52Tone	RU38	11.11	≤14.48	PASS
			106Tone	RU53	7.72	≤14.48	PASS
			242Tone	RU61	5.20	≤14.48	PASS
	Ant1	5260	26Tone	RU4	0.05	≤8.48	PASS
			52Tone	RU38	1.56	≤8.48	PASS

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://yz.cnca.cn>



	Ant2	5260	106Tone	RU53	-3.76	≤8.48	PASS
			242Tone	RU61	-0.87	≤8.48	PASS
			26Tone	RU4	0.70	≤8.48	PASS
			52Tone	RU38	2.25	≤8.48	PASS
			106Tone	RU53	-2.14	≤8.48	PASS
	Ant3	5260	242Tone	RU61	0.33	≤8.48	PASS
			26Tone	RU4	1.53	≤8.48	PASS
			52Tone	RU38	2.17	≤8.48	PASS
			106Tone	RU53	-2.02	≤8.48	PASS
			242Tone	RU61	-0.05	≤8.48	PASS
	Ant4	5260	26Tone	RU4	0.43	≤8.48	PASS
			52Tone	RU38	1.73	≤8.48	PASS
			106Tone	RU53	-2.67	≤8.48	PASS
			242Tone	RU61	0.45	≤8.48	PASS
	total	5260	26Tone	RU4	6.73	≤8.48	PASS
			52Tone	RU38	7.96	≤8.48	PASS
			106Tone	RU53	3.43	≤8.48	PASS
			242Tone	RU61	6.02	≤8.48	PASS
	Ant1	5280	26Tone	RU4	-0.73	≤8.48	PASS
			52Tone	RU38	0.12	≤8.48	PASS
			106Tone	RU53	-2.89	≤8.48	PASS
			242Tone	RU61	-0.99	≤8.48	PASS
	Ant2	5280	26Tone	RU4	-0.12	≤8.48	PASS
			52Tone	RU38	1.25	≤8.48	PASS
			106Tone	RU53	-2.73	≤8.48	PASS
			242Tone	RU61	0.24	≤8.48	PASS
	Ant3	5280	26Tone	RU4	0.71	≤8.48	PASS
			52Tone	RU38	2.13	≤8.48	PASS
			106Tone	RU53	-2.60	≤8.48	PASS
			242Tone	RU61	0.02	≤8.48	PASS
	Ant4	5280	26Tone	RU4	0.01	≤8.48	PASS
			52Tone	RU38	2.28	≤8.48	PASS
			106Tone	RU53	-2.57	≤8.48	PASS
			242Tone	RU61	0.08	≤8.48	PASS
	total	5280	26Tone	RU4	6.02	≤8.48	PASS
			52Tone	RU38	7.55	≤8.48	PASS
			106Tone	RU53	3.32	≤8.48	PASS
			242Tone	RU61	5.88	≤8.48	PASS
	Ant1	5320	26Tone	RU4	0.51	≤8.48	PASS
			52Tone	RU38	1.04	≤8.48	PASS
			106Tone	RU53	-2.95	≤8.48	PASS
			242Tone	RU61	-0.51	≤8.48	PASS
	Ant2	5320	26Tone	RU4	1.40	≤8.48	PASS
			52Tone	RU38	2.51	≤8.48	PASS
			106Tone	RU53	-2.04	≤8.48	PASS
			242Tone	RU61	0.22	≤8.48	PASS
	Ant3	5320	26Tone	RU4	1.88	≤8.48	PASS
			52Tone	RU38	3.49	≤8.48	PASS
			106Tone	RU53	-1.14	≤8.48	PASS
			242Tone	RU61	1.03	≤8.48	PASS
	Ant4	5320	26Tone	RU4	1.00	≤8.48	PASS
			52Tone	RU38	1.84	≤8.48	PASS
			106Tone	RU53	-3.46	≤8.48	PASS
			242Tone	RU61	0.15	≤8.48	PASS
	total	5320	26Tone	RU4	7.25	≤8.48	PASS
			52Tone	RU38	8.33	≤8.48	PASS
			106Tone	RU53	3.71	≤8.48	PASS
			242Tone	RU61	6.28	≤8.48	PASS
	Ant1	5500	26Tone	RU4	-0.09	≤8.48	PASS
			52Tone	RU38	0.91	≤8.48	PASS
			106Tone	RU53	-1.90	≤8.48	PASS
			242Tone	RU61	-0.79	≤8.48	PASS
	Ant2	5500	26Tone	RU4	-0.79	≤8.48	PASS
			52Tone	RU38	-0.12	≤8.48	PASS
			106Tone	RU53	-2.39	≤8.48	PASS

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://yz.cnca.cn>



	Ant3	5500	242Tone	RU61	-0.86	≤8.48	PASS
			26Tone	RU4	-0.16	≤8.48	PASS
			52Tone	RU38	0.07	≤8.48	PASS
			106Tone	RU53	-3.28	≤8.48	PASS
			242Tone	RU61	-1.20	≤8.48	PASS
	Ant4	5500	26Tone	RU4	-0.28	≤8.48	PASS
			52Tone	RU38	-0.08	≤8.48	PASS
			106Tone	RU53	-2.97	≤8.48	PASS
			242Tone	RU61	-1.71	≤8.48	PASS
	total	5500	26Tone	RU4	5.70	≤8.48	PASS
			52Tone	RU38	6.24	≤8.48	PASS
			106Tone	RU53	3.42	≤8.48	PASS
			242Tone	RU61	4.90	≤8.48	PASS
	Ant1	5580	26Tone	RU4	0.97	≤8.48	PASS
			52Tone	RU38	0.73	≤8.48	PASS
			106Tone	RU53	-2.99	≤8.48	PASS
			242Tone	RU61	-0.83	≤8.48	PASS
	Ant2	5580	26Tone	RU4	1.43	≤8.48	PASS
			52Tone	RU38	0.88	≤8.48	PASS
			106Tone	RU53	-1.94	≤8.48	PASS
			242Tone	RU61	-0.47	≤8.48	PASS
	Ant3	5580	26Tone	RU4	0.71	≤8.48	PASS
			52Tone	RU38	1.57	≤8.48	PASS
			106Tone	RU53	-2.52	≤8.48	PASS
			242Tone	RU61	-0.46	≤8.48	PASS
	Ant4	5580	26Tone	RU4	1.02	≤8.48	PASS
			52Tone	RU38	0.42	≤8.48	PASS
			106Tone	RU53	-2.75	≤8.48	PASS
			242Tone	RU61	-1.32	≤8.48	PASS
	total	5580	26Tone	RU4	7.06	≤8.48	PASS
			52Tone	RU38	6.94	≤8.48	PASS
			106Tone	RU53	3.49	≤8.48	PASS
			242Tone	RU61	5.26	≤8.48	PASS
	Ant1	5700	26Tone	RU4	1.73	≤8.48	PASS
			52Tone	RU38	1.84	≤8.48	PASS
			106Tone	RU53	-3.14	≤8.48	PASS
			242Tone	RU61	-0.64	≤8.48	PASS
	Ant2	5700	26Tone	RU4	0.66	≤8.48	PASS
			52Tone	RU38	2.03	≤8.48	PASS
			106Tone	RU53	-3.27	≤8.48	PASS
			242Tone	RU61	-0.72	≤8.48	PASS
	Ant3	5700	26Tone	RU4	0.54	≤8.48	PASS
			52Tone	RU38	3.04	≤8.48	PASS
			106Tone	RU53	-3.41	≤8.48	PASS
			242Tone	RU61	-0.02	≤8.48	PASS
	Ant4	5700	26Tone	RU4	0.71	≤8.48	PASS
			52Tone	RU38	1.93	≤8.48	PASS
			106Tone	RU53	-2.40	≤8.48	PASS
			242Tone	RU61	-0.60	≤8.48	PASS
	total	5700	26Tone	RU4	6.70	≤8.48	PASS
			52Tone	RU38	8.26	≤8.48	PASS
			106Tone	RU53	2.98	≤8.48	PASS
			242Tone	RU61	5.53	≤8.48	PASS
	Ant1	5745	26Tone	RU4	3.80	≤30.00	PASS
			52Tone	RU38	0.61	≤27.48	PASS
			106Tone	RU53	-1.03	≤27.48	PASS
			242Tone	RU61	-3.65	≤27.48	PASS
	Ant2	5745	26Tone	RU4	3.48	≤27.48	PASS
			52Tone	RU38	1.68	≤27.48	PASS
			106Tone	RU53	0.01	≤27.48	PASS
			242Tone	RU61	-3.03	≤27.48	PASS
	Ant3	5745	26Tone	RU4	2.89	≤27.48	PASS
			52Tone	RU38	1.04	≤27.48	PASS
			106Tone	RU53	-0.80	≤27.48	PASS
			242Tone	RU61	-3.75	≤27.48	PASS

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://yz.cnca.cn>



	Ant4	5745	26Tone	RU4	3.45	≤27.48	PASS
			52Tone	RU38	0.93	≤27.48	PASS
			106Tone	RU53	-1.08	≤27.48	PASS
			242Tone	RU61	-3.69	≤27.48	PASS
	total	5745	26Tone	RU4	9.44	≤27.48	PASS
			52Tone	RU38	7.10	≤27.48	PASS
			106Tone	RU53	5.32	≤27.48	PASS
			242Tone	RU61	2.50	≤27.48	PASS
	Ant1	5785	26Tone	RU4	3.31	≤27.48	PASS
			52Tone	RU38	1.43	≤27.48	PASS
			106Tone	RU53	-0.36	≤27.48	PASS
			242Tone	RU61	-3.81	≤27.48	PASS
	Ant2	5785	26Tone	RU4	4.39	≤27.48	PASS
			52Tone	RU38	1.79	≤27.48	PASS
			106Tone	RU53	-0.57	≤27.48	PASS
			242Tone	RU61	-2.76	≤27.48	PASS
	Ant3	5785	26Tone	RU4	3.14	≤27.48	PASS
			52Tone	RU38	0.69	≤27.48	PASS
			106Tone	RU53	-1.34	≤27.48	PASS
			242Tone	RU61	-4.24	≤27.48	PASS
	Ant4	5785	26Tone	RU4	3.98	≤27.48	PASS
			52Tone	RU38	0.92	≤27.48	PASS
			106Tone	RU53	-0.92	≤27.48	PASS
			242Tone	RU61	-3.60	≤27.48	PASS
	total	5785	26Tone	RU4	9.76	≤27.48	PASS
			52Tone	RU38	7.25	≤27.48	PASS
			106Tone	RU53	5.24	≤27.48	PASS
			242Tone	RU61	2.45	≤27.48	PASS
	Ant1	5825	26Tone	RU4	2.77	≤27.48	PASS
			52Tone	RU38	1.33	≤27.48	PASS
			106Tone	RU53	-1.66	≤27.48	PASS
			242Tone	RU61	-3.45	≤27.48	PASS
	Ant2	5825	26Tone	RU4	4.26	≤27.48	PASS
			52Tone	RU38	2.48	≤27.48	PASS
			106Tone	RU53	0.49	≤27.48	PASS
			242Tone	RU61	-2.64	≤27.48	PASS
	Ant3	5825	26Tone	RU4	2.90	≤27.48	PASS
			52Tone	RU38	1.25	≤27.48	PASS
			106Tone	RU53	-2.01	≤27.48	PASS
			242Tone	RU61	-3.44	≤27.48	PASS
	Ant4	5825	26Tone	RU4	2.80	≤27.48	PASS
			52Tone	RU38	1.50	≤27.48	PASS
			106Tone	RU53	-1.35	≤27.48	PASS
			242Tone	RU61	-3.71	≤27.48	PASS
	total	5825	26Tone	RU4	9.25	≤27.48	PASS
			52Tone	RU38	7.69	≤27.48	PASS
			106Tone	RU53	5.00	≤27.48	PASS
			242Tone	RU61	2.73	≤27.48	PASS
11AX40MIMO	Ant1	5190	26Tone	RU8	6.20	≤14.48	PASS
			52Tone	RU40	3.82	≤14.48	PASS
			106Tone	RU54	0.58	≤14.48	PASS
			242Tone	RU61	-0.78	≤14.48	PASS
	Ant2	5190	484Tone	RU65	-1.03	≤14.48	PASS
			26Tone	RU8	6.97	≤14.48	PASS
			52Tone	RU40	4.64	≤14.48	PASS
			106Tone	RU54	0.69	≤14.48	PASS
	Ant3	5190	242Tone	RU61	-0.82	≤14.48	PASS
			484Tone	RU65	-1.91	≤14.48	PASS
			26Tone	RU8	7.52	≤14.48	PASS
			52Tone	RU40	5.29	≤14.48	PASS
	Ant4	5190	106Tone	RU54	2.39	≤14.48	PASS
			242Tone	RU61	0.40	≤14.48	PASS
			484Tone	RU65	-1.65	≤14.48	PASS
			26Tone	RU8	7.15	≤14.48	PASS
			52Tone	RU40	4.83	≤14.48	PASS

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://yz.cnca.cn>



			106Tone	RU54	2.27	≤14.48	PASS
			242Tone	RU61	0.58	≤14.48	PASS
			484Tone	RU65	-1.16	≤14.48	PASS
	total	5190	26Tone	RU8	13.01	≤14.48	PASS
			52Tone	RU40	10.70	≤14.48	PASS
			106Tone	RU54	7.59	≤14.48	PASS
			242Tone	RU61	5.91	≤14.48	PASS
			484Tone	RU65	4.60	≤14.48	PASS
			26Tone	RU8	6.02	≤14.48	PASS
	Ant1	5230	52Tone	RU40	5.01	≤14.48	PASS
			106Tone	RU54	1.87	≤14.48	PASS
			242Tone	RU61	-0.30	≤14.48	PASS
			484Tone	RU65	-2.45	≤14.48	PASS
			26Tone	RU8	6.84	≤14.48	PASS
			52Tone	RU40	4.59	≤14.48	PASS
	Ant2	5230	106Tone	RU54	2.27	≤14.48	PASS
			242Tone	RU61	0.19	≤14.48	PASS
			484Tone	RU65	-1.79	≤14.48	PASS
			26Tone	RU8	7.76	≤14.48	PASS
			52Tone	RU40	6.40	≤14.48	PASS
			106Tone	RU54	2.89	≤14.48	PASS
	Ant3	5230	242Tone	RU61	0.95	≤14.48	PASS
			484Tone	RU65	-0.73	≤14.48	PASS
			26Tone	RU8	7.59	≤14.48	PASS
			52Tone	RU40	5.57	≤14.48	PASS
			106Tone	RU54	2.81	≤14.48	PASS
			242Tone	RU61	1.84	≤14.48	PASS
	Ant4	5230	484Tone	RU65	-0.59	≤14.48	PASS
			26Tone	RU8	13.13	≤14.48	PASS
			52Tone	RU40	11.47	≤14.48	PASS
			106Tone	RU54	8.50	≤14.48	PASS
			242Tone	RU61	6.77	≤14.48	PASS
			484Tone	RU65	4.70	≤14.48	PASS
	total	5230	26Tone	RU8	0.59	≤8.48	PASS
			52Tone	RU40	0.46	≤8.48	PASS
			106Tone	RU54	0.32	≤8.48	PASS
			242Tone	RU61	-0.39	≤8.48	PASS
			484Tone	RU65	-2.66	≤8.48	PASS
			26Tone	RU8	0.41	≤8.48	PASS
	Ant1	5270	52Tone	RU40	1.04	≤8.48	PASS
			106Tone	RU54	0.56	≤8.48	PASS
			242Tone	RU61	-0.17	≤8.48	PASS
			484Tone	RU65	-2.12	≤8.48	PASS
			26Tone	RU8	2.09	≤8.48	PASS
			52Tone	RU40	2.02	≤8.48	PASS
	Ant2	5270	106Tone	RU54	1.73	≤8.48	PASS
			242Tone	RU61	-0.04	≤8.48	PASS
			484Tone	RU65	-1.60	≤8.48	PASS
			26Tone	RU8	0.79	≤8.48	PASS
			52Tone	RU40	1.55	≤8.48	PASS
			106Tone	RU54	0.85	≤8.48	PASS
	Ant3	5270	242Tone	RU61	-1.35	≤8.48	PASS
			484Tone	RU65	-2.15	≤8.48	PASS
			26Tone	RU8	7.04	≤8.48	PASS
			52Tone	RU40	7.33	≤8.48	PASS
			106Tone	RU54	6.92	≤8.48	PASS
			242Tone	RU61	5.56	≤8.48	PASS
	Ant4	5270	484Tone	RU65	3.90	≤8.48	PASS
			26Tone	RU8	0.98	≤8.48	PASS
			52Tone	RU40	0.73	≤8.48	PASS
			106Tone	RU54	0.44	≤8.48	PASS
			242Tone	RU61	-1.51	≤8.48	PASS
			484Tone	RU65	-2.12	≤8.48	PASS
	total	5310	26Tone	RU8	0.98	≤8.48	PASS
			52Tone	RU40	0.73	≤8.48	PASS
			106Tone	RU54	0.44	≤8.48	PASS
			242Tone	RU61	-1.51	≤8.48	PASS
			484Tone	RU65	-2.12	≤8.48	PASS
			26Tone	RU8	0.98	≤8.48	PASS
	Ant1	5310	52Tone	RU40	0.73	≤8.48	PASS
			106Tone	RU54	0.44	≤8.48	PASS
	Ant2	5310	242Tone	RU61	-1.51	≤8.48	PASS
			484Tone	RU65	-2.12	≤8.48	PASS
	total	5310	26Tone	RU8	0.98	≤8.48	PASS
			52Tone	RU40	-0.80	≤8.48	PASS

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://yz.cnca.cn>