



Shenzhen CTL Testing Technology Co., Ltd.

Floor 1-A, Baisha Technology Park, No.3011, Shahexi Road, Nanshan District, Shenzhen, China 518055

Tel: +86-755-89486194 E-mail: ctl@ctl-lab.com

## Annex for BLE

Test Report No.: CTL2401161021-WF01

### TABLE OF CONTENTS

1. Bandwidth.....	3
1.1 OBW.....	3
1.1.1 Test Result .....	3
1.1.2 Test Graph.....	4
1.2 6dB BW .....	6
1.2.1 Test Result .....	6
1.2.2 Test Graph.....	7
2. Maximum Conducted Output Power .....	9
2.1 Power .....	9
2.1.1 Test Result .....	9
2.1.2 Test Graph.....	10
3. Maximum Power Spectral Density .....	12
3.1 PSD.....	12
3.1.1 Test Result .....	12
3.1.2 Test Graph.....	13
4. Unwanted Emissions In Non-restricted Frequency Bands.....	15
4.1 Ref.....	15
4.1.1 Test Result .....	15
4.1.2 Test Graph.....	16
4.2 CSE .....	18

FCCID: 2BF2Z-SMGO101

4.2.1 Test Result ..... 18

4.2.2 Test Graph..... 19

FCCID: 2BF2Z-SMGO101

## 1. Bandwidth


### 1.1 OBW

#### 1.1.1 Test Result


Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)		Verdict
				Result	Limit	
1M	SISO	2402	1	1.048	/	Pass
		2440	1	1.052	/	Pass
		2480	1	1.052	/	Pass

FCCID: 2BF2Z-SMGO101

1.1.2 Test Graph



FCCID: 2BF2Z-SMGO101




FCCID: 2BF2Z-SMGO101

**1.2 6dB BW****1.2.1 Test Result**


Mode	TX Type	Frequency (MHz)	ANT	6dB Bandwidth (MHz)		Verdict
				Result	Limit	
1M	SISO	2402	1	0.687	$\geq 0.5$	Pass
		2440	1	0.699	$\geq 0.5$	Pass
		2480	1	0.697	$\geq 0.5$	Pass

FCCID: 2BF2Z-SMGO101

1.2.2 Test Graph



FCCID: 2BF2Z-SMGO101





FCCID: 2BF2Z-SMGO101

## 2. Maximum Conducted Output Power

### 2.1 Power


#### 2.1.1 Test Result

Mode	TX Type	Frequency (MHz)	Maximum Peak Conducted Output Power (dBm)		Verdict
			ANT1	Limit	
1M	SISO	2402	5.93	<=30	Pass
		2440	6.06	<=30	Pass
		2480	6.80	<=30	Pass


Note1: Antenna Gain: Ant1: 1.26dBi;

FCCID: 2BF2Z-SMGO101

2.1.2 Test Graph



FCCID: 2BF2Z-SMGO101



FCCID: 2BF2Z-SMGO101

### 3. Maximum Power Spectral Density

#### 3.1 PSD


##### 3.1.1 Test Result

Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/3kHz)		Verdict
			ANT1	Limit	
1M	SISO	2402	-9.45	<=8	Pass
		2440	-9.31	<=8	Pass
		2480	-8.65	<=8	Pass


Note1: Antenna Gain: Ant1: 1.26dBi;

FCCID: 2BF2Z-SMGO101

3.1.2 Test Graph



FCCID: 2BF2Z-SMGO101



FCCID: 2BF2Z-SMGO101

#### 4. Unwanted Emissions In Non-restricted Frequency Bands

##### 4.1 Ref


##### 4.1.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)
1M	SISO	2402	1	5.83
		2440	1	5.94
		2480	1	6.69

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.


FCCID: 2BF2Z-SMGO101

4.1.2 Test Graph





FCCID: 2BF2Z-SMGO101



FCCID: 2BF2Z-SMGO101

## 4.2 CSE


### 4.2.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
1M	SISO	2402	1	6.69	-13.31	Pass
		2440	1	6.69	-13.31	Pass
		2480	1	6.69	-13.31	Pass



Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.

FCCID: 2BF2Z-SMGO101

4.2.2 Test Graph



FCCID: 2BF2Z-SMGO101



FCCID: 2BF2Z-SMGO101

