

## Appendix D.7: Conducted Spurious Emission

### Test Result

| TestMode   | Antenna | Freq(MHz) | FreqRange [MHz] | Max. Fre [MHz] | Max. Level [dBm] | Limit [dBm] | Verdict |
|------------|---------|-----------|-----------------|----------------|------------------|-------------|---------|
| 11A        | Ant1    | 5180      | 30~5140         | 5135.91        | -40.35           | ≤-27        | PASS    |
|            |         |           | 5360~40000      | 23556.35       | -37.32           | ≤-27        | PASS    |
|            |         | 5200      | 30~5140         | 5130.12        | -39.34           | ≤-27        | PASS    |
|            |         |           | 5360~40000      | 15594.28       | -35.69           | ≤-27        | PASS    |
|            |         | 5240      | 30~5140         | 5134.55        | -43.15           | ≤-27        | PASS    |
|            |         |           | 5360~40000      | 15726.28       | -34.47           | ≤-27        | PASS    |
| 11N20SISO  | Ant1    | 5180      | 30~5140         | 5136.08        | -36.13           | ≤-27        | PASS    |
|            |         |           | 5360~40000      | 15534.41       | -33.08           | ≤-27        | PASS    |
|            |         | 5200      | 30~5140         | 5138.13        | -37.42           | ≤-27        | PASS    |
|            |         |           | 5360~40000      | 15595          | -30.44           | ≤-27        | PASS    |
|            |         | 5240      | 30~5140         | 5134.89        | -39.93           | ≤-27        | PASS    |
|            |         |           | 5360~40000      | 15720.51       | -30.84           | ≤-27        | PASS    |
| 11N40SISO  | Ant1    | 5190      | 30~5140         | 5134.55        | -41.75           | ≤-27        | PASS    |
|            |         |           | 5360~40000      | 25961.28       | -37.27           | ≤-27        | PASS    |
|            |         | 5230      | 30~5140         | 5135.74        | -43.13           | ≤-27        | PASS    |
|            |         |           | 5360~40000      | 25690.78       | -37.39           | ≤-27        | PASS    |
| 11AC20SISO | Ant1    | 5180      | 30~5140         | 5132.85        | -40.48           | ≤-27        | PASS    |
|            |         |           | 5360~40000      | 24134.86       | -37.26           | ≤-27        | PASS    |
|            |         | 5200      | 30~5140         | 5134.21        | -41.19           | ≤-27        | PASS    |
|            |         |           | 5360~40000      | 15603.65       | -35.39           | ≤-27        | PASS    |
|            |         | 5240      | 30~5140         | 5135.23        | -42.94           | ≤-27        | PASS    |
|            |         |           | 5360~40000      | 10485.07       | -35.6            | ≤-27        | PASS    |
| 11AC40SISO | Ant1    | 5190      | 30~5140         | 5138.47        | -38.3            | ≤-27        | PASS    |
|            |         |           | 5360~40000      | 24280.57       | -37.29           | ≤-27        | PASS    |
|            |         | 5230      | 30~5140         | 5134.04        | -42.47           | ≤-27        | PASS    |
|            |         |           | 5360~40000      | 23562.13       | -37.54           | ≤-27        | PASS    |
| 11AC80SISO | Ant1    | 5210      | 30~5140         | 5136.59        | -36.48           | ≤-27        | PASS    |
|            |         |           | 5360~40000      | 24300.77       | -37.42           | ≤-27        | PASS    |
| 11AX20SISO | Ant1    | 5180      | 30~5140         | 5136.08        | -40.93           | ≤-27        | PASS    |
|            |         |           | 5360~40000      | 23590.98       | -37.55           | ≤-27        | PASS    |
|            |         | 5200      | 30~5140         | 5133.87        | -41.05           | ≤-27        | PASS    |
|            |         |           | 5360~40000      | 15599.33       | -36.4            | ≤-27        | PASS    |
|            |         | 5240      | 30~5140         | 5109.85        | -42.52           | ≤-27        | PASS    |
|            |         |           | 5360~40000      | 10479.3        | -34.67           | ≤-27        | PASS    |
| 11AX40SISO | Ant1    | 5190      | 30~5140         | 5138.13        | -44.15           | ≤-27        | PASS    |
|            |         |           | 5360~40000      | 26565.04       | -37.31           | ≤-27        | PASS    |


|            |      |      |            |          |        |            |      |
|------------|------|------|------------|----------|--------|------------|------|
|            |      | 5230 | 30~5140    | 2585.17  | -42.16 | $\leq -27$ | PASS |
|            |      |      | 5360~40000 | 23519.57 | -37.34 | $\leq -27$ | PASS |
| 11AX80SISO | Ant1 | 5210 | 30~5140    | 5117.86  | -35.15 | $\leq -27$ | PASS |
|            |      |      | 5360~40000 | 24215.65 | -36.82 | $\leq -27$ | PASS |

## Test Graphs

11A\_Ant1\_5180\_30~5140




11A\_Ant1\_5180\_5360~40000



11A\_Ant1\_5200\_30~5140




11A\_Ant1\_5200\_5360~40000



11A\_Ant1\_5240\_30~5140




## 11A\_Ant1\_5240\_5360~40000




## 11N20SISO\_Ant1\_5180\_30~5140




## 11N20SISO\_Ant1\_5180\_5360~40000



11N20SISO\_Ant1\_5200\_30~5140




11N20SISO\_Ant1\_5200\_5360~40000



## 11N20SISO\_Ant1\_5240\_30~5140




## 11N20SISO\_Ant1\_5240\_5360~40000




## 11N40SISO\_Ant1\_5190\_30~5140




11N40SISO\_Ant1\_5190\_5360~40000




11N40SISO\_Ant1\_5230\_30~5140



## 11N40SISO\_Ant1\_5230\_5360~40000




## 11AC20SISO\_Ant1\_5180\_30~5140




## 11AC20SISO\_Ant1\_5180\_5360~40000



11AC20SISO\_Ant1\_5200\_30~5140




11AC20SISO\_Ant1\_5200\_5360~40000




## 11AC20SISO\_Ant1\_5240\_30~5140




## 11AC20SISO\_Ant1\_5240\_5360~40000



## 11AC40SISO\_Ant1\_5190\_30~5140



11AC40SISO\_Ant1\_5190\_5360~40000



11AC40SISO\_Ant1\_5230\_30~5140




## 11AC40SISO\_Ant1\_5230\_5360~40000



## 11AC80SISO\_Ant1\_5210\_5360~40000



## 11AC80SISO\_Ant1\_5210\_5360~40000




11AX20SISO\_Ant1\_5180\_30~5140




11AX20SISO\_Ant1\_5180\_5360~40000



## 11AX20SISO\_Ant1\_5200\_30~5140




## 11AX20SISO\_Ant1\_5200\_5360~40000




## 11AX20SISO\_Ant1\_5240\_30~5140




11AX20SISO\_Ant1\_5240\_5360~40000




11AX40SISO\_Ant1\_5190\_30~5140




## 11AX40SISO\_Ant1\_5190\_5360~40000




## 11AX40SISO\_Ant1\_5230\_30~5140




## 11AX40SISO\_Ant1\_5230\_5360~40000



11AX80SISO\_Ant1\_5210\_30~5140



11AX80SISO\_Ant1\_5210\_5360~40000



## Appendix D.8: Emissions in Restricted Bands

### Test Result

| TestMode  | Antenna | ChName | Freq(MHz ) | Detector | Freq [MHz] | Result [dBm] | Limit [dBm] | Result [dBuV/m] | Limit [dBuV/m] | Verdict |
|-----------|---------|--------|------------|----------|------------|--------------|-------------|-----------------|----------------|---------|
| 11A       | Ant1    | Low    | 5180       | AV       | 4500.000   | -46.4        | ≤-41.20     | 48.80           | ≤54            | PASS    |
|           |         |        |            | AV       | 5149.600   | -42.42       | ≤-41.20     | 52.78           | ≤54            | PASS    |
|           |         |        |            | AV       | 5150.000   | -42.95       | ≤-41.20     | 52.25           | ≤54            | PASS    |
|           |         |        |            | Peak     | 4500.000   | -40.66       | ≤-21.20     | 54.54           | ≤74            | PASS    |
|           |         |        |            | Peak     | 5141.900   | -34.93       | ≤-21.20     | 60.27           | ≤74            | PASS    |
|           |         |        |            | Peak     | 5150.000   | -36.3        | ≤-21.20     | 58.90           | ≤74            | PASS    |
|           |         | High   | 5240       | AV       | 5350.000   | -46.17       | ≤-41.20     | 49.03           | ≤54            | PASS    |
|           |         |        |            | AV       | 5439.120   | -44.27       | ≤-41.20     | 50.93           | ≤54            | PASS    |
|           |         |        |            | AV       | 5460.000   | -44.99       | ≤-41.20     | 50.21           | ≤54            | PASS    |
|           |         |        |            | Peak     | 5350.000   | -38.3        | ≤-21.20     | 56.90           | ≤74            | PASS    |
|           |         |        |            | Peak     | 5449.200   | -35.06       | ≤-21.20     | 60.14           | ≤74            | PASS    |
|           |         |        |            | Peak     | 5460.000   | -37.94       | ≤-21.20     | 57.26           | ≤74            | PASS    |
| 11N20SISO | Ant1    | Low    | 5180       | AV       | 4500.000   | -47.54       | ≤-41.20     | 47.66           | ≤54            | PASS    |
|           |         |        |            | AV       | 5149.600   | -41.73       | ≤-41.20     | 53.47           | ≤54            | PASS    |
|           |         |        |            | AV       | 5150.000   | -41.45       | ≤-41.20     | 53.75           | ≤54            | PASS    |
|           |         |        |            | Peak     | 4500.000   | -39.92       | ≤-21.20     | 55.28           | ≤74            | PASS    |
|           |         |        |            | Peak     | 5147.500   | -32.95       | ≤-21.20     | 62.25           | ≤74            | PASS    |
|           |         |        |            | Peak     | 5150.000   | -31.95       | ≤-21.20     | 63.25           | ≤74            | PASS    |
|           |         | High   | 5240       | AV       | 5350.000   | -45.19       | ≤-41.20     | 50.01           | ≤54            | PASS    |
|           |         |        |            | AV       | 5444.880   | -44.76       | ≤-41.20     | 50.44           | ≤54            | PASS    |
|           |         |        |            | AV       | 5460.000   | -45.45       | ≤-41.20     | 49.75           | ≤54            | PASS    |
|           |         |        |            | Peak     | 5350.000   | -37.7        | ≤-21.20     | 57.50           | ≤74            | PASS    |
|           |         |        |            | Peak     | 5354.400   | -35.81       | ≤-21.20     | 59.39           | ≤74            | PASS    |
|           |         |        |            | Peak     | 5460.000   | -37.61       | ≤-21.20     | 57.59           | ≤74            | PASS    |
| 11N40SISO | Ant1    | Low    | 5190       | AV       | 4500.000   | -47.78       | ≤-41.20     | 47.42           | ≤54            | PASS    |
|           |         |        |            | AV       | 5148.900   | -44.76       | ≤-41.20     | 50.44           | ≤54            | PASS    |
|           |         |        |            | AV       | 5150.000   | -44.84       | ≤-41.20     | 50.36           | ≤54            | PASS    |
|           |         |        |            | Peak     | 4500.000   | -39.89       | ≤-21.20     | 55.31           | ≤74            | PASS    |
|           |         |        |            | Peak     | 5122.300   | -34.3        | ≤-21.20     | 60.90           | ≤74            | PASS    |
|           |         |        |            | Peak     | 5150.000   | -38          | ≤-21.20     | 57.20           | ≤74            | PASS    |
|           |         | High   | 5230       | AV       | 5350.000   | -46.52       | ≤-41.20     | 48.68           | ≤54            | PASS    |
|           |         |        |            | AV       | 5448.820   | -45.6        | ≤-41.20     | 49.60           | ≤54            | PASS    |
|           |         |        |            | AV       | 5460.000   | -45.81       | ≤-41.20     | 49.39           | ≤54            | PASS    |
|           |         |        |            | Peak     | 5350.000   | -38.85       | ≤-21.20     | 56.35           | ≤74            | PASS    |
|           |         |        |            | Peak     | 5387.980   | -35.28       | ≤-21.20     | 59.92           | ≤74            | PASS    |
|           |         |        |            | Peak     | 5460.000   | -39          | ≤-21.20     | 56.20           | ≤74            | PASS    |
| 11AC20SI  | Ant1    | Low    | 5180       | AV       | 4500.000   | -47.07       | ≤-41.20     | 48.13           | ≤54            | PASS    |


|                |      |      |      |      |          |        |         |       |     |      |
|----------------|------|------|------|------|----------|--------|---------|-------|-----|------|
| SO             |      |      |      | AV   | 5149.600 | -42.09 | ≤-41.20 | 53.11 | ≤54 | PASS |
|                |      |      |      | AV   | 5150.000 | -42.52 | ≤-41.20 | 52.68 | ≤54 | PASS |
|                |      |      |      | Peak | 4500.000 | -41.11 | ≤-21.20 | 54.09 | ≤74 | PASS |
|                |      |      |      | Peak | 5121.600 | -34.63 | ≤-21.20 | 60.57 | ≤74 | PASS |
|                |      |      |      | Peak | 5150.000 | -36.83 | ≤-21.20 | 58.37 | ≤74 | PASS |
|                |      | High | 5240 | AV   | 5350.000 | -46.08 | ≤-41.20 | 49.12 | ≤54 | PASS |
|                |      |      |      | AV   | 5438.160 | -44.24 | ≤-41.20 | 50.96 | ≤54 | PASS |
|                |      |      |      | AV   | 5460.000 | -45.27 | ≤-41.20 | 49.93 | ≤54 | PASS |
|                |      |      |      | Peak | 5350.000 | -37    | ≤-21.20 | 58.20 | ≤74 | PASS |
|                |      |      |      | Peak | 5441.280 | -35.57 | ≤-21.20 | 59.63 | ≤74 | PASS |
|                |      |      |      | Peak | 5460.000 | -37.04 | ≤-21.20 | 58.16 | ≤74 | PASS |
| 11AC40SI<br>SO | Ant1 | Low  | 5190 | AV   | 4500.000 | -47.81 | ≤-41.20 | 47.39 | ≤54 | PASS |
|                |      |      |      | AV   | 5144.700 | -44.89 | ≤-41.20 | 50.31 | ≤54 | PASS |
|                |      |      |      | AV   | 5150.000 | -45.04 | ≤-41.20 | 50.16 | ≤54 | PASS |
|                |      |      |      | Peak | 4500.000 | -40.25 | ≤-21.20 | 54.95 | ≤74 | PASS |
|                |      |      |      | Peak | 5141.900 | -35.02 | ≤-21.20 | 60.18 | ≤74 | PASS |
|                |      |      |      | Peak | 5150.000 | -37.16 | ≤-21.20 | 58.04 | ≤74 | PASS |
|                |      | High | 5230 | AV   | 5350.000 | -46.2  | ≤-41.20 | 49.00 | ≤54 | PASS |
|                |      |      |      | AV   | 5453.240 | -45.52 | ≤-41.20 | 49.68 | ≤54 | PASS |
|                |      |      |      | AV   | 5460.000 | -45.83 | ≤-41.20 | 49.37 | ≤54 | PASS |
|                |      |      |      | Peak | 5350.000 | -38.02 | ≤-21.20 | 57.18 | ≤74 | PASS |
|                |      |      |      | Peak | 5403.580 | -36.1  | ≤-21.20 | 59.10 | ≤74 | PASS |
|                |      |      |      | Peak | 5460.000 | -37.58 | ≤-21.20 | 57.62 | ≤74 | PASS |
| 11AC80SI<br>SO | Ant1 | Low  | 5210 | AV   | 4500.000 | -47.57 | ≤-41.20 | 47.63 | ≤54 | PASS |
|                |      |      |      | AV   | 5138.250 | -44.06 | ≤-41.20 | 51.14 | ≤54 | PASS |
|                |      |      |      | AV   | 5150.000 | -44.84 | ≤-41.20 | 50.36 | ≤54 | PASS |
|                |      |      |      | Peak | 4500.000 | -40.86 | ≤-21.20 | 54.34 | ≤74 | PASS |
|                |      |      |      | Peak | 5137.500 | -32.88 | ≤-21.20 | 62.32 | ≤74 | PASS |
|                |      |      |      | Peak | 5150.000 | -35.63 | ≤-21.20 | 59.57 | ≤74 | PASS |
|                |      | High | 5210 | AV   | 5350.000 | -46.65 | ≤-41.20 | 48.55 | ≤54 | PASS |
|                |      |      |      | AV   | 5441.800 | -45.49 | ≤-41.20 | 49.71 | ≤54 | PASS |
|                |      |      |      | AV   | 5460.000 | -45.84 | ≤-41.20 | 49.36 | ≤54 | PASS |
|                |      |      |      | Peak | 5350.000 | -38.78 | ≤-21.20 | 56.42 | ≤74 | PASS |
|                |      |      |      | Peak | 5398.120 | -35.02 | ≤-21.20 | 60.18 | ≤74 | PASS |
|                |      |      |      | Peak | 5460.000 | -39.24 | ≤-21.20 | 55.96 | ≤74 | PASS |
| 11AX20SI<br>SO | Ant1 | Low  | 5180 | AV   | 4500.000 | -46.94 | ≤-41.20 | 48.26 | ≤54 | PASS |
|                |      |      |      | AV   | 5149.600 | -42.34 | ≤-41.20 | 52.86 | ≤54 | PASS |
|                |      |      |      | AV   | 5150.000 | -43.47 | ≤-41.20 | 51.73 | ≤54 | PASS |
|                |      |      |      | Peak | 4500.000 | -39.94 | ≤-21.20 | 55.26 | ≤74 | PASS |
|                |      |      |      | Peak | 5114.600 | -34.68 | ≤-21.20 | 60.52 | ≤74 | PASS |
|                |      |      |      | Peak | 5150.000 | -35.94 | ≤-21.20 | 59.26 | ≤74 | PASS |
|                |      | High | 5240 | AV   | 5350.000 | -45.73 | ≤-41.20 | 49.47 | ≤54 | PASS |
|                |      |      |      | AV   | 5457.840 | -43.92 | ≤-41.20 | 51.28 | ≤54 | PASS |


|                |      |      |      |      |          |        |               |       |           |      |
|----------------|------|------|------|------|----------|--------|---------------|-------|-----------|------|
|                |      |      |      | AV   | 5460.000 | -44.82 | $\leq -41.20$ | 50.38 | $\leq 54$ | PASS |
|                |      |      |      | Peak | 5350.000 | -38.26 | $\leq -21.20$ | 56.94 | $\leq 74$ | PASS |
|                |      |      |      | Peak | 5448.000 | -35.27 | $\leq -21.20$ | 59.93 | $\leq 74$ | PASS |
|                |      |      |      | Peak | 5460.000 | -38.26 | $\leq -21.20$ | 56.94 | $\leq 74$ | PASS |
| 11AX40SI<br>SO | Ant1 | Low  | 5190 | AV   | 4500.000 | -47.84 | $\leq -41.20$ | 47.36 | $\leq 54$ | PASS |
|                |      |      |      | AV   | 4955.000 | -45.3  | $\leq -41.20$ | 49.90 | $\leq 54$ | PASS |
|                |      |      |      | AV   | 5150.000 | -45.79 | $\leq -41.20$ | 49.41 | $\leq 54$ | PASS |
|                |      |      |      | Peak | 4500.000 | -41.37 | $\leq -21.20$ | 53.83 | $\leq 74$ | PASS |
|                |      |      |      | Peak | 4965.500 | -34.37 | $\leq -21.20$ | 60.83 | $\leq 74$ | PASS |
|                |      |      |      | Peak | 5150.000 | -38.83 | $\leq -21.20$ | 56.37 | $\leq 74$ | PASS |
|                |      | High | 5230 | AV   | 5350.000 | -46.65 | $\leq -41.20$ | 48.55 | $\leq 54$ | PASS |
|                |      |      |      | AV   | 5445.700 | -45.52 | $\leq -41.20$ | 49.68 | $\leq 54$ | PASS |
|                |      |      |      | AV   | 5460.000 | -45.6  | $\leq -41.20$ | 49.60 | $\leq 54$ | PASS |
|                |      |      |      | Peak | 5350.000 | -37.99 | $\leq -21.20$ | 57.21 | $\leq 74$ | PASS |
|                |      |      |      | Peak | 5371.600 | -35.71 | $\leq -21.20$ | 59.49 | $\leq 74$ | PASS |
|                |      |      |      | Peak | 5460.000 | -38.29 | $\leq -21.20$ | 56.91 | $\leq 74$ | PASS |
| 11AX80SI<br>SO | Ant1 | Low  | 5210 | AV   | 4500.000 | -47.66 | $\leq -41.20$ | 47.54 | $\leq 54$ | PASS |
|                |      |      |      | AV   | 5137.500 | -42.29 | $\leq -41.20$ | 52.91 | $\leq 54$ | PASS |
|                |      |      |      | AV   | 5150.000 | -43.84 | $\leq -41.20$ | 51.36 | $\leq 54$ | PASS |
|                |      |      |      | Peak | 4500.000 | -40.24 | $\leq -21.20$ | 54.96 | $\leq 74$ | PASS |
|                |      |      |      | Peak | 5118.000 | -31.16 | $\leq -21.20$ | 64.04 | $\leq 74$ | PASS |
|                |      |      |      | Peak | 5150.000 | -33.7  | $\leq -21.20$ | 61.50 | $\leq 74$ | PASS |
|                |      | High | 5210 | AV   | 5350.000 | -46.48 | $\leq -41.20$ | 48.72 | $\leq 54$ | PASS |
|                |      |      |      | AV   | 5445.440 | -45.45 | $\leq -41.20$ | 49.75 | $\leq 54$ | PASS |
|                |      |      |      | AV   | 5460.000 | -45.76 | $\leq -41.20$ | 49.44 | $\leq 54$ | PASS |
|                |      |      |      | Peak | 5350.000 | -38.45 | $\leq -21.20$ | 56.75 | $\leq 74$ | PASS |
|                |      |      |      | Peak | 5456.920 | -35.09 | $\leq -21.20$ | 60.11 | $\leq 74$ | PASS |
|                |      |      |      | Peak | 5460.000 | -38.3  | $\leq -21.20$ | 56.90 | $\leq 74$ | PASS |

Note:


1. The Antenna Gain is compensated in the graph.
2. The Duty Cycle Factor and RBW Factor is compensated in the graph.
3. For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

## Test Graphs






11A\_Ant1\_High\_5240\_Peak




11N20SISO\_Ant1\_Low\_5180\_AV



## 11N20SISO\_Ant1\_Low\_5180\_Peak




## 11N20SISO\_Ant1\_High\_5240\_AV




## 11N20SISO\_Ant1\_High\_5240\_Peak




11N40SISO\_Ant1\_Low\_5190\_AV




11N40SISO\_Ant1\_Low\_5190\_Peak



## 11N40SISO\_Ant1\_High\_5230\_AV




## 11N40SISO\_Ant1\_High\_5230\_Peak



## 11AC20SISO\_Ant1\_Low\_5180\_AV




11AC20SISO\_Ant1\_Low\_5180\_Peak




11AC20SISO\_Ant1\_High\_5240\_AV




## 11AC20SISO\_Ant1\_High\_5240\_Peak



## 11AC40SISO\_Ant1\_Low\_5190\_AV



## 11AC40SISO\_Ant1\_Low\_5190\_Peak



11AC40SISO\_Ant1\_High\_5230\_AV




11AC40SISO\_Ant1\_High\_5230\_Peak




## 11AC80SISO\_Ant1\_Low\_5210\_AV



## 11AC80SISO\_Ant1\_Low\_5210\_Peak




## 11AC80SISO\_Ant1\_High\_5210\_AV




11AC80SISO\_Ant1\_High\_5210\_Peak




11AX20SISO\_Ant1\_Low\_5180\_AV



## 11AX20SISO\_Ant1\_Low\_5180\_Peak




## 11AX20SISO\_Ant1\_High\_5240\_AV




## 11AX20SISO\_Ant1\_High\_5240\_Peak




11AX40SISO\_Ant1\_Low\_5190\_AV




11AX40SISO\_Ant1\_Low\_5190\_Peak



11AX40SISO\_Ant1\_High\_5230\_AV




11AX40SISO\_Ant1\_High\_5230\_Peak



11AX80SISO\_Ant1\_Low\_5210\_AV



11AX80SISO\_Ant1\_Low\_5210\_Peak



11AX80SISO\_Ant1\_High\_5210\_AV



