PT583 Operation Manual

- Indicator Light
- OLED display screen
- Button
- Lithium Battery
- Lanyard
- USB port

Battery Installation（Note:Equipment failure due to inappropriate battery loading is beyond free warranty.）

Open the battery cover   Connect the battery socket   Load the battery

Screen Display

- Bluetooth
- Battery Power
- 18-08-13 15:06:08 — Time & date
- Press<SCAN>to start!
- No Tag — TTF,7000 — Tag records
- Current scanning mode
- Current operation information

Menu Guide

1.RECORD：Enter the record menu, press " ⬅ "and" ➡ " to check the records.

2.OPTIONS：

  (1)LANGUAGE：Operation language choice.

  (2)SCAN MODE：TTF or BARCODE.

  (2)TASK：Create multiple tasks.

  (3)RECORD OPTIONS：There are "YES" & "NO" two modes. Under "NO" mode,the same tag number will be recorded only once if it is multi-read. Under "YES" mode, the same tag number will be recorded many times if it is multi-read. The default mode is "NO".

  (4)DATE&TIME：Set the current date and time.

  (5)BEEP MODE：Default mode is "Open".

  (7)USB KEYBOARD：USB simulate keyboard will output the records in real time.

  (8)POWER MODE：Shut down delay setting, the range is "1-20" minutes.

  (9)CLEAR ALL RECORDS：Clear all the records in the reader.

  (10)FIRMWARE UPDATE：Update the device software. If needed, please operate under manufacturer' guidance.

3.DEVICE INFO：The device number (Bluetooth number) and device version number displayed are for manufacturer's maintenance.

4.SHUT DOWN：Shut down the device.

Scanning steps

Press " SCAN " to start and enter the following interface, you can scan the tags under this status.

18-08-13 15:06:08
SCANNING ··· TTF,7000

The reader will enter the following interface if no tags was scanned within 1 minute, press " SCAN " to scan again.

18-08-13 15:06:08
Press<SCAN>to start!
No Tag TTF,7000

The reader will display the tag information after you scan a tag, press " SCAN " to scan the next tag.

18-08-13 15:06:08
(999) 000000000001
ISO11784 FDX-B

Operation menu setting

Press " ⬅ " in scan interface to enter the operation menu interface.

18-08-13 15:06:08
✳1.RECORD
  2.OPTIONS

After entering the operation menu interface, press" ⬅ " to choose with "✳" Mark, press " ➡ " to confirm. Press " SCAN " to go back to previous interface.

Shortcuts of language switching: In the following interface, long press " ➡ " and press" ⬅ " in the meantime, to switch the language rapidly.

18-08-13 15:06:08
Press<SCAN>to start!
No Tag TTF,7000

FCC Statement

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:
* Reorient or relocate the receiving antenna.
* Increase the separation between the equipment and receiver.
* Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
* Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.