




APPENDIX REPORT

Project No.	SHT2311064901EW	Radio Specification	Bluetooth BLE
Test sample No.	YPHT23110649001	Model No.	ATMET2K
Start test date	2024-03-18	Finish date	2024-03-18
Temperature	25°C	Humidity	51%
Test Engineer	Xiangyu Wei	Auditor	Xiaodong Zheo

Appendix clause	Test item	Result
A	Peak Output Power	PASS
B	Power Spectral Density	PASS
C	6 dB Bandwidth	PASS
D	99% Occupied Bandwidth	PASS
E	Duty cycle	PASS
F	Band edge and Spurious Emissions (conducted)	PASS

Appendix A: Peak Output Power

Test rate	Channel	Peak Output power (dBm)	Average Output power (dBm)	Limit (dBm)	Result
1Mbps	00	6.06	6.02	≤ 30.00	Pass
	19	6.53	6.45		
	39	7.26	7.21		
2Mbps	00	6.28	6.24	≤ 30.00	Pass
	19	6.75	6.69		
	39	7.98	7.94		

Test rate: 1Mbps	
CH00	 <p>Date: 18 MAR. 2024 13:18:13</p>
CH19	 <p>Date: 18 MAR. 2024 13:20:44</p>
CH39	 <p>Date: 18 MAR. 2024 13:23:44</p>

Test rate: 2Mbps	
CH00	<p>Date: 18 MAR. 2024 13:25:42</p>
CH19	<p>Date: 18 MAR. 2024 13:27:51</p>
CH39	<p>Date: 18 MAR. 2024 16:10:40</p>

Appendix B: Power Spectral Density

Test rate	Channel	Power Spectral Density(dBm/3KHz)	Limit (dBm/3KHz)	Result
1Mbps	00	-10.55	≤8.00	Pass
	19	-10.01		
	39	-9.20		
2Mbps	00	-5.65	≤8.00	Pass
	19	-5.14		
	39	-3.93		

Test rate: 1Mbps	
CH00	<p>Ref Level 10.50 dBm Offset 0.50 dB RBW 3 kHz Att 20 dB SWT 632.3 μs VBW 10 kHz Mode Auto FFT Count 100/100 IPK Max M1[1] -10.55 dBm 2.40190120 GHz M1 CF 2.402 GHz 691 pts Span 1.0 MHz Date: 18 MAR. 2024 13:18:28</p>
CH19	<p>Ref Level 10.50 dBm Offset 0.50 dB RBW 3 kHz Att 20 dB SWT 632.3 μs VBW 10 kHz Mode Auto FFT Count 100/100 IPK Max M1[1] -10.01 dBm 2.43997400 GHz M1 CF 2.44 GHz 691 pts Span 1.0 MHz Date: 18 MAR. 2024 13:20:58</p>
CH39	<p>Ref Level 10.50 dBm Offset 0.50 dB RBW 3 kHz Att 20 dB SWT 632.3 μs VBW 10 kHz Mode Auto FFT Count 100/100 IPK Max M1[1] -9.20 dBm 2.47996820 GHz M1 CF 2.48 GHz 691 pts Span 1.0 MHz Date: 18 MAR. 2024 13:23:58</p>

Test rate: 2Mbps	
CH00	<p>Date: 18 MAR. 2024 13:25:56</p>
CH19	<p>Date: 18 MAR. 2024 13:28:05</p>
CH39	<p>Date: 18 MAR. 2024 16:10:55</p>

Appendix C: 6dB bandwidth

Type	Channel	6dB Bandwidth(kHz)	Limit (kHz)	Result
1Mbps	00	700.00	≥500	Pass
	19	694.00		
	39	696.00		
2Mbps	00	1070.00	≥500	Pass
	19	1070.00		
	39	1072.00		

Test rate:		1Mbps																												
CH00	<p>Ref Level 10.50 dBm Offset 0.50 dB RBW 100 kHz Att 20 dB SWT 19.1 μs VBW 300 kHz Mode Auto FFT Count 500/500</p> <p>IPK View</p> <p>0 dBm -0.1 dBm -1.07 dBm</p> <p>M1 2.401634000 GHz -1.07 dBm M2[1] 2.401998000 GHz -4.99 dBm D3 700.0 kHz 0.05 dB</p> <p>GF 2.402 GHz 1001 pts Span 2.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.401634 GHz</td> <td>-1.07 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.401998 GHz</td> <td>-4.99 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>700.0 kHz</td> <td>0.05 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 18 MAR. 2024 13:17:58</p>		Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.401634 GHz	-1.07 dBm			M2	1		2.401998 GHz	-4.99 dBm			D3	M1	1	700.0 kHz	0.05 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																								
M1	1		2.401634 GHz	-1.07 dBm																										
M2	1		2.401998 GHz	-4.99 dBm																										
D3	M1	1	700.0 kHz	0.05 dB																										
CH19	<p>Ref Level 10.50 dBm Offset 0.50 dB RBW 100 kHz Att 20 dB SWT 19.1 μs VBW 300 kHz Mode Auto FFT Count 500/500</p> <p>IPK View</p> <p>0 dBm -0.1 dBm -0.476 dBm -0.51 dBm</p> <p>M1 2.439650000 GHz -0.51 dBm M2 2.439980000 GHz -5.52 dBm D3 694.0 kHz 0.01 dB</p> <p>GF 2.44 GHz 1001 pts Span 2.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.43965 GHz</td> <td>-0.51 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.43998 GHz</td> <td>-5.52 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>694.0 kHz</td> <td>0.01 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 18 MAR. 2024 13:20:28</p>		Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.43965 GHz	-0.51 dBm			M2	1		2.43998 GHz	-5.52 dBm			D3	M1	1	694.0 kHz	0.01 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																								
M1	1		2.43965 GHz	-0.51 dBm																										
M2	1		2.43998 GHz	-5.52 dBm																										
D3	M1	1	694.0 kHz	0.01 dB																										
CH39	<p>Ref Level 10.50 dBm Offset 0.50 dB RBW 100 kHz Att 20 dB SWT 19.1 μs VBW 300 kHz Mode Auto FFT Count 500/500</p> <p>IPK View</p> <p>0 dBm -0.1 dBm 0.279 dBm 0.23 dBm</p> <p>M1 2.479640000 GHz 0.23 dBm M2 2.479984000 GHz 6.28 dBm D3 696.0 kHz 0.04 dB</p> <p>GF 2.48 GHz 1001 pts Span 2.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.47964 GHz</td> <td>0.23 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.479984 GHz</td> <td>6.28 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>696.0 kHz</td> <td>0.04 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 18 MAR. 2024 13:23:29</p>		Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.47964 GHz	0.23 dBm			M2	1		2.479984 GHz	6.28 dBm			D3	M1	1	696.0 kHz	0.04 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																								
M1	1		2.47964 GHz	0.23 dBm																										
M2	1		2.479984 GHz	6.28 dBm																										
D3	M1	1	696.0 kHz	0.04 dB																										

Test rate:		2Mbps																												
CH00	<p>Ref Level 10.50 dBm Offset 0.50 dB RBW 100 kHz Att 20 dB SWT 19 µs VBW 300 kHz Mode Auto FFT Count 500/500</p> <p>GF 2.402 GHz 1001 pts Span 5.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.401465 GHz</td> <td>-1.78 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.40199 GHz</td> <td>-4.49 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>1.07 MHz</td> <td>0.22 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 18 MAR. 2024 13:25:26</p>		Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.401465 GHz	-1.78 dBm			M2	1		2.40199 GHz	-4.49 dBm			D3	M1	1	1.07 MHz	0.22 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																								
M1	1		2.401465 GHz	-1.78 dBm																										
M2	1		2.40199 GHz	-4.49 dBm																										
D3	M1	1	1.07 MHz	0.22 dB																										
CH19	<p>Ref Level 10.50 dBm Offset 0.50 dB RBW 100 kHz Att 20 dB SWT 19 µs VBW 300 kHz Mode Auto FFT Count 500/500</p> <p>GF 2.44 GHz 1001 pts Span 5.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.43946 GHz</td> <td>-1.11 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.439985 GHz</td> <td>-4.98 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>1.07 MHz</td> <td>-0.06 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 18 MAR. 2024 13:27:35</p>		Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.43946 GHz	-1.11 dBm			M2	1		2.439985 GHz	-4.98 dBm			D3	M1	1	1.07 MHz	-0.06 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																								
M1	1		2.43946 GHz	-1.11 dBm																										
M2	1		2.439985 GHz	-4.98 dBm																										
D3	M1	1	1.07 MHz	-0.06 dB																										
CH39	<p>Ref Level 10.50 dBm Offset 0.50 dB RBW 100 kHz Att 20 dB SWT 18.9 µs VBW 300 kHz Mode Auto FFT Count 500/500</p> <p>GF 2.48 GHz 1001 pts Span 4.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.479452 GHz</td> <td>0.11 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.479976 GHz</td> <td>6.26 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>1.072 MHz</td> <td>-0.08 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 18 MAR. 2024 16:10:19</p>		Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.479452 GHz	0.11 dBm			M2	1		2.479976 GHz	6.26 dBm			D3	M1	1	1.072 MHz	-0.08 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																								
M1	1		2.479452 GHz	0.11 dBm																										
M2	1		2.479976 GHz	6.26 dBm																										
D3	M1	1	1.072 MHz	-0.08 dB																										



Appendix D: 99% Occupied Bandwidth

Test rate	Channel	99% Occupied Bandwidth(MHz)	Limit (kHz)	Result
1Mbps	00	1.04	-	Pass
	19	1.05		
	39	1.04		
2Mbps	00	2.04	-	Pass
	19	2.03		
	39	2.03		




Test rate: 1Mbps	
CH00	<p> Spectrum Ref Level 10.50 dBm Offset 0.50 dB RBW 30 kHz Att 20 dB SWT 63.3 μs VBW 100 kHz Mode Auto FFT Count 500/500 IPK View M1 1.27 dBm 2.40197200 GHz 1.040959041 MHz Occ Bw T1 T2 CF 2.402 GHz 1001 pts Span 2.0 MHz Date: 18 MAR. 2024 13:18:05 </p>
CH19	<p> Spectrum Ref Level 10.50 dBm Offset 0.50 dB RBW 30 kHz Att 20 dB SWT 63.3 μs VBW 100 kHz Mode Auto FFT Count 500/500 IPK View M1 1.01 dBm 2.43996600 GHz 1.044955045 MHz Occ Bw T1 T2 CF 2.44 GHz 1001 pts Span 2.0 MHz Date: 18 MAR. 2024 13:20:36 </p>
CH39	<p> Spectrum Ref Level 10.50 dBm Offset 0.50 dB RBW 30 kHz Att 20 dB SWT 63.3 μs VBW 100 kHz Mode Auto FFT Count 500/500 IPK View M1 2.52 dBm 2.47996000 GHz 1.040959041 MHz Occ Bw T1 T2 CF 2.48 GHz 1001 pts Span 2.0 MHz Date: 18 MAR. 2024 13:23:36 </p>

Test rate: 2Mbps	
CH00	<p>Ref Level 10.50 dBm Offset 0.50 dB RBW 30 kHz Att 20 dB SWT 63.2 μs VBW 100 kHz Mode Auto FFT Count 500/500 IPK View M1[1] -0.58 dBm M1 2.40250450 GHz Occ Bw 2.037967033 MHz CF 2.402 GHz 1001 pts Span 5.0 MHz Date: 18 MAR. 2024 13:25:34</p>
CH19	<p>Ref Level 10.50 dBm Offset 0.50 dB RBW 30 kHz Att 20 dB SWT 63.2 μs VBW 100 kHz Mode Auto FFT Count 500/500 IPK View M1[1] -0.03 dBm M1 2.44049450 GHz Occ Bw 2.032967033 MHz CF 2.44 GHz 1001 pts Span 5.0 MHz Date: 18 MAR. 2024 13:27:42</p>
CH39	<p>Ref Level 10.50 dBm Offset 0.50 dB RBW 30 kHz Att 20 dB SWT 63.2 μs VBW 100 kHz Mode Auto FFT Count 500/500 IPK View M1[1] 1.25 dBm M1 2.47949050 GHz Occ Bw 2.032967033 MHz CF 2.48 GHz 1001 pts Span 5.0 MHz Date: 18 MAR. 2024 16:10:27</p>


Appendix E: Duty cycle






Appendix F: Band edge and Spurious Emissions (conducted)

Test Item:	Band edge	Test Rate:	1Mbps																																																
CH00	 <table border="1" data-bbox="687 645 1334 752"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>2.40204 GHz</td> <td>4.61 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td></td> <td>2.4 GHz</td> <td>-56.86 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td></td> <td>2.39 GHz</td> <td>-65.38 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td></td> <td>2.31 GHz</td> <td>-65.60 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td></td> <td>2.39963 GHz</td> <td>-55.27 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 18 MAR. 2024 13:18:37</p>			Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			2.40204 GHz	4.61 dBm			M2	1			2.4 GHz	-56.86 dBm			M3	1			2.39 GHz	-65.38 dBm			M4	1			2.31 GHz	-65.60 dBm			M5	1			2.39963 GHz	-55.27 dBm		
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																												
M1	1			2.40204 GHz	4.61 dBm																																														
M2	1			2.4 GHz	-56.86 dBm																																														
M3	1			2.39 GHz	-65.38 dBm																																														
M4	1			2.31 GHz	-65.60 dBm																																														
M5	1			2.39963 GHz	-55.27 dBm																																														
CH39	 <table border="1" data-bbox="687 1182 1334 1211"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>2.47999 GHz</td> <td>6.22 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td></td> <td>2.4835 GHz</td> <td>-62.90 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td></td> <td>2.5 GHz</td> <td>-68.00 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td></td> <td>2.484058 GHz</td> <td>-62.13 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 18 MAR. 2024 13:24:07</p>			Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			2.47999 GHz	6.22 dBm			M2	1			2.4835 GHz	-62.90 dBm			M3	1			2.5 GHz	-68.00 dBm			M4	1			2.484058 GHz	-62.13 dBm										
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																												
M1	1			2.47999 GHz	6.22 dBm																																														
M2	1			2.4835 GHz	-62.90 dBm																																														
M3	1			2.5 GHz	-68.00 dBm																																														
M4	1			2.484058 GHz	-62.13 dBm																																														
Test Item:	Band edge	Test Rate:	2Mbps																																																
CH00	 <table border="1" data-bbox="687 1776 1334 1814"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>2.40204 GHz</td> <td>4.27 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td></td> <td>2.4 GHz</td> <td>-35.87 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td></td> <td>2.39 GHz</td> <td>-65.04 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td></td> <td>2.31 GHz</td> <td>-66.12 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td></td> <td>2.399906 GHz</td> <td>-45.36 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 18 MAR. 2024 13:26:06</p>			Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			2.40204 GHz	4.27 dBm			M2	1			2.4 GHz	-35.87 dBm			M3	1			2.39 GHz	-65.04 dBm			M4	1			2.31 GHz	-66.12 dBm			M5	1			2.399906 GHz	-45.36 dBm		
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																												
M1	1			2.40204 GHz	4.27 dBm																																														
M2	1			2.4 GHz	-35.87 dBm																																														
M3	1			2.39 GHz	-65.04 dBm																																														
M4	1			2.31 GHz	-66.12 dBm																																														
M5	1			2.399906 GHz	-45.36 dBm																																														




CH39






Date: 18 MAR 2024 16:11:03

Test Item:	SE	Test Rate:	1Mbps
<p>CH00 Reference level</p>	 <p>Date: 18 MAR 2024 13:18:42</p>		
<p>CH00 30MHz~1000MHz</p>	 <p>Date: 18 MAR 2024 13:18:57</p>		
<p>CH00 1GHz~26GHz</p>	 <p>Date: 18 MAR 2024 13:19:13</p>		


<p>CH19 Reference level</p>	<p>Date: 18 MAR. 2024 13:21:03</p>
<p>CH19 30MHz~1000MHz</p>	<p>Date: 18 MAR. 2024 13:21:18</p>
<p>CH19 1GHz~26GHz</p>	<p>Date: 18 MAR. 2024 13:21:34</p>

<p>CH39 Reference level</p>	 <p>Ref Level 20.50 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 100/100 IPK Max M1[1] 5.40 dBm 2.4797400 GHz CF 2.48 GHz 691 pts Span 30.0 MHz Date: 18 MAR. 2024 13:24:13</p>
<p>CH39 30MHz~1000MHz</p>	 <p>Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 IPK Max M1[1] -52.78 dBm 999.9190 MHz D1 -14.600 dBm Start 30.0 MHz 30001 pts Stop 1.0 GHz Date: 18 MAR. 2024 13:24:28</p>
<p>CH39 1GHz~26GHz</p>	 <p>Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 IPK Max M1[1] -44.14 dBm 15.901667 GHz D1 -14.600 dBm Start 1.0 GHz 30001 pts Stop 26.0 GHz Date: 18 MAR. 2024 13:24:43</p>

<p>Test Item:</p>	<p>SE</p>	<p>Test Rate:</p>	<p>2Mbps</p>
-------------------	-----------	-------------------	--------------


<p>CH00 Reference level</p>	 <p>The spectrum plot shows a single peak at 2.4017830 GHz with a power level of 0.60 dBm. The y-axis ranges from -70 dBm to 10 dBm. The x-axis is centered at 2.402 GHz. Parameters include Ref Level 20.50 dBm, Att 30 dB, Offset 0.50 dB, RBW 100 kHz, Count 100/100, Mode Auto FFT, and Spn 30.0 MHz.</p>
<p>CH00 30MHz~1000MHz</p>	 <p>The spectrum plot shows a noise floor across the 30 MHz to 1.0 GHz range. A red line indicates a -19.400 dBm level. A peak at 817.9210 MHz is marked with -52.71 dBm. Parameters include Ref Level 20.00 dBm, Att 30 dB, Offset 0.50 dB, RBW 100 kHz, Count 10/10, Mode Auto Sweep, and Spn 30.0 MHz.</p>
<p>CH00 1GHz~26GHz</p>	 <p>The spectrum plot shows a noise floor across the 1.0 GHz to 26.0 GHz range. A red line indicates a -19.400 dBm level. A peak at 25.876667 GHz is marked with -44.53 dBm. Parameters include Ref Level 20.00 dBm, Att 30 dB, Offset 0.50 dB, RBW 100 kHz, Count 10/10, Mode Auto Sweep, and Spn 30.0 MHz.</p>

CH19
Reference level




Date: 18 MAR. 2024 13:28:11

CH19
30MHz~1000MHz




Date: 18 MAR. 2024 13:28:26

CH19
1GHz~26GHz




Date: 18 MAR. 2024 13:28:41


CH39
Reference level



CH39
30MHz~1000MHz



CH39
1GHz~26GHz



-----End of Report-----