

APPENDIX REPORT

Project No.	SHT2311064901EW	Radio Specification	Bluetooth EDR
Test sample No.	YPHT23110649001	Model No.	ATMET2K
Start test date	2024-03-18	Finish date	2024-03-18
Temperature	25°C	Humidity	51%
Test Engineer	Xiangyu Wei	Auditor	Xiaodong Zheo


Appendix clause	Test item	Result
A	Peak Output Power	PASS
B	20 dB Bandwidth	PASS
C	99% Occupied Bandwidth	PASS
D	Carrier Frequencies Separation	PASS
E	Hopping Channel Number	PASS
F	Dwell Time	PASS
G	Duty Cycle Correction Factor (DCCF)	PASS
H	Band edge and Spurious Emissions(coducted)	PASS

Appendix A: Peak Output Power


Modulation type	Channel	Peak Output power (dBm)	Average Output power (dBm)	Limit (dBm)	Result
GFSK	00	5.67	5.62	≤ 30.00	Pass
	39	5.64	5.49		
	78	7.22	7.18		
π/4DQPSK	00	7.37	7.34	≤ 21.00	Pass
	39	7.67	7.65		
	78	8.24	8.22		
8DPSK	00	7.83	7.81	≤ 21.00	Pass
	39	8.07	8.01		
	78	8.70	8.65		

Modulation Type: GFSK


CH00



CH39




CH78




Modulation Type: $\pi/4$ DQPSK


CH00



CH39




CH78




Modulation Type: 8DPSK

CH00




Date: 18 MAR. 2024 12:48:22

CH39



Date: 18 MAR. 2024 12:50:16

CH78




Date: 18 MAR. 2024 12:51:37

Appendix B : 20 dB Bandwidth

Modulation type	Channel	20 dB Bandwidth (kHz)	Limit (kHz)	Result
GFSK	00	925.00	-	Pass
	39	925.00		
	78	925.00		
$\pi/4$ DQPSK	00	1345.00	-	Pass
	39	1350.00		
	78	1352.00		
8DPSK	00	1302.00	-	Pass
	39	1303.00		
	78	1305.00		


Modulation Type: **GFSK**

CH00




Date: 18 MAR 2024 12:38:03

CH39



Date: 18 MAR 2024 12:39:48


CH78




Date: 18 MAR 2024 12:41:07

Modulation Type: **$\pi/4$ DQPSK**


CH00



CH39




CH78




Modulation Type: 8DPSK


CH00



CH39



CH78




Appendix C: 99% Occupied Bandwidth

Modulation type	Channel	99% Occupied Bandwidth (MHz)	Limit (MHz)	Result
GFSK	00	0.89	-	Pass
	39	0.89		
	78	0.89		
$\pi/4$ DQPSK	00	1.19	-	Pass
	39	1.19		
	78	1.19		
8DPSK	00	1.19	-	Pass
	39	1.19		
	78	1.20		


Modulation Type: GFSK

CH00




Date: 18 MAR 2024 12:38:11

CH39



Date: 18 MAR 2024 12:39:56

CH78



Date: 18 MAR 2024 12:41:14

Modulation Type: $\pi/4$ DQPSK	
CH00	<p>CF 2.402 GHz 1001 pts Spon 2.5 MHz</p> <p>Date: 18 MAR 2024 12:43:00</p>
CH39	<p>CF 2.441 GHz 1001 pts Spon 2.5 MHz</p> <p>Date: 18 MAR 2024 12:44:32</p>
CH78	<p>CF 2.40 GHz 1001 pts Spon 2.5 MHz</p> <p>Date: 18 MAR 2024 12:46:17</p>

Modulation Type:		8DPSK
CH00	<p> Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 30 kHz Att 30 dB SWT 63.1 μs VBW 100 kHz Mode Auto FFT Count 500/500 1Pk View 9.47 dBm 2.40215980 GHz 1.188811189 MHz CF 2.402 GHz 1001 pts Spon 2.5 MHz Date: 18 MAR 2024 12:48:13 </p>	
CH39	<p> Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 30 kHz Att 30 dB SWT 63.1 μs VBW 100 kHz Mode Auto FFT Count 500/500 1Pk View 9.86 dBm 2.44115230 GHz 1.188811189 MHz CF 2.441 GHz 1001 pts Spon 2.5 MHz Date: 18 MAR 2024 12:50:08 </p>	
CH78	<p> Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 30 kHz Att 30 dB SWT 63.1 μs VBW 100 kHz Mode Auto FFT Count 500/500 1Pk View 4.58 dBm 2.48014740 GHz 1.196303696 MHz CF 2.40 GHz 1001 pts Spon 2.5 MHz Date: 18 MAR 2024 12:51:29 </p>	

Appendix D: Carrier Frequencies Separation

Modulation type	Channel	Carrier Frequencies Separation (MHz)	Limit (kHz) *	Result
GFSK	39	1.00	≥925	Pass
$\pi/4$ DQPSK	39	1.24	≥901	Pass
8DPSK	39	1.00	≥870	Pass

Note:

*: GFSK limit = The maximum 20 dB Bandwidth for GFSK modulation on the appendix B.

$\pi/4$ DQPSK limit = $2/3$ * The maximum 20 dB Bandwidth for $\pi/4$ DQPSK modulation on the appendix B.


8DPSK limit = $2/3$ * The maximum 20 dB Bandwidth for 8DPSK modulation on the appendix B

<p style="text-align: center;">GFSK</p>	<p style="text-align: right;">Date: 18 MAR. 2024 12:54:26</p>
<p style="text-align: center;">$\pi/4$DQPSK</p>	<p style="text-align: right;">Date: 18 MAR. 2024 12:56:29</p>
<p style="text-align: center;">8DPSK</p>	<p style="text-align: right;">Date: 18 MAR. 2024 12:58:34</p>

Appendix E: Hopping Channel Number


Modulation type	Channel number	Limit	Result
GFSK	79	≥15.00	Pass
π/4DQPSK	79		
8DPSK	79		

GFSK




Date: 18 MAR 2024 13:00:31

$\pi/4$ DQPSK



Date: 18 MAR 2024 13:01:59

8DPSK




Date: 18 MAR 2024 13:03:24

Appendix F: Dwell Time

Modulation type	Packet	Burst Width [ms]	Total Hops[hop*ch]	Dwell time (Second)	Limit (Second)	Result
GFSK	DH1	2.88	123.00	0.36	≤ 0.40	Pass
	DH3	1.64	164.00	0.27		
	DH5	2.89	112.00	0.32		
π/4DQPSK	2DH1	0.39	321.00	0.12	≤ 0.40	Pass
	2DH3	1.64	154.00	0.25		
	2DH5	2.89	102.00	0.30		
8DPSK	3DH1	0.39	320.00	0.12	≤ 0.40	Pass
	3DH3	1.64	163.00	0.27		
	3DH5	2.89	101.00	0.29		


Modulation Type: GFSK	
DH1 Burst width	
DH1 Burst number	
DH3 Burst width	

DH3
Burst number




Date: 18 MAR. 2024 13:07:05

DH5
Burst width



Date: 18 MAR. 2024 13:08:01


DH5
Burst number




Date: 18 MAR. 2024 13:08:34

Modulation Type: $\pi/4$ DQPSK	
2DH1 Burst width	
2DH1 Burst number	
2DH3 Burst width	


2DH3
Burst number



2DH5
Burst width




2DH5
Burst number




Modulation Type: 8DPSK	
3DH1 Burst width	
3DH1 Burst number	
3DH3 Burst width	

3DH3
Burst number




Date: 18 MAR 2024 13:14:24

3DH5
Burst width



Date: 18 MAR 2024 13:14:59

3DH5
Burst number





Date: 18 MAR 2024 13:15:32

Appendix G: Duty Cycle Correction Factor (DCCF)**DCCF Calculate Formula**

$$\text{DCCF} = 20 * \text{Log}(\text{duty cycle}) = 20 * \text{Log}(T_{\text{on time}} / T_{\text{period}})$$

Modulation type	Test Frequency (MHz)	T _{on time} for single burst [ms]	T _{period} [ms]	Burst Quantity	DCCF [dB]
GFSK	2441	2.87	100	1.00	-30.84
$\pi/4$ DQPSK	2441	2.87	100	1.00	-30.84
8DPSK	2441	2.87	100	1.00	-30.84



GFSK



T_{on} time for single burst

Burst Quantity



$\pi/4$ DQPSK



T_{on} time for single burst

Burst Quantity




8DPSK




T_{on} time for single burst

Burst Quantity




Appendix H: Band edge and Spurious Emissions (conducted)

Test Item:	Band edge	Modulation type:	GFSK																																																
<p>CH00 No hopping mode</p>			 <table border="1" data-bbox="687 719 1337 840"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>2.40204 GHz</td> <td>5.16 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td></td> <td>2.4 GHz</td> <td>-52.47 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td></td> <td>2.39 GHz</td> <td>-55.71 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td></td> <td>2.31 GHz</td> <td>-55.50 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td></td> <td>2.39963 GHz</td> <td>-53.64 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 18 MAR 2024 12:38:33</p>	Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			2.40204 GHz	5.16 dBm			M2	1			2.4 GHz	-52.47 dBm			M3	1			2.39 GHz	-55.71 dBm			M4	1			2.31 GHz	-55.50 dBm			M5	1			2.39963 GHz	-53.64 dBm		
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																												
M1	1			2.40204 GHz	5.16 dBm																																														
M2	1			2.4 GHz	-52.47 dBm																																														
M3	1			2.39 GHz	-55.71 dBm																																														
M4	1			2.31 GHz	-55.50 dBm																																														
M5	1			2.39963 GHz	-53.64 dBm																																														
<p>CH00 Hopping mode</p>			 <table border="1" data-bbox="687 1267 1337 1388"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>2.40204 GHz</td> <td>4.96 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td></td> <td>2.4 GHz</td> <td>-55.54 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td></td> <td>2.39 GHz</td> <td>-55.39 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td></td> <td>2.31 GHz</td> <td>-55.59 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td></td> <td>2.340428 GHz</td> <td>-53.22 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 18 MAR 2024 13:00:44</p>	Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			2.40204 GHz	4.96 dBm			M2	1			2.4 GHz	-55.54 dBm			M3	1			2.39 GHz	-55.39 dBm			M4	1			2.31 GHz	-55.59 dBm			M5	1			2.340428 GHz	-53.22 dBm		
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																												
M1	1			2.40204 GHz	4.96 dBm																																														
M2	1			2.4 GHz	-55.54 dBm																																														
M3	1			2.39 GHz	-55.39 dBm																																														
M4	1			2.31 GHz	-55.59 dBm																																														
M5	1			2.340428 GHz	-53.22 dBm																																														
<p>CH78 No hopping mode</p>			 <table border="1" data-bbox="687 1832 1337 1937"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>2.47999 GHz</td> <td>7.18 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td></td> <td>2.4835 GHz</td> <td>-58.23 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td></td> <td>2.5 GHz</td> <td>-59.91 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td></td> <td>2.4856522 GHz</td> <td>-56.64 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 18 MAR 2024 12:41:35</p>	Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			2.47999 GHz	7.18 dBm			M2	1			2.4835 GHz	-58.23 dBm			M3	1			2.5 GHz	-59.91 dBm			M4	1			2.4856522 GHz	-56.64 dBm										
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																												
M1	1			2.47999 GHz	7.18 dBm																																														
M2	1			2.4835 GHz	-58.23 dBm																																														
M3	1			2.5 GHz	-59.91 dBm																																														
M4	1			2.4856522 GHz	-56.64 dBm																																														


CH78
Hopping mode



Date: 18 MAR. 2024 13:00:57

Test Item:	Band edge	Modulation type:	$\pi/4$ DQPSK																																																
<p>CH00 No hopping mode</p>	 <p>1Pk Max</p> <p>Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 1.1 ms VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm</p> <p>Start 2.31 GHz 691 pts Stop 2.405 GHz</p> <table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>2.40204 GHz</td> <td>4.26 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td></td> <td>2.4 GHz</td> <td>-51.93 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td></td> <td>2.39 GHz</td> <td>-55.65 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td></td> <td>2.31 GHz</td> <td>-55.73 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td></td> <td>2.399906 GHz</td> <td>-53.18 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 18 MAR 2024 12:43:21</p>			Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			2.40204 GHz	4.26 dBm			M2	1			2.4 GHz	-51.93 dBm			M3	1			2.39 GHz	-55.65 dBm			M4	1			2.31 GHz	-55.73 dBm			M5	1			2.399906 GHz	-53.18 dBm		
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																												
M1	1			2.40204 GHz	4.26 dBm																																														
M2	1			2.4 GHz	-51.93 dBm																																														
M3	1			2.39 GHz	-55.65 dBm																																														
M4	1			2.31 GHz	-55.73 dBm																																														
M5	1			2.399906 GHz	-53.18 dBm																																														
<p>CH00 Hopping mode</p>	 <p>1Pk Max</p> <p>Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 1.1 ms VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm</p> <p>Start 2.31 GHz 691 pts Stop 2.405 GHz</p> <table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>2.40493 GHz</td> <td>9.07 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td></td> <td>2.4 GHz</td> <td>-55.82 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td></td> <td>2.39 GHz</td> <td>-55.95 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td></td> <td>2.31 GHz</td> <td>-55.77 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td></td> <td>2.399926 GHz</td> <td>-53.41 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 18 MAR 2024 13:02:11</p>			Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			2.40493 GHz	9.07 dBm			M2	1			2.4 GHz	-55.82 dBm			M3	1			2.39 GHz	-55.95 dBm			M4	1			2.31 GHz	-55.77 dBm			M5	1			2.399926 GHz	-53.41 dBm		
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																												
M1	1			2.40493 GHz	9.07 dBm																																														
M2	1			2.4 GHz	-55.82 dBm																																														
M3	1			2.39 GHz	-55.95 dBm																																														
M4	1			2.31 GHz	-55.77 dBm																																														
M5	1			2.399926 GHz	-53.41 dBm																																														
<p>CH78 No hopping mode</p>	 <p>1Pk Max</p> <p>Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 56.9 μs VBW 300 kHz Mode Auto FFT Count 500/500</p> <p>10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm</p> <p>Start 2.478 GHz 691 pts Stop 2.5 GHz</p> <table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>2.47999 GHz</td> <td>5.78 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td></td> <td>2.4835 GHz</td> <td>-56.44 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td></td> <td>2.5 GHz</td> <td>-59.88 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td></td> <td>2.4835159 GHz</td> <td>-56.19 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 18 MAR 2024 12:46:38</p>			Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			2.47999 GHz	5.78 dBm			M2	1			2.4835 GHz	-56.44 dBm			M3	1			2.5 GHz	-59.88 dBm			M4	1			2.4835159 GHz	-56.19 dBm										
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																												
M1	1			2.47999 GHz	5.78 dBm																																														
M2	1			2.4835 GHz	-56.44 dBm																																														
M3	1			2.5 GHz	-59.88 dBm																																														
M4	1			2.4835159 GHz	-56.19 dBm																																														

CH78
Hopping mode






Date: 18 MAR. 2024 13:02:25




Test Item:	Band edge	Modulation type:	8DPSK
<p>CH00 No hopping mode</p>			
<p>CH00 Hopping mode</p>			
<p>CH78 No hopping mode</p>			

CH78
Hoppig mode




Date: 18 MAR 2024 13:03:50

Test Item:	Spurious Emission	Modulation type:	GFSK
<p>CH00 Reference level</p>	 <p>Date: 18 MAR. 2024 12:38:41</p>		
<p>CH00 30MHz~1000MHz</p>	 <p>Date: 18 MAR. 2024 12:38:56</p>		
<p>CH00 1GHz~26GHz</p>	 <p>Date: 18 MAR. 2024 12:39:11</p>		


<p>CH39 Reference level</p>	 <p>Date: 18 MAR. 2024 12:40:09</p>
<p>CH39 30MHz~1000MHz</p>	 <p>Date: 18 MAR. 2024 12:40:24</p>
<p>CH39 1GHz~26GHz</p>	 <p>Date: 18 MAR. 2024 12:40:40</p>

CH78
Reference level




Date: 18 MAR. 2024 12:41:41

CH78
30MHz~1000MHz






Date: 18 MAR. 2024 12:41:56


CH78
1GHz~26GHz



Date: 18 MAR. 2024 12:42:11


Test Item:	Spurious Emission	Modulation type:	π/4DQPSK
<p>CH00 Reference level</p>	 <p>Date: 18 MAR. 2024 12:43:27</p>		
<p>CH00 30MHz~1000MHz</p>	 <p>Date: 18 MAR. 2024 12:43:42</p>		
<p>CH00 1GHz~26GHz</p>	 <p>Date: 18 MAR. 2024 12:43:57</p>		

CH39
Reference level




Date: 18 MAR. 2024 12:44:45

CH39
30MHz~1000MHz




Date: 18 MAR. 2024 12:45:00

CH39
1GHz~26GHz




Date: 18 MAR. 2024 12:45:16

CH78
Reference level




Date: 18 MAR. 2024 12:46:43

CH78
30MHz~1000MHz






Date: 18 MAR. 2024 12:46:58


CH78
1GHz~26GHz



Date: 18 MAR. 2024 12:47:14


Test Item:	Spurious Emission	Modulation type:	8DPSK
<p>CH00 Reference level</p>	 <p>Date: 18 MAR. 2024 12:48:40</p>		
<p>CH00 30MHz~1000MHz</p>	 <p>Date: 18 MAR. 2024 12:48:55</p>		
<p>CH00 1GHz~26GHz</p>	 <p>Date: 18 MAR. 2024 12:49:10</p>		

CH39
Reference level




Date: 18 MAR. 2024 12:50:22

CH39
30MHz~1000MHz




Date: 18 MAR. 2024 12:50:37

CH39
1GHz~26GHz




Date: 18 MAR. 2024 12:50:52

CH78
Reference level




Date: 18 MAR. 2024 12:51:55

CH78
30MHz~1000MHz



Date: 18 MAR. 2024 12:52:10

CH78
1GHz~26GHz



Date: 18 MAR. 2024 12:52:26

-----End of Report-----