



			NV	-10	-7.017544	±20	PASS
			NV	0	-10.526316	±20	PASS
			NV	10	-10.526316	±20	PASS
			NV	20	-10.526316	±20	PASS
			NV	30	-10.526316	±20	PASS
			NV	40	-10.526316	±20	PASS
			NV	50	-10.526316	±20	PASS
	Ant2	5700	NV	-30	-10.526316	±20	PASS
			NV	-20	-10.526316	±20	PASS
			NV	-10	-10.526316	±20	PASS
			NV	0	-10.526316	±20	PASS
			NV	10	-10.526316	±20	PASS
			NV	20	-10.526316	±20	PASS
			NV	30	-10.526316	±20	PASS
			NV	40	-10.526316	±20	PASS
			NV	50	-10.526316	±20	PASS
	Ant1	5745	NV	-30	-10.443864	±20	PASS
			NV	-20	-6.962576	±20	PASS
			NV	-10	-10.443864	±20	PASS
			NV	0	-6.962576	±20	PASS
			NV	10	-6.962576	±20	PASS
			NV	20	-10.443864	±20	PASS
			NV	30	-10.443864	±20	PASS
			NV	40	-6.962576	±20	PASS
			NV	50	-6.962576	±20	PASS
	Ant2	5745	NV	-30	-10.443864	±20	PASS
			NV	-20	-10.443864	±20	PASS
			NV	-10	-10.443864	±20	PASS
			NV	0	-10.443864	±20	PASS
			NV	10	-10.443864	±20	PASS
			NV	20	-10.443864	±20	PASS
			NV	30	-10.443864	±20	PASS
			NV	40	-10.443864	±20	PASS
			NV	50	-10.443864	±20	PASS
	Ant1	5785	NV	-30	-10.371651	±20	PASS
			NV	-20	-10.371651	±20	PASS
			NV	-10	-6.914434	±20	PASS
			NV	0	-10.371651	±20	PASS
			NV	10	-10.371651	±20	PASS



**SGS-CSTC Standards Technical Services
(Shanghai) Co., Ltd.**

Report No.: SHCR240300044202

			NV	20	-6.914434	±20	PASS
			NV	30	-10.371651	±20	PASS
			NV	40	-10.371651	±20	PASS
			NV	50	-10.371651	±20	PASS
	Ant2	5785	NV	-30	-10.371651	±20	PASS
			NV	-20	-10.371651	±20	PASS
			NV	-10	-10.371651	±20	PASS
			NV	0	-10.371651	±20	PASS
			NV	10	-6.914434	±20	PASS
			NV	20	-10.371651	±20	PASS
			NV	30	-10.371651	±20	PASS
			NV	40	-10.371651	±20	PASS
			NV	50	-10.371651	±20	PASS
	Ant1	5825	NV	-30	-6.866953	±20	PASS
			NV	-20	-6.866953	±20	PASS
			NV	-10	-6.866953	±20	PASS
			NV	0	-6.866953	±20	PASS
			NV	10	-6.866953	±20	PASS
			NV	20	-6.866953	±20	PASS
			NV	30	-3.433476	±20	PASS
			NV	40	-6.866953	±20	PASS
			NV	50	-6.866953	±20	PASS
	Ant2	5825	NV	-30	-10.300429	±20	PASS
			NV	-20	-10.300429	±20	PASS
			NV	-10	-10.300429	±20	PASS
			NV	0	-10.300429	±20	PASS
			NV	10	-10.300429	±20	PASS
			NV	20	-6.866953	±20	PASS
			NV	30	-10.300429	±20	PASS
			NV	40	-6.866953	±20	PASS
11N20MIMO	Ant1	5180	NV	50	-10.300429	±20	PASS
			NV	-30	-11.583012	±20	PASS
			NV	-20	-11.583012	±20	PASS
			NV	-10	-11.583012	±20	PASS
			NV	0	-11.583012	±20	PASS
			NV	10	-11.583012	±20	PASS
			NV	20	-11.583012	±20	PASS
			NV	30	-11.583012	±20	PASS
			NV	40	-11.583012	±20	PASS



**SGS-CSTC Standards Technical Services
(Shanghai) Co., Ltd.**

Report No.: SHCR240300044202

			NV	50	-11.583012	±20	PASS
	Ant2	5180	NV	-30	-7.722008	±20	PASS
			NV	-20	-11.583012	±20	PASS
			NV	-10	-11.583012	±20	PASS
			NV	0	-11.583012	±20	PASS
			NV	10	-11.583012	±20	PASS
			NV	20	-11.583012	±20	PASS
			NV	30	-11.583012	±20	PASS
			NV	40	-7.722008	±20	PASS
			NV	50	-15.444015	±20	PASS
	Ant1	5220	NV	-30	-7.662835	±20	PASS
			NV	-20	-7.662835	±20	PASS
			NV	-10	-7.662835	±20	PASS
			NV	0	-7.662835	±20	PASS
			NV	10	-7.662835	±20	PASS
			NV	20	-7.662835	±20	PASS
			NV	30	-11.494253	±20	PASS
			NV	40	-7.662835	±20	PASS
			NV	50	-7.662835	±20	PASS
	Ant2	5220	NV	-30	-7.662835	±20	PASS
			NV	-20	-11.494253	±20	PASS
			NV	-10	-11.494253	±20	PASS
			NV	0	-7.662835	±20	PASS
			NV	10	-7.662835	±20	PASS
			NV	20	-11.494253	±20	PASS
			NV	30	-7.662835	±20	PASS
			NV	40	-7.662835	±20	PASS
			NV	50	-7.662835	±20	PASS
	Ant1	5240	NV	-30	-11.450382	±20	PASS
			NV	-20	-11.450382	±20	PASS
			NV	-10	-11.450382	±20	PASS
			NV	0	-11.450382	±20	PASS
			NV	10	-11.450382	±20	PASS
			NV	20	-11.450382	±20	PASS
			NV	30	-7.633588	±20	PASS
			NV	40	-7.633588	±20	PASS
			NV	50	-11.450382	±20	PASS
	Ant2	5240	NV	-30	-7.633588	±20	PASS
			NV	-20	-7.633588	±20	PASS



**SGS-CSTC Standards Technical Services
(Shanghai) Co., Ltd.**

Report No.: SHCR240300044202

			NV	-10	-7.633588	±20	PASS
			NV	0	-11.450382	±20	PASS
			NV	10	-11.450382	±20	PASS
			NV	20	-11.450382	±20	PASS
			NV	30	-7.633588	±20	PASS
			NV	40	-11.450382	±20	PASS
			NV	50	-7.633588	±20	PASS
	Ant1	5260	NV	-30	-11.406844	±20	PASS
			NV	-20	-7.604563	±20	PASS
			NV	-10	-11.406844	±20	PASS
			NV	0	-11.406844	±20	PASS
			NV	10	-11.406844	±20	PASS
			NV	20	-7.604563	±20	PASS
			NV	30	-7.604563	±20	PASS
			NV	40	-11.406844	±20	PASS
			NV	50	-7.604563	±20	PASS
	Ant2	5260	NV	-30	-11.406844	±20	PASS
			NV	-20	-7.604563	±20	PASS
			NV	-10	-11.406844	±20	PASS
			NV	0	-7.604563	±20	PASS
			NV	10	-7.604563	±20	PASS
			NV	20	-7.604563	±20	PASS
			NV	30	-7.604563	±20	PASS
			NV	40	-7.604563	±20	PASS
			NV	50	-7.604563	±20	PASS
	Ant1	5300	NV	-30	-7.547170	±20	PASS
			NV	-20	-11.320755	±20	PASS
			NV	-10	-11.320755	±20	PASS
			NV	0	-7.547170	±20	PASS
			NV	10	-11.320755	±20	PASS
			NV	20	-11.320755	±20	PASS
			NV	30	-7.547170	±20	PASS
			NV	40	-11.320755	±20	PASS
			NV	50	-11.320755	±20	PASS
	Ant2	5300	NV	-30	-11.320755	±20	PASS
			NV	-20	-7.547170	±20	PASS
			NV	-10	-11.320755	±20	PASS
			NV	0	-7.547170	±20	PASS
			NV	10	-7.547170	±20	PASS



**SGS-CSTC Standards Technical Services
(Shanghai) Co., Ltd.**

Report No.: SHCR240300044202

			NV	20	-7.547170	±20	PASS
			NV	30	-3.773585	±20	PASS
			NV	40	-7.547170	±20	PASS
			NV	50	-11.320755	±20	PASS
	Ant1	5320	NV	-30	-11.278195	±20	PASS
			NV	-20	-11.278195	±20	PASS
			NV	-10	-11.278195	±20	PASS
			NV	0	-11.278195	±20	PASS
			NV	10	-11.278195	±20	PASS
			NV	20	-11.278195	±20	PASS
			NV	30	-11.278195	±20	PASS
			NV	40	-11.278195	±20	PASS
			NV	50	-11.278195	±20	PASS
	Ant2	5320	NV	-30	-11.278195	±20	PASS
			NV	-20	-7.518797	±20	PASS
			NV	-10	-11.278195	±20	PASS
			NV	0	-11.278195	±20	PASS
			NV	10	-7.518797	±20	PASS
			NV	20	-11.278195	±20	PASS
			NV	30	-7.518797	±20	PASS
			NV	40	-7.518797	±20	PASS
			NV	50	-7.518797	±20	PASS
	Ant1	5500	NV	-30	-7.272727	±20	PASS
			NV	-20	-7.272727	±20	PASS
			NV	-10	-7.272727	±20	PASS
			NV	0	-7.272727	±20	PASS
			NV	10	-7.272727	±20	PASS
			NV	20	-7.272727	±20	PASS
			NV	30	-7.272727	±20	PASS
			NV	40	-7.272727	±20	PASS
	Ant2	5500	NV	50	-7.272727	±20	PASS
			NV	-30	-7.272727	±20	PASS
			NV	-20	-7.272727	±20	PASS
			NV	-10	-7.272727	±20	PASS
			NV	0	-7.272727	±20	PASS
			NV	10	-7.272727	±20	PASS
			NV	20	-7.272727	±20	PASS
			NV	30	-7.272727	±20	PASS
			NV	40	-7.272727	±20	PASS



	Ant1	5580	NV	50	-7.272727	±20	PASS
			NV	-30	-7.168459	±20	PASS
			NV	-20	-7.168459	±20	PASS
			NV	-10	-7.168459	±20	PASS
			NV	0	-7.168459	±20	PASS
			NV	10	-7.168459	±20	PASS
			NV	20	-7.168459	±20	PASS
			NV	30	-7.168459	±20	PASS
			NV	40	-7.168459	±20	PASS
			NV	50	-7.168459	±20	PASS
	Ant2	5580	NV	-30	-7.168459	±20	PASS
			NV	-20	-7.168459	±20	PASS
			NV	-10	-10.752688	±20	PASS
			NV	0	-10.752688	±20	PASS
			NV	10	-10.752688	±20	PASS
			NV	20	-7.168459	±20	PASS
			NV	30	-7.168459	±20	PASS
			NV	40	-7.168459	±20	PASS
			NV	50	-10.752688	±20	PASS
	Ant1	5700	NV	-30	-10.526316	±20	PASS
			NV	-20	-10.526316	±20	PASS
			NV	-10	-10.526316	±20	PASS
			NV	0	-7.017544	±20	PASS
			NV	10	-10.526316	±20	PASS
			NV	20	-10.526316	±20	PASS
			NV	30	-10.526316	±20	PASS
			NV	40	-10.526316	±20	PASS
			NV	50	-10.526316	±20	PASS
	Ant2	5700	NV	-30	-10.526316	±20	PASS
			NV	-20	-10.526316	±20	PASS
			NV	-10	-10.526316	±20	PASS
			NV	0	-10.526316	±20	PASS
			NV	10	-10.526316	±20	PASS
			NV	20	-10.526316	±20	PASS
			NV	30	-10.526316	±20	PASS
			NV	40	-10.526316	±20	PASS
			NV	50	-10.526316	±20	PASS
	Ant1	5745	NV	-30	-6.962576	±20	PASS
			NV	-20	-6.962576	±20	PASS



			NV	-10	-6.962576	±20	PASS
			NV	0	-10.443864	±20	PASS
			NV	10	-6.962576	±20	PASS
			NV	20	-6.962576	±20	PASS
			NV	30	-6.962576	±20	PASS
			NV	40	-6.962576	±20	PASS
			NV	50	-6.962576	±20	PASS
	Ant2	5745	NV	-30	-10.443864	±20	PASS
			NV	-20	-6.962576	±20	PASS
			NV	-10	-10.443864	±20	PASS
			NV	0	-10.443864	±20	PASS
			NV	10	-10.443864	±20	PASS
			NV	20	-10.443864	±20	PASS
			NV	30	-10.443864	±20	PASS
			NV	40	-10.443864	±20	PASS
			NV	50	-10.443864	±20	PASS
	Ant1	5785	NV	-30	-10.371651	±20	PASS
			NV	-20	-10.371651	±20	PASS
			NV	-10	-10.371651	±20	PASS
			NV	0	-6.914434	±20	PASS
			NV	10	-10.371651	±20	PASS
			NV	20	-10.371651	±20	PASS
			NV	30	-10.371651	±20	PASS
			NV	40	-10.371651	±20	PASS
			NV	50	-10.371651	±20	PASS
	Ant2	5785	NV	-30	-6.914434	±20	PASS
			NV	-20	-10.371651	±20	PASS
			NV	-10	-6.914434	±20	PASS
			NV	0	-6.914434	±20	PASS
			NV	10	-10.371651	±20	PASS
			NV	20	-6.914434	±20	PASS
			NV	30	-10.371651	±20	PASS
			NV	40	-10.371651	±20	PASS
			NV	50	-10.371651	±20	PASS
	Ant1	5825	NV	-30	-6.866953	±20	PASS
			NV	-20	-6.866953	±20	PASS
			NV	-10	-6.866953	±20	PASS
			NV	0	-6.866953	±20	PASS
			NV	10	-6.866953	±20	PASS



**SGS-CSTC Standards Technical Services
(Shanghai) Co., Ltd.**

Report No.: SHCR240300044202

			NV	20	-6.866953	±20	PASS
			NV	30	-6.866953	±20	PASS
			NV	40	-6.866953	±20	PASS
			NV	50	-6.866953	±20	PASS
	Ant2	5825	NV	-30	-10.300429	±20	PASS
			NV	-20	-10.300429	±20	PASS
			NV	-10	-10.300429	±20	PASS
			NV	0	-10.300429	±20	PASS
			NV	10	-6.866953	±20	PASS
			NV	20	-10.300429	±20	PASS
			NV	30	-10.300429	±20	PASS
			NV	40	-10.300429	±20	PASS
			NV	50	-10.300429	±20	PASS
11N40MIMO	Ant1	5190	NV	-30	-15.414258	±20	PASS
			NV	-20	-7.707129	±20	PASS
			NV	-10	-7.707129	±20	PASS
			NV	0	-7.707129	±20	PASS
			NV	10	-15.414258	±20	PASS
			NV	20	-7.707129	±20	PASS
			NV	30	-15.414258	±20	PASS
			NV	40	-7.707129	±20	PASS
			NV	50	-7.707129	±20	PASS
	Ant2	5190	NV	-30	-15.414258	±20	PASS
			NV	-20	-15.414258	±20	PASS
			NV	-10	-7.707129	±20	PASS
			NV	0	-15.414258	±20	PASS
			NV	10	-15.414258	±20	PASS
			NV	20	-7.707129	±20	PASS
			NV	30	-7.707129	±20	PASS
			NV	40	-15.414258	±20	PASS
			NV	50	-7.707129	±20	PASS
	Ant1	5230	NV	-30	-7.648184	±20	PASS
			NV	-20	-7.648184	±20	PASS
			NV	-10	-15.296367	±20	PASS
			NV	0	-15.296367	±20	PASS
			NV	10	-15.296367	±20	PASS
			NV	20	-7.648184	±20	PASS
			NV	30	-7.648184	±20	PASS
			NV	40	-7.648184	±20	PASS



**SGS-CSTC Standards Technical Services
(Shanghai) Co., Ltd.**

Report No.: SHCR240300044202

	Ant2	5230	NV	50	-7.648184	±20	PASS
			NV	-30	-15.296367	±20	PASS
			NV	-20	-7.648184	±20	PASS
			NV	-10	-7.648184	±20	PASS
			NV	0	-7.648184	±20	PASS
			NV	10	-15.296367	±20	PASS
			NV	20	-15.296367	±20	PASS
			NV	30	-15.296367	±20	PASS
			NV	40	-7.648184	±20	PASS
			NV	50	-15.296367	±20	PASS
	Ant1	5270	NV	-30	-7.590133	±20	PASS
			NV	-20	-7.590133	±20	PASS
			NV	-10	-7.590133	±20	PASS
			NV	0	-15.180266	±20	PASS
			NV	10	-15.180266	±20	PASS
			NV	20	-7.590133	±20	PASS
			NV	30	-15.180266	±20	PASS
			NV	40	-7.590133	±20	PASS
			NV	50	-7.590133	±20	PASS
	Ant2	5270	NV	-30	-15.180266	±20	PASS
			NV	-20	-15.180266	±20	PASS
			NV	-10	-15.180266	±20	PASS
			NV	0	-7.590133	±20	PASS
			NV	10	-15.180266	±20	PASS
			NV	20	-15.180266	±20	PASS
			NV	30	-15.180266	±20	PASS
			NV	40	-15.180266	±20	PASS
			NV	50	-7.590133	±20	PASS
	Ant1	5310	NV	-30	-15.065913	±20	PASS
			NV	-20	-15.065913	±20	PASS
			NV	-10	-15.065913	±20	PASS
			NV	0	-15.065913	±20	PASS
			NV	10	-7.532957	±20	PASS
			NV	20	-7.532957	±20	PASS
			NV	30	-7.532957	±20	PASS
			NV	40	-7.532957	±20	PASS
			NV	50	-7.532957	±20	PASS
	Ant2	5310	NV	-30	-15.065913	±20	PASS
			NV	-20	-15.065913	±20	PASS



**SGS-CSTC Standards Technical Services
(Shanghai) Co., Ltd.**

Report No.: SHCR240300044202

			NV	-10	-15.065913	±20	PASS
			NV	0	-15.065913	±20	PASS
			NV	10	-7.532957	±20	PASS
			NV	20	-7.532957	±20	PASS
			NV	30	-7.532957	±20	PASS
			NV	40	-7.532957	±20	PASS
			NV	50	-7.532957	±20	PASS
	Ant1	5510	NV	-30	-7.259528	±20	PASS
			NV	-20	0.000000	±20	PASS
			NV	-10	0.000000	±20	PASS
			NV	0	-7.259528	±20	PASS
			NV	10	-7.259528	±20	PASS
			NV	20	-7.259528	±20	PASS
			NV	30	-7.259528	±20	PASS
			NV	40	0.000000	±20	PASS
			NV	50	-7.259528	±20	PASS
	Ant2	5510	NV	-30	0.000000	±20	PASS
			NV	-20	-7.259528	±20	PASS
			NV	-10	-7.259528	±20	PASS
			NV	0	-7.259528	±20	PASS
			NV	10	-7.259528	±20	PASS
			NV	20	-14.519056	±20	PASS
			NV	30	-14.519056	±20	PASS
			NV	40	-7.259528	±20	PASS
			NV	50	-14.519056	±20	PASS
	Ant1	5590	NV	-30	-7.155635	±20	PASS
			NV	-20	-7.155635	±20	PASS
			NV	-10	-7.155635	±20	PASS
			NV	0	-7.155635	±20	PASS
			NV	10	-14.311270	±20	PASS
			NV	20	-7.155635	±20	PASS
			NV	30	-14.311270	±20	PASS
			NV	40	-7.155635	±20	PASS
			NV	50	-14.311270	±20	PASS
	Ant2	5590	NV	-30	-7.155635	±20	PASS
			NV	-20	-14.311270	±20	PASS
			NV	-10	-14.311270	±20	PASS
			NV	0	-7.155635	±20	PASS
			NV	10	-14.311270	±20	PASS



**SGS-CSTC Standards Technical Services
(Shanghai) Co., Ltd.**

Report No.: SHCR240300044202

			NV	20	-14.311270	±20	PASS
			NV	30	-14.311270	±20	PASS
			NV	40	-7.155635	±20	PASS
			NV	50	-7.155635	±20	PASS
	Ant1	5670	NV	-30	-14.109347	±20	PASS
			NV	-20	-7.054674	±20	PASS
			NV	-10	-14.109347	±20	PASS
			NV	0	-7.054674	±20	PASS
			NV	10	-14.109347	±20	PASS
			NV	20	-14.109347	±20	PASS
			NV	30	-7.054674	±20	PASS
			NV	40	-14.109347	±20	PASS
			NV	50	-7.054674	±20	PASS
	Ant2	5670	NV	-30	-14.109347	±20	PASS
			NV	-20	-14.109347	±20	PASS
			NV	-10	-14.109347	±20	PASS
			NV	0	-7.054674	±20	PASS
			NV	10	-7.054674	±20	PASS
			NV	20	-7.054674	±20	PASS
			NV	30	-14.109347	±20	PASS
			NV	40	-14.109347	±20	PASS
			NV	50	-7.054674	±20	PASS
	Ant1	5755	NV	-30	-6.950478	±20	PASS
			NV	-20	-6.950478	±20	PASS
			NV	-10	-6.950478	±20	PASS
			NV	0	-6.950478	±20	PASS
			NV	10	-13.900956	±20	PASS
			NV	20	-13.900956	±20	PASS
			NV	30	-6.950478	±20	PASS
			NV	40	-13.900956	±20	PASS
			NV	50	-6.950478	±20	PASS
	Ant2	5755	NV	-30	-13.900956	±20	PASS
			NV	-20	-13.900956	±20	PASS
			NV	-10	-6.950478	±20	PASS
			NV	0	-13.900956	±20	PASS
			NV	10	-13.900956	±20	PASS
			NV	20	-13.900956	±20	PASS
			NV	30	-6.950478	±20	PASS
			NV	40	-6.950478	±20	PASS



**SGS-CSTC Standards Technical Services
(Shanghai) Co., Ltd.**

Report No.: SHCR240300044202

	Ant1	5795	NV	50	-6.950478	±20	PASS
			NV	-30	-13.805004	±20	PASS
			NV	-20	-13.805004	±20	PASS
			NV	-10	-6.902502	±20	PASS
			NV	0	-6.902502	±20	PASS
			NV	10	-6.902502	±20	PASS
			NV	20	-6.902502	±20	PASS
			NV	30	-13.805004	±20	PASS
			NV	40	-6.902502	±20	PASS
			NV	50	-6.902502	±20	PASS
	Ant2	5795	NV	-30	-13.805004	±20	PASS
			NV	-20	-13.805004	±20	PASS
			NV	-10	-13.805004	±20	PASS
			NV	0	-13.805004	±20	PASS
			NV	10	-13.805004	±20	PASS
			NV	20	-13.805004	±20	PASS
			NV	30	-13.805004	±20	PASS
			NV	40	-6.902502	±20	PASS
			NV	50	-6.902502	±20	PASS
11AC20MIMO	Ant1	5180	NV	-30	-11.583012	±20	PASS
			NV	-20	-11.583012	±20	PASS
			NV	-10	-11.583012	±20	PASS
			NV	0	-11.583012	±20	PASS
			NV	10	-11.583012	±20	PASS
			NV	20	-11.583012	±20	PASS
			NV	30	-11.583012	±20	PASS
			NV	40	-11.583012	±20	PASS
			NV	50	-11.583012	±20	PASS
	Ant2	5180	NV	-30	-7.722008	±20	PASS
			NV	-20	-11.583012	±20	PASS
			NV	-10	-11.583012	±20	PASS
			NV	0	-11.583012	±20	PASS
			NV	10	-11.583012	±20	PASS
			NV	20	-11.583012	±20	PASS
			NV	30	-11.583012	±20	PASS
			NV	40	-11.583012	±20	PASS
			NV	50	-11.583012	±20	PASS
	Ant1	5220	NV	-30	-11.494253	±20	PASS
			NV	-20	-11.494253	±20	PASS



			NV	-10	-11.494253	±20	PASS
			NV	0	-7.662835	±20	PASS
			NV	10	-7.662835	±20	PASS
			NV	20	-11.494253	±20	PASS
			NV	30	-7.662835	±20	PASS
			NV	40	-11.494253	±20	PASS
			NV	50	-11.494253	±20	PASS
	Ant2	5220	NV	-30	-11.494253	±20	PASS
			NV	-20	-7.662835	±20	PASS
			NV	-10	-11.494253	±20	PASS
			NV	0	-11.494253	±20	PASS
			NV	10	-7.662835	±20	PASS
			NV	20	-11.494253	±20	PASS
			NV	30	-7.662835	±20	PASS
			NV	40	-11.494253	±20	PASS
			NV	50	-11.494253	±20	PASS
	Ant1	5240	NV	-30	-7.633588	±20	PASS
			NV	-20	-7.633588	±20	PASS
			NV	-10	-7.633588	±20	PASS
			NV	0	-11.450382	±20	PASS
			NV	10	-7.633588	±20	PASS
			NV	20	-7.633588	±20	PASS
			NV	30	-11.450382	±20	PASS
			NV	40	-11.450382	±20	PASS
			NV	50	-11.450382	±20	PASS
	Ant2	5240	NV	-30	-7.633588	±20	PASS
			NV	-20	-11.450382	±20	PASS
			NV	-10	-11.450382	±20	PASS
			NV	0	-11.450382	±20	PASS
			NV	10	-7.633588	±20	PASS
			NV	20	-7.633588	±20	PASS
			NV	30	-11.450382	±20	PASS
			NV	40	-11.450382	±20	PASS
			NV	50	-11.450382	±20	PASS
	Ant1	5260	NV	-30	-11.406844	±20	PASS
			NV	-20	-11.406844	±20	PASS
			NV	-10	-7.604563	±20	PASS
			NV	0	-11.406844	±20	PASS
			NV	10	-11.406844	±20	PASS



**SGS-CSTC Standards Technical Services
(Shanghai) Co., Ltd.**

Report No.: SHCR240300044202

			NV	20	-11.406844	±20	PASS
			NV	30	-11.406844	±20	PASS
			NV	40	-11.406844	±20	PASS
			NV	50	-7.604563	±20	PASS
	Ant2	5260	NV	-30	-11.406844	±20	PASS
			NV	-20	-11.406844	±20	PASS
			NV	-10	-7.604563	±20	PASS
			NV	0	-11.406844	±20	PASS
			NV	10	-11.406844	±20	PASS
			NV	20	-7.604563	±20	PASS
			NV	30	-11.406844	±20	PASS
			NV	40	-11.406844	±20	PASS
			NV	50	-11.406844	±20	PASS
	Ant1	5300	NV	-30	-7.547170	±20	PASS
			NV	-20	-11.320755	±20	PASS
			NV	-10	-11.320755	±20	PASS
			NV	0	-11.320755	±20	PASS
			NV	10	-11.320755	±20	PASS
			NV	20	-11.320755	±20	PASS
			NV	30	-11.320755	±20	PASS
			NV	40	-11.320755	±20	PASS
			NV	50	-11.320755	±20	PASS
	Ant2	5300	NV	-30	-11.320755	±20	PASS
			NV	-20	-11.320755	±20	PASS
			NV	-10	-7.547170	±20	PASS
			NV	0	-11.320755	±20	PASS
			NV	10	-7.547170	±20	PASS
			NV	20	-7.547170	±20	PASS
			NV	30	-11.320755	±20	PASS
			NV	40	-11.320755	±20	PASS
			NV	50	-11.320755	±20	PASS
	Ant1	5320	NV	-30	-11.278195	±20	PASS
			NV	-20	-11.278195	±20	PASS
			NV	-10	-11.278195	±20	PASS
			NV	0	-11.278195	±20	PASS
			NV	10	-7.518797	±20	PASS
			NV	20	-11.278195	±20	PASS
			NV	30	-11.278195	±20	PASS
			NV	40	-11.278195	±20	PASS



**SGS-CSTC Standards Technical Services
(Shanghai) Co., Ltd.**

Report No.: SHCR240300044202

			NV	50	-11.278195	±20	PASS
	Ant2	5320	NV	-30	-11.278195	±20	PASS
			NV	-20	-11.278195	±20	PASS
			NV	-10	-11.278195	±20	PASS
			NV	0	-11.278195	±20	PASS
			NV	10	-11.278195	±20	PASS
			NV	20	-11.278195	±20	PASS
			NV	30	-11.278195	±20	PASS
			NV	40	-11.278195	±20	PASS
			NV	50	-11.278195	±20	PASS
	Ant1	5500	NV	-30	-7.272727	±20	PASS
			NV	-20	-7.272727	±20	PASS
			NV	-10	-7.272727	±20	PASS
			NV	0	-10.909091	±20	PASS
			NV	10	-3.636364	±20	PASS
			NV	20	-7.272727	±20	PASS
			NV	30	-7.272727	±20	PASS
			NV	40	-7.272727	±20	PASS
			NV	50	-7.272727	±20	PASS
	Ant2	5500	NV	-30	-7.272727	±20	PASS
			NV	-20	-10.909091	±20	PASS
			NV	-10	-10.909091	±20	PASS
			NV	0	-10.909091	±20	PASS
			NV	10	-10.909091	±20	PASS
			NV	20	-10.909091	±20	PASS
			NV	30	-7.272727	±20	PASS
			NV	40	-7.272727	±20	PASS
			NV	50	-7.272727	±20	PASS
	Ant1	5580	NV	-30	-7.168459	±20	PASS
			NV	-20	-10.752688	±20	PASS
			NV	-10	-7.168459	±20	PASS
			NV	0	-7.168459	±20	PASS
			NV	10	-7.168459	±20	PASS
			NV	20	-7.168459	±20	PASS
			NV	30	-7.168459	±20	PASS
			NV	40	-7.168459	±20	PASS
			NV	50	-7.168459	±20	PASS
	Ant2	5580	NV	-30	-7.168459	±20	PASS
			NV	-20	-7.168459	±20	PASS



**SGS-CSTC Standards Technical Services
(Shanghai) Co., Ltd.**

Report No.: SHCR240300044202

			NV	-10	-7.168459	±20	PASS
			NV	0	-10.752688	±20	PASS
			NV	10	-10.752688	±20	PASS
			NV	20	-7.168459	±20	PASS
			NV	30	-7.168459	±20	PASS
			NV	40	-7.168459	±20	PASS
			NV	50	-7.168459	±20	PASS
	Ant1	5700	NV	-30	-10.526316	±20	PASS
			NV	-20	-10.526316	±20	PASS
			NV	-10	-10.526316	±20	PASS
			NV	0	-7.017544	±20	PASS
			NV	10	-10.526316	±20	PASS
			NV	20	-10.526316	±20	PASS
			NV	30	-10.526316	±20	PASS
			NV	40	-10.526316	±20	PASS
			NV	50	-7.017544	±20	PASS
	Ant2	5700	NV	-30	-10.526316	±20	PASS
			NV	-20	-10.526316	±20	PASS
			NV	-10	-10.526316	±20	PASS
			NV	0	-10.526316	±20	PASS
			NV	10	-10.526316	±20	PASS
			NV	20	-10.526316	±20	PASS
			NV	30	-10.526316	±20	PASS
			NV	40	-10.526316	±20	PASS
			NV	50	-10.526316	±20	PASS
	Ant1	5745	NV	-30	-6.962576	±20	PASS
			NV	-20	-6.962576	±20	PASS
			NV	-10	-6.962576	±20	PASS
			NV	0	-6.962576	±20	PASS
			NV	10	-10.443864	±20	PASS
			NV	20	-10.443864	±20	PASS
			NV	30	-10.443864	±20	PASS
			NV	40	-10.443864	±20	PASS
			NV	50	-6.962576	±20	PASS
	Ant2	5745	NV	-30	-10.443864	±20	PASS
			NV	-20	-6.962576	±20	PASS
			NV	-10	-10.443864	±20	PASS
			NV	0	-10.443864	±20	PASS
			NV	10	-6.962576	±20	PASS



**SGS-CSTC Standards Technical Services
(Shanghai) Co., Ltd.**

Report No.: SHCR240300044202

			NV	20	-10.443864	±20	PASS
			NV	30	-6.962576	±20	PASS
			NV	40	-10.443864	±20	PASS
			NV	50	-6.962576	±20	PASS
	Ant1	5785	NV	-30	-10.371651	±20	PASS
			NV	-20	-10.371651	±20	PASS
			NV	-10	-10.371651	±20	PASS
			NV	0	-10.371651	±20	PASS
			NV	10	-10.371651	±20	PASS
			NV	20	-10.371651	±20	PASS
			NV	30	-10.371651	±20	PASS
			NV	40	-6.914434	±20	PASS
			NV	50	-10.371651	±20	PASS
	Ant2	5785	NV	-30	-6.914434	±20	PASS
			NV	-20	-6.914434	±20	PASS
			NV	-10	-6.914434	±20	PASS
			NV	0	-10.371651	±20	PASS
			NV	10	-6.914434	±20	PASS
			NV	20	-10.371651	±20	PASS
			NV	30	-10.371651	±20	PASS
			NV	40	-10.371651	±20	PASS
			NV	50	-6.914434	±20	PASS
	Ant1	5825	NV	-30	-10.300429	±20	PASS
			NV	-20	-10.300429	±20	PASS
			NV	-10	-6.866953	±20	PASS
			NV	0	-6.866953	±20	PASS
			NV	10	-6.866953	±20	PASS
			NV	20	-10.300429	±20	PASS
			NV	30	-10.300429	±20	PASS
			NV	40	-10.300429	±20	PASS
			NV	50	-6.866953	±20	PASS
	Ant2	5825	NV	-30	-10.300429	±20	PASS
			NV	-20	-10.300429	±20	PASS
			NV	-10	-10.300429	±20	PASS
			NV	0	-6.866953	±20	PASS
			NV	10	-10.300429	±20	PASS
			NV	20	-10.300429	±20	PASS
			NV	30	-10.300429	±20	PASS
			NV	40	-6.866953	±20	PASS



**SGS-CSTC Standards Technical Services
(Shanghai) Co., Ltd.**

Report No.: SHCR240300044202

11AC40MIMO	Ant1	5190	NV	50	-10.300429	±20	PASS
			NV	-30	-7.707129	±20	PASS
			NV	-20	-7.707129	±20	PASS
			NV	-10	-15.414258	±20	PASS
			NV	0	-7.707129	±20	PASS
			NV	10	-15.414258	±20	PASS
			NV	20	-7.707129	±20	PASS
			NV	30	-15.414258	±20	PASS
			NV	40	-7.707129	±20	PASS
			NV	50	-7.707129	±20	PASS
	Ant2	5190	NV	-30	-15.414258	±20	PASS
			NV	-20	-15.414258	±20	PASS
			NV	-10	-7.707129	±20	PASS
			NV	0	-15.414258	±20	PASS
			NV	10	-15.414258	±20	PASS
			NV	20	-15.414258	±20	PASS
			NV	30	-15.414258	±20	PASS
			NV	40	-7.707129	±20	PASS
			NV	50	-15.414258	±20	PASS
	Ant1	5230	NV	-30	-7.648184	±20	PASS
			NV	-20	-15.296367	±20	PASS
			NV	-10	-15.296367	±20	PASS
			NV	0	-15.296367	±20	PASS
			NV	10	-15.296367	±20	PASS
			NV	20	-7.648184	±20	PASS
			NV	30	-15.296367	±20	PASS
			NV	40	-7.648184	±20	PASS
			NV	50	-7.648184	±20	PASS
	Ant2	5230	NV	-30	-15.296367	±20	PASS
			NV	-20	-7.648184	±20	PASS
			NV	-10	-15.296367	±20	PASS
			NV	0	-15.296367	±20	PASS
			NV	10	-15.296367	±20	PASS
			NV	20	-7.648184	±20	PASS
			NV	30	-15.296367	±20	PASS
			NV	40	-15.296367	±20	PASS
			NV	50	-7.648184	±20	PASS
	Ant1	5270	NV	-30	-7.590133	±20	PASS
			NV	-20	-7.590133	±20	PASS



**SGS-CSTC Standards Technical Services
(Shanghai) Co., Ltd.**

Report No.: SHCR240300044202

			NV	-10	-7.590133	±20	PASS
			NV	0	-7.590133	±20	PASS
			NV	10	-7.590133	±20	PASS
			NV	20	-7.590133	±20	PASS
			NV	30	-15.180266	±20	PASS
			NV	40	-7.590133	±20	PASS
			NV	50	-15.180266	±20	PASS
	Ant2	5270	NV	-30	-7.590133	±20	PASS
			NV	-20	-7.590133	±20	PASS
			NV	-10	-7.590133	±20	PASS
			NV	0	-7.590133	±20	PASS
			NV	10	-15.180266	±20	PASS
			NV	20	-7.590133	±20	PASS
			NV	30	-7.590133	±20	PASS
			NV	40	-7.590133	±20	PASS
			NV	50	-15.180266	±20	PASS
	Ant1	5310	NV	-30	-7.532957	±20	PASS
			NV	-20	-15.065913	±20	PASS
			NV	-10	-15.065913	±20	PASS
			NV	0	-7.532957	±20	PASS
			NV	10	-15.065913	±20	PASS
			NV	20	-7.532957	±20	PASS
			NV	30	-7.532957	±20	PASS
			NV	40	-15.065913	±20	PASS
			NV	50	-7.532957	±20	PASS
	Ant2	5310	NV	-30	-15.065913	±20	PASS
			NV	-20	-15.065913	±20	PASS
			NV	-10	-15.065913	±20	PASS
			NV	0	-7.532957	±20	PASS
			NV	10	-7.532957	±20	PASS
			NV	20	-15.065913	±20	PASS
			NV	30	-7.532957	±20	PASS
			NV	40	-7.532957	±20	PASS
			NV	50	-7.532957	±20	PASS
	Ant1	5510	NV	-30	0.000000	±20	PASS
			NV	-20	0.000000	±20	PASS
			NV	-10	0.000000	±20	PASS
			NV	0	-7.259528	±20	PASS
			NV	10	0.000000	±20	PASS



			NV	20	-7.259528	±20	PASS
			NV	30	0.000000	±20	PASS
			NV	40	-7.259528	±20	PASS
			NV	50	-7.259528	±20	PASS
	Ant2	5510	NV	-30	-7.259528	±20	PASS
			NV	-20	-14.519056	±20	PASS
			NV	-10	-7.259528	±20	PASS
			NV	0	-7.259528	±20	PASS
			NV	10	-14.519056	±20	PASS
			NV	20	-14.519056	±20	PASS
			NV	30	-7.259528	±20	PASS
			NV	40	-7.259528	±20	PASS
			NV	50	-7.259528	±20	PASS
	Ant1	5590	NV	-30	-7.155635	±20	PASS
			NV	-20	-7.155635	±20	PASS
			NV	-10	-7.155635	±20	PASS
			NV	0	-14.311270	±20	PASS
			NV	10	-7.155635	±20	PASS
			NV	20	-7.155635	±20	PASS
			NV	30	-7.155635	±20	PASS
			NV	40	-7.155635	±20	PASS
			NV	50	-14.311270	±20	PASS
	Ant2	5590	NV	-30	-7.155635	±20	PASS
			NV	-20	-14.311270	±20	PASS
			NV	-10	-7.155635	±20	PASS
			NV	0	-7.155635	±20	PASS
			NV	10	-14.311270	±20	PASS
			NV	20	-7.155635	±20	PASS
			NV	30	-7.155635	±20	PASS
			NV	40	-7.155635	±20	PASS
	Ant1	5670	NV	-30	-14.109347	±20	PASS
			NV	-20	-14.109347	±20	PASS
			NV	-10	-14.109347	±20	PASS
			NV	0	-7.054674	±20	PASS
			NV	10	-14.109347	±20	PASS
			NV	20	-14.109347	±20	PASS
			NV	30	-14.109347	±20	PASS
			NV	40	-7.054674	±20	PASS



	Ant2	5670	NV	50	-14.109347	±20	PASS
			NV	-30	-7.054674	±20	PASS
			NV	-20	-14.109347	±20	PASS
			NV	-10	-7.054674	±20	PASS
			NV	0	-7.054674	±20	PASS
			NV	10	-7.054674	±20	PASS
			NV	20	-14.109347	±20	PASS
			NV	30	-14.109347	±20	PASS
			NV	40	-7.054674	±20	PASS
			NV	50	-7.054674	±20	PASS
	Ant1	5755	NV	-30	-6.950478	±20	PASS
			NV	-20	-6.950478	±20	PASS
			NV	-10	-6.950478	±20	PASS
			NV	0	-6.950478	±20	PASS
			NV	10	-6.950478	±20	PASS
			NV	20	-13.900956	±20	PASS
			NV	30	-6.950478	±20	PASS
			NV	40	-6.950478	±20	PASS
			NV	50	-6.950478	±20	PASS
	Ant2	5755	NV	-30	-13.900956	±20	PASS
			NV	-20	-6.950478	±20	PASS
			NV	-10	-6.950478	±20	PASS
			NV	0	-6.950478	±20	PASS
			NV	10	-6.950478	±20	PASS
			NV	20	-13.900956	±20	PASS
			NV	30	-6.950478	±20	PASS
			NV	40	-13.900956	±20	PASS
			NV	50	-6.950478	±20	PASS
	Ant1	5795	NV	-30	-13.805004	±20	PASS
			NV	-20	-6.902502	±20	PASS
			NV	-10	-13.805004	±20	PASS
			NV	0	-6.902502	±20	PASS
			NV	10	-13.805004	±20	PASS
			NV	20	-13.805004	±20	PASS
			NV	30	-6.902502	±20	PASS
			NV	40	-6.902502	±20	PASS
			NV	50	-6.902502	±20	PASS
	Ant2	5795	NV	-30	-13.805004	±20	PASS
			NV	-20	-6.902502	±20	PASS



			NV	-10	-6.902502	±20	PASS
			NV	0	-6.902502	±20	PASS
			NV	10	-13.805004	±20	PASS
			NV	20	-13.805004	±20	PASS
			NV	30	-6.902502	±20	PASS
			NV	40	-6.902502	±20	PASS
			NV	50	-13.805004	±20	PASS
11AC80MIMO	Ant1	5210	NV	-30	-15.355086	±20	PASS
			NV	-20	0.000000	±20	PASS
			NV	-10	-15.355086	±20	PASS
			NV	0	-15.355086	±20	PASS
			NV	10	-15.355086	±20	PASS
			NV	20	-15.355086	±20	PASS
			NV	30	-15.355086	±20	PASS
			NV	40	0.000000	±20	PASS
			NV	50	-15.355086	±20	PASS
	Ant2	5210	NV	-30	-15.355086	±20	PASS
			NV	-20	-15.355086	±20	PASS
			NV	-10	-15.355086	±20	PASS
			NV	0	-15.355086	±20	PASS
			NV	10	-15.355086	±20	PASS
			NV	20	-15.355086	±20	PASS
			NV	30	-15.355086	±20	PASS
			NV	40	-15.355086	±20	PASS
			NV	50	-15.355086	±20	PASS
	Ant1	5290	NV	-30	-15.122873	±20	PASS
			NV	-20	15.122873	±20	PASS
			NV	-10	-15.122873	±20	PASS
			NV	0	-15.122873	±20	PASS
			NV	10	-15.122873	±20	PASS
			NV	20	0.000000	±20	PASS
			NV	30	0.000000	±20	PASS
			NV	40	15.122873	±20	PASS
			NV	50	15.122873	±20	PASS
	Ant2	5290	NV	-30	15.122873	±20	PASS
			NV	-20	-15.122873	±20	PASS
			NV	-10	15.122873	±20	PASS
			NV	0	-15.122873	±20	PASS
			NV	10	-15.122873	±20	PASS



**SGS-CSTC Standards Technical Services
(Shanghai) Co., Ltd.**

Report No.: SHCR240300044202

			NV	20	15.122873	±20	PASS
			NV	30	-15.122873	±20	PASS
			NV	40	-15.122873	±20	PASS
			NV	50	-15.122873	±20	PASS
	Ant1	5530	NV	-30	14.466546	±20	PASS
			NV	-20	14.466546	±20	PASS
			NV	-10	14.466546	±20	PASS
			NV	0	14.466546	±20	PASS
			NV	10	14.466546	±20	PASS
			NV	20	14.466546	±20	PASS
			NV	30	14.466546	±20	PASS
			NV	40	14.466546	±20	PASS
			NV	50	14.466546	±20	PASS
	Ant2	5530	NV	-30	14.466546	±20	PASS
			NV	-20	-14.466546	±20	PASS
			NV	-10	14.466546	±20	PASS
			NV	0	14.466546	±20	PASS
			NV	10	14.466546	±20	PASS
			NV	20	-14.466546	±20	PASS
			NV	30	14.466546	±20	PASS
			NV	40	14.466546	±20	PASS
			NV	50	14.466546	±20	PASS
	Ant1	5610	NV	-30	14.260250	±20	PASS
			NV	-20	0.000000	±20	PASS
			NV	-10	14.260250	±20	PASS
			NV	0	-14.260250	±20	PASS
			NV	10	0.000000	±20	PASS
			NV	20	0.000000	±20	PASS
			NV	30	0.000000	±20	PASS
			NV	40	0.000000	±20	PASS
			NV	50	14.260250	±20	PASS
	Ant2	5610	NV	-30	-14.260250	±20	PASS
			NV	-20	-14.260250	±20	PASS
			NV	-10	-14.260250	±20	PASS
			NV	0	-14.260250	±20	PASS
			NV	10	14.260250	±20	PASS
			NV	20	14.260250	±20	PASS
			NV	30	-14.260250	±20	PASS
			NV	40	0.000000	±20	PASS



**SGS-CSTC Standards Technical Services
(Shanghai) Co., Ltd.**

Report No.: SHCR240300044202

			NV	50	-14.260250	±20	PASS
	Ant1	5775	NV	-30	0.000000	±20	PASS
			NV	-20	0.000000	±20	PASS
			NV	-10	0.000000	±20	PASS
			NV	0	0.000000	±20	PASS
			NV	10	-13.852814	±20	PASS
			NV	20	0.000000	±20	PASS
			NV	30	0.000000	±20	PASS
			NV	40	-13.852814	±20	PASS
			NV	50	-13.852814	±20	PASS
	Ant2	5775	NV	-30	0.000000	±20	PASS
			NV	-20	0.000000	±20	PASS
			NV	-10	13.852814	±20	PASS
			NV	0	13.852814	±20	PASS
			NV	10	13.852814	±20	PASS
			NV	20	13.852814	±20	PASS
			NV	30	13.852814	±20	PASS
			NV	40	13.852814	±20	PASS
			NV	50	-13.852814	±20	PASS



Appendix E: Duty Cycle

Test Result

Test Mode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Limit	Verdict
11A	Ant1	5180	1.36	1.42	95.77	---	---
	Ant2	5180	1.36	1.42	95.77	---	---
	Ant1	5220	1.36	1.42	95.77	---	---
	Ant2	5220	1.36	1.42	95.77	---	---
	Ant1	5240	1.36	1.42	95.77	---	---
	Ant2	5240	1.36	1.42	95.77	---	---
	Ant1	5260	1.36	1.42	95.77	---	---
	Ant2	5260	1.36	1.42	95.77	---	---
	Ant1	5300	1.36	1.42	95.77	---	---
	Ant2	5300	1.36	1.42	95.77	---	---
	Ant1	5320	1.36	1.42	95.77	---	---
	Ant2	5320	1.36	1.42	95.77	---	---
	Ant1	5500	1.36	1.42	95.77	---	---
	Ant2	5500	1.36	1.42	95.77	---	---
	Ant1	5580	1.36	1.42	95.77	---	---
	Ant2	5580	1.36	1.42	95.77	---	---
	Ant1	5700	1.36	1.42	95.77	---	---
	Ant2	5700	1.36	1.42	95.77	---	---
	Ant1	5745	1.36	1.42	95.77	---	---
	Ant2	5745	1.36	1.42	95.77	---	---
	Ant1	5785	1.36	1.42	95.77	---	---
	Ant2	5785	1.36	1.42	95.77	---	---
	Ant1	5825	1.36	1.42	95.77	---	---
	Ant2	5825	1.36	1.42	95.77	---	---
11N20MIMO	Ant1	5180	1.26	1.32	95.45	---	---
	Ant2	5180	1.26	1.32	95.45	---	---
	Ant1	5220	1.26	1.32	95.45	---	---
	Ant2	5220	1.26	1.32	95.45	---	---
	Ant1	5240	1.26	1.32	95.45	---	---
	Ant2	5240	1.26	1.32	95.45	---	---
	Ant1	5260	1.26	1.32	95.45	---	---
	Ant2	5260	1.26	1.32	95.45	---	---
	Ant1	5300	1.26	1.32	95.45	---	---
	Ant2	5300	1.26	1.32	95.45	---	---



	Ant1	5320	1.26	1.32	95.45	---	---
	Ant2	5320	1.26	1.32	95.45	---	---
	Ant1	5500	1.26	1.32	95.45	---	---
	Ant2	5500	1.26	1.32	95.45	---	---
	Ant1	5580	1.26	1.32	95.45	---	---
	Ant2	5580	1.26	1.32	95.45	---	---
	Ant1	5700	1.26	1.32	95.45	---	---
	Ant2	5700	1.26	1.32	95.45	---	---
	Ant1	5745	1.26	1.32	95.45	---	---
	Ant2	5745	1.26	1.32	95.45	---	---
	Ant1	5785	1.26	1.32	95.45	---	---
	Ant2	5785	1.26	1.32	95.45	---	---
	Ant1	5825	1.26	1.32	95.45	---	---
	Ant2	5825	1.26	1.32	95.45	---	---
11N40MIMO	Ant1	5190	0.62	0.68	91.18	---	---
	Ant2	5190	0.62	0.68	91.18	---	---
	Ant1	5230	0.62	0.68	91.18	---	---
	Ant2	5230	0.62	0.68	91.18	---	---
	Ant1	5270	0.62	0.68	91.18	---	---
	Ant2	5270	0.62	0.68	91.18	---	---
	Ant1	5310	0.62	0.68	91.18	---	---
	Ant2	5310	0.62	0.68	91.18	---	---
	Ant1	5510	0.62	0.68	91.18	---	---
	Ant2	5510	0.62	0.68	91.18	---	---
	Ant1	5590	0.62	0.68	91.18	---	---
	Ant2	5590	0.62	0.68	91.18	---	---
	Ant1	5670	0.62	0.68	91.18	---	---
	Ant2	5670	0.62	0.68	91.18	---	---
	Ant1	5755	0.62	0.68	91.18	---	---
	Ant2	5755	0.62	0.68	91.18	---	---
	Ant1	5795	0.62	0.68	91.18	---	---
	Ant2	5795	0.62	0.68	91.18	---	---
11AC20MIMO	Ant1	5180	1.26	1.32	95.45	---	---
	Ant2	5180	1.26	1.32	95.45	---	---
	Ant1	5220	1.26	1.32	95.45	---	---
	Ant2	5220	1.26	1.32	95.45	---	---
	Ant1	5240	1.26	1.32	95.45	---	---
	Ant2	5240	1.26	1.32	95.45	---	---
	Ant1	5260	1.26	1.32	95.45	---	---



	Ant2	5260	1.26	1.32	95.45	---	---
	Ant1	5300	1.26	1.32	95.45	---	---
	Ant2	5300	1.26	1.32	95.45	---	---
	Ant1	5320	1.26	1.32	95.45	---	---
	Ant2	5320	1.26	1.32	95.45	---	---
	Ant1	5500	1.26	1.32	95.45	---	---
	Ant2	5500	1.26	1.32	95.45	---	---
	Ant1	5580	1.26	1.32	95.45	---	---
	Ant2	5580	1.26	1.32	95.45	---	---
	Ant1	5700	1.26	1.32	95.45	---	---
	Ant2	5700	1.26	1.32	95.45	---	---
	Ant1	5745	1.26	1.32	95.45	---	---
	Ant2	5745	1.26	1.32	95.45	---	---
	Ant1	5785	1.26	1.32	95.45	---	---
	Ant2	5785	1.26	1.32	95.45	---	---
	Ant1	5825	1.26	1.32	95.45	---	---
	Ant2	5825	1.26	1.32	95.45	---	---
11AC40MIMO	Ant1	5190	0.62	0.68	91.18	---	---
	Ant2	5190	0.62	0.68	91.18	---	---
	Ant1	5230	0.62	0.68	91.18	---	---
	Ant2	5230	0.62	0.68	91.18	---	---
	Ant1	5270	0.62	0.68	91.18	---	---
	Ant2	5270	0.62	0.68	91.18	---	---
	Ant1	5310	0.62	0.68	91.18	---	---
	Ant2	5310	0.62	0.68	91.18	---	---
	Ant1	5510	0.62	0.68	91.18	---	---
	Ant2	5510	0.62	0.68	91.18	---	---
	Ant1	5590	0.62	0.68	91.18	---	---
	Ant2	5590	0.62	0.68	91.18	---	---
	Ant1	5670	0.62	0.68	91.18	---	---
	Ant2	5670	0.62	0.68	91.18	---	---
	Ant1	5755	0.62	0.68	91.18	---	---
	Ant2	5755	0.62	0.68	91.18	---	---
	Ant1	5795	0.62	0.68	91.18	---	---
	Ant2	5795	0.62	0.68	91.18	---	---
11AC80MIMO	Ant1	5210	0.30	0.36	83.33	---	---
	Ant2	5210	0.30	0.36	83.33	---	---
	Ant1	5290	2.22	2.57	86.38	---	---
	Ant2	5290	4.18	4.80	87.08	---	---



**SGS-CSTC Standards Technical Services
(Shanghai) Co., Ltd.**


Report No.: SHCR240300044202

	Ant1	5530	0.30	0.36	83.33	---	---
	Ant2	5530	0.30	0.36	83.33	---	---
	Ant1	5610	0.30	0.36	83.33	---	---
	Ant2	5610	0.30	0.36	83.33	---	---
	Ant1	5775	0.30	0.36	83.33	---	---
	Ant2	5775	3.22	3.67	87.74	---	---




Test Graphs

11A_Ant1_5180



11A_Ant2_5180




11A_Ant1_5220




SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.


Report No.: SHCR240300044202



11A_Ant2_5220



11A_Ant1_5240







SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Report No.: SHCR240300044202


11A_Ant2_5240




11A_Ant1_5260




11A_Ant2_5260



11A_Ant1_5300



11A_Ant2_5300







SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Report No.: SHCR240300044202

11A_Ant1_5320



11A_Ant2_5320




11A_Ant1_5500




SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.


Report No.: SHCR240300044202



11A_Ant2_5500





11A_Ant1_5580






11A Ant2 5580






SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.


Report No.: SHCR240300044202



11A_Ant1_5745



11A_Ant2_5745







SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Report No.: SHCR240300044202

11A_Ant1_5785



11A_Ant2_5785




11A_Ant1_5825




SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.


Report No.: SHCR240300044202



11A_Ant2_5825



11N20MIMO_Ant1_5180







SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Report No.: SHCR240300044202

11N20MIMO_Ant2_5180



11N20MIMO_Ant1_5220




11N20MIMO_Ant2_5220




SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.


Report No.: SHCR240300044202



11N20MIMO_Ant1_5240





11N20MIMO_Ant2_5240






11N20MIMO Ant1 5260







SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Report No.: SHCR240300044202






11N20MIMO Ant2 5320






SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.


Report No.: SHCR240300044202



11N20MIMO_Ant1_5580



11N20MIMO_Ant2_5580







SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Report No.: SHCR240300044202

11N20MIMO_Ant1_5700



11N20MIMO_Ant2_5700




11N20MIMO_Ant1_5745




SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.


Report No.: SHCR240300044202



11N20MIMO_Ant2_5745




11N20MIMO_Ant1_5785






11N20MIMO_Ant2_5785



11N20MIMO_Ant1_5825




11N20MIMO_Ant2_5825




SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.


Report No.: SHCR240300044202



11N40MIMO_Ant1_5190



11N40MIMO_Ant2_5190







SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Report No.: SHCR240300044202

11N40MIMO_Ant1_5230



11N40MIMO_Ant2_5230




11N40MIMO_Ant1_5270



SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Report No.: SHCR240300044202







SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Report No.: SHCR240300044202

11N40MIMO_Ant2_5310



11N40MIMO_Ant1_5510




11N40MIMO_Ant2_5510



SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Report No.: SHCR240300044202







SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Report No.: SHCR240300044202

11N40MIMO_Ant1_5670



11N40MIMO_Ant2_5670




11N40MIMO_Ant1_5755



SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.


Report No.: SHCR240300044202



11N40MIMO_Ant2_5755



11N40MIMO_Ant1_5795







SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Report No.: SHCR240300044202

11N40MIMO_Ant2_5795



11AC20MIMO_Ant1_5180



11AC20MIMO_Ant2_5180