





Restrict Band NVNT n20 5240MHz Ant1 Peak




Restrict Band NVNT n20 5240MHz Ant1 Average






Restrict Band NVNT n40 5190MHz Ant1 Peak




Restrict Band NVNT n40 5190MHz Ant1 Average






Restrict Band NVNT n40 5230MHz Ant1 Peak




Restrict Band NVNT n40 5230MHz Ant1 Average






Restrict Band NVNT ac20 5180MHz Ant1 Peak




Restrict Band NVNT ac20 5180MHz Ant1 Average






Restrict Band NVNT ac20 5240MHz Ant1 Peak




Restrict Band NVNT ac20 5240MHz Ant1 Average






Restrict Band NVNT ac40 5190MHz Ant1 Peak




Restrict Band NVNT ac40 5190MHz Ant1 Average






Restrict Band NVNT ac40 5230MHz Ant1 Peak



Restrict Band NVNT ac40 5230MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity





Restrict Band NVNT ac80 5210MHz Ant1 Peak



Restrict Band NVNT ac80 5210MHz Ant1 Average







Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5180	Ant2	4500	-49.91	2.71	-	48.03	Peak	68.2	Pass
NVNT	a	5180	Ant2	4500	-58.32	2.71	0.6	40.22	Average	54	Pass
NVNT	a	5180	Ant2	5148.9	-35.64	2.71	-	62.30	Peak	68.2	Pass
NVNT	a	5180	Ant2	5148.2	-50.95	2.71	0.6	47.59	Average	54	Pass
NVNT	a	5180	Ant2	5150	-34.6	2.71	-	63.34	Peak	68.2	Pass
NVNT	a	5180	Ant2	5150	-50.55	2.71	0.6	47.99	Average	54	Pass
NVNT	a	5240	Ant2	5350	-50.73	2.71	-	47.21	Peak	68.2	Pass
NVNT	a	5240	Ant2	5350	-58.07	2.71	0.63	40.50	Average	54	Pass
NVNT	a	5240	Ant2	5431.68	-47.64	2.71	-	50.30	Peak	68.2	Pass
NVNT	a	5240	Ant2	5390.4	-57.02	2.71	0.63	41.55	Average	54	Pass
NVNT	a	5240	Ant2	5460	-49.06	2.71	-	48.88	Peak	68.2	Pass
NVNT	a	5240	Ant2	5460	-58.12	2.71	0.63	40.45	Average	54	Pass
NVNT	n20	5180	Ant2	4500	-50.62	2.71	-	47.32	Peak	68.2	Pass
NVNT	n20	5180	Ant2	4500	-58.47	2.71	0.7	40.17	Average	54	Pass
NVNT	n20	5180	Ant2	5148.9	-33.29	2.71	-	64.65	Peak	68.2	Pass
NVNT	n20	5180	Ant2	5148.9	-51.46	2.71	0.7	47.18	Average	54	Pass
NVNT	n20	5180	Ant2	5150	-38.11	2.71	-	59.83	Peak	68.2	Pass
NVNT	n20	5180	Ant2	5150	-50.95	2.71	0.7	47.69	Average	54	Pass
NVNT	n20	5240	Ant2	5350	-49.97	2.71	-	47.97	Peak	68.2	Pass
NVNT	n20	5240	Ant2	5350	-57.7	2.71	0.66	40.90	Average	54	Pass
NVNT	n20	5240	Ant2	5445.12	-47.26	2.71	-	50.68	Peak	68.2	Pass
NVNT	n20	5240	Ant2	5377.2	-56.96	2.71	0.66	41.64	Average	54	Pass
NVNT	n20	5240	Ant2	5460	-50.64	2.71	-	47.30	Peak	68.2	Pass
NVNT	n20	5240	Ant2	5460	-57.57	2.71	0.66	41.03	Average	54	Pass
NVNT	n40	5190	Ant2	4500	-50.36	2.71	-	47.58	Peak	68.2	Pass
NVNT	n40	5190	Ant2	4500	-58.41	2.71	0.92	40.45	Average	54	Pass
NVNT	n40	5190	Ant2	5148.24	-37.46	2.71	-	60.48	Peak	68.2	Pass
NVNT	n40	5190	Ant2	5149.7	-49.9	2.71	0.92	48.96	Average	54	Pass
NVNT	n40	5190	Ant2	5150	-39.62	2.71	-	58.32	Peak	68.2	Pass
NVNT	n40	5190	Ant2	5150	-49.9	2.71	0.92	48.96	Average	54	Pass
NVNT	n40	5230	Ant2	5350	-50.11	2.71	-	47.83	Peak	68.2	Pass
NVNT	n40	5230	Ant2	5350	-58.2	2.71	0.89	40.63	Average	54	Pass
NVNT	n40	5230	Ant2	5454.06	-46.81	2.71	-	51.13	Peak	68.2	Pass
NVNT	n40	5230	Ant2	5435.97	-56.97	2.71	0.89	41.86	Average	54	Pass
NVNT	n40	5230	Ant2	5460	-50.13	2.71	-	47.81	Peak	68.2	Pass
NVNT	n40	5230	Ant2	5460	-58.31	2.71	0.89	40.52	Average	54	Pass
NVNT	ac20	5180	Ant2	4500	-49.47	2.71	-	48.47	Peak	68.2	Pass
NVNT	ac20	5180	Ant2	4500	-58.59	2.71	0.66	40.01	Average	54	Pass
NVNT	ac20	5180	Ant2	5149.6	-34.08	2.71	-	63.86	Peak	68.2	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




NVNT	ac20	5180	Ant2	5149.6	-50.54	2.71	0.66	48.06	Average	54	Pass
NVNT	ac20	5180	Ant2	5150	-31.97	2.71	-	65.97	Peak	68.2	Pass
NVNT	ac20	5180	Ant2	5150	-51.33	2.71	0.66	47.27	Average	54	Pass
NVNT	ac20	5240	Ant2	5350	-50.13	2.71	-	47.81	Peak	68.2	Pass
NVNT	ac20	5240	Ant2	5350	-57.35	2.71	1	41.59	Average	54	Pass
NVNT	ac20	5240	Ant2	5399.04	-46.83	2.71	-	51.11	Peak	68.2	Pass
NVNT	ac20	5240	Ant2	5378.88	-57.04	2.71	1	41.90	Average	54	Pass
NVNT	ac20	5240	Ant2	5460	-50.59	2.71	-	47.35	Peak	68.2	Pass
NVNT	ac20	5240	Ant2	5460	-58.54	2.71	1	40.40	Average	54	Pass
NVNT	ac40	5190	Ant2	4500	-50.53	2.71	-	47.41	Peak	68.2	Pass
NVNT	ac40	5190	Ant2	4500	-58.63	2.71	0.91	40.22	Average	54	Pass
NVNT	ac40	5190	Ant2	5148.97	-36.9	2.71	-	61.04	Peak	68.2	Pass
NVNT	ac40	5190	Ant2	5149.7	-49.65	2.71	0.91	49.20	Average	54	Pass
NVNT	ac40	5190	Ant2	5150	-38.23	2.71	-	59.71	Peak	68.2	Pass
NVNT	ac40	5190	Ant2	5150	-49.65	2.71	0.91	49.20	Average	54	Pass
NVNT	ac40	5230	Ant2	5350	-50.01	2.71	-	47.93	Peak	68.2	Pass
NVNT	ac40	5230	Ant2	5350	-58.03	2.71	1.19	41.10	Average	54	Pass
NVNT	ac40	5230	Ant2	5362.8	-47	2.71	-	50.94	Peak	68.2	Pass
NVNT	ac40	5230	Ant2	5352	-57.06	2.71	1.19	42.07	Average	54	Pass
NVNT	ac40	5230	Ant2	5460	-48.88	2.71	-	49.06	Peak	68.2	Pass
NVNT	ac40	5230	Ant2	5460	-58.19	2.71	1.19	40.94	Average	54	Pass
NVNT	ac80	5210	Ant2	5350	-48.24	2.71	-	49.70	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	5350	-57.11	2.71	1.71	42.54	Average	54	Pass
NVNT	ac80	5210	Ant2	5413.14	-45.96	2.71	-	51.98	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	5355.72	-56.54	2.71	1.71	43.11	Average	54	Pass
NVNT	ac80	5210	Ant2	5460	-49.09	2.71	-	48.85	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	5460	-57.9	2.71	1.71	41.75	Average	54	Pass
NVNT	ac80	5210	Ant2	4500	-49.61	2.71	-	48.33	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	4500	-58.45	2.71	1.71	41.20	Average	54	Pass
NVNT	ac80	5210	Ant2	5147.8	-38.24	2.71	-	59.70	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	5146.22	-49.75	2.71	1.71	49.90	Average	54	Pass
NVNT	ac80	5210	Ant2	5150	-37.76	2.71	-	60.18	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	5150	-50.2	2.71	1.71	49.45	Average	54	Pass






Test Graphs

Restrict Band NVNT a 5180MHz Ant2 Peak




Restrict Band NVNT a 5180MHz Ant2 Average






Restrict Band NVNT a 5240MHz Ant2 Peak



Restrict Band NVNT a 5240MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n20 5180MHz Ant2 Peak




Restrict Band NVNT n20 5180MHz Ant2 Average






Restrict Band NVNT n20 5240MHz Ant2 Peak




Restrict Band NVNT n20 5240MHz Ant2 Average






Restrict Band NVNT n40 5190MHz Ant2 Peak




Restrict Band NVNT n40 5190MHz Ant2 Average








Restrict Band NVNT n40 5230MHz Ant2 Peak




Restrict Band NVNT n40 5230MHz Ant2 Average








Restrict Band NVNT ac20 5240MHz Ant2 Peak




Restrict Band NVNT ac20 5240MHz Ant2 Average






Restrict Band NVNT ac40 5190MHz Ant2 Peak




Restrict Band NVNT ac40 5190MHz Ant2 Average






Restrict Band NVNT ac40 5230MHz Ant2 Peak




Restrict Band NVNT ac40 5230MHz Ant2 Average






Restrict Band NVNT ac80 5210MHz Ant2 Peak




Restrict Band NVNT ac80 5210MHz Ant2 Average






Restrict Band NVNT ac80 5210MHz Ant2 Peak



Restrict Band NVNT ac80 5210MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



MIMO

Condition	Mode	Frequency (MHz)	ANT1 Power (dBm)	ANT2 Power (dBm)	Gain (dBi)	Total E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	n20	5180	-50.3	-50.62	5.72	53.50	Peak	74	Pass
NVNT	n20	5180	-58.62	-58.47	5.72	45.41	Average	54	Pass
NVNT	n20	5180	-34.67	-33.29	5.72	70.03	Peak	74	Pass
NVNT	n20	5180	-49.15	-51.46	5.72	53.80	Average	54	Pass
NVNT	n20	5180	-36.06	-38.11	5.72	66.99	Peak	74	Pass
NVNT	n20	5180	-49.22	-50.95	5.72	53.96	Average	54	Pass
NVNT	n20	5240	-49.93	-49.97	5.72	54.01	Peak	74	Pass
NVNT	n20	5240	-57.65	-57.7	5.72	46.28	Average	54	Pass
NVNT	n20	5240	-46.68	-47.26	5.72	57.00	Peak	74	Pass
NVNT	n20	5240	-57	-56.96	5.72	46.98	Average	54	Pass
NVNT	n20	5240	-49.3	-50.64	5.72	54.04	Peak	74	Pass
NVNT	n20	5240	-57.83	-57.57	5.72	46.26	Average	54	Pass
NVNT	n40	5190	-50.3	-50.36	5.72	53.63	Peak	74	Pass
NVNT	n40	5190	-58.37	-58.41	5.72	45.57	Average	54	Pass
NVNT	n40	5190	-35.37	-37.46	5.72	67.67	Peak	74	Pass
NVNT	n40	5190	-48.9	-51.9	5.72	53.81	Average	54	Pass
NVNT	n40	5190	-35.63	-39.62	5.72	66.78	Peak	74	Pass
NVNT	n40	5190	-50.35	-49.9	5.72	53.84	Average	54	Pass
NVNT	n40	5230	-50.39	-50.11	5.72	53.71	Peak	74	Pass
NVNT	n40	5230	-57.2	-58.2	5.72	46.29	Average	54	Pass
NVNT	n40	5230	-46.92	-46.81	5.72	57.09	Peak	74	Pass
NVNT	n40	5230	-57.08	-56.97	5.72	46.93	Average	54	Pass
NVNT	n40	5230	-49.05	-50.13	5.72	54.40	Peak	74	Pass
NVNT	n40	5230	-58.5	-58.31	5.72	45.55	Average	54	Pass
NVNT	ac20	5180	-50.33	-49.47	5.72	54.08	Peak	74	Pass
NVNT	ac20	5180	-58.49	-58.59	5.72	45.42	Average	54	Pass
NVNT	ac20	5180	-38.03	-34.08	5.72	68.34	Peak	74	Pass
NVNT	ac20	5180	-50.52	-50.54	5.72	53.43	Average	54	Pass
NVNT	ac20	5180	-37.1	-31.97	5.72	70.14	Peak	74	Pass
NVNT	ac20	5180	-50.12	-51.33	5.72	53.27	Average	54	Pass
NVNT	ac20	5240	-49.11	-50.13	5.72	54.37	Peak	74	Pass
NVNT	ac20	5240	-58.22	-57.35	5.72	46.19	Average	54	Pass
NVNT	ac20	5240	-47.01	-46.83	5.72	57.04	Peak	74	Pass
NVNT	ac20	5240	-56.97	-57.04	5.72	46.95	Average	54	Pass
NVNT	ac20	5240	-49.13	-50.59	5.72	54.16	Peak	74	Pass
NVNT	ac20	5240	-57.84	-58.54	5.72	45.78	Average	54	Pass
NVNT	ac40	5190	-49.43	-50.53	5.72	54.01	Peak	74	Pass
NVNT	ac40	5190	-58.17	-58.63	5.72	45.56	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	ac40	5190	-36.92	-36.9	5.72	67.05	Peak	74	Pass
NVNT	ac40	5190	-49.96	-51.65	5.72	53.23	Average	54	Pass
NVNT	ac40	5190	-39.68	-38.23	5.72	65.06	Peak	74	Pass
NVNT	ac40	5190	-50.62	-49.95	5.72	53.69	Average	54	Pass
NVNT	ac40	5230	-49.16	-50.01	5.72	54.39	Peak	74	Pass
NVNT	ac40	5230	-57.78	-58.03	5.72	46.05	Average	54	Pass
NVNT	ac40	5230	-46.6	-47	5.72	57.16	Peak	74	Pass
NVNT	ac40	5230	-56.89	-57.06	5.72	46.98	Average	54	Pass
NVNT	ac40	5230	-49.36	-48.88	5.72	54.84	Peak	74	Pass
NVNT	ac40	5230	-57.86	-58.19	5.72	45.94	Average	54	Pass
NVNT	ac80	5210	-47	-48.24	5.72	56.38	Peak	74	Pass
NVNT	ac80	5210	-55.96	-57.11	5.72	47.46	Average	54	Pass
NVNT	ac80	5210	-45.58	-45.96	5.72	58.19	Peak	74	Pass
NVNT	ac80	5210	-55.12	-56.54	5.72	48.19	Average	54	Pass
NVNT	ac80	5210	-48.69	-49.09	5.72	55.07	Peak	74	Pass
NVNT	ac80	5210	-57.32	-57.9	5.72	46.36	Average	54	Pass
NVNT	ac80	5210	-50.21	-49.61	5.72	54.06	Peak	74	Pass
NVNT	ac80	5210	-57.87	-58.45	5.72	45.81	Average	54	Pass
NVNT	ac80	5210	-37.98	-38.24	5.72	65.85	Peak	74	Pass
NVNT	ac80	5210	-49.99	-51.97	5.72	53.09	Average	54	Pass
NVNT	ac80	5210	-37.28	-37.76	5.72	66.44	Peak	74	Pass
NVNT	ac80	5210	-49.18	-52.2	5.72	53.53	Average	54	Pass





D.5 Frequency Stability


Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	ac20	5180	Ant1	5179.98	-20000	-3.86	25	Pass
NVNT	ac20	5200	Ant1	5199.98	-20000	-3.85	25	Pass
NVNT	ac20	5240	Ant1	5240	0	0	25	Pass
NVNT	ac40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
NVNT	ac40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
NVNT	ac80	5210	Ant1	5210	0	0	25	Pass








Test Graphs



Freq. Stability NVNT ac20 5180MHz Ant1



Freq. Stability NVNT ac20 5200MHz Ant1










Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	ac20	5180	Ant2	5179.96	-40000	-7.72	25	Pass
NVNT	ac20	5200	Ant2	5199.98	-20000	-3.85	25	Pass
NVNT	ac20	5240	Ant2	5239.96	-40000	-7.63	25	Pass
NVNT	ac40	5190	Ant2	5190	0	0	25	Pass
NVNT	ac40	5230	Ant2	5229.96	-40000	-7.65	25	Pass
NVNT	ac80	5210	Ant2	5210	0	0	25	Pass








Test Graphs

Freq. Stability NVNT ac20 5180MHz Ant2




Freq. Stability NVNT ac20 5200MHz Ant2








Freq. Stability NVNT ac40 5230MHz Ant2



Freq. Stability NVNT ac80 5210MHz Ant2





D.6 Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5180	Ant1	88.61	0.53	0.72
NVNT	a	5200	Ant1	88.05	0.55	0.72
NVNT	a	5240	Ant1	88.55	0.53	0.72
NVNT	n20	5180	Ant1	87.29	0.59	0.85
NVNT	n20	5200	Ant1	86.71	0.62	0.85
NVNT	n20	5240	Ant1	86.71	0.62	0.85
NVNT	n40	5190	Ant1	81.5	0.89	0.9
NVNT	n40	5230	Ant1	80.91	0.92	0.9
NVNT	ac20	5180	Ant1	87.41	0.58	0.84
NVNT	ac20	5200	Ant1	86.81	0.61	0.84
NVNT	ac20	5240	Ant1	86.89	0.61	0.84
NVNT	ac40	5190	Ant1	81.06	0.91	0.9
NVNT	ac40	5230	Ant1	81.6	0.88	0.9
NVNT	ac80	5210	Ant1	69.08	1.61	1.28






Test Graphs

Duty Cycle NVNT a 5180MHz Ant1




Duty Cycle NVNT a 5200MHz Ant1








Duty Cycle NVNT a 5240MHz Ant1




Duty Cycle NVNT n20 5180MHz Ant1








Duty Cycle NVNT n40 5190MHz Ant1




Duty Cycle NVNT n40 5230MHz Ant1






Duty Cycle NVNT ac20 5180MHz Ant1




Duty Cycle NVNT ac20 5200MHz Ant1






Duty Cycle NVNT ac20 5240MHz Ant1




Duty Cycle NVNT ac40 5190MHz Ant1






Duty Cycle NVNT ac40 5230MHz Ant1



Duty Cycle NVNT ac80 5210MHz Ant1






Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5180	Ant2	87.08	0.6	0.92
NVNT	a	5200	Ant2	85.25	0.69	0.92
NVNT	a	5240	Ant2	86.54	0.63	0.91
NVNT	n20	5180	Ant2	85.1	0.7	1.08
NVNT	n20	5200	Ant2	85.1	0.7	1.08
NVNT	n20	5240	Ant2	85.9	0.66	1.08
NVNT	n40	5190	Ant2	80.89	0.92	0.9
NVNT	n40	5230	Ant2	81.43	0.89	0.9
NVNT	ac20	5180	Ant2	85.99	0.66	1.07
NVNT	ac20	5200	Ant2	85.34	0.69	1.07
NVNT	ac20	5240	Ant2	79.47	1	1.07
NVNT	ac40	5190	Ant2	81.06	0.91	0.9
NVNT	ac40	5230	Ant2	76.08	1.19	0.9
NVNT	ac80	5210	Ant2	67.38	1.71	1.86








Test Graphs



Duty Cycle NVNT a 5180MHz Ant2



Duty Cycle NVNT a 5200MHz Ant2















Duty Cycle NVNT n40 5190MHz Ant2



Duty Cycle NVNT n40 5230MHz Ant2










Duty Cycle NVNT ac40 5230MHz Ant2



Duty Cycle NVNT ac80 5210MHz Ant2

