
157g铜版纸

15/9刊及经

76x130mm

折页 分割线无需印刷



L016AQ User Manual

Safety Instructions

Read all instructions before you use this device. Do not make any changes or create settings that are not described in this manual. If physical damage, loss of data or damage is caused by failure to follow instructions. the warranty does not apply.

- 1. To reduce the risk of fire or electric shock, do not expose the device to rain or moisture. Objects filled with liquids, such as vases, should not be placed on this
- 2. Do not place this device on soft surfaces such as tablecloths or carpets, otherwise the device could be a fire hazard
- 3. Do not place this device in areas susceptible to excessive dust and dirt or near any appliance generating a strong magnetic field.
- 4. To prevent overheating, do not block or clog the ventilation holes
- 5. Never place this device in a confined space. Always leave enough space around this device for ventilation.
- 6. Protect this device from overexposure to direct sunlight. heat, large temperature fluctuations and moisture. Avoid extreme temperatures.
- 7. When this device is running for a long period of time, the surface may become hot. Shut it down immediately and unplug the charger. Resume operation after this device has cooled down
- 8. Always handle this device with care. Avoid touching the lens. Do not allow children to handle the device without supervision.
- 9. Use attachments or accessories specified by the manufacturer only.
- 10. Avoid extreme vibration as it may damage the internal components.

Package List





Remote Control × 1 (Batteries are not included)





HDMI Cable × 1



Power Cable × 1



Projector User Manual × 1

Clean Tool × 1

best clarity. 2. Mounting Hole

adjust the image.

1. Blurry Image

Overview

Adopting a single mounting hole dual-use design, the projector is compatible with the standard camera tripod and 1/4 inch screw projector tripod stand.

Go to setting - Keystone Correction - Turn on the Auto

Keystone Correction or enter Manual Keystone to

Press the focus button on remote control to get the

IR receiver


USB Input

Power Socket

ON / OFF

HDMI Input | 3.5mm Stereo Jack

Remote Control



Attention:

- 1. Do not submerge the remote control in the water.
- 2. Do not put the remote control near fire or in wet or hot places.
- 3. Do not use old and new batteries together in the remote control
- 4. Please take the batteries out if not using the remote control for a long time to avoid battery leakage.
- 5. Please point the remote control toward the IR receiver.
- 6. Please use the remote control within 6 meters distance and 30 degree angle.

Getting Started

1. Plug the power cable to

the projector.





- 2. Press power button to turn on the projector.



3. Connect projector to HDMI port support device.



4. Use the manual focus by

button on the remote

pressing the "Focus"





. Press the power button to turn off the projector.

control.

Make sure the projector is horizontal to the projector

Cleaning Method



1. Get cleaning tools ready.



2. Use tweezers to pry off the bottom cover.



3. Clean the projector by the cotton swab.



4. Reinstall the bottom cover after cleaning.

Network Setting

Settings - Network - Wifi Enable > Turn on Wifi Enable. Choose the network and type the password that you want to connect to: Settings - Network - Ethernet > Plug the Ethernet cable with LAN port on projector to connect network.



Bluetooth Setting

Settings - Bluetooth - Bluetooth Enable > Select Refresh to search and pair the device that you want to connect to.



Display Setting

Settings - Display > Set the brightness & color, keystone correction, smart recognition, auto focus, screen scaling. projection mode.



Manual Keystone

Setting - Display - Manual Keystone > Adjust the projection area of four angles by pressing the direction key on the remote control.




Screen Scaling

Settings - Display - Screen Scaling > Support to adjust the aspect ratio according to your application scenario.



Projection Mode

Settings - Display - Projection Mode > Select different mode according to your application scenario. Four modes are available.



System Setting

Settings - System > Set the system information, language, input method, date & time, system upgrade and factory



File Management

Insert the U disk, click the File icon on the homepage. The content of U disk could be read, such as video, audio. picture, etc.



FCC STATEMENT:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired

Warning: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device. pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no quarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on the user is encouraged to try to correct the interference by one or more of the following measures:

Regrient or relocate the receiving antenna

Increase the separation between the equipment and receiver Connect the equipment into an outlet on a circuit different from that to which the receiver is

Consult the dealer or an experienced radio/TV technician for help.

FCC Radiation Exposure Statement:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator &

ISED Statement

English: This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

- (1) This device may not cause interference.
- (2) This device must accept any interference, including interference that may cause undesired operation of the device
- The digital apparatus complies with Canadian CAN ICES-3 (B)/NMB-3(B).

French: Cet appareil contient des émetteurs/récepteurs exempts de licence qui sont conformes aux

- RSS exemptés de licence d'Innovation, Sciences et Développement économique Canada.
- L'exploitation est soumise aux deux conditions suivantes
- (1) Cet appareil ne doit pas provoquer d'interférences.
- (2) Cet appareil doit accepter toute interférence, y compris les interferences susceptibles de provoquer

un fonctionnement indésirable de l'appareil

l'appareil numérique du ciem conforme canadien peut - 3 (b) / nmb - 3 (b).

This device meets the exemption from the routine evaluation limits in section 2.5 of RSS 102 and compliance with RSS 102 RF exposure, users can obtain Canadian Information on RF exposure and

cet appareil est conforme à l'exemption des limites d'évaluation courante dans la section 2.5 du cnr -102 et conformité avec rss 102 de l'exposition aux rf. les utilisateurs peuvent obtenir des données canadiennes sur l'exposition aux champs rf et la conformité.

This equipment complies with Canada radiation exposure limits set forth for an uncontrolled

Cet équipement est conforme aux limites d'exposition aux rayonnements du Canada établies pour un environnement non contrôlé

This equipment should be installed and operated with minimum distance 20cm between the radiator &

Cet équipement doit être installé et utilisé à une distance minimale de 20 cm entre le radiateur et votre

L016AOZX240524