


Test Mode	UNII-2A_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	83.592	77.200

CH58 26 dB Bandwidth



Date: 27.JUL.2024 15:46:10

99 % Occupied Bandwidth




Date: 27.JUL.2024 15:46:08

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode
-----------	----------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
50	5250	162.402	156.000

CH50 26 dB Bandwidth



Date: 27.JUL.2024 15:53:31

99 % Occupied Bandwidth




Date: 27.JUL.2024 15:52:36

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	25.009	16.900
116	5580	21.250	16.700
140	5700	24.050	16.900

CH100




Date: 27.JUL.2024 14:03:21

CH116
26 dB Bandwidth




Date: 27.JUL.2024 14:04:14

CH140




Date: 27.JUL.2024 14:05:14


99 % Occupied Bandwidth



Date: 27.JUL.2024 14:02:49



Date: 27.JUL.2024 14:03:43




Date: 27.JUL.2024 14:04:44

Test Mode	UNII-2C_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	24.390	19.100
116	5580	21.759	18.900
140	5700	22.690	19.100

CH100




Date: 27.JUL.2024 15:13:55

CH116
26 dB Bandwidth




Date: 27.JUL.2024 15:15:23

CH140




Date: 27.JUL.2024 15:16:32


99 % Occupied Bandwidth



Date: 27.JUL.2024 15:13:24



Date: 27.JUL.2024 15:14:52




Date: 27.JUL.2024 15:15:59

Test Mode	UNII-2C_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	87.000	77.600
122	5610	81.000	76.800

CH106




Date: 27.JUL.2024 15:48:20

CH122
26 dB Bandwidth




Date: 27.JUL.2024 15:49:41

99 % Occupied Bandwidth



Date: 27.JUL.2024 15:47:38




Date: 27.JUL.2024 15:48:53

Test Mode	UNII-2C_TX AX(HE160) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
114	5570	164.000	157.600

CH114 26 dB Bandwidth



Date: 27.JUL.2024 15:56:02

99 % Occupied Bandwidth




Date: 27.JUL.2024 15:55:00

Test Mode	UNII-3_TX AX(HE40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	33.999	37.800	0.5	Complies
159	5795	33.900	37.800	0.5	Complies

CH151




Date: 27.JUL.2024 15:39:57

CH159
6 dB Bandwidth




Date: 27.JUL.2024 15:41:42

99 % Occupied Bandwidth



Date: 27.JUL.2024 15:39:57




Date: 27.JUL.2024 15:40:50

Test Mode	UNII-3_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	69.600	76.800	0.5	Complies

CH155 6 dB Bandwidth



Date: 27.JUL.2024 15:51:17

99 % Occupied Bandwidth



Date: 27.JUL.2024 15:50:29

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.58	0.18	20.76	28.29	0.6745	Complies
40	5200	20.34	0.18	20.52	28.29	0.6745	Complies
48	5240	20.39	0.18	20.57	28.29	0.6745	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.04	0.18	21.22	28.29	0.6745	Complies
40	5200	20.91	0.18	21.09	28.29	0.6745	Complies
48	5240	20.73	0.18	20.91	28.29	0.6745	Complies

Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.03	0.18	21.21	28.29	0.6745	Complies
40	5200	21.06	0.18	21.24	28.29	0.6745	Complies
48	5240	20.86	0.18	21.04	28.29	0.6745	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	25.84	28.29	0.6745	Complies
40	5200	25.73	28.29	0.6745	Complies
48	5240	25.62	28.29	0.6745	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.74	0.22	20.96	28.29	0.6745	Complies
40	5200	20.64	0.22	20.86	28.29	0.6745	Complies
48	5240	20.86	0.22	21.08	28.29	0.6745	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.27	0.22	21.49	28.29	0.6745	Complies
40	5200	21.19	0.22	21.41	28.29	0.6745	Complies
48	5240	21.51	0.22	21.73	28.29	0.6745	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.23	0.22	21.45	28.29	0.6745	Complies
40	5200	21.32	0.22	21.54	28.29	0.6745	Complies
48	5240	21.73	0.22	21.95	28.29	0.6745	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	26.08	28.29	0.6745	Complies
40	5200	26.06	28.29	0.6745	Complies
48	5240	26.38	28.29	0.6745	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.14	0.23	20.37	28.29	0.6745	Complies
46	5230	22.79	0.23	23.02	28.29	0.6745	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.68	0.23	20.91	28.29	0.6745	Complies
46	5230	23.16	0.23	23.39	28.29	0.6745	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.71	0.23	20.94	28.29	0.6745	Complies
46	5230	23.37	0.23	23.60	28.29	0.6745	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	25.51	28.29	0.6745	Complies
46	5230	28.11	28.29	0.6745	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.12	0.26	16.38	28.29	0.6745	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.84	0.26	17.10	28.29	0.6745	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.92	0.26	17.18	28.29	0.6745	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.67	28.29	0.6745	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.86	0.18	15.04	22.29	0.1694	Complies
60	5300	14.97	0.18	15.15	22.29	0.1694	Complies
64	5320	14.97	0.18	15.15	22.29	0.1694	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.80	0.18	14.98	22.29	0.1694	Complies
60	5300	14.96	0.18	15.14	22.29	0.1694	Complies
64	5320	14.95	0.18	15.13	22.29	0.1694	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.82	0.18	15.00	22.29	0.1694	Complies
60	5300	14.95	0.18	15.13	22.29	0.1694	Complies
64	5320	14.76	0.18	14.94	22.29	0.1694	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	19.78	22.29	0.1694	Complies
60	5300	19.91	22.29	0.1694	Complies
64	5320	19.85	22.29	0.1694	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.89	0.22	15.11	22.29	0.1694	Complies
60	5300	15.09	0.22	15.31	22.29	0.1694	Complies
64	5320	15.02	0.22	15.24	22.29	0.1694	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.37	0.22	15.59	22.29	0.1694	Complies
60	5300	15.62	0.22	15.84	22.29	0.1694	Complies
64	5320	15.60	0.22	15.82	22.29	0.1694	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.80	0.22	15.02	22.29	0.1694	Complies
60	5300	15.12	0.22	15.34	22.29	0.1694	Complies
64	5320	15.19	0.22	15.41	22.29	0.1694	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.02	22.29	0.1694	Complies
60	5300	20.28	22.29	0.1694	Complies
64	5320	20.27	22.29	0.1694	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.88	0.23	17.11	22.29	0.1694	Complies
62	5310	17.09	0.23	17.32	22.29	0.1694	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.34	0.23	17.57	22.29	0.1694	Complies
62	5310	17.48	0.23	17.71	22.29	0.1694	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.03	0.23	17.26	22.29	0.1694	Complies
62	5310	17.13	0.23	17.36	22.29	0.1694	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	22.08	22.29	0.1694	Complies
62	5310	22.23	22.29	0.1694	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.68	0.26	16.94	22.29	0.1694	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.31	0.26	17.57	22.29	0.1694	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.74	0.26	17.00	22.29	0.1694	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	21.95	22.29	0.1694	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	16.65	0.24	16.89	22.29	0.1694	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.36	0.24	17.60	22.29	0.1694	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 3
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.28	0.24	17.52	22.29	0.1694	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	22.12	22.29	0.1694	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.88	0.18	15.06	22.29	0.1694	Complies
116	5580	15.56	0.18	15.74	22.29	0.1694	Complies
140	5700	15.25	0.18	15.43	22.29	0.1694	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.94	0.18	15.12	22.29	0.1694	Complies
116	5580	15.39	0.18	15.57	22.29	0.1694	Complies
140	5700	15.22	0.18	15.40	22.29	0.1694	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.19	0.18	15.37	22.29	0.1694	Complies
116	5580	15.19	0.18	15.37	22.29	0.1694	Complies
140	5700	15.17	0.18	15.35	22.29	0.1694	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.96	22.29	0.1694	Complies
116	5580	20.34	22.29	0.1694	Complies
140	5700	20.17	22.29	0.1694	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.05	0.22	15.27	22.29	0.1694	Complies
116	5580	15.65	0.22	15.87	22.29	0.1694	Complies
140	5700	15.39	0.22	15.61	22.29	0.1694	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.99	0.22	15.21	22.29	0.1694	Complies
116	5580	15.76	0.22	15.98	22.29	0.1694	Complies
140	5700	15.58	0.22	15.80	22.29	0.1694	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.17	0.22	15.39	22.29	0.1694	Complies
116	5580	15.33	0.22	15.55	22.29	0.1694	Complies
140	5700	15.11	0.22	15.33	22.29	0.1694	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.07	22.29	0.1694	Complies
116	5580	20.58	22.29	0.1694	Complies
140	5700	20.36	22.29	0.1694	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.35	0.23	17.58	22.29	0.1694	Complies
110	5550	17.14	0.23	17.37	22.29	0.1694	Complies
134	5670	17.42	0.23	17.65	22.29	0.1694	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.21	0.23	17.44	22.29	0.1694	Complies
110	5550	17.13	0.23	17.36	22.29	0.1694	Complies
134	5670	17.52	0.23	17.75	22.29	0.1694	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.24	0.23	17.47	22.29	0.1694	Complies
110	5550	16.91	0.23	17.14	22.29	0.1694	Complies
134	5670	16.81	0.23	17.04	22.29	0.1694	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	22.26	22.29	0.1694	Complies
110	5550	22.06	22.29	0.1694	Complies
134	5670	22.26	22.29	0.1694	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.07	0.26	17.33	22.29	0.1694	Complies
122	5610	17.18	0.26	17.44	22.29	0.1694	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.17	0.26	17.43	22.29	0.1694	Complies
122	5610	17.12	0.26	17.38	22.29	0.1694	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.08	0.26	17.34	22.29	0.1694	Complies
122	5610	16.79	0.26	17.05	22.29	0.1694	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	22.13	22.29	0.1694	Complies
122	5610	22.06	22.29	0.1694	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	14.97	0.24	15.21	22.29	0.1694	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	15.03	0.24	15.27	22.29	0.1694	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	14.89	0.24	15.13	22.29	0.1694	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	19.97	22.29	0.1694	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.27	0.18	23.45	28.29	0.6745	Complies
157	5785	22.65	0.18	22.83	28.29	0.6745	Complies
165	5825	23.10	0.18	23.28	28.29	0.6745	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.89	0.18	23.07	28.29	0.6745	Complies
157	5785	22.58	0.18	22.76	28.29	0.6745	Complies
165	5825	23.14	0.18	23.32	28.29	0.6745	Complies

Test Mode	UNII-3_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.45	0.18	23.63	28.29	0.6745	Complies
157	5785	23.54	0.18	23.72	28.29	0.6745	Complies
165	5825	22.87	0.18	23.05	28.29	0.6745	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	28.16	28.29	0.6745	Complies
157	5785	27.90	28.29	0.6745	Complies
165	5825	27.99	28.29	0.6745	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.87	0.22	23.09	28.29	0.6745	Complies
157	5785	23.06	0.22	23.28	28.29	0.6745	Complies
165	5825	23.06	0.22	23.28	28.29	0.6745	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.64	0.22	22.86	28.29	0.6745	Complies
157	5785	22.67	0.22	22.89	28.29	0.6745	Complies
165	5825	23.11	0.22	23.33	28.29	0.6745	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.39	0.22	23.61	28.29	0.6745	Complies
157	5785	23.15	0.22	23.37	28.29	0.6745	Complies
165	5825	22.93	0.22	23.15	28.29	0.6745	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	27.97	28.29	0.6745	Complies
157	5785	27.96	28.29	0.6745	Complies
165	5825	28.03	28.29	0.6745	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.29	0.23	23.52	28.29	0.6745	Complies
159	5795	22.83	0.23	23.06	28.29	0.6745	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.85	0.23	23.08	28.29	0.6745	Complies
159	5795	23.31	0.23	23.54	28.29	0.6745	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.45	0.23	23.68	28.29	0.6745	Complies
159	5795	23.26	0.23	23.49	28.29	0.6745	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	28.20	28.29	0.6745	Complies
159	5795	28.14	28.29	0.6745	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.16	0.26	23.42	28.29	0.6745	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.75	0.26	23.01	28.29	0.6745	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.14	0.26	23.40	28.29	0.6745	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	28.05	28.29	0.6745	Complies

Note: Output power = Measure result + Cable loss

APPENDIX G - POWER SPECTRAL DENSITY


Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.97	0.18	10.15	15.29	Complies
40	5200	10.34	0.18	10.52	15.29	Complies
48	5240	9.90	0.18	10.08	15.29	Complies




Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.10	0.18	10.28	15.29	Complies
40	5200	9.88	0.18	10.06	15.29	Complies
48	5240	10.35	0.18	10.53	15.29	Complies



Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.42	0.18	9.60	15.29	Complies
40	5200	10.29	0.18	10.47	15.29	Complies
48	5240	10.16	0.18	10.34	15.29	Complies




Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	14.79	15.29	Complies
40	5200	15.13	15.29	Complies
48	5240	15.09	15.29	Complies


Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.92	0.22	9.14	15.29	Complies
40	5200	8.95	0.22	9.17	15.29	Complies
48	5240	9.35	0.22	9.57	15.29	Complies




Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.62	0.22	9.84	15.29	Complies
40	5200	9.49	0.22	9.71	15.29	Complies
48	5240	9.94	0.22	10.16	15.29	Complies



Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.62	0.22	9.84	15.29	Complies
40	5200	9.78	0.22	10.00	15.29	Complies
48	5240	10.07	0.22	10.29	15.29	Complies




Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	14.40	15.29	Complies
40	5200	14.42	15.29	Complies
48	5240	14.79	15.29	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	8.46	0.23	8.69	15.29	Complies
46	5230	8.55	0.23	8.78	15.29	Complies

CH38



Date: 29.AUG.2024 16:00:43

CH46




Date: 29.AUG.2024 16:04:20

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	8.85	0.23	9.08	15.29	Complies
46	5230	9.02	0.23	9.25	15.29	Complies

CH38



Date: 29.AUG.2024 16:01:21

CH46




Date: 29.AUG.2024 16:03:43

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	8.89	0.23	9.12	15.29	Complies
46	5230	9.35	0.23	9.58	15.29	Complies

CH38



Date: 29_AUG.2024 16:02:11

CH46




Date: 29_AUG.2024 16:03:06

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	13.73	15.29	Complies
46	5230	13.98	15.29	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-0.53	0.26	-0.27	15.29	Complies



Date: 29.AUG.2024 16:27:26

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	0.20	0.26	0.46	15.29	Complies



Date: 29.AUG.2024 16:24:57

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	0.40	0.26	0.66	15.29	Complies




Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.07	15.29	Complies


Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.44	0.18	4.62	9.29	Complies
60	5300	4.03	0.18	4.21	9.29	Complies
64	5320	4.09	0.18	4.27	9.29	Complies




Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.25	0.18	4.43	9.29	Complies
60	5300	3.70	0.18	3.88	9.29	Complies
64	5320	3.84	0.18	4.02	9.29	Complies



Test Mode	UNII-2A_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.25	0.18	4.43	9.29	Complies
60	5300	3.80	0.18	3.98	9.29	Complies
64	5320	3.99	0.18	4.17	9.29	Complies




Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	9.27	9.29	Complies
60	5300	8.80	9.29	Complies
64	5320	8.93	9.29	Complies


Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.17	0.22	3.39	9.29	Complies
60	5300	3.36	0.22	3.58	9.29	Complies
64	5320	3.58	0.22	3.80	9.29	Complies




Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.84	0.22	4.06	9.29	Complies
60	5300	3.86	0.22	4.08	9.29	Complies
64	5320	4.05	0.22	4.27	9.29	Complies



Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.42	0.22	3.64	9.29	Complies
60	5300	3.48	0.22	3.70	9.29	Complies
64	5320	3.67	0.22	3.89	9.29	Complies




Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	8.48	9.29	Complies
60	5300	8.57	9.29	Complies
64	5320	8.77	9.29	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.55	0.23	2.78	9.29	Complies
62	5310	2.64	0.23	2.87	9.29	Complies

CH54



Date: 29.AUG.2024 16:05:23

CH62




Date: 29.AUG.2024 16:08:58

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	3.19	0.23	3.42	9.29	Complies
62	5310	3.40	0.23	3.63	9.29	Complies

CH54



Date: 29.AUG.2024 16:06:02

CH62




Date: 29.AUG.2024 16:08:20

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.81	0.23	3.04	9.29	Complies
62	5310	2.87	0.23	3.10	9.29	Complies

CH54



Date: 29_AUG_2024 16:06:43

CH62




Date: 29_AUG_2024 16:07:35

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	7.86	9.29	Complies
62	5310	7.98	9.29	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.51	0.26	-0.25	9.29	Complies



Date: 29.AUG.2024 16:28:27

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.00	0.26	0.26	9.29	Complies



Date: 29.AUG.2024 16:29:12

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.25	0.26	0.01	9.29	Complies




Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	4.78	9.29	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
-----------	---


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-3.23	0.24	-2.99	9.29	Complies



Date: 29.AUG.2024 16:41:20

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
-----------	---


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-2.67	0.24	-2.43	9.29	Complies



Date: 29.AUG.2024 16:40:47

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 3
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-2.71	0.24	-2.47	9.29	Complies




Date: 29.AUG.2024 16:40:09

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	2.14	9.29	Complies


Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.21	0.18	4.39	9.29	Complies
116	5580	4.22	0.18	4.40	9.29	Complies
140	5700	4.25	0.18	4.43	9.29	Complies




Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.13	0.18	4.31	9.29	Complies
116	5580	4.27	0.18	4.45	9.29	Complies
140	5700	4.12	0.18	4.30	9.29	Complies



Test Mode	UNII-2C_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.59	0.18	3.77	9.29	Complies
116	5580	4.20	0.18	4.38	9.29	Complies
140	5700	4.18	0.18	4.36	9.29	Complies




Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	8.94	9.29	Complies
116	5580	9.18	9.29	Complies
140	5700	9.14	9.29	Complies


Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.33	0.22	3.55	9.29	Complies
116	5580	3.89	0.22	4.11	9.29	Complies
140	5700	3.62	0.22	3.84	9.29	Complies




Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.34	0.22	3.56	9.29	Complies
116	5580	4.04	0.22	4.26	9.29	Complies
140	5700	3.77	0.22	3.99	9.29	Complies



Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.34	0.22	3.56	9.29	Complies
116	5580	3.72	0.22	3.94	9.29	Complies
140	5700	2.97	0.22	3.19	9.29	Complies




Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	8.33	9.29	Complies
116	5580	8.88	9.29	Complies
140	5700	8.46	9.29	Complies


Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	2.76	0.23	2.99	9.29	Complies
110	5550	2.76	0.23	2.99	9.29	Complies
134	5670	3.18	0.23	3.41	9.29	Complies




Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	2.63	0.23	2.86	9.29	Complies
110	5550	2.80	0.23	3.03	9.29	Complies
134	5670	3.03	0.23	3.26	9.29	Complies



Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	2.59	0.23	2.82	9.29	Complies
110	5550	2.78	0.23	3.01	9.29	Complies
134	5670	2.71	0.23	2.94	9.29	Complies




Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	7.66	9.29	Complies
110	5550	7.78	9.29	Complies
134	5670	7.97	9.29	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-0.14	0.26	0.12	9.29	Complies
122	5610	-0.25	0.26	0.01	9.29	Complies

CH106



Date: 29.AUG.2024 16:32:11

CH122




Date: 29.AUG.2024 16:32:57

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-0.13	0.26	0.13	9.29	Complies
122	5610	0.00	0.26	0.26	9.29	Complies

CH106



Date: 29.AUG.2024 16:33:32

CH122




Date: 29.AUG.2024 16:33:34

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-0.43	0.26	-0.17	9.29	Complies
122	5610	-0.81	0.26	-0.55	9.29	Complies

CH106



Date: 29.AUG.2024 16:30:57

CH122




Date: 29.AUG.2024 16:34:12

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	4.80	9.29	Complies
122	5610	4.69	9.29	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-2.73	0.24	-2.49	9.29	Complies



Date: 29_AUG_2024 16:42:12

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-2.71	0.24	-2.47	9.29	Complies



Date: 29_AUG_2024 16:42:46

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-3.00	0.24	-2.76	9.29	Complies



Test Mode	UNII-2C_TX AX(HE160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	2.20	9.29	Complies