Shenzhen Longgang district dabojin supply chain wholesale department

102, Unit 1, No. 49, Baoli Road, Dexing Community, Buji Street, Longgang District, Shenzhen


Product specification

Quick Reference Date

	Antenna module on the system board				
Frequency	2.45GHz*1				
Ant. Port Input Pwr. (dBm)	0 (Typ. BT class 2 output power)				
Tot. Rad. Pwr. (dBm)	-2.3 (Input pwr – loss pwr)				
Peak EIRP(dBm)	1.3				
Directivity (dBi)	1 (all direction antenna)				
Efficiency (dB)	-2.3 (58.5%)				
Gain (dBi)	1.3 (Peak Gain XY-plane)				
Maximum Power (dBm)	1.3 (XY-plane)				
Minimum Power (dBm)	-4(XY-plane)				
Avg. Power (dBm)	-0.5(XY-plane)				
Max/Min Ratio (dB)	5.3(XY-plane)				
Max/Avg Ratio (dB)	1.8(XY-plane)				
Min/Avg Ratio (dB)	-3.5(XY-plane)				
Average Gain (dB)	-0.5 (Avg Gain XY-plane)				
Manufacturer	Shenzhen Longgang district dabojin supply chain				
	wholesale department				
Model	C919				

All the technical data and information contained herein are subject to change without prior notice

Antenna Layout & module on the system board



Antenna Gain Gain Table

Unit in dBi @2.44GHz	XY-plane		XZ-plane		YZ-plane		Efficiency
	Peak	Avg.	Peak	Avg.	Peak	Avg.	
Module Board	1.3	-0.5	1.7	-3.8	1.1	-3.0	58.5%


Shenzhen Longgang district dabojin supply chain wholesale department




Return Loss

Shenzhen Longgang district dabojin supply chain wholesale department

102, Unit 1, No. 49, Baoli Road, Dexing Community, Buji Street, Longgang District, Shenzhen



3D radiation pattern diagram



XY-plane XZ-plane YZ-plane