



Appendix B

RF Test Data for 5.2GWIFI(Conducted Measurement)

Product Name: SmartTouch+

Test Model: STP-001

Environmental Conditions

Temperature:	23.8° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Paddi Chen
Supervised by:	Nick Peng





B.1 -26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant2	25.208	---	Pass
NVNT	a	5200	Ant2	25.289	---	Pass
NVNT	a	5240	Ant2	19.917	---	Pass
NVNT	n20	5180	Ant2	25.543	---	Pass
NVNT	n20	5200	Ant2	28.543	---	Pass
NVNT	n20	5240	Ant2	19.995	---	Pass
NVNT	n40	5190	Ant2	44.86	---	Pass
NVNT	n40	5230	Ant2	40.483	---	Pass
NVNT	ac20	5180	Ant2	24.562	---	Pass
NVNT	ac20	5200	Ant2	26.917	---	Pass
NVNT	ac20	5240	Ant2	20.17	---	Pass
NVNT	ac40	5190	Ant2	52.032	---	Pass
NVNT	ac40	5230	Ant2	39.928	---	Pass
NVNT	ac80	5210	Ant2	101.769	---	Pass
NVNT	ax20	5180	Ant2	26.724	---	Pass
NVNT	ax20	5200	Ant2	22.546	---	Pass
NVNT	ax20	5240	Ant2	19.888	---	Pass
NVNT	ax40	5190	Ant2	51.56	---	Pass
NVNT	ax40	5230	Ant2	39.304	---	Pass
NVNT	ax80	5210	Ant2	83.747	---	Pass
NVNT	ac160	5250	Ant2	169.261	---	Pass
NVNT	ax160	5250	Ant2	158.887	---	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

-26dB Bandwidth NVNT a 5180MHz Ant2




-26dB Bandwidth NVNT a 5200MHz Ant2






-26dB Bandwidth NVNT a 5240MHz Ant2




-26dB Bandwidth NVNT n20 5180MHz Ant2






-26dB Bandwidth NVNT n20 5200MHz Ant2




-26dB Bandwidth NVNT n20 5240MHz Ant2






-26dB Bandwidth NVNT n40 5190MHz Ant2




-26dB Bandwidth NVNT n40 5230MHz Ant2






-26dB Bandwidth NVNT ac20 5180MHz Ant2




-26dB Bandwidth NVNT ac20 5200MHz Ant2






-26dB Bandwidth NVNT ac20 5240MHz Ant2




-26dB Bandwidth NVNT ac40 5190MHz Ant2






-26dB Bandwidth NVNT ac40 5230MHz Ant2




-26dB Bandwidth NVNT ac80 5210MHz Ant2






-26dB Bandwidth NVNT ax20 5180MHz Ant2




-26dB Bandwidth NVNT ax20 5200MHz Ant2






-26dB Bandwidth NVNT ax20 5240MHz Ant2




-26dB Bandwidth NVNT ax40 5190MHz Ant2






-26dB Bandwidth NVNT ax40 5230MHz Ant2




-26dB Bandwidth NVNT ax80 5210MHz Ant2




-26dB Bandwidth NVNT ac160 5250MHz Ant2





-26dB Bandwidth NVNT ax160 5250MHz Ant2





B.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant2	12.5	0.17	12.67	24	Pass
NVNT	a	5200	Ant2	12.39	0.17	12.56	24	Pass
NVNT	a	5240	Ant2	12.12	0.17	12.29	24	Pass
NVNT	n20	5180	Ant2	11.6	0.19	11.79	24	Pass
NVNT	n20	5200	Ant2	11.41	0.18	11.59	24	Pass
NVNT	n20	5240	Ant2	11.2	0.19	11.39	24	Pass
NVNT	n40	5190	Ant2	10.37	0.13	10.5	24	Pass
NVNT	n40	5230	Ant2	10.44	0.13	10.57	24	Pass
NVNT	ac20	5180	Ant2	11.35	0.49	11.84	24	Pass
NVNT	ac20	5200	Ant2	11.2	0.48	11.68	24	Pass
NVNT	ac20	5240	Ant2	10.94	0.49	11.43	24	Pass
NVNT	ac40	5190	Ant2	10.63	0.36	10.99	24	Pass
NVNT	ac40	5230	Ant2	10.11	0.37	10.48	24	Pass
NVNT	ac80	5210	Ant2	10.43	0.46	10.89	24	Pass
NVNT	ax20	5180	Ant2	11.79	0.18	11.97	24	Pass
NVNT	ax20	5200	Ant2	11.67	0.18	11.85	24	Pass
NVNT	ax20	5240	Ant2	11.41	0.18	11.59	24	Pass
NVNT	ax40	5190	Ant2	10.89	0.33	11.22	24	Pass
NVNT	ax40	5230	Ant2	10.24	0.33	10.57	24	Pass
NVNT	ax80	5210	Ant2	9.8	0.56	10.36	24	Pass
NVNT	ac160	5250	Ant2	8.71	0.7	9.41	24	Pass
NVNT	ax160	5250	Ant2	8.71	0.7	9.41	24	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



B.2 Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant2	2.51	0.17	2.68	11	Pass
NVNT	a	5200	Ant2	2.15	0.17	2.32	11	Pass
NVNT	a	5240	Ant2	2.14	0.17	2.31	11	Pass
NVNT	n20	5180	Ant2	1.3	0.19	1.49	11	Pass
NVNT	n20	5200	Ant2	0.84	0.18	1.02	11	Pass
NVNT	n20	5240	Ant2	0.83	0.19	1.02	11	Pass
NVNT	n40	5190	Ant2	-2.53	0.13	-2.4	11	Pass
NVNT	n40	5230	Ant2	-2.31	0.13	-2.18	11	Pass
NVNT	ac20	5180	Ant2	0.97	0.49	1.46	11	Pass
NVNT	ac20	5200	Ant2	0.86	0.48	1.34	11	Pass
NVNT	ac20	5240	Ant2	0.54	0.49	1.03	11	Pass
NVNT	ac40	5190	Ant2	-1.88	0.36	-1.52	11	Pass
NVNT	ac40	5230	Ant2	-2.15	0.37	-1.78	11	Pass
NVNT	ac80	5210	Ant2	-4.85	0.46	-4.39	11	Pass
NVNT	ax20	5180	Ant2	1.4	0.18	1.58	11	Pass
NVNT	ax20	5200	Ant2	1.17	0.18	1.35	11	Pass
NVNT	ax20	5240	Ant2	0.73	0.18	0.91	11	Pass
NVNT	ax40	5190	Ant2	-2.02	0.33	-1.69	11	Pass
NVNT	ax40	5230	Ant2	-2.33	0.33	-2	11	Pass
NVNT	ax80	5210	Ant2	-5.76	0.56	-5.2	11	Pass
NVNT	ac160	5250	Ant2	-9.29	0.7	-8.59	11	Pass
NVNT	ax160	5250	Ant2	-10.18	0.7	-9.48	11	Pass






Test Graphs

PSD NVNT a 5180MHz Ant2




PSD NVNT a 5200MHz Ant2






PSD NVNT a 5240MHz Ant2




PSD NVNT n20 5180MHz Ant2






PSD NVNT n20 5200MHz Ant2




PSD NVNT n20 5240MHz Ant2






PSD NVNT n40 5190MHz Ant2




PSD NVNT n40 5230MHz Ant2






PSD NVNT ac20 5180MHz Ant2




PSD NVNT ac20 5200MHz Ant2






PSD NVNT ac20 5240MHz Ant2




PSD NVNT ac40 5190MHz Ant2






PSD NVNT ac40 5230MHz Ant2




PSD NVNT ac80 5210MHz Ant2






PSD NVNT ax20 5180MHz Ant2




PSD NVNT ax20 5200MHz Ant2






PSD NVNT ax20 5240MHz Ant2




PSD NVNT ax40 5190MHz Ant2






PSD NVNT ax40 5230MHz Ant2




PSD NVNT ax80 5210MHz Ant2




PSD NVNT ac160 5250MHz Ant2





PSD NVNT ax160 5250MHz Ant2





B.4 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5180	Ant2	4500	-49.62	2	-	47.61	Peak	68.2	Pass
NVNT	a	5180	Ant2	4500	-58.42	2	0.17	38.98	Average	54	Pass
NVNT	a	5180	Ant2	5132.8	-44.83	2	-	52.4	Peak	68.2	Pass
NVNT	a	5180	Ant2	4873.8	-53.49	2	0.17	43.91	Average	54	Pass
NVNT	a	5180	Ant2	5150	-46.84	2	-	50.39	Peak	68.2	Pass
NVNT	a	5180	Ant2	5150	-55.14	2	0.17	42.26	Average	54	Pass
NVNT	a	5240	Ant2	5350	-49.43	2	-	47.8	Peak	68.2	Pass
NVNT	a	5240	Ant2	5350	-57.41	2	0.17	39.99	Average	54	Pass
NVNT	a	5240	Ant2	5381.04	-45.5	2	-	51.73	Peak	68.2	Pass
NVNT	a	5240	Ant2	5400	-55.65	2	0.17	41.75	Average	54	Pass
NVNT	a	5240	Ant2	5460	-48.69	2	-	48.54	Peak	68.2	Pass
NVNT	a	5240	Ant2	5460	-57.85	2	0.17	39.55	Average	54	Pass
NVNT	n20	5180	Ant2	4500	-49.65	2	-	47.58	Peak	68.2	Pass
NVNT	n20	5180	Ant2	4500	-58.42	2	0.19	39	Average	54	Pass
NVNT	n20	5180	Ant2	5081	-44.63	2	-	52.6	Peak	68.2	Pass
NVNT	n20	5180	Ant2	4873.8	-53.97	2	0.19	43.45	Average	54	Pass
NVNT	n20	5180	Ant2	5150	-47.38	2	-	49.85	Peak	68.2	Pass
NVNT	n20	5180	Ant2	5150	-55.57	2	0.19	41.85	Average	54	Pass
NVNT	n20	5240	Ant2	5350	-49.49	2	-	47.74	Peak	68.2	Pass
NVNT	n20	5240	Ant2	5350	-56.98	2	0.19	40.44	Average	54	Pass
NVNT	n20	5240	Ant2	5450.4	-46.36	2	-	50.87	Peak	68.2	Pass
NVNT	n20	5240	Ant2	5400.48	-56.15	2	0.19	41.27	Average	54	Pass
NVNT	n20	5240	Ant2	5460	-49.01	2	-	48.22	Peak	68.2	Pass
NVNT	n20	5240	Ant2	5460	-57.86	2	0.19	39.56	Average	54	Pass
NVNT	n40	5190	Ant2	4500	-49.5	2	-	47.73	Peak	68.2	Pass
NVNT	n40	5190	Ant2	4500	-57.61	2	0.13	39.75	Average	54	Pass
NVNT	n40	5190	Ant2	5149.7	-44.53	2	-	52.7	Peak	68.2	Pass
NVNT	n40	5190	Ant2	4873.76	-53.73	2	0.13	43.63	Average	54	Pass
NVNT	n40	5190	Ant2	5150	-44.53	2	-	52.7	Peak	68.2	Pass
NVNT	n40	5190	Ant2	5150	-55.13	2	0.13	42.23	Average	54	Pass
NVNT	n40	5230	Ant2	5350	-47.77	2	-	49.46	Peak	68.2	Pass
NVNT	n40	5230	Ant2	5350	-56.8	2	0.13	40.56	Average	54	Pass
NVNT	n40	5230	Ant2	5354.43	-46.37	2	-	50.86	Peak	68.2	Pass
NVNT	n40	5230	Ant2	5390.07	-55.96	2	0.13	41.4	Average	54	Pass
NVNT	n40	5230	Ant2	5460	-49.53	2	-	47.7	Peak	68.2	Pass
NVNT	n40	5230	Ant2	5460	-57.54	2	0.13	39.82	Average	54	Pass
NVNT	ac20	5180	Ant2	4500	-49.89	2	-	47.34	Peak	68.2	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



NVNT	ac20	5180	Ant2	4500	-58.23	2	0.49	39.49	Average	54	Pass
NVNT	ac20	5180	Ant2	5060.7	-44.22	2	-	53.01	Peak	68.2	Pass
NVNT	ac20	5180	Ant2	4873.8	-53.91	2	0.49	43.81	Average	54	Pass
NVNT	ac20	5180	Ant2	5150	-46.61	2	-	50.62	Peak	68.2	Pass
NVNT	ac20	5180	Ant2	5150	-55.03	2	0.49	42.69	Average	54	Pass
NVNT	ac20	5240	Ant2	5350	-49.57	2	-	47.66	Peak	68.2	Pass
NVNT	ac20	5240	Ant2	5350	-56.98	2	0.49	40.74	Average	54	Pass
NVNT	ac20	5240	Ant2	5371.2	-46.53	2	-	50.7	Peak	68.2	Pass
NVNT	ac20	5240	Ant2	5400.48	-56.21	2	0.49	41.51	Average	54	Pass
NVNT	ac20	5240	Ant2	5460	-49.28	2	-	47.95	Peak	68.2	Pass
NVNT	ac20	5240	Ant2	5460	-57.71	2	0.49	40.01	Average	54	Pass
NVNT	ac40	5190	Ant2	4500	-50.48	2	-	46.75	Peak	68.2	Pass
NVNT	ac40	5190	Ant2	4500	-58.52	2	0.36	39.07	Average	54	Pass
NVNT	ac40	5190	Ant2	5132.91	-43.08	2	-	54.15	Peak	68.2	Pass
NVNT	ac40	5190	Ant2	4873.76	-54.01	2	0.36	43.58	Average	54	Pass
NVNT	ac40	5190	Ant2	5150	-47.18	2	-	50.05	Peak	68.2	Pass
NVNT	ac40	5190	Ant2	5150	-55.19	2	0.36	42.4	Average	54	Pass
NVNT	ac40	5230	Ant2	5350	-47.94	2	-	49.29	Peak	68.2	Pass
NVNT	ac40	5230	Ant2	5350	-57.05	2	0.37	40.55	Average	54	Pass
NVNT	ac40	5230	Ant2	5429.22	-45.47	2	-	51.76	Peak	68.2	Pass
NVNT	ac40	5230	Ant2	5390.61	-55.98	2	0.37	41.62	Average	54	Pass
NVNT	ac40	5230	Ant2	5460	-48.93	2	-	48.3	Peak	68.2	Pass
NVNT	ac40	5230	Ant2	5460	-57.27	2	0.37	40.33	Average	54	Pass
NVNT	ac80	5210	Ant2	5350	-49.02	2	-	48.21	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	5350	-55.89	2	0.46	41.8	Average	54	Pass
NVNT	ac80	5210	Ant2	5422.38	-46.16	2	-	51.07	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	5369.91	-55.33	2	0.46	42.36	Average	54	Pass
NVNT	ac80	5210	Ant2	5460	-49.03	2	-	48.2	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	5460	-57.52	2	0.46	40.17	Average	54	Pass
NVNT	ac80	5210	Ant2	4500	-49.02	2	-	48.21	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	4500	-57.94	2	0.46	39.75	Average	54	Pass
NVNT	ac80	5210	Ant2	5138.32	-42.85	2	-	54.38	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	5149.38	-50.96	2	0.46	46.73	Average	54	Pass
NVNT	ac80	5210	Ant2	5150	-42.83	2	-	54.4	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	5150	-51.11	2	0.46	46.58	Average	54	Pass
NVNT	ax20	5180	Ant2	4500	-48.66	2	-	48.57	Peak	68.2	Pass
NVNT	ax20	5180	Ant2	4500	-58.07	2	0.18	39.34	Average	54	Pass
NVNT	ax20	5180	Ant2	5055.1	-44.51	2	-	52.72	Peak	68.2	Pass
NVNT	ax20	5180	Ant2	4873.8	-53.58	2	0.18	43.83	Average	54	Pass
NVNT	ax20	5180	Ant2	5150	-47.41	2	-	49.82	Peak	68.2	Pass
NVNT	ax20	5180	Ant2	5150	-55.02	2	0.18	42.39	Average	54	Pass
NVNT	ax20	5240	Ant2	5350	-48.57	2	-	48.66	Peak	68.2	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



NVNT	ax20	5240	Ant2	5350	-57.25	2	0.18	40.16	Average	54	Pass
NVNT	ax20	5240	Ant2	5356.56	-46.37	2	-	50.86	Peak	68.2	Pass
NVNT	ax20	5240	Ant2	5400	-55.71	2	0.18	41.7	Average	54	Pass
NVNT	ax20	5240	Ant2	5460	-50.69	2	-	46.54	Peak	68.2	Pass
NVNT	ax20	5240	Ant2	5460	-57.18	2	0.18	40.23	Average	54	Pass
NVNT	ax40	5190	Ant2	4500	-50.67	2	-	46.56	Peak	68.2	Pass
NVNT	ax40	5190	Ant2	4500	-58.07	2	0.33	39.49	Average	54	Pass
NVNT	ax40	5190	Ant2	5100.79	-44.37	2	-	52.86	Peak	68.2	Pass
NVNT	ax40	5190	Ant2	4873.76	-53.91	2	0.33	43.65	Average	54	Pass
NVNT	ax40	5190	Ant2	5150	-45.89	2	-	51.34	Peak	68.2	Pass
NVNT	ax40	5190	Ant2	5150	-54.41	2	0.33	43.15	Average	54	Pass
NVNT	ax40	5230	Ant2	5350	-46.97	2	-	50.26	Peak	68.2	Pass
NVNT	ax40	5230	Ant2	5350	-56.49	2	0.33	41.07	Average	54	Pass
NVNT	ax40	5230	Ant2	5404.65	-46.01	2	-	51.22	Peak	68.2	Pass
NVNT	ax40	5230	Ant2	5390.61	-56.1	2	0.33	41.46	Average	54	Pass
NVNT	ax40	5230	Ant2	5460	-49.58	2	-	47.65	Peak	68.2	Pass
NVNT	ax40	5230	Ant2	5460	-57.41	2	0.33	40.15	Average	54	Pass
NVNT	ax80	5210	Ant2	5350	-47.28	2	-	49.95	Peak	68.2	Pass
NVNT	ax80	5210	Ant2	5350	-56.38	2	0.56	41.41	Average	54	Pass
NVNT	ax80	5210	Ant2	5400.6	-45.67	2	-	51.56	Peak	68.2	Pass
NVNT	ax80	5210	Ant2	5359.68	-55.83	2	0.56	41.96	Average	54	Pass
NVNT	ax80	5210	Ant2	5460	-48.66	2	-	48.57	Peak	68.2	Pass
NVNT	ax80	5210	Ant2	5460	-57.27	2	0.56	40.52	Average	54	Pass
NVNT	ax80	5210	Ant2	4500	-50.08	2	-	47.15	Peak	68.2	Pass
NVNT	ax80	5210	Ant2	4500	-58.83	2	0.56	38.96	Average	54	Pass
NVNT	ax80	5210	Ant2	5149.38	-42.15	2	-	55.08	Peak	68.2	Pass
NVNT	ax80	5210	Ant2	5149.38	-51.44	2	0.56	46.35	Average	54	Pass
NVNT	ax80	5210	Ant2	5150	-43.05	2	-	54.18	Peak	68.2	Pass
NVNT	ax80	5210	Ant2	5150	-50.83	2	0.56	46.96	Average	54	Pass
NVNT	ac160	5250	Ant2	5350	-43.66	2	-	53.57	Peak	68.2	Pass
NVNT	ac160	5250	Ant2	5350	-53.42	2	0.7	44.51	Average	54	Pass
NVNT	ac160	5250	Ant2	5356.4	-40.55	2	-	56.68	Peak	68.2	Pass
NVNT	ac160	5250	Ant2	5356.03	-50.15	2	0.7	47.78	Average	54	Pass
NVNT	ac160	5250	Ant2	5460	-52.42	2	-	44.81	Peak	68.2	Pass
NVNT	ac160	5250	Ant2	5460	-60.79	2	0.7	37.14	Average	54	Pass
NVNT	ac160	5250	Ant2	4500	-59.41	2	-	37.82	Peak	68.2	Pass
NVNT	ac160	5250	Ant2	4500	-68.23	2	0.7	29.7	Average	54	Pass
NVNT	ac160	5250	Ant2	5098.78	-43.29	2	-	53.94	Peak	68.2	Pass
NVNT	ac160	5250	Ant2	5144.28	-51.92	2	0.7	46.01	Average	54	Pass
NVNT	ac160	5250	Ant2	5150	-47.5	2	-	49.73	Peak	68.2	Pass
NVNT	ac160	5250	Ant2	5150	-56.03	2	0.7	41.9	Average	54	Pass
NVNT	ax160	5250	Ant2	5350	-49.56	2	-	47.67	Peak	68.2	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



NVNT	ax160	5250	Ant2	5350	-57.53	2	0.7	40.4	Average	54	Pass
NVNT	ax160	5250	Ant2	5354.92	-44.93	2	-	52.3	Peak	68.2	Pass
NVNT	ax160	5250	Ant2	5355.29	-55.35	2	0.7	42.58	Average	54	Pass
NVNT	ax160	5250	Ant2	5460	-52.6	2	-	44.63	Peak	68.2	Pass
NVNT	ax160	5250	Ant2	5460	-62.76	2	0.7	35.17	Average	54	Pass
NVNT	ax160	5250	Ant2	4500	-61.52	2	-	35.71	Peak	68.2	Pass
NVNT	ax160	5250	Ant2	4500	-69.04	2	0.7	28.89	Average	54	Pass
NVNT	ax160	5250	Ant2	5127.9	-43.14	2	-	54.09	Peak	68.2	Pass
NVNT	ax160	5250	Ant2	5145.19	-54.41	2	0.7	43.52	Average	54	Pass
NVNT	ax160	5250	Ant2	5150	-48.93	2	-	48.3	Peak	68.2	Pass
NVNT	ax160	5250	Ant2	5150	-56.83	2	0.7	41.1	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Restrict Band NVNT a 5180MHz Ant2 Peak




Restrict Band NVNT a 5180MHz Ant2 Average






Restrict Band NVNT a 5240MHz Ant2 Peak




Restrict Band NVNT a 5240MHz Ant2 Average






Restrict Band NVNT n20 5180MHz Ant2 Peak




Restrict Band NVNT n20 5180MHz Ant2 Average






Restrict Band NVNT n20 5240MHz Ant2 Peak




Restrict Band NVNT n20 5240MHz Ant2 Average






Restrict Band NVNT n40 5190MHz Ant2 Peak




Restrict Band NVNT n40 5190MHz Ant2 Average






Restrict Band NVNT n40 5230MHz Ant2 Peak




Restrict Band NVNT n40 5230MHz Ant2 Average






Restrict Band NVNT ac20 5180MHz Ant2 Peak




Restrict Band NVNT ac20 5180MHz Ant2 Average






Restrict Band NVNT ac20 5240MHz Ant2 Peak




Restrict Band NVNT ac20 5240MHz Ant2 Average






Restrict Band NVNT ac40 5190MHz Ant2 Peak




Restrict Band NVNT ac40 5190MHz Ant2 Average






Restrict Band NVNT ac40 5230MHz Ant2 Peak




Restrict Band NVNT ac40 5230MHz Ant2 Average






Restrict Band NVNT ac80 5210MHz Ant2 Peak




Restrict Band NVNT ac80 5210MHz Ant2 Average






Restrict Band NVNT ac80 5210MHz Ant2 Peak




Restrict Band NVNT ac80 5210MHz Ant2 Average





Restrict Band NVNT ax20 5180MHz Ant2 Peak



Restrict Band NVNT ax20 5180MHz Ant2 Average

