



Appendix D

RF Test Data for 5.5GWIFI(Conducted Measurement)

Product Name: SmartTouch+

Test Model: STP-001

Environmental Conditions

Temperature:	23.8° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Paddi Chen
Supervised by:	Nick Peng





D.1 -26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5500	Ant2	25.393	---	Pass
NVNT	a	5580	Ant2	20.161	---	Pass
NVNT	a	5700	Ant2	25.071	---	Pass
NVNT	n20	5500	Ant2	27.594	---	Pass
NVNT	n20	5580	Ant2	21.487	---	Pass
NVNT	n20	5700	Ant2	26.716	---	Pass
NVNT	n40	5510	Ant2	43.678	---	Pass
NVNT	n40	5550	Ant2	39.905	---	Pass
NVNT	n40	5670	Ant2	50.987	---	Pass
NVNT	ac20	5500	Ant2	28.229	---	Pass
NVNT	ac20	5580	Ant2	22.227	---	Pass
NVNT	ac20	5700	Ant2	25.14	---	Pass
NVNT	ac40	5510	Ant2	50.887	---	Pass
NVNT	ac40	5550	Ant2	39.693	---	Pass
NVNT	ac40	5670	Ant2	58.154	---	Pass
NVNT	ac80	5530	Ant2	95.947	---	Pass
NVNT	ac80	5610	Ant2	78.83	---	Pass
NVNT	ax20	5500	Ant2	26.807	---	Pass
NVNT	ax20	5580	Ant2	21.972	---	Pass
NVNT	ax20	5700	Ant2	25.965	---	Pass
NVNT	ax40	5510	Ant2	50.599	---	Pass
NVNT	ax40	5550	Ant2	39.261	---	Pass
NVNT	ax40	5670	Ant2	52.764	---	Pass
NVNT	ax80	5530	Ant2	81.435	---	Pass
NVNT	ax80	5610	Ant2	79.302	---	Pass
NVNT	ac160	5570	Ant2	164.199	---	Pass
NVNT	ax160	5570	Ant2	162.154	---	Pass






Test Graphs

-26dB Bandwidth NVNT a 5500MHz Ant2




-26dB Bandwidth NVNT a 5580MHz Ant2






-26dB Bandwidth NVNT a 5700MHz Ant2




-26dB Bandwidth NVNT n20 5500MHz Ant2






-26dB Bandwidth NVNT n20 5580MHz Ant2




-26dB Bandwidth NVNT n20 5700MHz Ant2






-26dB Bandwidth NVNT n40 5510MHz Ant2




-26dB Bandwidth NVNT n40 5550MHz Ant2






-26dB Bandwidth NVNT n40 5670MHz Ant2




-26dB Bandwidth NVNT ac20 5500MHz Ant2






-26dB Bandwidth NVNT ac20 5580MHz Ant2




-26dB Bandwidth NVNT ac20 5700MHz Ant2






-26dB Bandwidth NVNT ac40 5510MHz Ant2




-26dB Bandwidth NVNT ac40 5550MHz Ant2






-26dB Bandwidth NVNT ac40 5670MHz Ant2




-26dB Bandwidth NVNT ac80 5530MHz Ant2






-26dB Bandwidth NVNT ac80 5610MHz Ant2




-26dB Bandwidth NVNT ax20 5500MHz Ant2






-26dB Bandwidth NVNT ax20 5580MHz Ant2




-26dB Bandwidth NVNT ax20 5700MHz Ant2






-26dB Bandwidth NVNT ax40 5510MHz Ant2




-26dB Bandwidth NVNT ax40 5550MHz Ant2






-26dB Bandwidth NVNT ax40 5670MHz Ant2




-26dB Bandwidth NVNT ax80 5530MHz Ant2






-26dB Bandwidth NVNT ax80 5610MHz Ant2




-26dB Bandwidth NVNT ac160 5570MHz Ant2



-26dB Bandwidth NVNT ax160 5570MHz Ant2







D.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant2	12.6	0.22	12.82	24	Pass
NVNT	a	5580	Ant2	12.67	0.22	12.89	24	Pass
NVNT	a	5700	Ant2	12.36	0.22	12.58	24	Pass
NVNT	n20	5500	Ant2	11.34	0.23	11.57	24	Pass
NVNT	n20	5580	Ant2	11.16	0.23	11.39	24	Pass
NVNT	n20	5700	Ant2	11.41	0.23	11.64	24	Pass
NVNT	n40	5510	Ant2	10.57	0.36	10.93	24	Pass
NVNT	n40	5550	Ant2	10.1	0.37	10.47	24	Pass
NVNT	n40	5670	Ant2	10.72	0.37	11.09	24	Pass
NVNT	ac20	5500	Ant2	11.28	0.58	11.86	24	Pass
NVNT	ac20	5580	Ant2	11.03	0.58	11.61	24	Pass
NVNT	ac20	5700	Ant2	11.27	0.6	11.87	24	Pass
NVNT	ac40	5510	Ant2	10.22	0.51	10.73	24	Pass
NVNT	ac40	5550	Ant2	10.29	0.51	10.8	24	Pass
NVNT	ac40	5670	Ant2	10.73	0.51	11.24	24	Pass
NVNT	ac80	5530	Ant2	9.29	0.7	9.99	24	Pass
NVNT	ac80	5610	Ant2	9.15	0.7	9.85	24	Pass
NVNT	ax20	5500	Ant2	11.09	0.23	11.32	24	Pass
NVNT	ax20	5580	Ant2	11.34	0.23	11.57	24	Pass
NVNT	ax20	5700	Ant2	11.44	0.33	11.77	24	Pass
NVNT	ax40	5510	Ant2	10.48	0.55	11.03	24	Pass
NVNT	ax40	5550	Ant2	10.04	0.54	10.58	24	Pass
NVNT	ax40	5670	Ant2	10.08	0.54	10.62	24	Pass
NVNT	ax80	5530	Ant2	9.07	0.68	9.75	24	Pass
NVNT	ax80	5610	Ant2	9.5	0.68	10.18	24	Pass
NVNT	ac160	5570	Ant2	8.15	0.56	8.71	24	Pass
NVNT	ax160	5570	Ant2	8.15	0.55	8.71	24	Pass





D.3 Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5500	Ant2	2.45	0.22	2.67	11	Pass
NVNT	a	5580	Ant2	2.96	0.22	3.18	11	Pass
NVNT	a	5700	Ant2	1.61	0.22	1.83	11	Pass
NVNT	n20	5500	Ant2	1.02	0.23	1.25	11	Pass
NVNT	n20	5580	Ant2	0.94	0.23	1.17	11	Pass
NVNT	n20	5700	Ant2	1.16	0.23	1.39	11	Pass
NVNT	n40	5510	Ant2	-2.01	0.36	-1.65	11	Pass
NVNT	n40	5550	Ant2	-2.63	0.37	-2.26	11	Pass
NVNT	n40	5670	Ant2	-1.72	0.37	-1.35	11	Pass
NVNT	ac20	5500	Ant2	1.27	0.58	1.85	11	Pass
NVNT	ac20	5580	Ant2	0.58	0.58	1.16	11	Pass
NVNT	ac20	5700	Ant2	0.9	0.6	1.5	11	Pass
NVNT	ac40	5510	Ant2	-3	0.51	-2.49	11	Pass
NVNT	ac40	5550	Ant2	-2.55	0.51	-2.04	11	Pass
NVNT	ac40	5670	Ant2	-2.05	0.51	-1.54	11	Pass
NVNT	ac80	5530	Ant2	-6.48	0.7	-5.78	11	Pass
NVNT	ac80	5610	Ant2	-6.71	0.7	-6.01	11	Pass
NVNT	ax20	5500	Ant2	0.67	0.23	0.9	11	Pass
NVNT	ax20	5580	Ant2	0.55	0.23	0.78	11	Pass
NVNT	ax20	5700	Ant2	0.77	0.33	1.1	11	Pass
NVNT	ax40	5510	Ant2	-2.26	0.55	-1.71	11	Pass
NVNT	ax40	5550	Ant2	-3.22	0.54	-2.68	11	Pass
NVNT	ax40	5670	Ant2	-2.93	0.54	-2.39	11	Pass
NVNT	ax80	5530	Ant2	-6.39	0.68	-5.71	11	Pass
NVNT	ax80	5610	Ant2	-6.32	0.68	-5.64	11	Pass
NVNT	ac160	5570	Ant2	-9.8	0.56	-9.24	11	Pass
NVNT	ax160	5570	Ant2	-10.58	0.55	-10.03	11	Pass






Test Graphs

PSD NVNT a 5500MHz Ant2




PSD NVNT a 5580MHz Ant2










PSD NVNT a 5700MHz Ant2





PSD NVNT n20 5500MHz Ant2













PSD NVNT ac20 5580MHz Ant2




PSD NVNT ac20 5700MHz Ant2






PSD NVNT ac40 5510MHz Ant2




PSD NVNT ac40 5550MHz Ant2






PSD NVNT ac40 5670MHz Ant2




PSD NVNT ac80 5530MHz Ant2








PSD NVNT ac80 5610MHz Ant2




PSD NVNT ax20 5500MHz Ant2










PSD NVNT ax40 5510MHz Ant2




PSD NVNT ax40 5550MHz Ant2








PSD NVNT ax80 5610MHz Ant2




PSD NVNT ac160 5570MHz Ant2



PSD NVNT ax160 5570MHz Ant2







D.4 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5500	Ant2	5460	-49.5	2	-	47.73	Peak	68.2	Pass
NVNT	a	5500	Ant2	5460	-56.35	2	0.22	41.1	Average	54	Pass
NVNT	a	5500	Ant2	5460.4	-45.78	2	-	51.45	Peak	68.2	Pass
NVNT	a	5500	Ant2	5469.8	-55.68	2	0.22	41.77	Average	54	Pass
NVNT	a	5500	Ant2	5470	-48.26	2	-	48.97	Peak	68.2	Pass
NVNT	a	5500	Ant2	5470	-56.44	2	0.22	41.01	Average	54	Pass
NVNT	a	5700	Ant2	5725	-48.09	2	-	49.14	Peak	68.2	Pass
NVNT	a	5700	Ant2	5725	-55.77	2	0.22	41.68	Average	54	Pass
NVNT	a	5700	Ant2	5729.4	-45.2	2	-	52.03	Peak	68.2	Pass
NVNT	a	5700	Ant2	5725.2	-55.22	2	0.22	42.23	Average	54	Pass
NVNT	a	5700	Ant2	5735	-46.96	2	-	50.27	Peak	68.2	Pass
NVNT	a	5700	Ant2	5735	-55.72	2	0.22	41.73	Average	54	Pass
NVNT	n20	5500	Ant2	5460	-47.64	2	-	49.59	Peak	68.2	Pass
NVNT	n20	5500	Ant2	5460	-56.38	2	0.23	41.08	Average	54	Pass
NVNT	n20	5500	Ant2	5464.2	-47.55	2	-	49.68	Peak	68.2	Pass
NVNT	n20	5500	Ant2	5468.4	-56.06	2	0.23	41.4	Average	54	Pass
NVNT	n20	5500	Ant2	5470	-48.35	2	-	48.88	Peak	68.2	Pass
NVNT	n20	5500	Ant2	5470	-56.52	2	0.23	40.94	Average	54	Pass
NVNT	n20	5700	Ant2	5725	-48.08	2	-	49.15	Peak	68.2	Pass
NVNT	n20	5700	Ant2	5725	-56.01	2	0.23	41.45	Average	54	Pass
NVNT	n20	5700	Ant2	5734.4	-45.29	2	-	51.94	Peak	68.2	Pass
NVNT	n20	5700	Ant2	5728.2	-55.2	2	0.23	42.26	Average	54	Pass
NVNT	n20	5700	Ant2	5735	-47.9	2	-	49.33	Peak	68.2	Pass
NVNT	n20	5700	Ant2	5735	-56.43	2	0.23	41.03	Average	54	Pass
NVNT	n40	5510	Ant2	5460	-47.78	2	-	49.45	Peak	68.2	Pass
NVNT	n40	5510	Ant2	5460	-56.94	2	0.36	40.65	Average	54	Pass
NVNT	n40	5510	Ant2	5463.2	-45.86	2	-	51.37	Peak	68.2	Pass
NVNT	n40	5510	Ant2	5465.8	-55.39	2	0.36	42.2	Average	54	Pass
NVNT	n40	5510	Ant2	5470	-47.12	2	-	50.11	Peak	68.2	Pass
NVNT	n40	5510	Ant2	5470	-56.26	2	0.36	41.33	Average	54	Pass
NVNT	n40	5670	Ant2	5725	-48.96	2	-	48.27	Peak	68.2	Pass
NVNT	n40	5670	Ant2	5725	-56.43	2	0.37	41.17	Average	54	Pass
NVNT	n40	5670	Ant2	5726.4	-47.18	2	-	50.05	Peak	68.2	Pass
NVNT	n40	5670	Ant2	5729.4	-56.23	2	0.37	41.37	Average	54	Pass
NVNT	n40	5670	Ant2	5735	-49.71	2	-	47.52	Peak	68.2	Pass
NVNT	n40	5670	Ant2	5735	-57.04	2	0.37	40.56	Average	54	Pass
NVNT	ac20	5500	Ant2	5460	-46.96	2	-	50.27	Peak	68.2	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



NVNT	ac20	5500	Ant2	5460	-56.77	2	0.58	41.04	Average	54	Pass
NVNT	ac20	5500	Ant2	5465.6	-45.7	2	-	51.53	Peak	68.2	Pass
NVNT	ac20	5500	Ant2	5464	-55.48	2	0.58	42.33	Average	54	Pass
NVNT	ac20	5500	Ant2	5470	-47.91	2	-	49.32	Peak	68.2	Pass
NVNT	ac20	5500	Ant2	5470	-55.88	2	0.58	41.93	Average	54	Pass
NVNT	ac20	5700	Ant2	5725	-47.4	2	-	49.83	Peak	68.2	Pass
NVNT	ac20	5700	Ant2	5725	-55.87	2	0.6	41.96	Average	54	Pass
NVNT	ac20	5700	Ant2	5725.2	-45.66	2	-	51.57	Peak	68.2	Pass
NVNT	ac20	5700	Ant2	5729	-55.13	2	0.6	42.7	Average	54	Pass
NVNT	ac20	5700	Ant2	5735	-46.82	2	-	50.41	Peak	68.2	Pass
NVNT	ac20	5700	Ant2	5735	-56.38	2	0.6	41.45	Average	54	Pass
NVNT	ac40	5510	Ant2	5460	-48.92	2	-	48.31	Peak	68.2	Pass
NVNT	ac40	5510	Ant2	5460	-56.35	2	0.51	41.39	Average	54	Pass
NVNT	ac40	5510	Ant2	5463.8	-45.01	2	-	52.22	Peak	68.2	Pass
NVNT	ac40	5510	Ant2	5468.8	-56.27	2	0.51	41.47	Average	54	Pass
NVNT	ac40	5510	Ant2	5470	-47.89	2	-	49.34	Peak	68.2	Pass
NVNT	ac40	5510	Ant2	5470	-56.27	2	0.51	41.47	Average	54	Pass
NVNT	ac40	5670	Ant2	5725	-48.36	2	-	48.87	Peak	68.2	Pass
NVNT	ac40	5670	Ant2	5725	-56.57	2	0.51	41.17	Average	54	Pass
NVNT	ac40	5670	Ant2	5733	-47.49	2	-	49.74	Peak	68.2	Pass
NVNT	ac40	5670	Ant2	5728.6	-56.19	2	0.51	41.55	Average	54	Pass
NVNT	ac40	5670	Ant2	5735	-49.37	2	-	47.86	Peak	68.2	Pass
NVNT	ac40	5670	Ant2	5735	-56.32	2	0.51	41.42	Average	54	Pass
NVNT	ac80	5530	Ant2	5460	-49.26	2	-	47.97	Peak	68.2	Pass
NVNT	ac80	5530	Ant2	5460	-56.44	2	0.7	41.49	Average	54	Pass
NVNT	ac80	5530	Ant2	5465.2	-43.52	2	-	53.71	Peak	68.2	Pass
NVNT	ac80	5530	Ant2	5469.8	-52.56	2	0.7	45.37	Average	54	Pass
NVNT	ac80	5530	Ant2	5470	-45.17	2	-	52.06	Peak	68.2	Pass
NVNT	ac80	5530	Ant2	5470	-53.08	2	0.7	44.85	Average	54	Pass
NVNT	ac80	5610	Ant2	5725	-49.92	2	-	47.31	Peak	68.2	Pass
NVNT	ac80	5610	Ant2	5725	-56.8	2	0.7	41.13	Average	54	Pass
NVNT	ac80	5610	Ant2	5727.005	-46.68	2	-	50.55	Peak	68.2	Pass
NVNT	ac80	5610	Ant2	5731.515	-56.31	2	0.7	41.62	Average	54	Pass
NVNT	ac80	5610	Ant2	5735	-48.96	2	-	48.27	Peak	68.2	Pass
NVNT	ac80	5610	Ant2	5735	-56.62	2	0.7	41.31	Average	54	Pass
NVNT	ax20	5500	Ant2	5460	-48.45	2	-	48.78	Peak	68.2	Pass
NVNT	ax20	5500	Ant2	5460	-56.29	2	0.23	41.17	Average	54	Pass
NVNT	ax20	5500	Ant2	5469.2	-46.96	2	-	50.27	Peak	68.2	Pass
NVNT	ax20	5500	Ant2	5461	-56.07	2	0.23	41.39	Average	54	Pass
NVNT	ax20	5500	Ant2	5470	-47.73	2	-	49.5	Peak	68.2	Pass
NVNT	ax20	5500	Ant2	5470	-56.41	2	0.23	41.05	Average	54	Pass
NVNT	ax20	5700	Ant2	5725	-47.33	2	-	49.9	Peak	68.2	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



NVNT	ax20	5700	Ant2	5725	-55.94	2	0.33	41.62	Average	54	Pass
NVNT	ax20	5700	Ant2	5730.4	-45	2	-	52.23	Peak	68.2	Pass
NVNT	ax20	5700	Ant2	5726	-55.28	2	0.33	42.28	Average	54	Pass
NVNT	ax20	5700	Ant2	5735	-47.06	2	-	50.17	Peak	68.2	Pass
NVNT	ax20	5700	Ant2	5735	-55.91	2	0.33	41.65	Average	54	Pass
NVNT	ax40	5510	Ant2	5460	-49.22	2	-	48.01	Peak	68.2	Pass
NVNT	ax40	5510	Ant2	5460	-56.83	2	0.55	40.95	Average	54	Pass
NVNT	ax40	5510	Ant2	5466.8	-46.96	2	-	50.27	Peak	68.2	Pass
NVNT	ax40	5510	Ant2	5470	-55.35	2	0.55	42.43	Average	54	Pass
NVNT	ax40	5510	Ant2	5470	-48.1	2	-	49.13	Peak	68.2	Pass
NVNT	ax40	5670	Ant2	5725	-47.66	2	-	49.57	Peak	68.2	Pass
NVNT	ax40	5670	Ant2	5725	-56.93	2	0.54	40.84	Average	54	Pass
NVNT	ax40	5670	Ant2	5725.2	-47.14	2	-	50.09	Peak	68.2	Pass
NVNT	ax40	5670	Ant2	5726.8	-56.14	2	0.54	41.63	Average	54	Pass
NVNT	ax40	5670	Ant2	5735	-48.84	2	-	48.39	Peak	68.2	Pass
NVNT	ax40	5670	Ant2	5735	-56.53	2	0.54	41.24	Average	54	Pass
NVNT	ax80	5530	Ant2	5460	-47.71	2	-	49.52	Peak	68.2	Pass
NVNT	ax80	5530	Ant2	5460	-56.48	2	0.68	41.43	Average	54	Pass
NVNT	ax80	5530	Ant2	5469	-43.1	2	-	54.13	Peak	68.2	Pass
NVNT	ax80	5530	Ant2	5469.8	-52.55	2	0.68	45.36	Average	54	Pass
NVNT	ax80	5530	Ant2	5470	-45.42	2	-	51.81	Peak	68.2	Pass
NVNT	ax80	5530	Ant2	5470	-53.01	2	0.68	44.9	Average	54	Pass
NVNT	ax80	5610	Ant2	5725	-49.97	2	-	47.26	Peak	68.2	Pass
NVNT	ax80	5610	Ant2	5725	-57.22	2	0.68	40.69	Average	54	Pass
NVNT	ax80	5610	Ant2	5729.465	-46.66	2	-	50.57	Peak	68.2	Pass
NVNT	ax80	5610	Ant2	5731.31	-56.32	2	0.68	41.59	Average	54	Pass
NVNT	ax80	5610	Ant2	5735	-49.58	2	-	47.65	Peak	68.2	Pass
NVNT	ax80	5610	Ant2	5735	-57.07	2	0.68	40.84	Average	54	Pass
NVNT	ac160	5570	Ant2	5725	-49.3	2	-	47.93	Peak	68.2	Pass
NVNT	ac160	5570	Ant2	5725	-58.68	2	0.56	39.11	Average	54	Pass
NVNT	ac160	5570	Ant2	5730.45	-49.25	2	-	47.98	Peak	68.2	Pass
NVNT	ac160	5570	Ant2	5730.125	-56.88	2	0.56	40.91	Average	54	Pass
NVNT	ac160	5570	Ant2	5735	-53.57	2	-	43.66	Peak	68.2	Pass
NVNT	ac160	5570	Ant2	5735	-60.21	2	0.56	37.58	Average	54	Pass
NVNT	ac160	5570	Ant2	5460	-52.28	2	-	44.95	Peak	68.2	Pass
NVNT	ac160	5570	Ant2	5460	-61	2	0.56	36.79	Average	54	Pass
NVNT	ac160	5570	Ant2	5463.78	-47.62	2	-	49.61	Peak	68.2	Pass
NVNT	ac160	5570	Ant2	5464.59	-55.4	2	0.56	42.39	Average	54	Pass
NVNT	ac160	5570	Ant2	5470	-51.21	2	-	46.02	Peak	68.2	Pass
NVNT	ac160	5570	Ant2	5470	-59.58	2	0.56	38.21	Average	54	Pass
NVNT	ax160	5570	Ant2	5725	-51.3	2	-	45.93	Peak	68.2	Pass
NVNT	ax160	5570	Ant2	5725	-59.03	2	0.55	38.75	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity